

SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C6B Market Janakpuri New Delhi-110058
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info



This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya

SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C6B Market Janakpuri New Delhi-110058
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

HB BINDER R1

Hybrid Binder R1

HB BINDER R-1 is Unique in design, developed for both Digital & Offset Printers which acquires minimum real estate space. R-1 helps Printers, Binders & Publishers to achieve Quality binding and quick Turn-around-Time to deliver the books in time. A 5hp Motor in Milling gives preferred cut and grooving to give even spine and 0.5hp blower reduces the noise and avoids dust on the machine. R-1's Glue tank is equipped with Two roller Spine Glue application and side glue with knurling rollers for even glue application which ensures perfect spine finish. Hand fed Nipping unit has a robust cam and heavy plates to give exact cover pasting or what we call a PERFECT BINDING.

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya

SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C6B Market Janakpuri New Delhi-110058
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

BENEFITS OF R1 HB BINDER


1. THE R1 HB BINDER can be used for Perfect Binding, Covering Sewn & wire stitched book blocks and also for marking pads.
2. In-house perfect binding saves time and money. Having total control over quality and TAT.
3. Each individual sheet is more strongly bound and the book is more durable.
4. R1 HB BINDER can be used for any combination of folded signatures, single sheets or smaller inserts
5. R1 HB BINDER make ready consists of a simple adjustment and there are no superfluous electronic systems which leads to frequent faults.
6. A Perfect Bound book has a perfect flat spine, which makes easy to handle and package
7. R1 HB BINDER perfect bound book has a more prestigious appearance than saddle stitched or manually bound book.




Handfeed Position
Pages are securely & evenly clamped throughout the binding process



Spine Preparation
A multi-toothed cutter removes folds from the signatures



Notching
Two height-adjustable notching teeth produce V-shaped notches along the spine



Glue Application
A Three roller glue applicator applies glue evenly along the spine & sides of the book with built in glue film adjustments



Side Glue Application
The hot melt side glue unit is equipped with a 'P-tech' side gluing system. The side glue rollers apply a very thin film of glue to the sides of the book block



Cover Application
A heavy duty nipping unit applies the cover and remains momentarily closed to produce a perfectly bound book



Delivery
Finished books are delivered ready for gullotining or 3 knife trimming

HB BINDER R1

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya

SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C6B Market Janakpuri New Delhi-110058
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

SALIENT FEATURES

- Simple, versatile & dependable operation
- Adjustable milling depth cut-off up to 1 to 5mm
- Independent milling & roughening cutters
- Efficient waste exhaust system
- Excellent glue penetration through reverse spinning application drum
- Automatic thermostat to control glue temperature
- Powerful nipping pressures for sharp book corners and square book back
- Easy setup and job change over without tools
- Simple snap switch selection , for with or without book spine milling
- Automatic jogging, registration and clamping
- Facility for two up production at a time accordingly
- Emergency safety switches incorporated

SPECIFICATION

MODEL	Unit	MK-II
Max. Length (along Spine)	mm	430
Min. Length (along Spine)	mm	50
Max. Height (page width)	mm	300
Min. Height (page width)	mm	50
Bindable thickness	mm	1 to 50
Production Speed	Cy/hr	700
2 UP Production	Cy/hr	1200
Power Requirements	Volts	440
Motors	Hp	6
Heaters	Kw	2
Adhesive		Hot Melt

Optional Accessories : • Cold Glue Unit • 2 Mts. Long Belt Delivery • 5 Lts. Premelter
• Fume Hood • 2 Bags Waste Extractor • Low Clamp • Dust blower

Our other products: TEN CLAMPS PERFECT BINDER/ SIX CLAMPS PERFECT BINDER/ FIVE CLAMPS PERFECT BINDER/ FOUR CLAMPS PERFECT BINDER/THREE CLAMPS PERFECT BINDER

The specifications are subject to change due to continuous research and development

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya

SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C6B Market Janakpuri New Delhi-110058
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya