


HPM Fully Automatic Paper Cutting Machine

(92, 115, 130, 137, 168, 188)



COMPUTER SYSTEM



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

1. **16-inch full touch display screen, with program setting.**
2. German operating system is equipped to meet the operating habits of domestic users and guarantee convenient operation;
3. Mainboard adopted industrial chip imported from Italy;
4. Highly sensitive of the touch screen has real-time responses;
5. Equipped with signal amplification function and excellent anti-interference to avoid dimension errors due to drive aging;
6. Dimension in front of knife will be displayed to facilitate sizes for cutting;
7. **Program storage capacity is 300 programs**, each program can store 200 items cutting size.
8. computing with four operations, output programs in real time;
9. Equipment has relative positioning function relative to current position;
10. With minimal compensation, it can rapidly correct program errors due to paper distortions;
11. It can rapidly find out user-defined number of cutters;
12. Each air cushion program can be programmed;
13. The time of automatic cutting signals can be set up and cancelled; single automatic cutting can be started by inputting a password;
14. High and low speeds can be manually switched over rapidly;
15. A paper-pushing program is equipped to push paper automatically so as to guarantee safety and enhance operation efficiency;
16. Automatic cutting can be made as per instructed programming;
17. **Display precision is 0.01mm;**
18. **Position resolution of Backgauge is 0.01mm, closed-loop control, the locating error is less 0.01mm; no need to adjust locating error. Max. Backgauge speed is 20m/min.**
19. For safety anything goes between two sensor it stops automatically 1.3 seconds;
20. Multiple languages such as Chinese and English are available for order management;
21. Manual and automatic operations can be rapidly switched over to enhance efficiency to the greatest extent;
22. Voice messages are equipped to make users judge equipment conditions correctly.

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

MACHINE PERFORMANCE

1、 Gantry casting structure is adopted to ensure high-precision of the structure in the assembly process, which improves the rigidity and stability of the cutter.



2、 Worm gear system: large size worm gear, more cutting force, cutting more stable.

3、 The knife bed adopts long slotted hole, which is convenient for quick knife change and adjustment.



4、 Knife bed puller to ensure the safety of the machine, when the safety bolt is loose or broken, the machine will stop directly, without damaging the machine.

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



SAI ENTERPRISES
Graphic Machinery Suppliers

Smooth, precise and strong:

- The fully enclosed air cushion device makes paper movement very light and smoother.
- The paper pusher is linearly double guide rail guided and ball screw driven for smooth operation and precise positioning.
- Integrated seamless working table with chrome-plated surface and good structural strength.

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

Special Feature-

1. Computer is totally different. It is from sharp company
2. Screen is bigger size now it is 16 inch
3. Updated self-diagnostic points.
4. Safety bolts breakdown indicator through limit switch.
5. All machine operating function through touch screen only.
6. If there is any break, we can ideal the machine without switch off the power. With one switch all functions stop and only computer is on mode.
7. In Any Emergency Case we can stop the machine with push button through this emergency lock.
8. And machine weight increased for more stability.
9. All operating system is more user friendly in this system.
10. Backgauge runs on automatic intelligence system based on cutting sizes. Like when we trim the paper back gauge will move faster. In same time when we cut the labels it moves very slowly. And all times when it goes back all the time double speed.

Full Back Cover:




This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

Micro Adjustment Hand Wheel



Electric Panel Board




This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



In any Emergency Case we can stop the Machine with Push Button



Panasonic PLC

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



Electronic Lock Safety Device



Hydraulic System



Oil Pump



Remote Control System valve



Security Photoelectric



Panasonic Servo Motor

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

Confiuration Listing

No.	Name	Brand, specification & model
1	Background LCD	16''Color touch Interface
2	PLC	Panasonic
3	Backgauge position motor	Panasonic
4	Pick-up	FOTEK
5	Limit switch	TE
6	Guarding motor	TE
7	Air switch	TE
8	AC Contactor	TE
9	Miniature relay	IDEC
10	Switching power supply	TE
11	Power switch	CANSEN
12	Press-button	TE
13	Ball screw	High accurate (HIWIN)
14	Linear guider	High accurate double linear Guides (JSM)
15	Hydraulic system	Combination Valve (VIS)
16	Oil Pump	Bondioli
17	Main Bearing	NSK
18	Work Table	Slot less and plated chromium work table
19	Photocell	Sheng da
20	Knife	HSS
21	Backgauge cover	Organic glass

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

Parameter:

Model	Unit	92	115	130	137	168	188
Max. Cutting Width	cm	92	115	130	137	168	188
	inch	36.2	45.3	51.2	53.9	66.1	74
Max. Cutting Length	cm	92	115	130	145	168	188
	inch	36.2	45.3	51.2	57.1	66.1	74
Max. Cutting Height	cm	12	16.5	16.5	16.5	16.5	16.5
	inch	4.7	6.5	6.5	6.5	6.5	6.5
Min. Cutting Size (Without false clam plate)	cm	2.5	3	3	3	3	3
	inch	1	1.2	1.2	1.2	1.2	1.2
Min. Cutting Size (With false clam plate)	cm	9	9	9	9	9	9
	inch	3.5	3.5	3.5	3.5	3.5	3.5
Front Table Length	cm	63.2	71.5	73	73	75	75
	inch	24.9	28.1	28.7	28.7	29.5	29.5
Max. Clamp Pressure	N	30000	40000	40000	45000	60000	70000
Max. Cutting Speed	time/min	45	46	46	46	46	46
Main Motor	KW	3	4	4	4	8.5	8.5
Net Weight	Kg	2300	3700	3900	4100	6200	6600
Gross Weight	Kg	2500	4100	4300	4500	7000	7400

Packing size:

Model	Length (CM)	Width (CM)	Height (CM)
92 S16	228	140	188
115 S16	285	190	210
130 S16	285	190	210
137 S16	310	190	210
168 S16	360	205	220
188 S16	380	205	220

This is an electronic message, hence signature not required.

Hyderabad

Pune



Vizag

Nairobi-kenya

Installation Size

Model	Unit	A	B	C	D	E	F	G
92	cm	215	232	92	90	157	60	70
	inch	84.6	91.3	36	35.4	61.8	23.6	27.6
115	cm	259.7	265	115	90	172	70	75
	inch	102.2	104.3	45	35.4	67.7	27.6	29.5
130	cm	275.5	280	130	90	172	70	75
	inch	108.5	110.2	51.2	35.4	67.7	27.6	29.5
137	cm	285.5	287	137	90	172	70	75
	inch	112.4	113	54	35.4	67.7	27.6	29.5
168	cm	313	368	168	90	178	75	100
	inch	123.2	144.9	66.1	35.4	70	29.5	39.4
188	cm	346	388	188	90	178	75	100
	inch	136.2	152.8	74	35.4	70	29.5	39.4

Floor Plan:



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya