


Die Cutting Machine size 28X40



- **Salient Features :**

Strong connection of Die Cutter guarantee for perfect works under heaviest conditions.

Stationery platen & Moving platen made of special high tensible cast iron.

The platen is driven from the ball bearing mounted shaft.

Main gear shaft and connected arms are mounted on bronze bushes.

The reduction gear shaft is made of hardened high quality alloy steel.

[This is an electronic message, hence signature not](#)

Hyderabad

Pune

Vizag

Nairobi-kenya

- 1. Electro Magnetic Clutch and Brake** with push – button control of the press for easy, efficient & safe operation. Complete safety is ensured by full electric interlocking.
- 2. Dwell Timing Device (Opening).** The timing device can be set to give a variable period from half to six second. During this time the moving platen remains stationary in open position before it resumes to motion at the end of set dwell period.
- 3. Dwell Timing Device (Closing).** An additional device can be supplied to make moving platen stationary in closing position for set dwell period, the feature is an optional feature and supplied only when the presses are supplied with heated platen for special jobs.
- 4. Totally Enclosed.** All moving parts i.e. main fly wheel, main gears etc. are fully covered with strong sheet metal covers. An optional side arm guard can also be supplied on request.
- 5. Multiple Safety Bar.** Operator's safety is fully ensured by multiple safety bars. The special feature is wrap around safety bars. A slight touch to the bars will occur stopping to moving platen. Another safety is a lower safety bar. Trip bar for moving platen is an optional feature.
- 6. Dual Impression Adjustment.** Quick and simple impression adjustment is made through two eccentric bushes & the amount of impression can be read off on a graduated scale. Worm gear system for impression adjustment is an optional feature.
- 7. Automatic impression counter.** The digital impression counter allows an accurate check on the number of impression made by the press.
- 8. Worm gear eccentric impression adjustment and many more.**
- 9. Optional separate control panel on wheel with safety tower and budge.**
- 10. Moveable adjustable chase.**
- 11. Sensor Safety.**

Platens are particularly designed for die cutting, scoring and creasing work on Paper, Linoleum, Card board, Corrugated board, Fiber board, Cork, Leather, PVC materials etc.,.

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya

- **Technical Data :**

<u>Model</u>	<u>40</u>
Platen size (in mm)	28"x40" (710x1015)
Inside chase	25"x37"
Output/ Hour	1600
Pressure exerted (in ton)	250
Power (HP)	5
Floor space	65"x55"
Weight (approx.)	4800 kg.

This is an electronic message, hence signature not

Hyderabad

Pune

Vizag

Nairobi-kenya