

Cow Curve Analytics

How to Run & Test — Step-by-Step Guide

University of Naples Federico II
MSc Data Science

Supervisor: Prof. Schiano Lo Moriello

October 2026

1. What This Package Contains

Cow Curve Analytics is an offline web application that extracts the two curves (milk flow and vacuum pressure) from AMS milking-report PDFs and produces one CSV file per animal session. Everything runs locally — no internet connection is used at any point.

Item	Purpose
app.py · start.sh · frontend/	The web application
pipeline/pipeline.py	The computer-vision extraction pipeline
sample_input/sample_report.pdf	A real 2-page AMS report to test with (16 sessions)
demo/reports/	4 demo PDFs + exact ground truth (64 charts)
demo/score_demos.py	Scores extraction against that ground truth
pipeline/csv_synthetic_*/	Pre-generated pipeline output for the benchmark
Cow_Curve_Analytics_Explainer.pdf	Technical explainer (method & accuracy)
requirements.txt · Dockerfile	Dependencies / optional container setup

2. Requirements

Only **Python 3.10 or newer** is required (check with `python3 --version`). Tesseract OCR is **optional** — it is used only when processing PNG/JPG images instead of PDFs. All PDFs, including the included samples, work without it.

3. Setup (one time, ~2 minutes)

Open a terminal inside the `chart_digitizer` folder and run:

macOS / Linux

```
python3 -m venv venv
source venv/bin/activate
pip install -r requirements.txt
```

Windows (Command Prompt)

```
python -m venv venv
venv\Scripts\activate.bat
pip install -r requirements.txt
```

The install downloads OpenCV, NumPy, PyMuPDF, Pandas and Flask. It may take a minute or two on first run.

4. Run the Web App

macOS / Linux

```
./start.sh
```

Windows

```
python app.py
```

Then open `http://localhost:5001` in any browser and:

- 1. Drag `sample_input/sample_report.pdf` onto the upload area (or click it to browse).
- 2. Click **Run Extraction** — a progress bar shows charts being extracted.
- 3. **Expected result:** 16 sessions from 15 animals, dated 2024-03-07, with zero warnings.
- 4. Click any session row to preview the extracted curves and per-session statistics (peak flow, duration, estimated yield, average pressure).
- 5. Download individual CSVs, or all of them with **Download all as ZIP**.

Each CSV contains three columns — curve name, time in minutes (0–10), and value. Both curves start at (0, 0), and the flow curve runs to the end of the 10-minute session window.

```
curve,time_min,value
Flusso_kg_min,0.0,0.0
Flusso_kg_min,0.0202,0.1923
Pressione_assoluta_0.1bar,0.0,0.0
```

5. Command-Line Usage (optional)

The pipeline can also run without the web app:

```
python pipeline/pipeline.py --input sample_input/sample_report.pdf \
                             --out ./my_csv_output
```

Add `--report` to also write a JSON summary of every chart processed.

6. Verify the Accuracy Claims

The package includes three synthetic PDFs whose exact curve coordinates are known (`demo/reports/all_truth.json`), plus the pipeline's output for them. To reproduce the accuracy numbers reported in the technical explainer:

```
cd tests
python demo/score_demos.py
```

Expected output (48/48 charts matched):

Metric	Flusso (flow)	Pressione (pressure)
MAE — mean	0.12 kg/min	0.19 × 0.1 bar
MAE — median	0.11 kg/min	0.20 × 0.1 bar
Curve coverage	100.0 %	98.4 %

To regenerate the pipeline output from scratch before benchmarking (instead of using the pre-generated CSVs), run:

```
python pipeline/pipeline.py --input demo/reports/demo_1_normal.pdf \
                             --out pipeline/csv_synthetic_baseline
python pipeline/pipeline.py --input demo/reports/demo_2_mixed.pdf \
                             --out pipeline/csv_synthetic_multipage
python pipeline/pipeline.py --input demo/reports/demo_3_hard.pdf \
                             --out pipeline/csv_synthetic_edge
```

7. Docker (optional alternative)

If Docker is installed, Sections 2–3 can be skipped entirely:

```
docker build -t chart-digitizer .  
docker run -p 5001:5000 chart-digitizer
```

Then open `http://localhost:5001`.

8. Troubleshooting

Symptom	Fix
Port 5001 already in use	Run on another port: <code>./start.sh 5002</code> (then open <code>localhost:5002</code>)
ModuleNotFoundError	The virtual environment is not active — rerun the activate command from Section 3
Permission denied: <code>./start.sh</code>	<code>chmod +x start.sh</code>
'tesseract not found' warning	Only affects PNG/JPG inputs. PDFs work without Tesseract — no action needed

For anything else, contact the author.