


LAB-8


Name: Dhruvanshi Patel

Student no: N01684259


Homescreen: Shows the Home screen with buttons navigating to Details and Profile screens. The stack header is styled in blue with white text.




Detail screen: Displays itemId and itemName passed from Home screen. Demonstrates parameter passing and updating




Tab Bar: Shows the bottom Tab navigator with Home, Search, and Settings tabs. Active tab highlighted in blue.



Search screen: Shows the Search screen with a text input field.



Setting screen: Displays the Settings screen with Notification and Dark Mode switches, demonstrating functional UI components within the Tab navigator.



B. In this lab, I implemented navigation using React Navigation. The main application is wrapped inside the navigation container in App.js, and the navigation setup is split into two separate files: StackNavigator.js and TabNavigator.js. The tab navigator contains three screens: Home, Search, and Settings. The Home tab uses the stack navigator, which manages the Home, Details, and Profile screens.

Each screen inside the stack can move to another screen using the navigation functions. For example, the Home Screen has buttons that simply navigate to the Details Screen and the Profile Screen. The Details Screen receives parameters and displays them, and it

also includes simple options to go back or update the values. The Search Screen has a basic text input, and the Settings Screen contains two switches. Overall, the navigation structure is organized by keeping stack navigation inside the Home tab and placing the other screens directly in the tab navigator.

C. One challenge I had was making sure the file paths and imports were correct. Because React Native is sensitive to file names, even small mistakes caused errors. I also faced issues with spacing and layout on some screens, which I fixed by applying consistent styles. Understanding how to pass and receive parameters between screens took some practice, especially making sure the values were read correctly using the route object. I also had to reset the Metro bundler several times because older code was still cached. Through these issues, I learned how stack and tab navigation work together and how to fix common navigation problems.

D. To test the stack navigation, I checked navigation between Home, Details, and Profile. I verified that the Details Screen received the parameters correctly and that the back navigation worked. For the tab navigation, I switched between all three tabs to ensure each screen loaded properly. I also tested the text input on the Search Screen and the two switches on the Settings Screen. After testing everything, the navigation structure worked as expected.