

NOTAM SUMMARY

TEL : 0091 11 28705209 FAX : 0091 11 25655208 AFS : VIDPYNXX mail : nofvidp@aai.aero	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE I.G.I. AIRPORT NEW DELHI-110037	NOTAM LIST SERIES - A 01 July 2026
---	---	---

THE FOLLOWING 'A' SERIES NOTAM WERE STILL VALID ON 01st July, 2026. NOTAM NOT INCLUDED HAVE EITHER BEEN CANCELLED, TIME EXPIRED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN THE AIP INDIA CURRENT EDITION.

CHECKLIST OF THE SERIES 'A' NOTAM	
YEAR=2025	2300
YEAR=2026	0525 0750 0778 0785 0812 0814 0816 0820 0846 0854 0866 0900 0901 0917 0931 0941 0973 0977 0978 0979 0980 0998 1015 1019 1049 1057 1060 1061 1068 1069 1070 1084 1090 1091 1108 1109 1111 1121 1146 1164 1165 1190 1191 1192 1200 1233 1235 1251 1252 1253 1255 1256 1257 1259 1264 1265 1277 1295 1296 1300 1308 1320 1358 1359 1364 1370 1391 1401 1405 1406 1408 1409 1415 1416 1417 1418 1419 1420 1422 1424 1425 1426 1429 1434 1435

AGRA	VIAG
A0973/26	2605040556/2607310230 ALL OPR TO EXER CTN FOR STATIC CRANE RIGHT OF APCH RWY 05 FOR CONST OF CIV ENCLAVE. MAX HGT OF CRANE 21M AND LATERAL DIST OF 319M FM EXTD RCL.
A1049/26	2605140030/2608121430 0030-1430 24HR PRIOR INTIMATION REQUIRED FOR NON-SKED ACFT MOV FM/TO AGRA FOR PLANNING AND ACCOMMODATING AIR TFC.
A1111/26	2605220620/2608212359 CUSTOM AND BIOMETRIC IMG FAC NOT AVBL. ALL OPR TO ARNG FOR THE SAME BFR FILING ACFT MOV AT AGRA.
AMRITSAR	VIAR
A1069/26	2605161200/2608151200EST REF AIP VIAR AD2.23 ADDITIONAL INFORMATION PARA 2 MAY BE AMENDED AS INTERMEDIATE TURNPADS INTERMEDIATE TURNPAD RUNWAY TORA AIRCRAFT SUITABILITY TP1 16 2789M UP TO CODE E DURING DAY ONLY TP2 16 3289M UP TO CODE C DURING DAY AND NIGHT CONDITIONS FOR RVR MORE THAN 350M ONLY. INTERMEDIATE TURNPAD RUNWAY LDA AIRCRAFT SUITABILITY TP1 34 2789M UP TO CODE E DURING DAY ONLY TP2 34 3289M UP TO CODE C DURING DAY AND NIGHT CONDITIONS FOR RVR MORE THAN 350M ONLY.

A1070/26	2605161200/2608151200EST REF AIP VIAR AD2.22 LOW VISIBILITY PROC PARA 4.3.3 POINT (A) TO BE READ AS WHEN RVR NOT BELOW 350M, AFTER LANDING ON RWY 34 MAKE 180-DEGREE TURN ON INTERMEDIATE TURNING PAD TP2 OR AT THE END OF RWY AND BACKTRACK TO VACATE RWY VIA TWY-E OR TWY-F. TAXI TO ALLOTTED PARKING STAND FROM 1 TO 5 OR 11 TO 14.
A1265/26	2606111328/2609091330EST OBSERVATION OF EGPWS(ENHANCED GROUND PROXIMITY WARNING SYSTEM) TERRAIN MAP SHIFT DUE TO SUSPECTED DISTURBANCE OF GPS SIGNAL CAUSING TERRAIN WARNING HAS BEEN REPORTED OCCASIONALLY IN VICINITY OF AMRITSAR AP. PILOTS TO EXERCISE CAUTION AND TAKE ALL MEASURES TO ENSURE SAFE AND EFFICIENT CONTINUATION OF NAV. IN CASE OF NAVIGATIONAL DIFFICULTIES PILOTS TO NOTIFY ATC FOR ASSISTANCE. FLIGHT CREW TO REPORT GNSS INTERFERENCE USING FORMAT GIVEN IN PARA 10 OF ENR 4.3 IN EAIP INDIA TO THE REPORTING CHANNEL GIVEN IN APPENDIX 3 OF DIRECTORATE GENERAL OF CIVIL AVIATION (DGCA) ADVISORY CIRCULAR 01 OF 2023.
CHANDIGARH VICG	
A1060/26	2605150436/2608142359 ILS RWY 11 NOT AVBL FOR OPS DUE ILS UPGRADE PLANNED.
A1061/26	2605150438/2608142359 APCH FREQ AVBL ON 120.700MHZ. STANDBY APCH FREQ 122.650MHZ.
A1370/26	2606240519/2609222359 STANDARD CLEARED ZONE FOR RWY 29/11 NOT AVBL AT ORIG.
DELHI VIDP	
A0525/26	2603051124/PERM REFER PARA VIDP AD 2.20 LOCAL AD REGULATIONS IN E-AIP INDIA. INSERT THE FOLLOWING TEXT IN SUBPARA 1. AP REGULATIONS: ENGINE POWER MORE THAN IDLE THRUST IS NOT PERMITTED DURING PUSHBACK AND TAXIING IN THE APRON.
A0846/26	2604170543/PERM REF EAIP INDIA VIDP AD 2.20 LOCAL AERODROME REGULATIONS. INSERT BLW TEXT IN NOTE OF PARA 5 DETAILS OF ENGINE RUN UP AT HIGH POWER. TWY R7 NOT AVBL FOR OPS WHILE ACFT IS BEING REPOSITIONED AT STAND 803 FOR HIGH POWER RUN-UP. AMEND EAIP ACCORDINGLY.
A1015/26	2605081220/2608061130 PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M DOWNGRADED FOR ACFT UPTO CODE LETTER D.
A1121/26	2605221048/2608201830 TWY T4 AND TWY S2 NOT AVBL FOR OPS.
A1233/26	2606081235/2609051230 TXL F6 NOT AVBL FOR OPS. DRG THIS PERIOD ACFT OPS FM STAND 170 TO 178 SHALL BE WITH ASSISTANCE OF FLW ME ONLY.
A1235/26	2606090624/2609082359EST LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE LANDING, TO COORDINATE VACATION ON A3.

A1257/26	2606100800/2607091200 INSTRUMENTAL WIND SPEED/WIND DIRECTION OF RWY 27 MID NOT AVBL DUE CIVIL ISSUE AT SITE.
A1277/26	2606150000/PERM REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA 'I' RADIO COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS BELOW: SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE CONSIDERED THE SECONDARY ASSIGNED RWY. SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY AND APPROACH LIGHTS IN 'SWITCHED OFF' POSITION SHALL INDICATE NON-AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL BE MADE AVAILABLE FOR SUCH ACFT: FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29R. FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29R. FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29L. FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 11L. FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 11L. FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 11R. SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED FLIGHT LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO 'DPN VOR' TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD. SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF 'DPN VOR', CONTINUE TO 'DPN VOR' AND AT 10 MILES TO 'DPN VOR' TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR MAINTAINING LAST ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD. SUBPARA 4.2.3. LEAVE 'SKA' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR. SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD 4.3.1. LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR. SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS FILED PLAN DESTINATION SHALL: 5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER. 5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER: I. IF FOLLOWING 'SID', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS

RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAINING THAT ACFT IS RCF WITH DELHI ATC. SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI: ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL

5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR.

5.2.3 IF HIGHER, DESCEND TO FL80 IN 'SKA' HOLD.

5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN 'SKA' HOLD, TAKING ALL NECESSARY PRECAUTIONS.

5.2.5 LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC

APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

NOTE :-

1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:

A. R186/43 D (116.1 DPN)

B. 275054N0770030E

AMEND E-AIP ACCORDINGLY.)

A1364/26 2606231106/2608231130
PORTION OF TWY C BTN TWY LINK 2 AND TWY LINK 3 NOT AVBL FOR OPS. JUNCTION OF TWY LINK 2 AND TWY LINK 3 WITH TWY A AND TWY C AVBL FOR OPS.
LEFT TURN VIA LINK 2 ON TWY C FROM APRON 32 NOT AVBL FOR OPS. RIGHT TURN ON TWY C VIA LINK 3 FROM APRON 33A NOT AVBL FOR OPS.

A1405/26 2606290917/2608311830
RWY 11R/29L NOT AVBL FOR OPS.
DURING THIS PERIOD FLW RESTRICTIONS SHALL APPLY:

1. PORTION OF TWY Z WEST OF TWY S6 NOT AVBL FOR OPS.
2. TWY S1, S2, S5, T4, T5, T6, T7, Y1, Y2, Y4, Y5, Y6, Y7, Y8, Z2, Z3, Z4, Z5, Z6 AND Z7 NOT AVBL FOR OPS.
3. TWY S6, S7 AND S8 AVBL FOR OPS.
4. TWY CROSSINGS P6-S6, P7-S7 AND P8-S8 AVBL FOR OPS.

A1406/26 2606290919/2608311830
NOISE ABATEMENT PROCEDURES NOT ADHERED DUE TO REHABILITATION AND ILS REPLACEMENT WORK AT RWY 11R/29L.

A1415/26 2607021830/2607312330
02 03 04 08 10 12 15 17 19 22 24 26 29 31 1830-2330
RWY 09/27 NOT AVBL FOR OPS DUE MAINT.

A1416/26 2607051830/2607282330
05 07 11 14 18 21 25 28 1830-2330
RWY 10/28 NOT AVBL FOR OPS DUE MAINT.

A1419/26 2606301150/2609032330
HIGH POWER ENGINE RUN-UP BAY 800 NOT AVBL FOR OPS.

A1420/26 2607011830/2607302330
JUL 01 06 09 13 16 20 23 27 30 1830-2330
RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

A1422/26 2606301930/2607031830
PORTION OF TWY D BTN TWY D3 AND TWY D4 NOT AVBL FOR OPS DUE CIV WORK. JUNCTION OF TWY D3 AND TWY D4 WITH TWY D AVBL FOR OPS. TWY G1 NOT AVBL FOR OPS DUE TFC.

A1424/26	2607010257/2607061800 EXIT SIGN BOARD OF TWY K6 FOR RWY 28 NOT AVBL FOR OPS DUE TECR.
A1425/26	2607010301/2607061830 RETIL(RAPID EXIT TWY INDICATOR LIGHTS) OF TWY H1 FOR RWY 28 U/S DUE ELECTRICAL FAULT.
A1429/26	2607020430/2607041130 TWY LINK 33 NOT AVBL FOR OPS. JUNCTION OF TWY LINK 33 WITH TWY K AND TXL N AVBL FOR OPS. MOVEMENT TO/FROM CARGO APRON THROUGH TWY LINK 34 ONLY.
A1435/26	2607011036/2607091230 EXIT SIGN BOARD OF TWY P2 AND TWY P3 FOR RWY 11L NOT AVBL DUE TECR.
JAIPUR	VIJP
A2300/25	2509171130/PERM PAVEMENT CLASSIFICATION RATING (PCR) VALUE OF SECTION OF TWY U BTN TWY T AND RWY 08 IS 740/F/B/W/T. AMEND AIP INDIA VIJP AD 2.23, AD 2.24 ACCORDINGLY.
A0812/26	2604100530/2607090730EST DLY 0530-0730 TWR AND SMC UNIT BIFURCATED. CALLSIGN JAIPUR GROUND. GND FREQ 121.625MHZ. TWR FREQ 125.250MHZ STANDBY 124.300MHZ. SER MAY BE AVBL BEYOND TIME SUBJ AVBL OF MANPOWER AND JURISDICTION OF WATCH SUPERVISORY OFFICER (WSO).
A0814/26	2604110030/2607091730 MON-SAT 0030-0930 1045-1730, SUN 0030-1730 1. ATS SURVEILLANCE SERVICES USING PSR/MSSR/ADS-B IN INTEGRATED MODE ARE PROVIDED TO SUITABLE EQUIPPED ACFT WI COVERAGE AREA OF JAIPUR PSR/MSSR/ADS-B IN APCH CTL WI THE JURISDICTION OF JAIPUR APCH CTL ON VHF 119.750MHZ AND SDBY 120.225MHZ. 2. SURVEILLANCE SERVICES MAY BE AVBL BEYOND SUCH TIME SUBJ AVBL OF MANPOWER AND JURISDICTION OF WATCH SUPERVISORY OFFICER(WSO). 3. ADS-B/SSR EQUIPPED ACFT FLYING WI JURISDICTION OF JAIPUR APCH CTL TO COMPLY WITH RELEVANT PROVISIONS. AMEND AD 2.22 ROMAN(II) OF EAIP ACCORDINGLY.
A0816/26	2604110030/2607091730 DLY 0030-1730 1. ATS SURVEILLANCE SERVICES USING PSR/MSSR/ADS-B INTEGRATED MODE ARE PROVIDED TO SUITABLY EQUIPPED ACFT WI COVERAGE AREA OF JAIPUR PSR/MSSR/ADS-B IN AREA CONTROL WI JURISDICTION OF JAIPUR AREA CONTROL ON VHF 127.575MHZ AND SDBY 125.975MHZ. 2. SURVEILLANCE SERVICES MAY BE AVBL BEYOND SUCH TIME SUBJ AVBL OF MANPOWER AND JURISDICTION OF WATCH SUPERVISORY OFFICER (WSO). 3. ADS-B/SSR EQUIPPED ACFT FLYING WI JURISDICTION OF JAIPUR AREA CONTROL TO COMPLY WITH RELEVANT PROVISIONS. AMEND AD 2.22 ROMAN(II) OF EAIP ACCORDINGLY.
A1190/26	2605300654/2607291830 STAND 12 AVBL UPTO CODE C ACFT OPR ONLY DUE TO CONSTRUCTION ACT IN ESA (EQPT STAGING AREA). ALL PILOT TO EXER CTN WHILE DOCKING.
A1191/26	2605300657/2608291830 ACFT PRKG STAND 14 NOT AVBL FOR OPS DUE CIV MAINT WORK.
A1192/26	2605300700/2608291830 NEW DRAIN CONST, REPAIR AND AGL (AERONAUTICAL GND LGT) CABLING WORK ON NORTH AND SOUTH OF RWY AT A DIST OF 105M FM RCL DUE CIV MAINT WORK. HGT OF MACHINERY 5M (MAX). PILOT EXER CTN DURING LDG/ TKOF.

A1200/26	2606011024/2608291830 ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (AVDGS) ON STAND 12 NOT AVBL DUE CONST OF AEROBRIDGE. ALL PILOTS TO EXER CTN WHILE DCKG.
A1391/26	2606261230/2608241829 BIRD ACT OBS IN THE VICINITY OF THE AIRFIELD. ALL PILOTS EXER CTN WHILE LDG AND TKOF.
A1401/26	2606270905/2607051730 PRKG STANDS 15, 16 AND 17 AND PORTION OF TWY M BEHIND STAND 14 TO 17 NOT AVBL FOR ACFT OPS DUE CIV MAINT WORK. ALL PILOTS EXER CTN WHILE PUSHBACK AND JET BLAST.
LUCKNOW	VILK
A0854/26	2604171240/2607171830 ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (AVDGS) FOR STAND 103 NOT AVBL. PILOTS FLW MARSHALLER.
A0900/26	2604261230/2607151830 STANDS 212-216, LINK TWY P6, PART PARALLEL TWY P, TWY L3 AND SECOND PARALLEL TWY L1 AVBL FOR ACFT OPS IN CAT-I CONDITIONS ONLY. VISUAL DOCKING GUIDANCE SYSTEM (VDGS) NOT AVBL AT STANDS 212-216. ACFT FLW MARSHALLER FOR PARKING.
A0901/26	2604261230/2607261000 STAND 212 DOWNGRADED TO ACFT CODE A ONLY.
A0941/26	2604300809/2607301230 CONST WIP BOTH SIDE OF RWY 09/27 BEYOND 105M FM RCL. MEN AND MATERIAL UPTO HGT OF 4.5M AVBL. PILOT EXER CTN.
A0998/26	2605061330/2608051700 0300-0530 1330-1700 BIFURCATED SMC AND TWR SER AVBL. SMC FREQ 121.625MHZ CALL SIGN LUCKNOW GND. TWR FREQ 118.600MHZ CALL SIGN LUCKNOW TWR. IN ADDITION BIFURCATED SMC AND TWR SER AVBL ON REQUIREMENT BASIS.
A1057/26	2605140930/2608141829 01 NR OF TOWER CRANE OF TOP ELEV APRX 158M AMSL OPR WI BELOW COORD: 264553.58N 0805254.91E 264552.01N 0805253.17E 264553.54N 0805251.26E 264555.24N 0805252.95E OBST LGT PROVIDED.
A1084/26	2605200400/2607031830 TWY B NOT AVBL DUE CONST WIP FOR PARL TWY P.
A1090/26	2605270400/2608260730 EV WED 0400-0730 RWY 09/27 NOT AVBL DUE SKED MAINT.
A1091/26	2605270400/2608260730 EV WED 0400-0730 01 NR OF CRAWLER CRANE OF TOP ELEV APRX 213M AMSL WILL BE OPR WI BELOW COORD: 264555.78N0805251.87E 264556.25N0805256.31E 264550.81N0805255.06E 264550.81N0805250.06E OBSTRUCTION LGT PROVIDED.

A1164/26	2605271230/2608261830 VISUAL DOCKING GUIDANCE SYSTEM (VDGS) NOT AVBL AT STANDS 101L, 101, 101R, 102L, 102 AND 102R. ACFT FLW MARSHALLER FOR PARKING.
A1165/26	2605271251/2607151830 STANDS 101L, 101, 101R, 102L, 102 AND 102R AVBL FOR ACFT OPS IN CAT I CONDITIONS ONLY.
A1259/26	2606101230/2607301030 RWY 09/27 - NEW PAPI INSTL WIP. EXISTING PAPI REMAINS AVBL AND PRIMARY FOR OPS. INSTL OF NEW 4-LAMP FRANGIBLE PAPI WITH DUAL (INTERLEAVED) CIRCUITS IN PROGRESS FOR BOTH RWY DIRECTIONS AT 361.017M FM THR RWY 27 AND 360.196M FM THR RWY09, 15M FM RWY EDGE.ALL WORK RESTRICTED TO SKED RWY CLOSURES. NEW PAPI WILL REMAIN SWITCHED OFF DRG OPS. ENSURING NO SIMULTANEOUS VISUAL DISPLAY AND NO IMPACT ON RWY OPS. PILOTS TO EXER CTN.
A1296/26	2606150913/2609151230 01 NR OF CRAWLER CRANE OF TOP ELEV 168.67M AMSL WILL BE OPR WI BELOW COORD: 264555.27N0805253.02E 264554.67N0805253.02E 264554.69N0805253.99E 264555.27N0805253.99E OBSTRUCTION LGT PROVIDED.
NOIDA INTL	VIND
A1295/26	2606150627/2608151830 AIRCRAFT STANDS A06, A08, A10 AND A12 NOT AVBL IN APRON 1.
A1417/26	2606302350/2609301735 DLY 2350-2359 0000-1735 ATS WATCH HR OF OPS, APP MAIN FREQ 120.825MHZ, APP SDBY FREQ 122.175MHZ, TWR MAIN FREQ 118.675MHZ, TWR SDBY FREQ 119.125MHZ.
SRINAGAR	VISR
A0750/26	2604060030/2607051830 THR RWY 31 DISPLACED BY 1165M DUE RWY RESURFACING WORK. COORD OF DISPLACED THR 335858N0744643E. ELEV OF DISPLACED THR 1662M.
A0778/26	2604060445/2607061830 RWY RESURFACING WORK RWY 31 THR DISPLACED 1165M TOWARDS DUMBELL 13. DECLARED DISTANCES AS FLW:- RWY 31: TORA 2493M TODA 2803M ASDA 2803M LDA 2493M RWY 13: TORA 2493M TODA 2493M ASDA 2493M LDA 2493M.
A0785/26	2604061215/2607052359 PAPI RWY 31 INSTALLED ON LEFT SIDE OF RWY 31 ACCORDING TO DTHR.
A0820/26	2604101112/2607061830 ALL ACFT EXER CTN FOR MEN AND MACHINE DEPLOYED IN UNDERSHOOT 31 FOR RWY RESURFACING WORKS.

A0917/26	2604271048/2607231130 ONLY VOR APCH FOR RWY 31 AVBL. NEW VOR IAP CHART RE-PROMUGATED WEF 24 APR 26. PREVIOUS VOR IAP CHART DTD 16 APR 26 WITHDRAWN.
A0977/26	2605050529/2607311830 CONST OF MONSOON DRAIN AND AD ACCESS ROAD ON NORTH SHOULDER OF RWY IN PROGRESS. DIST OF CONST AREA 42M FM RWY EDGE. ALL EXER CTN FOR MEN AND MATERIAL.
A0978/26	2605050534/2607311830 CONST/DIGGING WIP SOUTHERN SIDE OF (PARL TAXI TR). DIST FM PTT EDGE IS 30M. ALL TO EXER CTN FOR MEN AND MATERIAL.
A0979/26	2605050536/2607311830 WIP FOR INSTALLATION OF REAR HOOK ASSEMBLY GEAR FOR RWY 31. CTN FOR BOTH RWY SHOULDERS DUG UP BTN DTGM (DISTANCE TO GO MARKER) 2 TO DTGM 1 FOR RWY 31. 1) DIMENSION OF DUG UP AREA 140M X 12M X 0.45M. DIST FM RWY EDGE 2M. ALL ACFT EXER CTN FOR MEN AND MATERIAL.
A0980/26	2605050538/2607311830 RECONSTRUCTION WIP OF LINK H FM RWY EDGE TO PARL TAXI TR (PTT) EDGE. PTT NOT AVBL FM LINK R TO 13 APN DUE CONST WORK OF LINK H.
A1019/26	2605081301/2607311830 DUE DISPLACD THR ONLY MOBILE AIRFILED LIGHTNING SYSTEM CONSISTING OF ONLY RWY THR, RWY EDGE AND RWY END LIGHTS INSTALLED . THE MOBILE AIRFILED LIGHTNING SYSTEM (MAFLS) DOES NOT MEET THE SPECIFICATIONS OF TABLE 8.1 OF CHAPTER 8 OF DIRECTORATE GENERAL OF CIVIL AVIATION (DGCA) CIVIL AVIATION REQUIREMENT(CAR) ON AD STD.
A1108/26	2607010230/2609301130 DLY 0230-1130 EXC MON TUE RWY RESURFACING WIP. WATCH HR FOR ALL FIXED WING ACFT OPS.
A1109/26	2607060000/2609292359 EV MON TUE H24 AIRFIELD CLOSURE DUE RWY RESURFACING WORK.
DELHI FIR	VIDF
A0866/26	2605010130/2607291130 DLY 0130-1130 SKYDIVING SPORTS ACT WI RADIUS 05NM CENTERED ON 280434.9N0761212.4E(NARNAUL).
A0931/26	2605060430/2607290630 MAY 06 13 20 27 0430-0630, JUN 03 10 17 24 0430-0630, JUL 01 08 15 22 29 0430-0630 RELEASE OF UNMANNED BALLOON FM ARIES MANORA PEAK NAINITAL FOR UPPER AIR OBSERVATIONS. DETAILS OF THE BALLOON: LCA :2924N07930E WT OF BALLOON :1500 GRAM PAYLOAD OF BALLOON :1000 GRAM. TRAJECTORY OF BALLOON IN AIR: BASED ON DIRECTION AND SPEED OF PREVAILING WIND AT THAT TIME. AIRSPACE LIKELY TO AFFECT BY BALLOON --APRX 100KM AROUND LCA 2924N07930E MAX HGT OF OPS :35KM RATE OF ASCENT: 300M PER MIN. DURATION IN AIR: APPROX 3 HOURS.

NO TRANSPONDER IS FIXED WITH THE PAYLOAD.
BALLOON SONDES ARE UNCONTROLLED.

A1068/26 2605151300/2608101300
FLYING TRAINING ACTIVITY IN PROGRESS WITHIN 10NM RADIUS AROUND COORD
250803.94N 0743643.98E [BHILWARA] . ALL ACFT TRANSITING AT OR
BELOW 5000 FT AMSL SHALL ESTABLISH CONTACT ON FREQ 131.850 MHZ. OPS
H24.

A1146/26 2605270230/2608141330
DLY 0230-1330
PARAMOTOR ACT WI AREA BOUNDED BY COORD
282643.00N0772938.00E-282538.00N0772934.00E-
282611.00N0773016.00E-282643.00N0772938.00E (NEAR NOIDA).

A1251/26 2606110130/2609091230
DLY 0130-1230
DRONE OPS IN AREA BOUNDED BY COORD (SOUTH DELHI EXCLUDING VIP-89):
283821.84N0771448.84E- 283728.56N0771449.92E- 283508.88N0771535.28E-
283442.24N0771601.56E- 283402.64N0771657.36E- 283342.48N0771735.52E-
283215.72N0771814.04E- 283109.84N0771842.12E- 282957.84N0771857.24E-
282911.40N0771901.20E- 282900.96N0771850.04E- 282938.76N0771802.52E-
282913.56N0771619.56E- 282850.52N0771455.68E- 282728.80N0771358.44E-
282558.44N0771509.72E- 282528.20N0771500.00E- 282436.72N0771304.08E-
282416.92N0771028.20E- 282451.12N0770954.72E- 282532.52N0770957.24E-
282643.80N0770724.96E- 282816.68N0770638.88E- 282945.24N0770714.52E-
283022.32N0770550.28E- 283043.92N0770405.16E- 283059.76N0770252.08E-
283157.00N0770005.04E- 283227.24N0770028.08E- 283312.60N0770106.24E-
283359.40N0770018.36E- 283818.24N0765929.04E- 284122.56N0770113.44E-
284020.28N0770933.12E- 283958.32N0771230.24E- 283845.24N0771150.64E-
283839.12N0771326.76E- 283821.84N0771448.84E
DETAILS OF DRONE GIVEN BLW: RPA (REMOTELY PILOTED ACFT) CATEGORY:
ROTORCRAFT (RPAS)
RPA TYPE: MICRO AND SMALL
MAX ALL-UP-WEIGHT (AUW) OF DRONE (INCLUDING PAYLOAD): 2.7KG TO
5.83KG
DIMENSIONS : 687X604X267MILIMETER TO 1620X1620X505MILIMETER
DETAILS OF RESPONSIBLE PERSON: DINESH KUMAR CTC NR 9968638131

A1252/26 2606110130/2609091230
DLY 0130-1230
DRONE OPS IN AREA BOUNDED BY COORD (EAST DELHI NCR EXCLUDING
VIP-89):
285128.44N0771104.56E- 285127.72N0771235.64E-
285106.84N0771302.28E- 284959.52N0771317.40E-
284829.88N0771308.04E- 284846.08N0771206.12E-
284755.68N0771156.40E- 284717.88N0771228.44E-
284711.76N0771343.32E- 284700.60N0771402.40E-
284639.72N0771320.64E- 284615.96N0771355.56E-
284538.88N0771408.52E- 284521.96N0771523.76E-
284437.32N0771516.56E- 284403.12N0771539.24E-
284319.92N0771726.52E- 284236.00N0771716.08E-
284214.76N0771749.20E- 284250.76N0771904.08E-
284247.16N0771951.96E- 284154.60N0771924.24E-
284055.56N0771958.80E- 284037.56N0771926.04E-
283828.68N0771859.04E- 283719.56N0772033.36E-
283547.76N0771848.24E- 283448.00N0771754.60E-
283358.68N0771749.56E- 283308.64N0771813.68E-
283240.56N0771850.76E- 283132.88N0772001.32E-
283114.16N0772050.64E- 283010.44N0772009.24E-
282900.96N0771850.04E- 282911.40N0771901.20E-
282957.84N0771857.24E- 283109.84N0771842.12E-
283215.72N0771814.04E- 283342.48N0771735.52E-
283402.64N0771657.36E- 283442.24N0771601.56E-
283508.88N0771535.28E- 283728.56N0771449.92E-
283821.84N0771448.84E- 283927.36N0771442.72E-
283957.24N0771402.04E- 284303.72N0771332.52E-
284322.08N0771253.64E- 284610.92N0771225.92E-
284749.92N0771117.88E- 284819.80N0771117.16E-
284851.12N0771153.16E- 284852.92N0771211.52E-
284944.04N0771241.04E- 285111.16N0771214.40E-

285128.44N0771104.56E
DETAILS OF DRONE GIVEN BLW: RPA (REMOTELY PILOTED ACFT) CATEGORY:
ROTORCRAFT (RPAS)
RPA TYPE: MICRO AND SMALL
MAX ALL-UP-WEIGHT (AUW) OF DRONE (INCLUDING PAYLOAD): 2.7KG TO
5.83KG
DIMENSIONS : 687X604X267MILIMETER TO 1620X1620X505MILIMETER
DETAILS OF RESPONSIBLE PERSON: DINESH KUMAR CTC NR 9968638131

A1253/26 2606110130/2609091230
DLY 0130-1230
DRONE OPS IN AREA BOUNDED BY COORD (CENTRAL DELHI EXCLUDING VIP-89):
285126.64N0770729.28E- 285143.92N0770824.36E-
285020.04N0770832.64E- 285012.12N0770927.72E-
285125.92N0771023.16E- 285128.44N0771104.56E-
285111.16N0771214.40E- 284944.04N0771241.04E-
284852.92N0771211.52E- 284851.12N0771153.16E-
284819.80N0771117.16E- 284749.92N0771117.88E-
284610.92N0771225.92E- 284322.08N0771253.64E-
284303.72N0771332.52E- 283957.24N0771402.04E-
283927.36N0771442.72E- 283821.84N0771448.84E-
283839.12N0771326.76E- 283845.24N0771150.64E-
283958.32N0771230.24E- 284020.28N0770933.12E-
284122.56N0770113.44E- 284710.68N0770418.48E-
284443.80N0770740.44E- 284531.68N0770851.36E-
284718.24N0770828.68E- 284837.80N0770810.68E-
285126.64N0770729.28E
DETAILS OF DRONE GIVEN BLW:
RPA (REMOTELY PILOTED ACFT) CATEGORY: ROTORCRAFT (RPAS)
RPA TYPE: MICRO AND SMALL
MAX ALL-UP-WEIGHT (AUW) OF DRONE (INCLUDING PAYLOAD): 2.7KG TO
5.83KG
DIMENSIONS : 687X604X267MILIMETER TO 1620X1620X505MILIMETER
DETAILS OF RESPONSIBLE PERSON: DINESH KUMAR CTC NR 9968638131

A1255/26 2606110130/2609091230
DLY 0130-1230
DRONE OPS IN AREA BOUNDED BY COORD (NORTH DELHI):
285300.60N0770457.72E- 285215.60N0770341.04E- 285212.36N0770635.28E-
284140.20N0765749.32E- 284157.84N0765804.80E- 284246.80N0765652.80E-
284434.08N0765730.60E- 284514.40N0765640.20E- 284604.08N0765720.16E-
284726.52N0765714.04E- 284755.32N0765630.84E- 284904.80N0765702.88E-
284852.92N0765743.92E- 284916.32N0765846.92E- 284941.16N0765801.20E-
285018.96N0770000.00E- 284955.56N0770224.72E- 285116.92N0770303.60E-
285126.64N0770729.28E- 284837.80N0770810.68E- 284531.68N0770851.36E-
284443.80N0770740.44E- 284710.68N0770418.48E- 284122.56N0770113.44E-
284718.24N0770828.68E- 285300.60N0770457.72E
DETAILS OF DRONE GIVEN BLW: RPA (REMOTELY PILOTED ACFT) CATEGORY:
ROTORCRAFT (RPAS)
RPA TYPE: MICRO AND SMALL
MAX ALL-UP-WEIGHT (AUW) OF DRONE (INCLUDING PAYLOAD): 2.7KG TO
5.83KG
DIMENSIONS : 687X604X267MILIMETER TO 1620X1620X505MILIMETER
DETAILS OF RESPONSIBLE PERSON: DINESH KUMAR CTC NR 9968638131

A1256/26 2606110130/2609091230
DLY 0130-1230
DRONE OPS IN AREA BOUNDED BY COORD (WEST DELHI):
284122.56N0770113.44E- 283818.24N0765929.04E- 283359.40N0770018.36E-
283312.60N0770106.24E- 283227.24N0770028.08E- 283157.00N0770005.04E-
283114.88N0770105.52E- 283051.48N0770040.68E- 283109.84N0765949.92E-
283048.60N0765925.44E- 283116.32N0765841.88E- 283017.64N0765713.68E-
283025.20N0765514.88E- 283049.68N0765428.44E- 283002.88N0765331.92E-
283021.24N0765249.44E- 283113.08N0765313.92E- 283158.08N0765223.52E-
283236.60N0765152.92E- 283301.80N0765043.08E- 283458.08N0765022.20E-
283507.44N0765147.52E- 283611.52N0765219.56E- 283755.20N0765317.88E-
283725.68N0765423.40E- 283755.20N0765449.68E- 283706.24N0765605.28E-
283759.88N0765640.20E- 283900.36N0765530.00E- 284004.44N0765608.52E-
284003.72N0765713.68E- 284140.20N0765749.32E- 284122.56N0770113.44E
DETAILS OF DRONE GIVEN BLW: RPA (REMOTELY PILOTED ACFT) CATEGORY:
ROTORCRAFT (RPAS)
RPA TYPE: MICRO AND SMALL

	MAX ALL-UP-WEIGHT (AUW) OF DRONE (INCLUDING PAYLOAD): 2.7KG TO 5.83KG DIMENSIONS : 687X604X267MILIMETER TO 1620X1620X505MILIMETER DETAILS OF RESPONSIBLE PERSON: DINESH KUMAR CTC NR 9968638131
A1264/26	2609160030/2609301630 DLY 0030-1630 TSA717 KHARONALA FLD FRNG RANGE (KNFFR) ACT.
A1300/26	2607010030/2609301630 DLY 0030 -1630 TSA707 MANDALTHANG FLD FRNG RANGE ACT.
A1308/26	2606200030/2609191330 DLY 0030-1330 PARAMOTOR, TETHERED HOT AIR BALLOON AND TETHERED PARASAILING ACTIVITY WI RADIUS OF 02NM AROUND 295637N0765052E (KURUKSHETRA).
A1320/26	2606181132/2609160700 VID 129 ACT. NO ACFT PERMITTED TO OVERFLY WI VID 129
A1409/26	2607010430/2607311530 DLY 0430-0930, 1230-1530 ARMY DRONE OPS PLANNED WITHIN 3NM RADIUS AROUND COORD 303140N0793410E(AULI).
A1426/26	2607010615/2607011800 POKHRAN FIELD FRNG RANGE (VID123) ACT. DEV TO SOUTH ON ATS RTE P628 BTN LATOS AND VIKIT, TO WEST ON ATS RTE Z8 BTN ABVUL AND POVOS AND TO WEST ON ATS RTE Z9 BTN ABVUL AND KLONG NOT PERMITTED.
DELHI/ KOLKATA VIDE VECF FIR	
A1358/26	2607010330/2607310630 01-02 06-09 13-16 20-23 27-30 0330-0630 1430-1625, 03 10 17 24 31 0330-0630 AIRSPACE BOUNDED WI COORD (EX-ROME0): 273705N0780907E - 265812N0795114E - 264038N0800214E - 250612N0791341E - 250920N0772625E - 262242N0772304E - 263754N0775411E - 264208N0781515E - 273705N0780907E NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA). DRG EXER PERIOD FLW RESTRICTIONS APPLY: 1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL. ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ. 2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT AVBL. ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN. 3. ATS RTE W33 NOT AVBL. 4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL. 5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL. 6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL. 7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
A1359/26	2607010130/2607311130 01-02 06-09 13-16 20-23 27-30 0130-0329 0631-1130 1626-1830, 03 10 17 24 31 0130-0329 0631-1130 AIRSPACE BOUNDED WI COORD (EX-ROME0): 273705N0780907E - 265812N0795114E - 264038N0800214E - 250612N0791341E - 250920N0772625E - 262242N0772304E - 263754N0775411E - 264208N0781515E - 273705N0780907E NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA). DRG EXER PERIOD FLW RESTRICTIONS APPLY: 1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT OPERATING BTN DELHI AND KKJ. FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ AND FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.

2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF) FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.

A1408/26 2607010200/2607310730
 JUL 01-02 06 08-09 13 15-16 20 22-23 27 29-30 0200-0730 1300-1629, JUL 03 07 10 14
 21 24 28 31 0200-0730
 IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY ATC.

DELHI/ MUMBAI
 FIR VIDF VABF

A1418/26 2607010000/2607012359
 AIRSPACE USE PLAN (AUP)
 TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :
 NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
 1 TRA503(A) [PUNE] 0130 1200 FL325 FL460
 2 TRA503(A) [PUNE] 1330 1730 FL325 FL460
 3 TRA503(B) [PUNE] 0130 1200 FL325 FL460
 4 TRA503(B) [PUNE] 1330 1730 FL325 FL460
 5 TRA509A 0000 2359 SFC FL270
 6 TRA509B 0230 0730 FL270 UNL
 7 TRA509B 1000 1100 FL270 UNL
 8 TRA509B 1430 1630 FL270 UNL
 9 TRA509C 0230 0730 FL270 UNL
 10 TRA509C 1000 1100 FL270 UNL
 11 TRA509C 1430 1630 FL270 UNL
 12 TSA701 (A) [ADAMPUR] 0000 2359 FL145 FL280
 13 TSA701 (B) [ADAMPUR] 0000 2359 GND FL280
 14 TRA702 (A) [SRINAGAR] 0300 1130 FL170 FL310
 15 TRA702 (A) [SRINAGAR] 1400 1830 FL170 FL310
 16 TRA702 (B) [SRINAGAR] 0300 1130 GND FL310
 17 TRA702 (B) [SRINAGAR] 1400 1830 GND FL310
 18 TRA706(A) [GWALIOR] 0330 0630 FL325 FL460
 19 TRA706(A) [GWALIOR] 1430 1625 FL325 FL460
 20 TRA706(B) [GWALIOR] 0330 0630 FL325 FL460
 21 TRA706(B) [GWALIOR] 1430 1625 FL325 FL460
 22 TRA706(C) [GWALIOR] 0330 0630 FL325 FL460
 23 TRA706(C) [GWALIOR] 1430 1625 FL325 FL460
 24 TRA709(C) [JODHPUR] 0130 1200 FL325 FL380
 25 TRA709(C) [JODHPUR] 1300 1829 FL325 FL380
 26 TRA711(A) [AGRA] 0330 0630 FL325 FL460
 27 TRA711(A) [AGRA] 1430 1625 FL325 FL460
 28 TRA711(B) [AGRA] 0330 0630 FL325 FL460
 29 TRA711(B) [AGRA] 1430 1625 FL325 FL460
 30 TSA722 [GRASS BIR - 13] 0130 1130 GND FL270
 CONDITIONAL RTE (CDR2) AVBL AS FLW :
 NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
 1 J1 0000 0129 FL080 FL410
 2 J1 0130 0329 FL290 FL410
 3 J1 0631 1130 FL290 FL410
 4 J1 1131 1429 FL080 FL410
 5 J1 1626 1830 FL290 FL410
 6 J2 0000 0129 FL110 FL410
 7 J2 1201 1329 FL110 FL410
 8 J2 1731 2359 FL110 FL410
 9 J3 1830 2359 FL100 FL250
 10 J5 0000 0129 FL260 FL410
 11 J5 1201 1329 FL260 FL410
 12 J5 1731 2359 FL260 FL410
 13 J6 0100 1600 FL140 FL410
 14 J19 0231 0400 FL210 FL410

15 J20 0000 0129 FL110 FL410
 16 J20 0130 0329 FL290 FL410
 17 J20 0631 1130 FL290 FL410
 18 J20 1131 1429 FL110 FL410
 19 J20 1626 1829 FL290 FL410
 20 J20 1830 2359 FL110 FL410
 21 J21 0000 0059 FL140 FL410
 22 J21 0100 1258 FL320 FL410
 23 J21 1259 1329 FL140 FL410
 24 J21 1531 1830 FL320 FL410
 25 J21 1831 2359 FL140 FL410
 26 J22 0000 2030 FL290 FL410
 27 J24 0000 2359 FL345 FL460
 28 J29 0000 0129 FL150 FL250
 29 J29 1201 1329 FL150 FL250
 30 J29 1731 2359 FL150 FL250
 31 J36 1830 2359 FL110 FL245
 32 J38 0100 0129 FL170 FL410
 33 J38 0130 0329 FL290 FL410
 34 J38 0631 1130 FL290 FL410
 35 J38 1131 1300 FL170 FL410
 36 J39 0000 0129 FL170 FL460
 37 J39 0130 0329 FL290 FL460
 38 J39 0631 1130 FL290 FL460
 39 J39 1131 1429 FL170 FL460
 40 J39 1626 1829 FL290 FL460
 41 J39 1830 2359 FL170 FL460
 42 J40 0000 0129 FL330 FL410
 43 J40 1201 1329 FL330 FL410
 44 J40 1731 2359 FL330 FL410
 45 J41 0100 0129 FL330 FL410
 46 J41 1201 1329 FL330 FL410
 47 J42 1830 2359 FL110 FL245
 48 J43 0000 0129 FL170 FL410
 49 J43 0130 0329 FL290 FL410
 50 J43 0631 1130 FL290 FL410
 51 J43 1131 1429 FL170 FL410
 52 J43 1626 1700 FL290 FL410
 53 J47 0100 0129 FL170 FL410
 54 J47 0130 0329 FL290 FL410
 55 J47 0631 1130 FL290 FL410
 56 J47 1131 1300 FL170 FL410
 57 J48 0631 0930 FL290 FL410
 58 J50 0000 0129 FL110 FL460
 59 J50 0130 1200 FL400 FL460
 60 J50 1201 1259 FL110 FL460
 61 J50 1300 1829 FL400 FL460
 62 J50 1830 2359 FL110 FL460
 63 J51 0000 0129 FL170 FL460
 64 J51 0130 1200 FL400 FL460
 65 J51 1201 1259 FL330 FL460
 66 J51 1300 1829 FL400 FL460
 67 J51 1830 2359 FL170 FL460
 68 J52 0000 0129 FL110 FL460
 69 J52 0130 0329 FL290 FL460
 70 J52 0631 1130 FL290 FL460
 71 J52 1131 1429 FL110 FL460
 72 J52 1626 1829 FL290 FL460
 73 J52 1830 2359 FL110 FL460
 74 J53 0100 0229 FL080 FL250
 75 J55 0000 0229 FL090 FL250
 76 J55 1301 1359 FL090 FL250
 77 J55 1731 2359 FL090 FL250
 78 J56 0000 2359 FL080 FL250
 79 J58 0100 1300 FL330 FL410
 80 J59 0200 1530 FL110 FL410
 81 J60 0100 0129 FL170 FL460
 82 J60 0130 0329 FL290 FL460
 83 J60 0631 1130 FL290 FL460
 84 J60 1131 1429 FL170 FL460
 85 J61 0000 0229 FL110 FL460
 86 J61 0230 1300 FL330 FL460
 87 J61 1301 1359 FL110 FL460
 88 J61 1400 1730 FL330 FL460
 89 J61 1731 2359 FL110 FL460

90 J62 0000 0129 FL110 FL460
91 J62 0130 1200 FL400 FL460
92 J62 1201 1259 FL110 FL460
93 J62 1300 1829 FL400 FL460
94 J62 1830 2359 FL110 FL460
95 J64 1230 1329 FL150 FL410
96 J65 0000 0129 FL230 FL410
97 J65 1201 1329 FL230 FL410
98 J65 1731 2359 FL230 FL410
99 J67 0000 0030 FL110 FL255
100 J67 0800 2359 FL110 FL255
101 J68 0231 0400 FL110 FL410
102 J69 0231 0400 FL110 FL410
103 J70 0231 0400 FL110 FL410
104 J71 0200 0329 FL330 FL460
105 J71 0330 1030 FL400 FL460
106 J71 1031 1257 FL330 FL460
107 J71 1258 1512 FL220 FL460
108 J71 1513 1730 FL330 FL460
109 J71 1731 1930 FL250 FL460
110 J71 1931 2000 FL110 FL460
111 J72 0100 1600 FL330 FL410
112 J73 0100 0329 FL330 FL410
113 J73 0631 1300 FL330 FL410
114 J74 0100 1600 FL330 FL410
115 J81 0100 1600 FL330 FL400
116 J82 0000 2359 FL330 FL400
117 J83 0200 1900 FL110 FL400
118 J84 0000 0229 FL110 FL250
119 J84 1301 1359 FL110 FL250
120 J84 1731 2359 FL110 FL250
121 J85 0000 0229 FL110 FL250
122 J85 1301 1359 FL110 FL250
123 J85 1731 2359 FL110 FL250
124 J86 0000 0229 FL110 FL290
125 J86 1301 1359 FL110 FL290
126 J86 1731 2359 FL110 FL290
127 J87 0100 0229 FL110 FL290
128 J88 0100 0229 FL110 FL290
129 J89 0000 0030 FL110 FL245
130 J89 1230 2359 FL110 FL245
131 J93 0000 0030 FL150 FL460
132 J93 1230 1329 FL150 FL460
133 J93 1731 2359 FL150 FL460
134 J94 0030 0229 FL110 FL250
135 J94 1301 1359 FL110 FL250
136 J98 0000 0033 FL160 FL280
137 J98 1258 1512 FL220 FL280
138 J98 1731 1930 FL250 FL280
139 J98 1931 2359 FL160 FL280
140 J100 0000 0229 FL080 FL280
141 J100 1301 1359 FL080 FL280
142 J100 1731 2359 FL080 FL280
143 J101 0100 0229 FL080 FL280
144 J102 0100 0229 FL080 FL280
145 J103 0000 0229 FL080 FL280
146 J103 1301 1359 FL080 FL280
147 J103 1731 2359 FL080 FL280
148 J104 0000 0129 FL110 FL380
149 J104 1201 1329 FL110 FL380
150 J104 1731 2359 FL110 FL380
151 J107 1830 2359 FL110 FL255
152 J110 0000 2359 FL345 FL400
153 J115 0100 0129 FL080 FL250
154 J115 1201 1329 FL080 FL250
155 J115 1731 2359 FL080 FL250
156 J116 0000 0129 FL080 FL250
157 J116 1201 1329 FL080 FL250
158 J116 1731 2359 FL080 FL250
159 J119 0000 0033 FL110 FL460
160 J119 0034 1257 FL330 FL460
161 J119 1258 1512 FL110 FL460
162 J119 1513 1730 FL330 FL460
163 L639 0000 2359 FL290 FL460
164 Z1 0000 2359 FL330 FL460

165 Z2 0000 2359 FL330 FL460
 166 Z3 0231 0400 FL210 FL410
 167 Z4 0231 0400 FL210 FL410
 168 Z5 0000 0129 FL290 FL410
 169 Z5 1201 1329 FL290 FL410
 170 Z5 1731 2359 FL290 FL410
 171 Z6 0000 2359 FL330 FL460
 172 Z7 0000 2359 FL290 FL460
 173 Z8 0000 0129 FL330 FL460
 174 Z8 0130 1200 FL400 FL460
 175 Z8 1201 1259 FL330 FL460
 176 Z8 1300 1829 FL400 FL460
 177 Z8 1830 2359 FL290 FL460
 178 Z9 0200 1200 FL400 FL410
 179 Z9 1201 1259 FL330 FL410
 180 Z9 1300 1730 FL400 FL410
 181 Z10 0000 2359 FL330 FL460
 182 Z11 0231 0400 FL210 FL410
 183 Z13 0000 0229 FL110 FL410
 184 Z13 0230 0329 FL220 FL410
 185 Z13 0330 1030 FL400 FL410
 186 Z13 1031 1630 FL220 FL410
 187 Z13 1631 2359 FL110 FL410
 188 Z14 0000 0429 FL330 FL460
 189 Z14 0430 0630 FL420 FL460
 190 Z14 0631 2359 FL330 FL460
 191 Z15 0000 0129 FL290 FL410
 192 Z15 0130 1200 FL400 FL410
 193 Z15 1201 1259 FL290 FL410
 194 Z15 1300 1630 FL400 FL410
 195 Z16 0000 0129 FL160 FL400
 196 Z16 0130 0329 FL290 FL400
 197 Z16 0631 1130 FL290 FL400
 198 Z16 1131 1429 FL160 FL400
 199 Z16 1626 1829 FL290 FL400
 200 Z16 1830 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR AIRSPACE CLOSURES.

A1434/26

2607020000/2607022359
AIRSPACE USE PLAN (AUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) [PUNE] 0130 1200 FL325 FL460
 2 TRA503(A) [PUNE] 1330 1730 FL325 FL460
 3 TRA503(B) [PUNE] 0130 1200 FL325 FL460
 4 TRA503(B) [PUNE] 1330 1730 FL325 FL460
 5 TRA509A 0000 2359 SFC FL270
 6 TRA509B 0230 0730 FL270 UNL
 7 TRA509B 1000 1100 FL270 UNL
 8 TRA509B 1430 1630 FL270 UNL
 9 TRA509C 0230 0730 FL270 UNL
 10 TRA509C 1000 1100 FL270 UNL
 11 TRA509C 1430 1630 FL270 UNL
 12 TSA701 (A) [ADAMPUR] 0000 2359 FL145 FL280
 13 TSA701 (B) [ADAMPUR] 0000 2359 GND FL280
 14 TRA702 (A) [SRINAGAR] 0300 1130 FL170 FL310
 15 TRA702 (A) [SRINAGAR] 1400 1830 FL170 FL310
 16 TRA702 (B) [SRINAGAR] 0300 1130 GND FL310
 17 TRA702 (B) [SRINAGAR] 1400 1830 GND FL310
 18 TRA705 [AMBALA] 0800 1000 FL325 FL500
 19 TRA706(A) [GWALIOR] 0330 0630 FL325 FL460
 20 TRA706(A) [GWALIOR] 1430 1625 FL325 FL460
 21 TRA706(B) [GWALIOR] 0330 0630 FL325 FL460
 22 TRA706(B) [GWALIOR] 1430 1625 FL325 FL460
 23 TRA706(C) [GWALIOR] 0330 0630 FL325 FL460
 24 TRA706(C) [GWALIOR] 1430 1625 FL325 FL460
 25 TRA709(C) [JODHPUR] 0130 1200 FL325 FL380
 26 TRA709(C) [JODHPUR] 1300 1829 FL325 FL380
 27 TRA711(A) [AGRA] 0330 0630 FL325 FL460
 28 TRA711(A) [AGRA] 1430 1625 FL325 FL460

29 TRA711(B) [AGRA] 0330 0630 FL325 FL460
 30 TRA711(B) [AGRA] 1430 1625 FL325 FL460
 31 TSA722 [GRASS BIR - 13] 0130 1130 GND FL270
 32 TRA 723 (HALWARA) 0800 1000 FL325 FL500
 CONDITIONAL ROUTE (CDR2) AVBL AS FLW :
 NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
 1 J1 0000 0129 FL080 FL410
 2 J1 0130 0329 FL290 FL410
 3 J1 0631 1130 FL290 FL410
 4 J1 1131 1429 FL080 FL410
 5 J1 1626 1830 FL290 FL410
 6 J2 0000 0129 FL110 FL410
 7 J2 1201 1329 FL110 FL410
 8 J2 1731 2359 FL110 FL410
 9 J3 1830 2359 FL100 FL250
 10 J5 0000 0129 FL260 FL410
 11 J5 1201 1329 FL260 FL410
 12 J5 1731 2359 FL260 FL410
 13 J6 0100 1600 FL140 FL410
 14 J19 0231 0400 FL210 FL410
 15 J20 0000 0129 FL110 FL410
 16 J20 0130 0329 FL290 FL410
 17 J20 0631 1130 FL290 FL410
 18 J20 1131 1429 FL110 FL410
 19 J20 1626 1829 FL290 FL410
 20 J20 1830 2359 FL110 FL410
 21 J21 0000 0059 FL140 FL410
 22 J21 0100 0759 FL320 FL410
 23 J21 1001 1258 FL320 FL410
 24 J21 1259 1457 FL140 FL410
 25 J21 1458 1830 FL320 FL410
 26 J21 1831 2359 FL140 FL410
 27 J22 0000 2030 FL290 FL410
 28 J24 0000 0759 FL345 FL460
 29 J24 1001 2359 FL345 FL460
 30 J29 0000 0129 FL150 FL250
 31 J29 1201 1329 FL150 FL250
 32 J29 1731 2359 FL150 FL250
 33 J36 1830 2359 FL110 FL245
 34 J38 0100 0129 FL170 FL410
 35 J38 0130 0329 FL290 FL410
 36 J38 0631 1130 FL290 FL410
 37 J38 1131 1300 FL170 FL410
 38 J39 0000 0129 FL170 FL460
 39 J39 0130 0329 FL290 FL460
 40 J39 0631 1130 FL290 FL460
 41 J39 1131 1429 FL170 FL460
 42 J39 1626 1829 FL290 FL460
 43 J39 1830 2359 FL170 FL460
 44 J40 0000 0129 FL330 FL410
 45 J40 1201 1329 FL330 FL410
 46 J40 1731 2359 FL330 FL410
 47 J41 0100 0129 FL330 FL410
 48 J41 1201 1329 FL330 FL410
 49 J42 1830 2359 FL110 FL245
 50 J43 0000 0129 FL170 FL410
 51 J43 0130 0329 FL290 FL410
 52 J43 0631 1130 FL290 FL410
 53 J43 1131 1429 FL170 FL410
 54 J43 1626 1700 FL290 FL410
 55 J47 0100 0129 FL170 FL410
 56 J47 0130 0329 FL290 FL410
 57 J47 0631 1130 FL290 FL410
 58 J47 1131 1300 FL170 FL410
 59 J48 0631 0930 FL290 FL410
 60 J50 0000 0129 FL110 FL460
 61 J50 0130 1200 FL400 FL460
 62 J50 1201 1259 FL110 FL460
 63 J50 1300 1829 FL400 FL460
 64 J50 1830 2359 FL110 FL460
 65 J51 0000 0129 FL170 FL460
 66 J51 0130 1200 FL400 FL460
 67 J51 1201 1259 FL330 FL460
 68 J51 1300 1829 FL400 FL460
 69 J51 1830 2359 FL170 FL460

70 J52 0000 0129 FL110 FL460
71 J52 0130 0329 FL290 FL460
72 J52 0631 1130 FL290 FL460
73 J52 1131 1429 FL110 FL460
74 J52 1626 1829 FL290 FL460
75 J52 1830 2359 FL110 FL460
76 J53 0100 0229 FL080 FL250
77 J55 0000 0229 FL090 FL250
78 J55 1301 1359 FL090 FL250
79 J55 1731 2359 FL090 FL250
80 J56 0000 2359 FL080 FL250
81 J58 0100 1300 FL330 FL410
82 J59 0200 1530 FL110 FL410
83 J60 0100 0129 FL170 FL460
84 J60 0130 0329 FL290 FL460
85 J60 0631 1130 FL290 FL460
86 J60 1131 1429 FL170 FL460
87 J61 0000 0229 FL110 FL460
88 J61 0230 1300 FL330 FL460
89 J61 1301 1359 FL110 FL460
90 J61 1400 1730 FL330 FL460
91 J61 1731 2359 FL110 FL460
92 J62 0000 0129 FL110 FL460
93 J62 0130 1200 FL400 FL460
94 J62 1201 1259 FL110 FL460
95 J62 1300 1829 FL400 FL460
96 J62 1830 2359 FL110 FL460
97 J65 0000 0129 FL230 FL410
98 J65 1201 1329 FL230 FL410
99 J65 1731 2359 FL230 FL410
100 J67 0000 0030 FL110 FL255
101 J67 0800 2359 FL110 FL255
102 J68 0231 0400 FL110 FL410
103 J69 0231 0400 FL110 FL410
104 J70 0231 0400 FL110 FL410
105 J71 0200 0329 FL330 FL460
106 J71 0330 1030 FL400 FL460
107 J71 1031 1257 FL330 FL460
108 J71 1258 1512 FL220 FL460
109 J71 1513 1730 FL330 FL460
110 J71 1731 1930 FL250 FL460
111 J71 1931 2000 FL110 FL460
112 J72 0100 1600 FL330 FL410
113 J73 0100 0329 FL330 FL410
114 J73 0631 1300 FL330 FL410
115 J74 0100 1600 FL330 FL410
116 J81 0100 0759 FL330 FL400
117 J81 1001 1600 FL330 FL400
118 J82 0000 2359 FL330 FL400
119 J83 0200 1900 FL110 FL400
120 J84 0000 0229 FL110 FL250
121 J84 1301 1359 FL110 FL250
122 J84 1731 2359 FL110 FL250
123 J85 0000 0229 FL110 FL250
124 J85 1301 1359 FL110 FL250
125 J85 1731 2359 FL110 FL250
126 J86 0000 0229 FL110 FL290
127 J86 1301 1359 FL110 FL290
128 J86 1731 2359 FL110 FL290
129 J87 0100 0229 FL110 FL290
130 J88 0100 0229 FL110 FL290
131 J89 0000 0030 FL110 FL245
132 J89 1830 2359 FL110 FL245
133 J93 0000 0030 FL150 FL460
134 J93 1830 2359 FL150 FL460
135 J94 0030 0229 FL110 FL250
136 J94 1301 1359 FL110 FL250
137 J98 0000 0033 FL160 FL280
138 J98 1258 1512 FL220 FL280
139 J98 1731 1930 FL250 FL280
140 J98 1931 2359 FL160 FL280
141 J100 0000 0229 FL080 FL280
142 J100 1301 1359 FL080 FL280
143 J100 1731 2359 FL080 FL280
144 J101 0100 0229 FL080 FL280

145 J102 0100 0229 FL080 FL280
 146 J103 0000 0229 FL080 FL280
 147 J103 1301 1359 FL080 FL280
 148 J103 1731 2359 FL080 FL280
 149 J104 0000 0129 FL110 FL380
 150 J104 1201 1329 FL110 FL380
 151 J104 1731 2359 FL110 FL380
 152 J107 1830 2359 FL110 FL255
 153 J110 0000 0759 FL345 FL400
 154 J110 1001 2359 FL345 FL400
 155 J115 0100 0129 FL080 FL250
 156 J115 1201 1329 FL080 FL250
 157 J115 1731 2359 FL080 FL250
 158 J116 0000 0129 FL080 FL250
 159 J116 1201 1329 FL080 FL250
 160 J116 1731 2359 FL080 FL250
 161 J119 0000 0033 FL110 FL460
 162 J119 0034 1257 FL330 FL460
 163 J119 1258 1512 FL110 FL460
 164 J119 1513 1730 FL330 FL460
 165 L639 0000 2359 FL290 FL460
 166 Z1 0000 2359 FL330 FL460
 167 Z2 0000 0329 FL330 FL460
 168 Z2 0330 1030 FL400 FL460
 169 Z2 1031 2359 FL330 FL460
 170 Z3 0231 0400 FL210 FL410
 171 Z4 0231 0400 FL210 FL410
 172 Z5 0000 0129 FL290 FL410
 173 Z5 1201 1329 FL290 FL410
 174 Z5 1731 2359 FL290 FL410
 175 Z6 0000 2359 FL330 FL460
 176 Z7 0000 2359 FL290 FL460
 177 Z8 0000 0129 FL330 FL460
 178 Z8 0130 1200 FL400 FL460
 179 Z8 1201 1259 FL330 FL460
 180 Z8 1300 1829 FL400 FL460
 181 Z8 1830 2359 FL290 FL460
 182 Z9 0200 1200 FL400 FL410
 183 Z9 1201 1259 FL330 FL410
 184 Z9 1300 1730 FL400 FL410
 185 Z10 0000 2359 FL330 FL460
 186 Z11 0231 0400 FL210 FL410
 187 Z13 0000 0229 FL110 FL410
 188 Z13 0230 0329 FL220 FL410
 189 Z13 0330 1030 FL400 FL410
 190 Z13 1031 1630 FL220 FL410
 191 Z13 1631 2359 FL110 FL410
 192 Z14 0000 2359 FL330 FL460
 193 Z15 0000 0129 FL290 FL410
 194 Z15 0130 1200 FL400 FL410
 195 Z15 1201 1259 FL290 FL410
 196 Z15 1300 1630 FL400 FL410
 197 Z16 0000 0129 FL160 FL400
 198 Z16 0130 0329 FL290 FL400
 199 Z16 0631 1130 FL290 FL400
 200 Z16 1131 1429 FL160 FL400
 201 Z16 1626 1829 FL290 FL400
 202 Z16 1830 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR AIRSPACE CLOSURES.

LATEST PUBLICATIONS:

AIP AIRAC AMDT 06/2026 EFFECTIVE DATE 09 JUL 2026
 AIP AIRAC SUP 131/2026 EFFECTIVE DATE 06 AUG 2026
 AIC ISSUED BY DGCA INDIA. REF [HTTPS://WWW.DGCA.GOV.IN](https://www.dgca.gov.in)
 AIS PRODUCTS AVBL ON AIM INDIA WEBSITE ([HTTPS://AIM-INDIA.AAI.AERO](https://aim-india.aai.aero))
 NEXT AIRAC AIP AMDT- 06 AUG 2026

CHECK LIST OF CURRENT AIP SUPPLEMENTS

YEAR=2008	35 36 37
YEAR=2010	14
YEAR=2011	61

YEAR=2018	150
YEAR=2020	84
YEAR=2024	98 105 136 154 290
YEAR=2025	41 83 142 148 152 153 154 155 156 157 158 162 164 167 168 169 170 171 172 174 179 180 188 192 194 195 196 197 198 201 202 203 205 206 207 208 209 210 212 213 230 233 241 244
YEAR=2026	13 14 15 23 25 27 28 30 34 35 36 37 38 39 40 41 42 43 51 52 59 69 71 72 73 80 81 82 83 84 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131