

NOTAM SUMMARY

TEL : 0091 11 28705209 FAX : 0091 11 25655208 AFS : VIDPYNXX mail : nofvidp@aai.aero	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE I.G.I. AIRPORT NEW DELHI-110037	NOTAM LIST SERIES - G 01 July 2026
--	--	---

THE FOLLOWING 'G' SERIES NOTAM WERE STILL VALID ON 01st July, 2026. NOTAM NOT INCLUDED HAVE EITHER BEEN CANCELLED, TIME EXPIRED, SUPERSEDED BY AIP SUPPLEMENT OR INCORPORATED IN THE AIP INDIA CURRENT EDITION.

CHECKLIST OF THE SERIES 'G' NOTAM	
YEAR=2011	0050 0052
YEAR=2012	0017 0131 0196 0282
YEAR=2014	0009
YEAR=2015	0124 0133 0418 0419
YEAR=2016	0218 0339 0391
YEAR=2017	0536 0539 0540
YEAR=2018	1197 1202
YEAR=2019	0829
YEAR=2020	0171
YEAR=2023	0295 0297 0611 1115 1313
YEAR=2024	0667 0809 0810 0812 0916 1012 1013 1058 1146 1151 1313 1431
YEAR=2025	0008 0171 0172 0181 0183 0228 0872 0873 0937 1050 1110 1111 1112 1116 1135 1136 1193 1420 1421 1422 1428 1429 1480 1485 1508 1509 1511
YEAR=2026	0011 0046 0047 0048 0062 0071 0072 0073 0074 0075 0076 0078 0080 0082 0112 0134 0135 0136 0137 0138 0149 0167 0168 0171 0212 0291 0292 0293 0294 0295 0296 0297 0298 0299 0300 0301 0302 0303 0309 0310 0311 0312 0354 0358 0422 0423 0428 0444 0448 0449 0450 0455 0456 0457 0458 0459 0461 0462 0463 0464 0466 0467 0468 0473 0474 0495 0523 0526 0528 0529 0530 0531 0532 0533 0534 0535 0536 0542 0544 0552 0553 0555 0556 0557 0558 0559 0560 0561 0562 0563 0565 0566 0568 0569 0570 0571 0572 0573 0574 0592 0594 0595 0596 0597 0599 0600 0601 0602 0603 0604 0605 0606 0607 0608 0609 0610 0611 0612 0613 0614 0616 0617 0618 0620 0621 0622 0623 0624 0625 0627 0628 0629 0630 0631 0632 0633 0634 0635 0636 0637 0639 0640 0641 0642 0643 0644 0645 0646 0647 0648 0649 0650 0651 0652 0654 0655 0657 0658 0659 0660 0661 0662 0663 0664 0665 0666 0667 0668 0669 0670 0671 0672 0673 0674 0676 0677 0679 0681 0682 0683 0684 0685 0686 0687 0688 0689 0690 0691 0692 0693 0707 0708 0709 0710 0711 0712 0714 0716 0718 0719 0720 0721 0722 0723 0724 0725 0726 0727 0728 0729 0730 0731 0732 0733 0734 0735 0736 0737 0738 0739 0740 0741 0742 0743 0744 0745 0747 0749 0750 0751 0752 0753 0754 0755 0756 0757 0759 0760 0761

AHMEDABAD VAAH	
G0358/26	2603181020/PERM REF EAIP INDIA PAGE AD 2 VAAH 3-905 16 MAY 2024 REGARDING RNP RWY 05. THE FLW AMENDMENTS ARE MADE IN OCA(H) FOR LNAV: 1. OCA(H) FOR LNAV (CAT A/B) : 660(480) FT. 2. OCA(H) FOR LNAV (CAT C) : 680(500) FT. 3. OCA(H) FOR LNAV (CAT D) : 700(520) FT. AMEND AIP INDIA ACCORDINGLY.
G0422/26	2603250510/PERM REF EAIP INDIA PAGE AD 2 VAAH 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 05 PROC. CIRCLING OCA(H) WITHDRAWN.AMEND ACCORDINGLY.
G0423/26	2603250515/PERM REF EAIP INDIA PAGE AD 2 VAAH 2-203 DATED 27 NOV 2025 REGARDING VOR RWY 23 PROC. CIRCLING OCA(H) WITHDRAWN. AMEND ACCORDINGLY.
G0563/26	2605120954/PERM CNL AIP SUP 85/2026.
AURANGABAD VAAU	
G0464/26	2604070938/2607062359EST REFER EAIP INDIA PAGE AD 2 VAAU 2-107 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27. FLW AMENDMENTS ARE MADE IN FINAL APCH SEGMENT. 1. FOR LOC ONLY PROCEDURE OCA(H) WITH SDF (4 D) TEMPO AMENDED AS 2320(434).
G0468/26	2604071011/2607062359EST REFER EAIP INDIA PAGE AD 2 VAAU 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 27 CAT (A/B/C). FLW AMENDMENTS ARE MADE IN FINAL APCH SEGMENT. 1. STRAIGHT-IN OCA(H) WITH SDF (4.1 D) TEMPO AMENDED AS 2320(434).
MUMBAI VABB	
G0171/25	2502111246/PERM REFER EAIP AD 2 VABB 3-905 31 DEC 2020 REGARDING RNP Y RWY 14 PROCEDURE -MUMBAI: 1. MSA IS AMENDED AS FLW: A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP - MSA 2600FT. B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP - MSA 2800FT. C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP - MSA 3800FT. AMEND ACCORDINGLY.
G0172/25	2502111248/PERM REFER AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI AIRPORT, MSA IS AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8, PAGE 9, PAGE 10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE 32, PAGE 33, PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 AS BELOW: 1. MSA IS AMENDED AS FLW: A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP - MSA 2600FT. B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP - MSA 2800FT. C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP - MSA 3800FT. AMEND ACCORDINGLY.
G0181/25	2504170000/PERM REF EAIP AD 2 VABB 3-905 31 DEC 2020 REGARDING RNP Y RWY 14 PROC -MUMBAI: IN PROFILE VIEW TRANSITION ALT IS AMENDED AS 6000FT.

AMEND ACCORDINGLY.	
G0183/25	2504170000/PERM REF AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI AP, MSA IS AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8, PAGE 9, PAGE 10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE 32, PAGE 33, PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 AS BELOW: IN PROFILE VIEW TRANSITION ALT IS AMENDED AS 6000FT. AMEND ACCORDINGLY.
G0354/26	2603161104/PERM REF AIP SUPPLEMENT 38/2026 REGARDING INSTRUMENT APPROACH CHART - ILS OR LOC Z RWY 27 OF VABB. IN PLAN VIEW THE BELOW TEXT IS INSERTED; RADAR VECTORED AIRCRAFT ESTABLISHED ON LLZ RWY 27, WHEN CLEARED FOR APPROACH, TO DESCENT BELOW 3800FT ONLY WITHIN 13.8D (ISCZ) AMEND ACCORDINGLY.
G0466/26	2604070941/2607062359EST REF AIP INDIA PAGE AD 2 VABB 3-905 (31 DEC 2020) REGARDING RNP Y RWY 14 PROC OF MUMBAI AIRPORT. THE PROC IS TEMPO WITHDRAWN DUE VISUAL SEGMENT SURFACE (VSS) INFRINGEMENT.
G0624/26	2605250500/2608242359EST REF AIP SUP 180/2025 REGARDING RNP Y RWY 32. 1. IN FINAL APPROACH SEGMENT SDF (2.5 NM) AND SDF (3.6 NM) ARE WITHDRAWN TEMPO. 2. LNAV OCA(H) AMENDED AS 1270(1245) TEMPO.
BHOPAL	VABP
G0625/26	2605250505/2608242359EST REF AIP SUP 162/2025 REGARDING ILS CAT (ROMAN) II OR LOC RWY 30. IN FINAL APPROACH SEGMENT SDF AND OCA WITH SDF FOR LOC ONLY IS WITHDRAWN TEMPO.
BHAVNAGAR	VABV
G0676/26	2606040547/2608312359EST ILS RWY 25 IDENT IBHN (LOC 109.900MHZ, GP 333.800MHZ, DME IBHN CH36X) NOT AVBL DUE EQPT REPLACEMENT.
G0688/26	2606090424/2609082359EST REF AIP SUP 105/2024 REGARDING ILS OR LOC RWY 25 PROC BHAVNAGAR AP. IAP ILS OR LOC RWY 25- BHAVNAGAR AP IS WITHDRAWN.
DIU	VADU
G0542/26	2606110000/PERM DUE TO REPLACEMENT OF EQUIPMENT, FOLLOWING AMENDMENT ARE MADE TO DIU NDB IDENT DU FREQ 307KHZ IN EAIP INDIA: 1) NDB COORD: 204305.484N 0705459.161E AMEND ENR4.1 IN VADU EAIP INDIA ACCORDINGLY.
GONDIA	VAGD
G0462/26	2604070930/2607062359EST REFER EAIP INDIA PAGE AD 2 VAGD 2-101 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 04 (CAT A/B/C). FOLLOWING AMENDMENTS ARE MADE IN FINAL APPROACH SEGMENT. 1. FOR LOC ONLY PROCEDURE OCA(H) WITH SDF (6 D) TEMPO AMENDED AS 1420(426).
G0463/26	2604070935/2607062359EST REFER EAIP INDIA PAGE AD 2 VAGD 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 04 (CAT A/B/C). FOLLOWING AMENDMENTS ARE MADE IN FINAL

APPROACH SEGMENT.
 1. SDF (6.5 D) AND OCA(H) WITH SDF (6.5 D) TEMPO WITHDRAWN.
 2. STRAIGHT-IN OCA(H) WITHOUT SDF TEMPO AMENDED AS 1480(486).

G0737/26 2607090000/PERM
 REFER EAIP PAGE AD2 VAGD-4
 INSERT FLW OBSTACLES IN AD 2.10
 1.RWY/AREA AFFECTED : 22/TKOF , 04/APCH
 OBSTACLE TYPE : TREE
 COORDINATES : 213102.0N 0801658.3E
 ELEVATION : 1027FT
 MARKING/LIGHT : NIL
 REMARKS : GROUP OF TREES
 2.RWY/AREA AFFECTED : 22/TKOF , 04/APCH
 OBSTACLE TYPE : POLE
 COORDINATES : 213104.8N 0801658.6E
 ELEVATION : 1010FT
 MARKING/LIGHT : NIL
 REMARKS : ELECTRIC POLE
 3.RWY/AREA AFFECTED : 22/TKOF , 04/APCH
 OBSTACLE TYPE : TREE
 COORDINATES : 213103.6N 0801658.1E
 ELEVATION : 1032FT
 MARKING/LIGHT : NIL
 REMARKS : GROUP OF TREES
 4.RWY/AREA AFFECTED : 22/TKOF , 04/APCH
 OBSTACLE TYPE : POLE
 COORDINATES : 213106.1N 0801659.2E
 ELEVATION : 1010FT
 MARKING/LIGHT : NIL
 REMARKS : ELECTRIC POLE
 5.RWY/AREA AFFECTED : 22/TKOF , 04/APCH
 OBSTACLE TYPE : TREE
 COORDINATES : 213106.2N 0801659.6E
 ELEVATION : 1039FT
 MARKING/LIGHT : NIL
 REMARKS : GROUP OF TREES

INDORE VAID

G1151/24 2409270610/PERM
 REF AIP AD 2 VAID 2-203 DATED 03 NOV 2022 REGARDING VOR RWY 25 PROC
 - INDORE AP. OCA(H) FOR CAT C CIRCLING IS AMENDED AS 2830(976)FT.
 AMEND THE AIP ACCORDINGLY.

G0212/26 2602091127/PERM
 REFER EAIP INDIA PAGE AD 2 VAID 2-203 DATED 03 NOV 2022 REGARDING
 VOR RWY 25 PROC.
 1. OCA(H) FOR CAT A/B/C/D WITHOUT SDF IS AMENDED AS 2320(481) FT.
 2. OCA(H) FOR CAT A/B WITH SDF IS AMENDED AS 2280(441) FT.
 3. OCA(H) FOR CAT C/D WITH SDF IS AMENDED AS 2290(451) FT.
 AMEND AIP ACCORDINGLY.

G0560/26 2605110958/2608102359EST
 REFER AIP SUPP 148/2025 REGARDING ILS OR LOC RWY 25. FLW AMENDMENTS
 ARE MADE IN FINAL APPROACH SEGMENT.
 1. FOR LOC ONLY PROC OCA(H) WITH SDF (3.6 D) TEMPO AMENDED AS
 2260(421).

JABALPUR VAJB

G0609/26 2605181343/2608182359EST
 REF EAIP INDIA PAGE AD2 VAJB 3-903 12 JUN 2025 REGARDING RNP Z RWY
 06 (CAT A/B/C). PROC WITHDRAWN TEMPO.

JALGAON VAJL

G0610/26 2605181346/2608182359EST
 REF EAIP INDIA PAGE AD 2 VAJL 3-901 08 AUG 2024 REGARDING RNP Z RWY
 09 (CAT A/B). PROC WITHDRAWN TEMPO.

KANDLA	VAKE
G0561/26	2605111002/2608102359EST REF EAIP INDIA PAGE AD 2 VAKE 2-301 REGARDING NDB RWY 23 (CAT A/B) OF KANDLA AIRPORT.THE PROC IS TEMPO WITHDRAWN. AMEND ACCORDINGLY.
G0568/26	2605140542/2608092359EST HP DME IDENT KND CH124X NOT AVBL DUE TRANS-INSTALLATION OF EQPT.
G0605/26	2605181326/2608182359EST REF EAIP INDIA PAGE AD 2 VAKE 3-901 17 APR 2025 REGARDING RNP Z RWY 05 (CAT A/B). OCA(H) TEMPO AMENDED AS 521(424).
G0606/26	2605181336/2608182359EST REFER EAIP INDIA PAGE AD 2 VAKE 3-905 17 APR 2025 REGARDING RNP Z RWY 23 (CAT A/B). OCA(H) TEMPO AMENDED AS 431(334).
KOLHAPUR	VAKP
G0448/26	2604021002/PERM REF EAIP INDIA PAGE AD 2 VAKP 3-901 DATED 08 AUG 2024 REGARDING RNP RWY 25 PROC. TEXT DAY IFR OPERATION IS DELETED FROM PLAN VIEW. AMEND ACCORDINGLY.
KESHOD	VAKS
G0687/26	2606080450/2609080450EST REFER AIP INDIA PAGE AD 2 VAKS 2-301 DATED 05 DEC 2019 REGARDING INSTRUMENT APPROACH CHART - NDB RWY 23 (CAT A AND B) KESHOD AIRPORT(VAKS): CIRCLING OCA(H) FOR CAT A/B IS AMENDED AS 750(582) FT. AMEND THE CHART ACCORDINGLY.
MUNDRA	VAMA
G0743/26	2606220721/2609212359EST REF IAP CHART ON PAGE AD 2 VAMA 2-203 DATED 31 DEC 2020 IN EAIP INDIA REGARDING VOR RWY 23 PROC OF MUNDRA AP. MINIMUM SECTOR ALTITUDE AMENDED AS 2800FT.AMEND ACCORDINGLY.
G0744/26	2606220724/2609212359EST REF IAP CHART ON PAGE AD 2 VAMA 2-201 DATED 31 DEC 2020 IN EAIP INDIA REGARDING VOR RWY 05 PROC OF MUNDRA AP. MINIMUM SECTOR ALTITUDE AMENDED AS 2800FT.AMEND ACCORDINGLY.
NAVI MUMBAI INTERNATIONAL AIRPORT	VANM
G1485/25	2512290523/PERM REFER EAIP INDIA PAGES AD 2 VANM 3-903 AND AD 2 VANM 3-904 DATED 27 NOV 2025 REGARDING IAP RNP RWY 26. FOLLOWING AMENDMENTS ARE MADE: - 1. IN PLAN VIEW AND IN PROFILE VIEW, ALT AT NM815 IS AMENDED AS AT OR ABOVE 3800FT. 2. IN TABULAR DESCRIPTION, ALT AT NM815 IS AMENDED AS AT OR ABOVE 3800FT.
G0528/26	2604270505/2607262359EST REF E-AIP INDIA PAGE AD 2 VANM 2-102 DATED 27 NOV 2025 REGARDING ILS Y CAT (ROMAN) II AND (ROMAN) III OR LOC RWY 26, PROC IS TEMPO AMENDED AS FLW: - ILS Y CAT (ROMAN) II AND (ROMAN) III OR LOC RWY 26 PROC IS RESTRICTED TO CAT 1 ONLY DUE EQPT. AMEND EAIP ACCORDINGLY.

NAGPUR	VANP
G0720/26	2606150938/2609142359 REFER EAIP INDIA PAGE AD 2 VANP 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 14. FLW AMENDMENTS ARE MADE IN FINAL APCH SEGMENT. 1. SDF 2 (3.3 D) AND OCA(H) WITH SDF 2 (3.3 D) WITHDRAWN TEMPO. 2. OCA(H) WITH SDF 1 (4.5 D) AMENDED AS 1590(553).
OZAR	VAOZ
G0011/26	2601220000/PERM AMEND TWR FREQ 123.500MHZ AS 122.700MHZ ON IAP CHART - ILS RWY 27 ON PAGE AD 2 VAOZ 2-101, DATED 05 DEC 2019 IN EAIP INDIA.
PORBANDAR	VAPR
G0611/26	2605181348/2608182359EST REF EAIP INDIA PAGE AD 2 VAPR 3-905 08 AUG 2024 REGARDING RNP Z RWY 27 (CAT A/B). PROC WITHDRAWN TEMPO.
SURAT	VASU
G0523/26	2604210706/2607202359EST REF AIP SUP 154/2025 REGARDING ILS OR LOC RWY 22 (CAT A/B/C) OF SURAT AIRPORT.THE PROC IS WITHDRAWN TEMPO.
G0526/26	2604230616/2607202359EST ILS RWY 22 IDENT ISUT (LOC 109.100MHZ, GP 331.400MHZ, DME ISUT CH28X) NOT AVBL DUE EQPT REPLACEMENT.
G0607/26	2605181338/2608182359EST REFER EAIP INDIA PAGE AD 2 VASU 3-907 17 APR 2025 REGARDING RNP RWY 04 (CAT A/B/C). LPV OCA(H) TEMPO AMENDED AS 340(320).
UDAIPUR	VAUD
G0608/26	2605181341/2608182359EST REF EAIP INDIA PAGE AD 2 VAUD 3-903 17 APR 2025 REGARDING RNP RWY 26 (CAT A/B/C). LPV OCA(H) TEMPO AMENDED AS 2110(444).
PRAYAGRAJ	VEAB
G1313/23	2311300000/PERM ILS CAT- (ROMAN) II (RWY 30) COMMISSIONED WITH FLW DETAILS: 1. TYPE OF AIDS: ILS 2. IDENT: IABD 3. FREQ/CH: LOC 110.300MHZ GP 335.000MHZ AND DME CH40X (COLLOCATED WITH GP) 4. HR OF OPS: HJ 5. COORD OF LOC: 252644.26N 814322.25E 6. COORD OF GP: 252600.28N 814441.57E 7. COORD OF DME ILS: 252600.28N 814441.57E 8. DME ILS ANTENNA TOP ELEV: 370.17FT 9. GLIDE ANGLE: 3.0 DEG 10. PURPOSE: A
AGARTALA	VEAT
G0621/26	2605220552/2608212359EST ILS (Y) RWY 18 PROC NOT AVBL DUE REPLACEMENT OF NDB EQPT.
G0657/26	2606010625/2608262359EST NDB IDENT AT FREQ 237KHZ NOT AVBL DUE REPLACEMENT OF EQPT.
AYODHYA	VEAY
G0612/26	2605181350/2608182359EST REF EAIP INDIA PAGE NR AD 2 VEAY 3-901 DATED 13 JUN 2024 REGARDING

	PROC RNP RWY 11(CAT A/B/C) - AYODHYA AIRPORT. LPV OCA(H) REVISED AS 650(321) TEMPO.
G0613/26	2605181356/2608182359EST REF EAIP INDIA PAGE NR AD 2 VEAY 3-905 DATED 13 JUN 2024 REGARDING PROC RNP RWY 29 (CAT A/B/C) - AYODHYA AIRPORT. LPV OCA(H) REVISED AS 620(292) TEMPO.
G0756/26	2606300506/PERM REFER EAIP PAGE AD2 VEAY-7 COLUMN 11 DIMENSIONS OF RESA RWY29 IS AMENDED AS 240MX90M.
VARANASI	VEBN
G0444/26	2604010732/2606302359EST REF EAIP INDIA PAGE AD2 VEBN 2-203 19 MAY 2022 REGARDING VOR RWY 27 PROC OF VARANASI AIRPORT. VOR RWY 27 STRAIGHT IN OCA (H) FOR CAT A/B/C/D IS AMENDED AS 690(420) IN PLACE OF 670(400). AMEND EAIP ACCORDINGLY.
G0569/26	2605150500/PERM REF EAIP INDIA AD 2 VEBN 2-101, DATED 26 JAN 2023 REGARDING ILS Z RWY 27 PROC OF VARANASI AIRPORT. MSA (MINIMUM SECTOR ALTITUDE) BASED ON VARANASI VOR AMD AS FLW: 1. ALL TRACKS ARE TO VARANASI VOR 2. FROM 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT 3. FROM 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT 4. FROM 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT AMEND THE EAIP ACCORDINGLY.
G0570/26	2605150506/PERM REF EAIP INDIA AD 2 VEBN 2-201, DATED 16 JUL 2020 REGARDING VOR RWY 09 PROC OF VARANASI AIRPORT. MSA (MINIMUM SECTOR ALTITUDE) BASED ON VARANASI VOR AMD AS FLW: 1. ALL TRACKS ARE TO VARANASI VOR 2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT 3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT 4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT AMEND THE EAIP ACCORDINGLY.
G0571/26	2605150508/PERM REF EAIP INDIA AD 2 VEBN 2-203, DATED 19 MAY 2022 REGARDING VOR RWY 27 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED ON VARANASI VOR AMD AS FLW: 1. ALL TRACKS ARE TO VARANASI VOR 2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT 3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT 4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT AMEND THE EAIP ACCORDINGLY.
G0572/26	2605150511/PERM REF EAIP INDIA AD 2 VEBN 3-901, DATED 16 JUL 2020 REGARDING RNP Y RWY 09 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED ON VARANASI ARP AMD AS FLW: 1. ALL TRACKS ARE TO VARANASI ARP 2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT 3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT 4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT AMEND THE EAIP ACCORDINGLY.
G0573/26	2605150513/PERM REF EAIP INDIA AD 2 VEBN 3-903, DATED 16 JUL 2020 REGARDING RNP Y RWY 27 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED ON VARANASI ARP AMD AS FLW: 1. ALL TRACKS ARE TO VARANASI ARP 2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT 3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT 4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT

AMEND THE EAIP ACCORDINGLY.	
G0574/26	2605150532/PERM REF EAIP INDIA AD 2 VEBN 3-301 DATED 15 JUL 2021. ATC SURVEILLANCE MINIMUM ALTITUDE CHART OF VARANASI AP AMD AS FLW: 1. FOR AREA BOUNDED BY 250957.60N 0823120.66E THEN ALONG CLOCKWISE ARC OF 25NM CENTERED AT VARANASI ARP TO 250805.21N 0830921.33E TO 250957.60N 0823120.66E: 2300 FT 2. FOR AREA BOUNDED BY 250957.60N 0823120.66E THEN ALONG COUNTERCLOCKWISE ARC OF 25 NM CENTERED AT VARANASI ARP TO 250805.21N 0830921.33E THEN TO 250957.60N 0823120.66E: 2500 FT AMEND THE EAIP ACCORDINGLY.
BILASPUR	VEBU
G0301/26	2603050900/PERM REFER EAIP INDIA PAGE NR AD2 VEBU 3-901 DATED 17 APR 2025 REGARDING PROC RNP RWY 35(CAT A/B) -BILASPUR AIRPORT. TEXT NON-INSTRUMENT RWY, APCH BELOW 1000 FT ABOVE THR ELEV SHALL BE CONDUCTED IN VMC IS DELETED.
G0495/26	2605140000/PERM REF AD DATA OF BILASPUR AIRPORT IN EAIP INDIA. 1. IN AD CHART ON PAGE NR AD 2 VEBU 1-101, AD ELEV IS AMENDED AS 906 FT IN PLACE OF 907 FT. 2. IN AD 2.12 COLUMN 6 TDZ RWY 17 ELEV IS AMENDED AS 906FT IN PLACE OF 907FT. 3. RESA RWY 17 IS AMENDED AS 240M X 60M IN PLACE OF 240M X 90M. AMEND AIP ACCORDINGLY.
KOLKATA	VECC
G1420/25	2512090930/PERM REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF NSCBI AP KOLKATA. FLW AMD ARE MADE: I) RDH IS AMENDED AS 53FT II) IN PROFILE VIEW AND IN DISTANCE-ALTITUDE TABLE THE ALTITUDE AT 4D IS AMENDED AS 1290FT. III) TEXT 332DEG ON INBOUND LEG OF PROC TURN IS AMENDED AS 322DEG.
G1421/25	2512090932/PERM REF AIP SUP 197/2025 REGARDING ILS RWY 01R CAT II AND III PROC OF NSCBI AP KOLKATA. FLW AMEND ARE MADE: I) ON R-198(CEA), TEXT IAF IS INSERTED AT 16D(CEA). II) ON R-198(CEA), IAF AT 20D(CEA) IS DELETED.
G1422/25	2512090934/PERM REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC OF NSCBI AP KOLKATA. ON R-345 (CEA) TEXT 18D IS REPLACE BY 15D.
G0167/26	2602040500/PERM REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE: 1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT 2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY.
G0168/26	2602040505/PERM REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE: 1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT 2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY.
G0171/26	2602050948/PERM REF VECC AD 2.25. THE VISUAL SEGMENT SURFACE (VSS) PENETRATION INFO REGARDING VOR RWY 01L IS DELETED.

G0532/26	2604281032/PERM REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.
G0533/26	2604281038/PERM REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.
G0534/26	2604281041/PERM REF AIP SUP 201/2025 REGARDING VOR RWY 01R (CAT A/B/C) PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.
G0535/26	2604281045/PERM REF AIP SUP 202/2025 REGARDING VOR RWY 19L (CAT A/B/C) PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.
G0536/26	2604281050/PERM REF AIP SUP 203/2025 REGARDING VOR RWY 19R (CAT A/B/C) PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.
G0631/26	2605271205/2609042359EST REF AIP SUP 198/2025 REGARDING INSTRUMENT APPROACH CHART - ILS OR LOC RWY 19R NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT KOLKATA (VECC). PROC ILS OR LOC RWY 19R TEMPO WITHDRAWN DUE TEMPO DISPLACEMENT OF RWY 19R THR.
G0634/26	2605271306/2608282359EST REFER AIP SUP 201/2025 DATED 16 OCT 2025 REGARDING PROC VOR RWY 01R-KOLKATA AIRPORT. IN FINAL APP SEGMENT SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO.
G0674/26	2606021022/2608292359EST ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD.
G0719/26	2607090000/PERM KOLKATA URP SECTOR (UPPER RAIPUR) VHF BACKUP FREQUENCY 134.375MHZ AVBL. INSERT FLW DETAILS IN VECC AD 2.18 OF EAIP INDIA. 1. SERVICE DESIGNATION: ACC 2. CALL SIGN: KOLKATA RADAR 3. CH/FREQUENCY: 134.375MHZ 4. SATVOICE NR: NIL 5. LOGON ADDRESS: NIL 6. HR OF OPS: H24 7. RMK: 1-UPPER RAIPUR 2-BACKUP FREQUENCY
G0732/26	2606170651/2609162359EST REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF AMENDED AS 450(430)FT IN PLACE OF 440(420)FT. AMEND ACCORDINGLY.
G0733/26	2606170654/2609162359EST REFER AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF KOLKATA. WITH SDF OCA(H) IS AMENDED AS 480 (460)FT TEMPORARILY.
G0734/26	2606170657/2609162359EST REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC RWY 19L-KOLKATA AIRPORT. IN FINAL APP SEGMENT OF LOC ONLY PROC SDF

RWY 19L-KOLKATA AIRPORT. IN FINAL APP SEGMENT OF LOC ONLY PROC SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO.

CHAKERI VECX

G1115/23 2310270552/PERM
ILS CAT-II (RWY 27) CALLSIGN IKCH, LOC 109.700MHZ, GP 333.200MHZ
AND DME CH34X (COLOCATED WITH GP) COMMISSIONED.
COORD OF LOC: 262414.48N 0802355.81E
COORD OF GP: 262412.60N 0802532.96E
COORD OF DME ILS: 262412.60N 0802532.96E
GLIDE ANGLE: 3.0DEG
DME ILS ANTENNA TOP ELEVATION: 138.74M (INDIAN MEAN SEA LEVEL)
HR OF OPS: HJ
PURPOSE: A
CONTROLLING AUTHORITY: INDIAN AIR FORCE
INSERT IN GEN 2.5 OF EAIP INDIA ACCORDINGLY.)

DURGAPUR VEDG

G1313/24 2411131159/PERM
REF EAIP (INDIA) PAGE AD 2 VEDG-2-101 (DATE 01 JULY 2019) REGARDING
ILS RWY 16 PROC DURGAPUR AIRPORT.
FLW AMENDMENTS ARE MADE:
1. OCA (H) FOR GP IN-OP IS AMD AS 840 (542) FT IN PLACE OF
700(402) FT.
2. CIRCLING OCA(H) FOR CAT A/B IS AMD AS 920(618) FT IN PLACE OF
890(588).
AMD EAIP ACCORDINGLY.

DEOGARH VEDO

G0635/26 2605271309/2608312359EST
REFER EAIP INDIA PAGE NR AD 2 VEDO 2-101 DATED 08 AUG 2024 REGARDING

PROC ILS OR LOC RWY 09-DEOGHAR AIRPORT. IN FINAL APP SEGMENT OF LOC
ONLY PROC SDF AND OCA(H) WITH SDF WITHDRWAN TEMPO.

G0636/26 2605271311/2608312359EST
REFER EAIP INDIA PAGE NR AD 2 VEDO 3-901 DATED 08 AUG 2024 REGARDING

PROC RNP Y RWY 09 -DEOGHAR AIRPORT. IN FINAL APP SEGMENT SDF IS
WITHDRWAN TEMPO. LNAV OCA(H) AMENDED AS 1440(681) TEMPO.

GUWAHATI VEGT

G0530/26 2604280931/2607282359EST
REF EAIP INDIA PAGE NR AD 2 VEGT 2-107 DATED 17 APR 2025 REGARDING
ILS OR LOC RWY 02 PROC.STRAIGHT-IN OCA(H) FOR LOC ONLY PROCEDURE IS
AMENDED AS FOLLOWS FOR CAT A/B/C/D:
1) WITHOUT SDF-1800 (1637)FT
2) WITH SDF (5D)-1200 (1037)FT
3) WITH SDF (3D)-580 (417)FT
4) CIRCLING OCA CAT A/B/C/D ARE AMENDED AS 1800(1637).

G0531/26 2604280937/2607282359EST
REFER EAIP INDIA PAGE NR AD 2 VEGT 2-203 DATED 16 MAY 2024
REGARDING VOR RWY 20 PROC. VEGT STRAIGHT-IN OCA(H) FOR CAT A/B/C/D
IS AMENDED AS FOLLOWS:
1) WITHOUT SDF - 1310 (1147)FT
2) WITH SDF - 660 (497)FT
3) CIRCLING OCA CAT A/B/C/D ARE AMENDED AS 1800(1637).

G0643/26 2605271338/2608262359EST
REFER EAIP INDIA PAGE NR AD 2 VEGT 2-201 DATED 17 APR 2025 REGARDING

PROC VOR RWY 02 CAT A/B/C.
1. IN FINAL SEGMENT SDFS AND OCA(H) WITH SDFS ARE WITHDRAWN TEMPO.
2. STRAIGHT IN OCA(H) AMENDED AS 1800(1637) TEMPO.
3. CIRCLING OCA CAT A/B/C ARE AMENDED AS 1800(1637) TEMPO.

G0672/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 110/2026 WEF 09 JULY 2026. COMMISSIONING/DECOMMISSIONING OF FACILITIES AND AMENDMENTS TO AD DATA.
GAYA	VEGY
G0062/26	2601151340/PERM REF EAIP INDIA - INSTRUMENT APP CHART - ILS OR LOC Z RWY 28 OF GAYA AP ON PAGE AD 2 VEGY 2-103 DATED 27 NOV 2025. THE CIRCLING OCA(H) FOR CAT C/D IS AMENDED AS 1520(1137) FT IN PLACE OF 1560(1177) FT. AMEND ACCORDINGLY.
G0637/26	2605271313/2608312359EST REFER EAIP INDIA PAGE NR AD 2 VEGY 2- 103 DATED 27 NOV 2025 REGARDING PROC ILS OR LOC Z RWY 28-GAYA AIRPORT. FLW AMENDMENTS ARE MADE 1. IN FINAL APP SEGMENT OF LOC ONLY PROC SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO. 2. THE CIRCLING OCA(H) FOR CAT A/B IS AMENDED AS 1300(917)FT TEMPO.
JHARSUGUDA	VEJH
G1193/25	2511260648/PERM REFER AIP SUPPLEMENT 41/2025 REGARDING INSTRUMENT APCH CHART - ILS OR LOC RWY 24 VEER SURENDRASAI AIRPORT, JHARSUGUDA (VEJH): IN THE PLAN VIEW, RADIAL OF ROUTE W160 IS AMENDED AS R-252 IN PLACE OF R-282 AMEND ACCORDINGLY.
JAMSHEDPUR	VEJS
G1110/25	2511270000/PERM REFER EAIP PAGE AD 2 VEJS 2-201 02 NOV 2023 REGARDING CHART OF VOR RWY 08 CAT A/B OF JAMSHEDPUR AIRPORT TWR: 122.100MHZ IS AMENDED AS TWR: 119.225MHZ/122.100MHZ AMEND ACCORDINGLY.
G1111/25	2511270000/PERM REFER EAIP AD 2 VEJS 2-301 17 APR 2025 REGARDING CHART OF NDB RWY 08 CAT A AND B OF JAMSHEDPUR AIRPORT TWR: 122.100MHZ IS AMENDED AS TWR: 119.225MHZ/122.100MHZ AMEND ACCORDINGLY.
G1112/25	2511270000/PERM REFER AIP SUPPLEMENT NR 150/2018 DATED 25 OCT 2018 REGARDING CHART OF VOR RWY 26 OF JAMSHEDPUR AIRPORT TWR FREQUENCY: 122.100MHZ IS AMENDED AS TWR:119.225MHZ/122.100MHZ. AMEND ACCORDINGLY.
G1480/25	2512241236/PERM REFER EAIP INDIA PAGE NR AD 2 VEJS 2-203 DATED 27 NOV 2025 REGARDING PROC VOR RWY 26-JAMSHEDPUR AIRPORT. IN PROFILE VIEW OCA(H) WITH SDF AMENDED AS 900(437) IN PLACE OF 880(417).
KHAJURAHO	VEKO
G0639/26	2605271316/2608312359EST REFER EAIP INDIA PAGE NR AD 2 VEKO 2-201 DATED 27 NOV 2025 REGARDING PROC VOR RWY 19-KHAJURAHO AIRPORT. IN FINAL APP SEGMENT SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO.
G0652/26	2605291046/2608282359EST REF EAIP PAGE AD 2 VEKO 2-101 DATED 27 AUG 2025 REGARDING ILS RWY 19. ILS RWY 19 PROC WITHDRAWN TEMPO DUE EQPT REPLACEMENT.

G0673/26	2606021020/2608292359EST ILS RWY 19 IDENT IKJR (LOC 110.700MHZ, GP 330.200MHZ, DME IKJR CH44X) NOT AVBL DUE EQUIPMENT REPLACEMENT.
G0749/26	2606250734/2609252359EST REF EAIP (INDIA) CHART NR AD 2-VEKO 3-903 DATED 19 MAY 2022 REGARDING RNP Y RWY 19 PROC OF KHAJURAHO AP. THE PROC IS TEMPO NOT AVBL DUE DISPLACEMENT OF THR RWY 19 TEMPO. AMEND EAIP ACCORDINGLY.
LENGPUI	VELP
G0620/26	2605220547/2608212359EST REFER EAIP INDIA PAGE NR AD 2 VELP 2-103 DATED 08 AUG 2024 REGARDING PROC ILS OR LOC RWY 17. 1. IN FINAL SEGMENT OF LOC ONLY PROC ALL SDF ARE WITHDRAWN TEMPO. 2. OCA(H) WITH SDF IS WITHDRAWN TEMPO. 3. FOR LOC ONLY PROC OCA(H) IS AMENDED AS 3210(1835) TEMPO.
G0693/26	2606110655/PERM AMD VHF FREQ FOR APP AS 118.150MHZ IN PLACE OF 188.150MHZ IN VELP AD 2.18 OF EAIP INDIA.
DIBRUGARH	VERMN
G0723/26	2606150949/2609092359EST ILS RWY05 IDENT IDIB (LOC 109.500MHZ, GP 332.600MHZ, DME IDIB CH32X) NOT AVBL DUE EQPT REPLACEMENT.
DIMAPUR	VERMR
G1431/24	2412161350/PERM REFER EAIP (INDIA) PAGE AD 2 VERMR 2-401 (DATED 15 JULY 2021) REGARDING VOR VISUAL CIRCLING (CAT A,B AND C) - DIMAPUR AIRPORT. MSA IS AMENDED AS I. BTN TRK 180 DEG - 270 DEG CLOCKWISE DIRECTION, 0-10NM AROUND DMR VOR, MSA 5400FT II. BTN TRK 180 DEG - 270 DEG CLOCKWISE DIRECTION, 10-25NM AROUND DMR VOR, MSA 8700FT III. BTN TRK 270 DEG - 010 DEG CLOCKWISE DIRECTION, 0-10NM AROUND DMR VOR, MSA 8200FT IV. BTN TRK 270 DEG - 010 DEG CLOCKWISE DIRECTION, 10-25NM AROUND DMR VOR, MSA 12100FT V. BTN TRK 010 DEG - 180 DEG CLOCKWISE DIRECTION, 0-10NM AROUND DMR VOR, MSA 3900FT VI. BTN TRK 010 DEG - 090 DEG CLOCKWISE DIRECTION, 10-25NM AROUND DMR VOR, MSA 9300FT VII. BTN TRK 090 DEG - 180 DEG CLOCKWISE DIRECTION, 10-25NM AROUND DMR VOR, MSA 5700FT AMEND THE EAIP ACCORDINGLY)
G0008/25	2501080720/PERM REFER EAIP (INDIA) PAGE AD 2 VERMR 2-401 (DATED 15 JULY 2021) REGARDING VOR VISUAL CIRCLING (CAT A,B AND C) - DIMAPUR AIRPORT. OCA(H) FOR CIRCLING CAT A/B IS AMENDED AS 1050(557) FT IN PLACE OF 990(497) FT. AMEND THE EAIP ACCORDINGLY
PATNA	VEPT
G0640/26	2605271317/2608312359EST REFER EAIP INDIA PAGE NR AD 2 VEPT 2-201 DATED 22 FEB 2024 REGARDING PROC VOR RWY 07-PATNA AIRPORT. IN FINAL APP SEGMENT SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO.
G0759/26	2607010442/2609302359EST REFER EAIP INDIA PAGE AD 2 VEPT 3-903 (15 JUL 2021) REGARDING RNP Y

RWY 25 (CAT A/B/C) PROC OF PATNA AIRPORT. THE PROC IS TEMPO
WITHDRAWN DUE VISUAL SEGMENT SURFACE (VSS) INFRINGEMENT.

BIRSA MUNDA VERC

G0730/26 2606161150/PERM
RESA DIMENSIONS IN VERC AD 2.12 AND ADC ARE AMD AS FLW:
1) RWY 13: 140M X 90M IN PLACE OF 90M X 140M
2) RWY 31: 177M X 90M IN PLACE OF 90M X 177M.

SWAMI VIVEKANANDA VERP

G0725/26 2607090000/PERM
INSERT FLW TO THE LIST OF CHARTS IN VERP AD 2.24 ON PAGE AD 2
VERP -12, 09 JUL 2026 IN EAIP INDIA:
1) 9. VERP-RNP-Y-RWY 06 (09 JUL 2026)
2) 10. VERP-RNP-Y-RWY 06-CODING (09 JUL 2026).

AGRA VIAG

G0562/26 2605120537/PERM
INSERT FLW DIMENSIONS OF CLEARWAY IN VIAG AD 2.12 OF EAIP INDIA
1) RWY 05: 234 X 46 M
2) RWY 23: 100 X 46 M.

AMRITSAR VIAR

G0667/24 2405290905/PERM
REFER AIP AD 2 VIAR 2-105 DATED 31 DEC 2020 REGARDING ILS (CAT
II/IIIA/IIIB) RWY 34 - AMRITSAR AIRPORT.
FLW AMDT ARE MADE IN THE PLAN VIEW OF THE CHART: -
LEAD RADIAL L.R.147 IS AMENDED AS L.R.146
IF 11D(IAMR) IS AMENDED AS IF 11.1D(IAMR)
W30E IS AMENDED AS W21
W30W IS AMENDED AS W21
W108W IS AMENDED AS W25
FLW AMDT ARE MADE IN THE PROFILE VIEW OF THE CHART: -
MISSED APCH INSTRUCTION IS AMENDED AS - SPEED RESTRICTED TO 185
KIAS MAX. CLIMB STRAIGHT AHEAD UNTIL 4D(IAMR). CLIMBING TURN RIGHT
TO VOR TO JOIN HOLDING AT 2800 FT OR AS INSTRUCTED BY ATC.TURNING
POINT 4D(IAMR).
4D(IAMR) ALTITUDE IS AMENDED AS 2030.
OCA BOX IS AMENDED AS:
STRAIGHT IN CAT II OCA 852 FT AND RA 100.

G0309/26 2603061200/PERM
REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-103 DATED 25 JAN 2024
REGARDING ILS Y RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX. AMEND ACCORDINGLY.

G0310/26 2603061204/PERM
REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-201 DATED 25 JAN 2024
REGARDING VOR RWY 16 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY.

G0311/26 2603061208/PERM
REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-203 DATED 25 JAN 2024
REGARDING VOR RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY.

G0312/26 2603061210/PERM
REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-101 DATED 17 APR 2025
REGARDING ILS Z RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX.
AMEND ACCORDINGLY

SAFDARJUNG	VIDD
G0553/26	2606110000/PERM REF AIP SUP 87/2026 REG AD DATA OF SAFDARJUNG AIRPORT. IN THE AD CHART THE PCR IS AMENDED AS 140/F/C/W/T IN PLACE OF 8/F/C/W/T AMEND ACCORDINGLY.
DEHRADUN	VIDN
G0302/26	2604160000/2607152359EST REF EAIP PAGE AD 2 VIDN 2-101 DATED 17 APR 2025 REGARDING ILS RWY 08 OF DEHRADUN (VIDN) AIRPORT. ILS RWY 08 PROC WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
G0303/26	2604160000/2607142359 ILS RWY 08 IDENT IDUN (LOC 108.900MHZ, GP 329.300MHZ, DME ILS 08(CH26X) NOT AVBL DUE EQPT REPLACEMENT.
DELHI	VIDP
G1058/24	2408270740/PERM REFER E-AIP INDIA PAGE NR AD2 VIDP3-139 DT 13 JUNE 2024. FOLLOWING AMENDMENT IS MADE 1. IN CHART OF SID OROTI6C AND SURAM 6C RWY 29R, DEPICTION OF TRACK TO MUNUV AS 246DEG IS DELETED. AMEND THE E-AIP ACCORDINGLY.
G1116/25	2510300615/PERM REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI-VIDP. THE FOLLOWING AMENDEMENTS ARE MADE: 1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND ALTITUDE RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE. 2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE. 3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE. 4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE. 5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR UKASO-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE. AMEND AIP SUPPLEMENT ACCORDINGLY.
G1135/25	2511101708/PERM REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT (ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE.
G1136/25	2511101709/PERM REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT (ROMAN)II AND III. PROC AVBL FOR CAT I APCH WIE.
G0112/26	2601230904/PERM REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI- VIDP. THE FOLLOWING AMENDEMENTS ARE MADE 1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND ALTITUDE RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW. 2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX - 7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE IN

PLACE OF FL140 OR BELOW.
3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG - 7E/7F/7G/7H
ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE IN
PLACE OF FL140 OR BELOW.
AMEND AIP SUPPLEMENT ACCORDINGLY.

G0291/26 2603050738/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 29L- PAGE AD 2 VIDP 2-117 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0292/26 2603050741/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-129 DATED 16 MAY 2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0293/26 2603050743/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0294/26 2603050744/PERM
REFER EAIP INDIA AD 2.24 OF VIDP; THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG 2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0295/26 2603050746/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0296/26 2603050747/PERM
REFER EAIP INDIA AD 2.24 OF VIDP; THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0297/26 2603050748/PERM
REFER EAIP INDIA AD 2.24 OF VIDP; THE FOLLOWING AMDT ARE MADE IN IAP
CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0298/26 2603050800/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE
MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

G0299/26 2603050803/PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08 AUG
2024.

	2024. VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.
G0300/26	2603050806/PERM REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS MADE IN IAP CHART OF VOR RWY 29L- PAGE AD 2 VIDP 2-213 DATED 02 NOV 2023. VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.AMEND ACCORDINGLY.
G0449/26	2605140000/2608122359EST REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
G0450/26	2605140000/2608122359EST REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY 11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY 11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
G0456/26	2605140000/2608112359EST CAT (ROMAN)III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP 332.300MHZ,DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT.
G0457/26	2605140000/2608112359EST CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP 330.800MHZ,DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT.
G0458/26	2605140000/2608122359EST REF EAIP PAGE AD 2 VIDP 2-117 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 29L OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 29L PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
G0459/26	2605140000/2608122359EST REF EAIP PAGE AD 2 VIDP 2-115 DATED 27 NOV 2025 REGARDING ILS RWY 29L CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY 29L CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
GAGGAL	VIGG
G0671/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 109/2026 WEF 09 JULY 2026. INSTRUMENT APPROACH CHART - RNP Y RWY 33 (CAT A/B).
HISAR	VIHR
G0685/26	2608060000/PERM ILS CAT-I (RWY 30) COMMISSIONED WITH FLW DETAILS : 1) TYPE OF AID/TYPE OF SUPPORT : LOC 30 /CAT I IDENTIFICATION : IHIS FREQ : 108.750MHZ HR OF OPS : AS ATS COORD : 291154.723N 0754304.548E RMK :NIL 2) TYPE OF AID/TYPE OF SUPPORT : GP 30 FREQ : 330.350MHZ, HR OF OPS : AS ATS COORD : 291109.524N 0754441.746E RMK : GLIDE ANGLE 3.0 DEG 3) TYPE OF AID/TYPE OF SUPPORT : DME ILS 30 IDENTIFICATION : IHIS FREQ/CHANNEL : CH24Y HR OF OPS : AS ATS COORD : 291109.614N 0754441.782E

	ELEV OF TRANSMITTING ANTENNA : 219.5M RMK : ELEVATION IN EGM-08 PURPOSE : A INSERT IN VIHR AD 2.19 AND GEN 2.5 IN EAIP INDIA ACCORDINGLY
G0692/26	2606110645/PERM AMD VHF FREQ FOR APP AS 118.300MHZ IN PLACE OF 1128.300MHZ IN VIHR AD 2.18 OF EAIP INDIA.
JAIPUR	VIJP
G0616/26	2605200522/2608212359EST REF AIP SUP 154/2024 REGARDING VOR RWY 08 PROC OF JAIPUR AIRPORT. OCA (H) FOR STRAIGHT-IN APP IS AMENDED AS 1720 (452)FT.
KISHANGARH	VIKG
G0601/26	2605181225/2608182359EST REFER EAIP INDIA PAGE AD 2 VIKG 3-905 DATED 17 APRIL 2025 REGARDING RNP Z RWY 05 (CAT A/B/C) LPV-ONLY PROC. THE RNP Z RWY 05 PROC IS TEMPO WITHDRAWN.
G0602/26	2605181243/2608182359EST REF EAIP INDIA PAGE AD 2 VIKG 3-907 DATED 12 JUNE 2025 REGARDING RNP Z RWY 23 (CAT A/B/C) LPV-ONLY PROC. THE RNP Z RWY 23 PROC IS TEMPO WITHDRAWN.
G0632/26	2605271217/2608302359EST REFER EAIP INDIA PAGE NR AD 2 VIKG 3-903 DATED 27 NOV 2025 REGARDING PROC RNP Y RWY 23. SDF IS WITHDRAWN TEMPO AND LNAV OCA(H) AMENDED AS 2300 (822) TEMPO.
G0633/26	2605271221/2608292359EST REFER EAIP INDIA PAGE NR AD 2 VIKG 3-901 DATED 27 NOV 2025 REGARDING PROC RNP Y RWY 05. FINAL SEGMENT SDF IS WITHDRAWN TEMPO AND LNAV OCA(H) AMENDED AS 2450 (972) TEMPO.
KOTA	VIKO
G0559/26	2605110953/2608082359EST NDB IDENT KO FREQ 284KHZ NOT AVBL DUE EQPT REPLACEMENT.
LUCKNOW	VILK
G0654/26	2605291104/2608292359EST REF EAIP INDIA PAGE AD 2 VILK 2-101 DATED 27 NOV 2025 REGARDING IAP ILS CAT (ROMAN) I RWY 27 FOR LUCKNOW AIRPORT, THE G.P INOPERATIVE OCA(H) FOR CAT A/B/C/D AIRCRAFTS IS AMENDED AS 860FT (454FT) IN PLACE OF 800FT (394FT). AMEND THE CHART ACCORDINGLY.
G0655/26	2605291109/2608292359EST REF EAIP INDIA PAGE AD 2 VILK 2-203 DATED 02 NOV 2023 REGARDING IAP VOR RWY 27. THE STRAIGHT-IN OCA(H) FOR CAT A/B/C/D AIRCRAFTS IS AMENDED AS 860FT (454FT) IN PLACE OF 800FT (394FT). AMEND THE CHART ACCORDINGLY.
G0735/26	2607090000/PERM REFER EAIP PAGE AD2 VILK-4 AND AD2 VILK-12. CENTRELINE LIGHTS ARE AVBL ON TWY B,C,D,E,P1,P3,P6,P, L1 AND L3. AMEND PARA VILK AD 2.9(2) AND AD 2.15(3) ACCORDINGLY.
NOIDA INTL	VIND

G0641/26	2605271320/PERM AIRPORT SURVEILLANCE RADAR (ASR) AT JEWAR AIRPORT COMMISSIONED . INSERT IN PARA 14.1.2 OF ENR 1.6 OF E-AIP INDIA ACCORDINGLY.
G0642/26	2605271330/PERM MSSR AT JEWAR AIRPORT COMMISSIONED. INSERT IN PARA 14.2 OF ENR 1.6 OF E-AIP INDIA ACCORDINGLY.
PANTNAGAR	VIPT
G0603/26	2605181256/2608182359EST REF EAIP INDIA PAGE AD 2 VIPT 3-907 DATED 17 APRIL 2025 REGARDING RNP Z RWY 28 (CAT A/B) LPV-ONLY PROC. THE RNP Z RWY 28 PROC IS TEMPORARILY WITHDRAWN.
G0604/26	2605181300/2608182359EST REF EAIP INDIA PAGE AD 2 VIPT 3-903 DATED 17 APRIL 2025 REGARDING RNP Z RWY 10 (CAT A/B) LPV-ONLY PROC. THE RNP Z RWY 10 PROC IS TEMPORARILY WITHDRAWN.
BIAL BANGALORE INTL	VOBL
G0937/25	2509170743/PERM REF AIP SUP 115/2025 DATED 29 MAY 2025 REGARDING ILS Z RWY 09R CAT (ROMAN) II AND III PROC. IN TABULAR DESCRIPTION, THE ALTITUDE RESTRICTION AT BL202, IS AMENDED AS AT OR ABOVE 7000FT. AMEND AIP ACCORDINGLY.
BELAGAVI	VOBM
G0594/26	2605181142/2608182359EST REF EAIP INDIA PAGE AD 2 VOBM 3-905 DATED 08 AUG 2024 REGARDING PROC RNP Z RWY 08 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 08 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
G0595/26	2605181150/2608182359EST REF EAIP INDIA PAGE AD 2 VOBM 3-909 DATED 08 AUG 2024 REGARDING PROC RNP Z RWY 26 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 26 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
VIJAYAWADA	VOBZ
G0565/26	2605140524/2608142359EST REF EAIP PAGE AD 2 VOBZ 2-103 DATED 19 MAY 2022 REGARDING ILS Z RWY 26 VIJAYAWADA (VOBZ) AP. ILS Z RWY 26 PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT. AMEND AIP ACCORDINGLY.
G0566/26	2605140525/2608142359EST REF EAIP PAGE AD 2 VOBZ 2-105 DATED 08 SEP 2022 AND EAIP PAGE AD 2 VOBZ 2-106 DATED 08 SEP 2022 REGARDING ILS Y RWY 26 OF VIJAYAWADA (VOBZ) AP. ILS Y RWY 26 PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT. AMEND AIP ACCORDINGLY.
G0618/26	2605200539/2608162359EST ILS RWY26 IDENT IVJA (LOC 109.500MHZ, GP 332.600MHZ, DME IVJA CH32X) NOT AVBL DUE EQUIPMENT REPLACEMENT.
COIMBATORE INTL	VOCB
G1050/25	2510300000/PERM REF AIP SUP 188/2025 DATED 18 SEPT 2025 REGARDING RNP Y RWY 23

PROC.
FLW AMENDMENTS TO BE MADE IN THE PLAN VIEW OF THE CHART:
I) TEXT, (IAF) TO BE DELETED FROM CB179 AND CB913 DETAILS
II) TEXT, (IF) TO BE DELETED FROM CB901 AND CB907 DETAILS
AMEND AIP ACCORDINGLY.

COCHIN
INTL

VOCI

G0809/24

2407050740/PERM
REF PAGE AD2 VOCI 2-103 01 JUL 2019 REGARDING ILS (Z) RWY 27.
ILS RDH IS AMENDED AS 50.2FT.

G0810/24

2407050750/PERM
REF PAGE AD2 VOCI 2-107 01 JUL 2019 REGARDING ILS (X) RWY 27.
ILS RDH IS AMENDED AS 50.2FT.

G0812/24

2407050800/PERM
REF PAGE AD2 VOCI 2-101 01 JUL 2019 REGARDING ILS RWY 09. FOLLOWING
AMDT ARE MADE:-
1. ILS RDH IS AMENDED AS 56FT.
2. IAP IS DESIGNATED AS ILS (Y) RWY 09.

G1012/24

2408200748/PERM
REF EAIP PAGE AD 2 VOCI 2-107 DATED 01 JUL 2019 REGARDING ILS
(X) RWY 27 PROC OF COCHIN INTERNATIONAL (VOCI) AIRPORT.
FLW AMDT ARE MADE IN PLAN AND PROFILE VIEW.
1. LOC(ICIL) COURSE IS AMENDED AS 270 DEG M IN PLACE OF 271 DEG M.
2. STRAIGHT MISSED APP TRACK UPTO 2D(ICIL) IS AMENDED AS 270 DEG M
IN PLACE OF 271 DEG M.

G1013/24

2408200751/PERM
REF EAIP PAGE AD 2 VOCI 2-103 DATED 01 JUL 2019 REGARDING ILS
(Z) RWY 27 PROC OF COCHIN INTERNATIONAL (VOCI) AIRPORT.
FLW AMDT ARE MADE IN PLAN AND PROFILE VIEW.
1. LOC(ICIL) COURSE IS AMENDED AS 270 DEG M IN PLACE OF 271 DEG M.
2. STRAIGHT MISSED APP TRACK UPTO 2D(ICIL) IS AMENDED AS 270 DEG M
IN PLACE OF 271 DEG M.

G0134/26

2601271227/PERM
REF EAIP INDIA PAGE AD 2 VOCI 2-101 DATED 01 JUL 2019 REGARDING
ILS (Y) RWY 09 OF COCHIN INTL. AP .
VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN.
AMEND EAIP ACCORDINGLY.

G0135/26

2601271238/PERM
REF EAIP INDIA PAGE AD 2 VOCI 2-103 DATED 01 JUL 2019 REGARDING ILS
(Z) RWY 27 OF COCHIN INTL. AP.
VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN.
AMEND EAIP ACCORDINGLY.

G0136/26

2601271240/PERM
REF EAIP INDIA PAGE AD 2 VOCI 2-107 DATED 01 JUL 2019 REGARDING ILS
(X) RWY 27 OF COCHIN INTL AP.
VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN.
AMEND EAIP ACCORDINGLY.

G0137/26

2601271242/PERM
REF EAIP INDIA PAGE AD 2 VOCI 2-201 DATED 01 JUL 2019 REGARDING VOR
RWY 09 OF COCHIN INTL AP.
VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN.
AMEND EAIP ACCORDINGLY.

G0138/26

2601271245/PERM
REF EAIP INDIA PAGE AD 2 VOCI 2-203 DATED 01 JUL 2019 REGARDING VOR
RWY 27 OF COCHIN INTL AP.

VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN. AMEND EAIP ACCORDINGLY.	
G0149/26	2601300554/PERM REF EAIP INDIA PAGE AD 2 VOI 2-203 DATED 01 JUL 2019 REGARDING VOR RWY 27 PROC. STRAIGHT-IN OCA(H) IS AMENDED AS FOLLOWS FOR CAT A/B/C/D: 1) WITHOUT SDF - 710 (680)FT 2) WITH SDF - 620 (590)FT AMEND AIP ACCORDINGLY.
G0714/26	2606150823/PERM REF EAIP PAGE AD 2 VOI 2-103 DATED 01 JUL 2019 REGARDING ILS (Z) RWY 27 OF COCHIN INTERNATIONAL (VOI) AP. ILS (Z) RWY 27 PROC WITHDRAWN.
G0716/26	2606150826/PERM REF EAIP PAGE AD 2 VOI 2-107 DATED 01 JUL 2019 REGARDING ILS (X) RWY 27 OF COCHIN INTERNATIONAL (VOI) AP. ILS (X) RWY 27 PROC WITHDRAWN.
G0718/26	2606150830/PERM REF EAIP PAGE AD 2 VOI 2-109 DATED 17 APR 2025 REGARDING ILS W RWY 27 OF COCHIN INTERNATIONAL (VOI) AP. ILS W RWY 27 PROC WITHDRAWN.
G0724/26	2606150952/2609092359EST ILS RWY27 IDENT ICIL (LOC 110.300MHZ, GP 335.000MHZ, DME ICIL CH40X) NOT AVBL DUE EQPT REPLACEMENT.
G0726/26	2608060000/PERM MAKE FOLLOWING AMENDMENTS IN VOI AD 2.18 OF EAIP INDIA: - PLEASE AMEND ROW-6 AS PER FOLLOWING DETAILS- 1. SERVICE DESIGNATION: ACC 2. CALL SIGN: COCHIN CONTROL 3. CH/FREQUENCY: 120.775MHZ 4. SATVOICE NR: NIL 5. LOGON ADDRESS: NIL 6. HR OF OPS: H24 7. RMK: MAIN FREQ
G0736/26	2607090000/PERM CNL FLW CHARTS IN EAIP INDIA: 1) ADC ON PAGE: AD 2 VOI 1-101, 09 JULY 2026. 2) ADC HOTSPOT ON PAGE: AD 2 VOI 1-201, 09 JULY 2026. 3) APDC ON PAGE: AD 2 VOI 1-301, 09 JULY 2026.
CALICUT	VOCL
G1428/25	2512101152/PERM REF AIP SUP 205/2025 REGARDING INSTRUMENT APPROACH CHART - VOR RWY 10 PROC OF CALICUT AP. ON PAGE NR 2 - HOLD OVER VOR - THE MAXIMUM HOLDING ALTITUDE IS AMENDED TO 14000FT IN PLACE OF 9000FT. AMEND ACCORDINGLY.
G1429/25	2512101155/PERM REF AIP SUP 206/2025 REGARDING INSTRUMENT APPROACH CHART - VOR RWY 28 PROC OF CALICUT AP. ON PAGE NR 2 THE MAXIMUM HOLDING ALTITUDE IS AMENDED TO 14000FT IN PLACE OF 9000FT. AMEND ACCORDINGLY.
G0552/26	2605070750/PERM INSERT FLW INFO IN AD2.19 OF VOCL E-AIP INDIA FOR GP RWY 28: COLUMN 8: MINOR FLUCTUATION OF GP SIGNAL RWY 28 UPTO ONE DOT IN CDI IS REPORTED. EXER CTN.

KADAPA	VOCP
G0596/26	2605181154/2608182359EST REF EAIP INDIA PAGE AD 2 VOCP 3-901 DATED 25 JAN 2024 REGARDING PROC RNP Z RWY 11 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 11 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
G0597/26	2605181156/2608182359EST REF EAIP INDIA PAGE AD 2 VOCP 3-905 DATED 25 JAN 2024 REGARDING PROC RNP Z RWY 29 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 29 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
GOA INTL	VOGA
G0916/24	2407300728/PERM REF PAGE AD2 VOGA 2-101 26 JAN 2023 REGARDING ILS RWY 28. FLW AMDT ARE MADE:- 1. ILS RDH IS AMENDED AS 56.7FT 2. IAP IS DESIGNATED AS ILS Z RWY 28.
DABOLIM	VOGO
G0627/26	2605250700/2608242359EST REF EAIP INDIA PAGE AD 2 VOGO 3-901 DATED 27 NOV 2025 REGARDING PROC RNP Z RWY 26.LPV OCA(H) OF RNP Z RWY 26 IS AMENDED AS 630(442).
HUBBALLI	VOHB
G0747/26	2606250726/PERM REFER AD 2.19 VOHB AND ENR 4.1 OF E-AIP INDIA: DUE TO REPLACEMENT OF EQUIPMENT, FLW AMDT ARE MADE TO HUBBALLI DME IDENT HBL CH81X 1) ELEVATION OF TRANSMITTING ANTENNA OF DME: 663.1M 2) RMK: (I) TOP ELEVATION IN EGM-08 (II) DME CO-LOCATED WITH DVOR AMEND ACCORDINGLY.
RAJIV GANDHI INTL	VOHS
G0050/11	1104111200/PERM REFER AIP SUPPLEMENT NO.14/2010 REGARDING RNAV-1 SIDS AND STARS RUNWAY 09-27 IN RESPECT OF VOHS-RGI AIRPORT,SHAMSHABAD (HYDERABAD).FOLLOWING IS ADDED/AMENDED IN THE PROCEDURE:- 1.IN SID VABDI-5 A NEW WAYPOINT HS129 WITH COORDINATES N17 02 03.67 E078 24 47.88 IS INSERTED WITH A RESTRICTION TO CROSS AT OR BELOW 6000 FT. 2.IN PARA 3.1 NOTE THE MAXIMUM HOLDING SPEED SHALL BE 230 KT IN PLACE OF 250 KT. 3.IN SID VABDI-5 AIRCRAFT TO CROSS HS 127 AT OR BELOW 7000 FT. AMEND THE AIP SUPPLEMENT ACCORDINGLY.
G0052/11	1104111200/PERM REFER AIP SUPPLEMENT NO.14/2010 REGARDING RNAV-1 SIDS AND STARS RUNWAY 09-27 IN RESPECT OF VOHS-RGI AIRPORT,SHAMSHABAD (HYDERABAD).FOLLOWING IS ADDED IN THE PROCEDURE:- RCF PROCEDURE FOR DEPARTURES INTENDING TO RETURN-AN RCF AIRCRAFT INTENDING TO RETURN SHALL SQUAK RCF NON DISCRET CODE 7600 AND MAINTAIN LEVEL APPROPRIATE TO ITS DIRECTION AND ESTABLISH NEAREST INBOUND ATS ROUTE TO VOR(HIA).DESCEND IN THE VOR(HIA)HOLD TO 4600 FT AND CARRY OUT THE INSTRUMENT APPROACH PROCEDURE FOR RWY IN USE. AIRCRAFT REQUIRING TO BURN/DUMP FUEL-IN ORDER TO BURN/DUMP EXTRA FUEL PRIOR TO LANDING AIRCRAFT AFTER REACHING VOR(HIA) SHALL PROCEED TO R-230/25 DME(HIA)MAINTAINING FL100. ORBIT BETWEEN R-225 TO R-240 AND 25 DME TO 40 DME TO BURN/DUMP THE EXTRA FUEL.THEN PROCEED TO VOR(HIA) VIA R-230.AFTER REACHING OVER VOR(HIA)DESCEND IN THE HOLD TO 4600 FT AND CARRY OUT INSTRUMENT APPROACH PROCEDURE

FOR RWY IN USE.
AMEND THE AIP SUPPLEMENT ACCORDINGLY

G0131/12 1204050001/PERM
REFER AIP-INDIA SUPPLEMENT NO.14/2010 REGARDING RNAV-1 SIDS
AND STARS RUNWAY 09-27-RGI AIRPORT, SHAMSHABAD (VOHS)-HYDERABAD.
IN SID VIRKO-5 AND VIRKO-7 FOLLOWING ENROUTE TRANSITION IS
ADDED:-

ENROUTE TRANSITION -MEPIP

WAYPOINT DIST. LEG FO/FB LAT. LONG. TC MC

VIRKO IF N17 30 24.48 E080 03 59.64

MEPIP 67.8 TF FB N18 31 45.00 E080 34 50.00 26.61 26.78

AMEND THE AIP SUPPLEMENT ACCORDINGLY.

G0282/12 1208230001/PERM
REFER AIP INDIA SUPPLEMENT NO. 14/2010 REGARDING RNAV-1
SIDS/STARS-RGI AIRPORT SAMSHABAD (VOHS).

1. SID VIJAYAWADA 5 AND VIJAYAWADA 7 IS ALSO APPLICABLE FOR ROUTE L518.
2. STAR RISOT 6 AND PADNI 8 IS ALSO APPLICABLE FOR ROUTE L518.

AMEND THE AIP SUPPLEMENT 14/2010 ACCORDINGLY.

G0009/14 1402060000/PERM
REFER AIP SUPPLEMENT NO 14/2010 REGARDING RNAV-1
SIDS AND STARS -RGI AIRPORT, SHAMSHABAD (VOHS).
1. IN NAMS-8 ARRIVAL RWY 09 ALTITUDE RESTRICTION
AT HS222 IS AMENDED AS F170 OR ABOVE.
2. IN TAMIV-7 DEPARTURE RWY 09 ALTITUDE RESTRICTION
AT HS123 IS AMENDED AS F160 OR BELOW.

AMEND THE AIP SUPPLEMENT ACCORDINGLY.

G0419/15 1510150000/PERM
REFER AIP SUPPLEMENT 14/2010 REGARDING RNAV-1 (GNSS OR
DME/DME/IRU) SIDS AND STARS- RGI AIRPORT, SHAMSHABAD. ROUTE
DESIGNATOR FOR ROUTE V004 IS AMENDED AS V4.
AMEND THE AIP SUPPLEMENT ACCORDINGLY.

G0218/16 1604280000/PERM
REFER AIP SUPPLEMENT 14/2010 REGARDING RNAV - 1 (GNSS OR
DME/DME/IRU) SIDS AND
STARS FOR RGI AIRPORT, SHAMSHABAD. DUE TO CHANGE IN ATS ROUTE
DESIGNATOR
FOLLOWING AMENDMENTS ARE MADE:
1. AT PAGE 2, PARA 2.4 (TABLE 1) - ATS ROUTE W57N AND W20N ARE
AMENDED AS W57 AND
W20 RESPECTIVELY.
2. AT PAGE 4 AND 5, PARA 4.2 (TABLE 3) - ATS ROUTE W57S IS AMENDED
AS W71.
3. AT PAGE 5, PARA 6.1.1 - ATS ROUTE W20N IS AMENDED AS W20.
4. AT PAGE 6, PARA 6.1.2 - ATS ROUTE W57N IS AMENDED AS W57.
5. AT PAGE 7, PARA 6.2.1 AND 6.2.2 - ATS ROUTE W20N AND W57N ARE
AMENDED AS W20
AND W57 RESPECTIVELY.
6. AT PAGE 11 (CHART) - ATS ROUTE W57S IS AMENDED AS W71.
7. AT PAGE 17 (CHART) - ATS ROUTE W20N AND W57N ARE AMENDED AS W20
AND W57
RESPECTIVELY.
8. AT PAGE 23 (CHART) - ATS ROUTE W57S IS AMENDED AS W71.
9. AT PAGE 32 (CHART) - ATS ROUTE W20N AND W57N ARE AMENDED AS W20
AND W57
RESPECTIVELY.

AMEND THE CHART ACCORDINGLY.

G0391/16 1607210000/PERM
REFER AIP SUPPLEMENT 14/2010 REGARDING RNAV-1 SIDS AND STARS-
RGI AIRPORT, SHAMSHABAD, INDIA. IN ORDER TO PROVIDE
CONNECTIVITY TO AND FROM RNP-2 ATS ROUTES Q21 AND Q22,
FOLLOWING AMENDMENTS ARE MADE IN THE PROCEDURE :

1. NEW DEPARTURES LURGI 5 AND LURGI 7 ARE INTRODUCED FOR
RNP-2 ATS ROUTE Q21 AS :-

RWY	SID	DESCRIPTION
-----	-----	-------------

RWY27	LURGI 5	AT OR ABOVE 3000FT - HS227 AT OR BELOW 5600FT - HS129 AT OR BELOW 6000FT - HS127 AT OR BELOW 7000FT - LURGI.
-------	---------	--

RWY09	LURGI 7	AT OR ABOVE 3600FT - HS124 - HS126 AT OR BELOW 7000FT - HS128 - LURGI
-------	---------	--

2. SARKA 6 AND SARKA 8 RNAV ARRIVAL WITH TRANSITION RIMAV
ARE APPLICABLE TO RNP-2 ATS ROUTE Q22 ALSO.
AMEND THE AIP SUPPLEMENT ACCORDINGLY.

G0536/17 1711090000/PERM
REFER AIP SUPPLEMENT NO. 14/2010 REGARDING
RNAV-1 (GNSS OR DME/DME/IRU) SIDS AND
STARS - RGI AIRPORT, SHAMSHABAD. COORDINATES
OF WAYPOINT SAPNU ARE AMENDED AS 175010N AND 0811318E
IN PLACE OF 175013.43N AND 0811311.81E
RESPECTIVELY. AMEND AIP SUPPLEMENT ACCORDINGLY.

G1197/18 1809130000/PERM
REFER AIP SUPPLEMENT 14/2010 REGARDING RNAV-1(GNSS OR
DME/DME/IRU) SIDS AND STARS - RGI AIRPORT SHAMSHABAD. FOLLOWING ARE
AMENDED: -

1. WAYPOINT NAME ATAPO IS AMENDED AS GODEP. LAT/LONG REMAIN SAME.
2. ENROUTE TRANSITION NAME ATAPO IS AMENDED AS GODEP.
3. WAYPOINT NAME BOBED IS AMENDED AS BIBGI. LAT/LONG REMAIN SAME.
4. ENROUTE TRANSITION NAME BOBED IS AMENDED AS BIBGI.
5. WAYPOINT NAME BODEL IS AMENDED AS KAMGU. LAT/LONG REMAIN SAME.
6. ENROUTE TRANSITION NAME BODEL IS AMENDED AS KAMGU.
7. WAYPOINT NAME GUMIT IS AMENDED AS LUTGU. LAT/LONG REMAIN SAME.
8. ENROUTE TRANSITION NAME GUMIT IS AMENDED AS LUTGU.
9. WAYPOINT NAME HITAS IS AMENDED AS BOPRI. LAT/LONG REMAIN SAME
10. SIDS NAME HITAS 5, HITAS7 ARE AMENDED AS BOPRI 5, BOPRI 7
RESPECTIVELY.
11. ENROUTE TRANSITION NAME HITAS IS AMENDED AS BOPRI.
12. WAYPOINT NAME RIMAV IS AMENDED AS SAKRO. LAT/LONG REMAIN SAME.
13. ENROUTE TRANSITION NAME RIMAV IS AMENDED AS SAKRO.

AMEND THE AIP SUPPLEMENT ACCORDINGLY.

G0829/19 1910100000/PERM
REFER AIP SUPPLEMENT NO. 14/2010 REGARDING RNAV-1 SIDS AND STARS
RGI AIRPORT, SHAMSHABAD (VOHS). FOLLOWING AMENDMENTS ARE MADE:

1. RNAV SIDS RWY 27 ARE REDESIGNATED AS RNAV SIDS RWY 27L.
2. RNAV SIDS RWY 09 ARE REDESIGNATED AS RNAV SIDS RWY 09R.
3. RNAV STARS RWY27 ARE REDESIGNATED AS RNAV STARS RWY 27L/27R.
4. RNAV STARS RWY09 ARE REDESIGNATED AS RNAV STARS RWY 09L/09R.
5. IN SID VIRKO 5 AND VIRKO 7, WAYPOINT VISAK IS REPLACED BY
WAYPOINT AKSAN (173130N 0821100E) AND EN-ROUTE TRANSITION VISAK IS
REPLACED BY EN-ROUTE TRANSITION AKSAN.

PATH	WAY	FO	COURSE	TURN	ALTITUDE	SPEED	DISTANCE
DESC-	POINT		M(T)	DIREC-	RESTR-	(NM)	
RIPTOR			TION	CTION(KTS)			

IF	VIRKO	-	-	-	-	-	-
TF	AKSAN	-	090.2(089)	R	-	-	121.4

AMEND ACCORDINGLY.

G0171/20	2005210000/PERM REF AIP SUP NO.14/2010 REGARDING RNAV-1 SIDS AND STARS RGI AIRPORT, SHAMSHABAD. DUE TO WITHDRAWAL OF KM NDB, FLW AMENDMENTS ARE MADE IN VITUR 8 AND RISOT 6, RNAV 1 STARS: 1. ENROUTE TRANSITION WAYPOINT KM 171433.90N 0800824.40E IS REPLACED BY ENROUTE TRANSITION WAYPOINT ANBAS 171433.90N 0800824.40E. AMEND ACCORDINGLY.
G0295/23	2305180000/PERM REF AIP SUP NR 14/2010 REGARDING RNAV-1 SIDS AND STARS RGI AP, SHAMSHABAD (VOHS). FLW AMENDMENTS MADE IN NAMSA 6 AND NAMSA 8, RNAV 1 ARRIVALS: ENR TRANSITION WAYPOINT GGB RPLC BY PONIP (171849N 0764811E). AMEND THE AIP ACCORDINGLY.
G0297/23	2305180000/PERM REF AIP SUP NR 14/2010 REGARDING RNAV-1 SIDS AND STARS RGI AP, SHAMSHABAD (VOHS). FLW AMENDMENTS ARE MADE IN BINAT 6 AND NAMSA 8, RNAV 1 ARRIVALS: 1. ENR TRANSITION WAYPOINT BR IS REPLACED BY SUSMA (175523N 0773005E). 2. IN BINAT 6 RNAV 1 ARR, SEGMENT BR- 127.3 DEG (T)/128.5 DEG M /32.2NM -BINAT IS AMENDED AS SUSMA-127.9 DEG (T)/129.1 DEG M /32.3NM - BINAT. 3. IN NAMSA 8 RNAV 1 ARR, SEGMENT BR- 160 DEG (T)/161.2 DEG (M) /21NM -HS221 IS AMENDED AS SUSMA- 160.7 DEG (T)/161.9 DEG (M) /21.3NM - HS221. AMEND AIP ACCORDINGLY.
G0071/26	2601211144/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-107 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 09R CAT II OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0072/26	2601211149/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-109 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0073/26	2601211152/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-201 DATED 17 APR 2025 REGARDING VOR RWY 09L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0074/26	2601211157/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-203 DATED 17 APR 2025 REGARDING VOR RWY 09R OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0075/26	2601211158/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-205 DATED 17 APR 2025 REGARDING VOR RWY 27L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0076/26	2601211200/PERM REF EAIP INDIA PAGE AD 2 VOHS 2-207 DATED 17 APR 2025 REGARDING VOR RWY 27R OF SHAMSHABAD AIRPORT:

	RWY 27R OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0461/26	2604070448/2607042359EST ILS RWY 27L IDENT ISAM (LOC 110.900MHZ, GP 330.800MHZ, DME ISAM CH46X) NOT AVBL DUE EQPT REPLACEMENT.
G0467/26	2604070952/2607052359EST REF EAIP INDIA PAGE AD VOHS 2-109 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27L PROC OF SHAMSHABAD (VOHS) AP. ILS OR LOC RWY 27L PROC TEMPO WITHDRAWN DUE EQPT REPLACEMENT.
HYDERABAD	VOHY
G0872/25	2509040000/PERM REF EAIP INDIA PAGE AD 2 VOHY 3 - 901 DATED 25 MAR 2021 REGARDING RNP Y RWY 09 PROC. FLW AMENDMENTS ARE MADE: 1. AD ELEVATION IS AMENDED AS 1745FT IN PLACE OF 1744FT 2. THR RWY 09 ELEVATION IS AMENDED AS 1744FT IN PLACE OF 1743FT 3. OCH FOR LNAV/VNAV IS AMENDED AS 306FT IN PLACE OF 307FT 4. OCH FOR LNAV IS AMENDED AS 635FT IN PLACE OF 636FT AMEND AIP ACCORDINGLY.
G0873/25	2509040000/PERM REF EAIP INDIA PAGE AD 2 VOHY 3 - 903 DATED 31 DEC 2020 REGARDING RNP Y RWY 27 PROC. FLW AMENDMENTS ARE MADE: 1. AD ELEVATION IS AMENDED AS 1745FT IN PLACE OF 1744FT AMEND AIP ACCORDINGLY.
G1511/25	2512300602/PERM REF EAIP INDIA PAGE AD 2 VOHY 2 -203 DATED 01 JUL 2019 REGARDING VOR RWY 27 PROC. STRAIGHT-IN OCA(H) FOR CAT A/B/C/D IS AMENDED AS FLW: 1) WITHOUT SDF - 2360 (642)FT 2) WITH SDF - 2330 (612)FT AMEND AIP ACCORDINGLY.
G0078/26	2601211204/PERM REF EAIP INDIA PAGE AD 2 VOHY 2-103 DATED 25 JAN 2024 REGARDING ILS RWY 27 PROCEDURE. FLW AMDT ARE MADE: 1. AD ELEVATION IS AMENDED AS 1745 FT IN PLACE OF 1744 FT. 2. THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0080/26	2601211207/PERM REF EAIP INDIA PAGE AD 2 VOHY 2-201 DATED 01 JUL 2019 REGARDING VOR RWY 09 PROCEDURE. FLW AMDT ARE MADE: 1. AD ELEVATION IS AMENDED AS 1745FT IN PLACE OF 1744FT. 2. THR RWY 09 ELEVATION IS AMENDED AS 1744FT IN PLACE OF 1743FT. 3. STRAIGHT-IN OCA(H) FOR CAT A/B/C/D IS AMENDED AS FLW: A. WITHOUT SDF - 2740(995)FT B. WITH SDF - 2380(635)FT 4. THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
G0082/26	2601211237/PERM REF EAIP INDIA PAGES AD 2 VOHY 2-203 DATED 01 JUL 2019 REGARDING VOR RWY 27 PROCEDURE. FLW AMDT ARE MADE: 1. AD ELEVATION IS AMENDED AS 1745FT IN PLACE OF 1744FT. 2. THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.
KANNUR	VOKN
G0556/26	2605110935/2608102359EST

REF EAIP INDIA PAGE AD 2 VOKN 2-101 DATED 25 MAR 2021 REGARDING ILS RWY 25 PROC. IN FINAL SEGMENT STRAIGHT IN WITH SDF OCA(H) AMENDED AS 860(543) TEMPO. AMEND AIP ACCORDINGLY.	
MADURAI	VOMD
G0677/26	2608060000/PERM REFER EAIP INDIA PAGE AD 2 VOMD 2-103 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27. PROC ILS OR LOC RWY 27 IS WITHDRAWN DUE EQPT REPLACEMENT. AMEND EAIP INDIA ACCORDINGLY.
G0710/26	2606150755/2608052359 REFER EAIP INDIA PAGE AD 2 VOMD 2-103 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27 OF MADURAI AP. VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN. AMEND EAIP ACCORDINGLY.
G0711/26	2606150801/PERM REFER EAIP INDIA PAGE AD 2 VOMD 2-201 DATED 17 APR 2025 REGARDING VOR RWY 09 OF MADURAI AP. VISUAL CIRCLING OCA(H) FOR CAT A/B/C/D WITHDRAWN. AMEND EAIP ACCORDINGLY.
G0712/26	2606150804/PERM REFER EAIP INDIA PAGE AD 2 VOMD 2-203 DATED 17 APR 2025 REGARDING VOR RWY 27 (CAT A/B/C) OF MADURAI AP. VISUAL CIRCLING OCA(H) FOR CAT A/B/C WITHDRAWN. AMEND EAIP ACCORDINGLY.
G0745/26	2608060000/2611032359EST CAT-I (ROMAN) ILS RWY 27 IDENT IMDR (LOC 110.500MHZ, GP 329.600MHZ, DME IMDR CH42X) NOT AVBL DUE EQUIPMENT REPLACEMENT.
MANGALORE	VOML
G1508/25	2512300556/PERM REF EAIP INDIA PAGE AD 2 VOML 3 -901 DATED 04 NOV 2021 REGARDING RNP Y RWY 06 PROC. IN PROFILE VIEW: 1) IN FINAL APPROACH SEGMENT SDF IS WITHDRAWN. 2) OCA(H) - 760 (451)FT IS APPLICABLE FOR FINAL SEGMENT. AMEND AIP ACCORDINGLY.
G1509/25	2512300557/PERM REF EAIP INDIA PAGE AD 2 VOML 3 -903 DATED 04 NOV 2021 REGARDING RNP Y RWY 24 PROC. IN PROFILE VIEW: 1) MOCA OF THE SEGMENT FAF-SDF IS 890FT. 2) OCA(H) - 760 (450)FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY.
G0046/26	2601121000/PERM VISUAL CIRCLING OCA(H) DELETED IN IAP CHART - ILS Z RWY 24. AMEND PAGE AD 2 VOML 2 - 101 DATED 15 JUL 2021 ACCORDINGLY.
G0047/26	2601121006/PERM VISUAL CIRCLING OCA(H) DELETED IN IAP CHART - VOR RWY 06. AMEND PAGE AD 2 VOML 2 - 201 DATED 15 JUL 2021 ACCORDINGLY.
G0048/26	2601121007/PERM VISUAL CIRCLING OCA(H) DELETED IN IAP CHART - VOR RWY 24. AMEND PAGE VOML 2-203 DATED 15 JUL 2021 ACCORDINGLY.
CHENNAI	VOMM
G1146/24	2409260704/PERM REF EAIP PAGE AD 2 VOMM 3-907 DATED 31 DEC 2020 REGARDING RNP Y RWY

	30 PROC FLW AMDT ARE MADE, 1. COMMUNICATION FREQUENCIES ARE AMENDED AS, APP 127.900 / 125.500 / 120.750 TWR 118.100 / 118.800 2. IN PLAN VIEW, CTN NOTE IS AMENDED AS, DO NOT MISTAKE TAMBARAM AIRBASE FOR CHENNAI AP. TAMBARAM (RWY ORIENTATION 12/30 AND 05/23). 3. MAGNETIC VAR IS AMENDED AS, 1.75DEG W (2010)
G0681/26	2606040954/PERM REF EAIP PAGE AD 2 VOMM 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 07 OF CHENNAI INTERNATIONAL (VOMM) AP. VOR RWY 07 PROC WITHDRAWN.
G0682/26	2606040956/PERM REF EAIP PAGE AD 2 VOMM 2-105 DATED 17 APR 2025 REGARDING ILS OR LOC Y RWY 25 OF CHENNAI INTERNATIONAL (VOMM) AP. ILS OR LOC Y RWY 25 PROC WITHDRAWN.
G0683/26	2606040958/PERM REF AIP SUPPLEMENT 141/2025 DATED 24 JUL 2025 REGARDING ILS OR LOC RWY 07 OF CHENNAI INTERNATIONAL (VOMM) AP. ILS OR LOC RWY 07 PROC WITHDRAWN.
G0684/26	2606041004/PERM REF EAIP PAGE AD 2 VOMM 2-203 DATED 27 NOV 2025 REGARDING VOR RWY 25 OF CHENNAI INTERNATIONAL (VOMM) AP. VOR RWY 25 PROC WITHDRAWN.
G0690/26	2606100613/2609152359 REFER AIP SUP 36/2026 REGARDING ILS OR LOC RWY 07 AND ILS OR LOC Y RWY 25 PROC. THE PROCEDURES IDENTIFICATIONS ARE AMENDED AS FOLLOWS: PROCEDURE IDENTIFIER FOR ILS OR LOC RWY 07 IS AMENDED AS ILS OR LOC Y RWY 07. PROCEDURE IDENTIFIER FOR ILS OR LOC Y RWY 25 IS AMENDED AS ILS OR LOC W RWY 25.
G0691/26	2606170000/2609152359EST REFER AIP SUP 36/2026 REGARDING INSTRUMENT APPROACH CHARTS CHENNAI INTERNATIONAL AP. THE VALIDITY IS AMENDED AS 17 JUN 2026 TO 15 SEP 2026, 2359 EST.
G0722/26	2606150943/2609092359EST DVOR/DME IDENT MMV FREQ 112.500MHZ DME CH72X NOT AVBL DUE EQPT REPLACEMENT.
RAJAHMUNDY	VORY
G0599/26	2605181209/2608182359EST REFER EAIP INDIA PAGE AD 2 VORY 3-905 DATED 25 JAN 2024 REGARDING PROC RNP Z RWY 05 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 05 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
G0600/26	2605181212/2608182359EST REF EAIP INDIA PAGE AD 2 VORY 3-909 DATED 25 JAN 2024 REGARDING PROC RNP Z RWY 23 (CAT A/B/C) (LPV ONLY). PROC RNP Z RWY 23 (CAT A/B/C) (LPV ONLY) IS WITHDRAWN TEMPO.
G0689/26	2606090841/PERM INSERT FLW IN COLUMN 7 OF VORY AD 2.12 IN EAIP INDIA 1) SLOPE OF RWY 05: 0.66 PER CENT. 2) SLOPE OF RWY 23: MINUS 0.66 PER CENT.
SALEM	VOSM

G0455/26	2605140000/2608112359EST NDB IDENT SL FREQ 241KHZ NOT AVBL DUE EQPT REPLACEMENT.
SINDHUDURG	VOSR
G0614/26	2605191200/PERM PAVEMENT CLASSIFICATION RATING VALUES OF RWY AND TURN PAD ARE 1) RWY09/27: 876/F/A/W/T. AMD VOSR AD 2.12 OF EAIP INDIA. 2) RWY09 TURN PAD: 869/R/A/W/T, RWY27 TURN PAD: 869/R/A/W/T. AMD VOSR AD 2.23 OF EAIP INDIA.
TIRUPATI	VOTP
G0428/26	2605140000/2608112359EST CAT-I(ROMAN) ILS RWY 26 IDENT ITPY (LOC 111.300 MHZ, GP 332.300MHZ, DME ILS26 CH50X) NOT AVBL DUE EQPT REPLACEMENT.
G0474/26	2605140000/2608132359EST REF EAIP INDIA PAGE AD 2 VOTP 2-105 DATED 27 NOV 2025 REGARDING ILS OR LOC Y RWY 26 PROC OF TIRUPATI (VOTP) AP. ILS OR LOC Y RWY 26 PROC TEMPO WITHDRAWN DUE EQPT REPLACEMENT.
G0557/26	2605110940/2608102359EST REF EAIP INDIA PAGE AD 2 VOTP 3-909 DATED 27 NOV 2025 REGARDING RNP RWY 08 PROC. IN FINAL SEGMENT LNAV OCA(H) IS AMENDED AS 910(544) TEMPO. AMEND AIP ACCORDINGLY.
G0628/26	2605251130/2608242359EST REFER EAIP INDIA PAGE AD 2 VOTP 2-201 DATED 27 NOV 2025 REGARDING PROC VOR RWY 08 (CAT A/B/C). 1. IN FINAL APPROACH SEGMENT SDF(7.2D) WITHDRAWN TEMPO. 2. OCA(H) WITH SDF(7.2D) WITHDRAWN TEMPO.
THIRUVANANTHA PURAM	VOTV
G0017/12	1201120001/PERM REF AIP SUP 61/11 REGARDING RNAV-1(GNSS) SID AND STAR-THIRUVANANTHAPURAM AIRPORT. AT PAGE 5,19 AND 20 OF THE AIP SUPPLEMENT REFERENCE TO WAYPOINT CI530 TO BE REPLACED AS WAYPOINT MESAT.
G0196/12	1205101000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1(GNSS)SID AND STAR-THIRUVANANTHAPURAM AIRPORT. FOLLOWING IS AMENDED: 1.REFER CHART OF SID BINUD RWY14 CHART AT PAGE 33-THE TRACK FROM WAYPOINT BINUD TO WAYPOINT TD128 IS AMENDED AS 219 DEG M IN PLACE OF 200 DEG M. 2.REFER TABULAR DESCRIPTION OF STAR DUMAT RWY 14 AT PAGE 38-ALTITUDE RESTRICTION A2500 PLUS ADDED AT WAYPOINT VARAM. 3.ALL SID AND STAR CHARTS ALTERNATE ACC FREQUENCY IS AMENDED AS 132.25 IN PLACE OF 120.9. 4.REFER CHART AND TABULAR DESCRIPTION OF STAR MADUT RWY 32 AT PAGE 23 AND 24.ALTITUDE RESTRICTION AT MADUT (PLUS F110) REMOVED. AMEND CHARTS AND TEXT OF AIP SUPPLEMENT ACCORDINGLY.
G0124/15	1506250000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1(GNSS) SIDS AND STARS -THIRUVANANTHAPURAM AIRPORT. DUE TO ESTABLISHMENT OF PROHIBITED AREA-VOP 197 (KUDANKULAM), FOLLOWING CHANGES ARE MADE : 1. REFER PAGE NO. 6 PARA 2.1, MINIMUM/MAXIMUM HOLDING LEVEL OVER BACOL AND BADUL ARE AMENDED AS F110/F120. 2. A. REFER CHART AT PAGE NO. 23 (BACOL, MADUT RNAV ARRIVAL RWY32),LEVEL OVER BACOL IS AMENDED AS +F110. B. REFER CHART AT PAGE NO. 37 (DUMAT, METOP RNAV ARRIVAL RWY 14), LEVEL OVER BADUL IS AMENDED AS +F110. AMEND THE CHART AND TABULAR DESCRIPTION ACCORDINGLY.

G0133/15	1506250000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS - THIRUVANANTHAPURAM AIRPORT. ATS ROUTE W25 IS REPLACED BY ATS ROUTE R457 DUE TO WITHDRAWAL OF ROUTE W25. AMEND THE AIP SUPPLEMENT ACCORDINGLY.
G0418/15	1510150000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS- THIRUVANANTHAPURAM AIRPORT. ROUTE DESIGNATOR FOR ROUTE V022, V023, V024, V025, V026, V027, V028 AND V029 ARE AMENDED AS V22, V23, V24, V25, V26, V27, V28 AND V29 RESPECTIVELY. AMEND THE AIP SUPPLEMENT ACCORDINGLY.
G0339/16	1606230000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS FOR THIRUVANANTHAPURAM AIRPORT. DUE TO RESTRUCTURING OF AREAS, FOLLOWING AMENDMENTS ARE MADE:- 1. AT PAGE 10 PARA 9.2-VOD 172(A)/VOD 172(B) IS AMENDED AS VOD 172 (COCHIN). 2. AT PAGE 19 (CHART)-VOD 172(A) IS DELETED AND VOD 172(B) IS AMENDED AS VOD 172 (COCHIN). 3. AT PAGE 25 (CHART) - VOD 172(A) IS DELETED AND VOD 172(B) IS AMENDED AS VOD 172 (COCHIN). 4. AT PAGE 29 (CHART) - VOD 172(A) IS DELETED AND VOD 172(B) IS AMENDED AS VOD 172 (COCHIN). 5. AT PAGE 35 (CHART) - VOD 172(A) IS DELETED AND VOD 172(B) IS AMENDED AS VOD 172 (COCHIN). AMEND THE SUPPLEMENT ACCORDINGLY.)
G0539/17	1711090000/PERM REFER AIP SUPPLEMENT NO. 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS - THIRUVANANTHAPURAM AIRPORT. COORDINATES OF WAYPOINT BASUR ARE AMENDED AS 075549N AND 0780915E IN PLACE OF 075542.93N AND 0780926.37E RESPECTIVELY. AMEND AIP SUPPLEMENT ACCORDINGLY.
G0540/17	1711090000/PERM REFER AIP SUPPLEMENT NO. 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS - THIRUVANANTHAPURAM AIRPORT. COORDINATES OF WAYPOINT TUMLA ARE AMENDED AS 093045N AND 0765830E IN PLACE OF 093050.98N AND 0765826.01E RESPECTIVELY. AMEND AIP SUPPLEMENT ACCORDINGLY.
G1202/18	1809130000/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS - THIRUVANANTHAPURAM AIRPORT. FOLLOWING ARE AMENDED: - 1. WAYPOINT NAME HAPUR IS AMENDED AS KIKIG. LAT/LONG REMAIN SAME. 2. ENROUTE TRANSITION NAME HAPUR IS AMENDED AS KIKIG. 3. WAYPOINT NAME NAVIT IS AMENDED AS NOPAM. LAT/LONG REMAIN SAME. 4. ENROUTE TRANSITION NAME NAVIT IS AMENDED AS NOPAM. 5. WAYPOINT NAME PURAM IS AMENDED AS SABKU. LAT/LONG REMAIN SAME. 6. ENROUTE TRANSITION NAME PURAM IS AMENDED AS SABKU. 7. WAYPOINT NAME RUPAT IS RENAMED AS RUSUV. LAT/LONG REMAIN SAME. 8. ENROUTE TRANSITION NAME RUPAT IS AMENDED AS RUSUV. AMEND THE AIP SUPPLEMENT ACCORDINGLY.
G0611/23	2307060831/PERM REFER AIP SUPPLEMENT 61/2011 REGARDING RNAV-1 (GNSS) SIDS AND STARS THIRUVANANTHAPURAM AIRPORT. AS ATS RTE W147 HAS BEEN REALIGNED. FOLLOWING AMENDMENTS ARE MADE: 1. TRANSITION AND WAYPOINT TU IS REPLACED BY TRANSITION AND WAYPOINT TCN. LATITUDE AND LONGITUDE OF TCN ARE 084313.7N 0780245.8E. 2. MAGNETIC/TRUE COURSES AND DISTANCES IN CHARTS AND TABULAR

DESCRIPTIONS ARE AMENDED AS:
 I) TD331- 83.16 DEGREE MAG (80.66 DEGREE TRUE)/29.36 NM-TCN
 II) TCN-263.45 DEGREE MAG (260.95 DEGREE TRUE)/41.64 NM-MADUT
 III) TD132-76.07 DEGREE MAG (73.57 DEGREE TRUE)/50.25NM-TCN
 IV) TCN-281.36 DEGREE MAG (278.86 DEGREE TRUE)/54.96 NM-TA107
 3. ATS RTE FOR MADUT RNAV STAR AND TRANSITION TCN IS AMENDED AS W147.
 4. ATS RTE FOR HIBUS RNAV STAR AND TRANSITION TCN IS AMENDED AS W147.
 5. ATS RTE FOR RAMPU RNAV SID AND TRANSITION TCN IS AMENDED AS W147.
 6. ATS RTE FOR AMESI RNAV SID AND TRANSITION TCN IS AMENDED AS W147.
 7. IN PARA 6.1.2 UNDER COLUMN ROUTE FOR DEPARTURE TU IS REPLACED BY TCN. AMEND THE AIP ACCORDINGLY.

G0228/25 2502271001/PERM
 REF AIP SUP 61/2011 REGARDING RNAV-1(GNSS) SID AND STAR-THIRUVANANTHAPURAM AP. FLW NOTE IS ADDED TO KALAK, NUKET, RAMPU, AMESI, BINUD, FORET AND GAKOT SID.
 1. MINIMUM CLIMB GRADIENT 7 PERCENT (425FT/NM) UNTIL PASSING 1000FT.
 2. IF UNABLE TO COMPLY WITH SID, INFORM ATC FOR ALTERNATE CLEARANCE.
 AMEND SID CHARTS OF AIP SUP 61/2011 ACCORDINGLY.

G0721/26 2606150940/2609092359EST
 ILS RWY32 IDENT ITDM (LOC 109.900MHZ, GP 333.800MHZ, DME ILS32 CH36X) NOT AVBL DUE TRANS-INSTALLATION OF EQPT.

G0731/26 2606161155/PERM
 REFER EAIP INDIA PAGE AD 2 VOTV 2-103 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 32 PROC OF THIRUVANANTHAPURAM (VOTV) AP. ILS OR LOC RWY 32 PROC WITHDRAWN.

BHOGAPURAM VOFI

G0544/26 2607090000/2607222359
 TRIGGER NOTAM - AIRAC AIP SUP 80/2026 WEF 09 JULY 2026. AD DATA.

G0555/26 2607090000/PERM
 FLW AMD ARE MADE TO AIP SUP 80/2026 REGARDING AD DATA OF BHOGAPURAM INTERNATIONAL AIRPORT.
 1) ON PAGE 2 AD 2.4 ROW 1 THE CARGO HANDLING FACILITIES NOT AVAILABLE IS AMENED AS: AVBL. HANDLING CAPACITY: 25,000 MT P.A. MANAGED BY GMR AIRPORTS LIMITED.
 2) ON PAGE 15 AD 2.20 POINT NO (II) IS AMENDED AS BHOGAPURAM GROUND (FREQUENCY 121.800 MHZ, OR ANY ALTERNATE FREQUENCY) IN PLACE OF BHOGAPURAM TOWER (FREQUENCY 118.325 MHZ, OR ANY ALTERNATE FREQUENCY)
 3) ON PAGE 19 AD 2.22 POINT NO 2 (I) IS AMENDED AS BHOGAPURAM INTERNATIONAL AIRPORT, BHOGAPURAM IN PLACE OF GMR VISAKHAPATNAM INTERNATIONAL AIRPORT, BHOGAPURAM.
 4) SMC FREQ 121.800MHZ IS ADDED TO ADC AND PDC.
 AMEND AIP SUP 80/2026 ACCORDINGLY

G0679/26 2607090000/PERM
 REFER AIP SUP 80 OF 2026 EFFECTIVE FM 09 JULY 2026 FOR AD DATA.
 AMEND FLW INFO IN COLUMN 08 (REMARKS) FOR LOC 28 CAT-I IN VOFI AD 2.19 OF VOFI AIP SUP 80/2026:
 I) OUTER COVERAGE WITHIN PLUS MINUS 10DEG FM COURSE LINE- SATISFACTORY UP TO 25NM ABOVE 3000FT HEIGHT ABOVE THRESHOLD (HAT), SATISFACTORY UP TO 23NM ABOVE 2500FT HEIGHT ABOVE THRESHOLD (HAT), SATISFACTORY UP TO 20NM ABOVE 2000FT HEIGHT ABOVE THRESHOLD (HAT).
 II) INNER COVERAGE WITHIN PLUS MINUS 35DEG FM COURSE LINE- SATISFACTORY UP TO 17NM ABOVE 2000FT HEIGHT ABOVE THRESHOLD (HAT).
 III) REDUCED OUTER COVERAGE WITHIN PLUS MINUS 10 DEG FM COURSE LINE- SATISFACTORY UP TO 18NM ABOVE 2000FT HEIGHT ABOVE THRESHOLD (HAT).
 IV) REDUCED INNER COVERAGE WITHIN PLUS MINUS 35DEG FM COURSE LINE- SATISFACTORY UP TO 10NM ABOVE 2000FT HEIGHT ABOVE THRESHOLD (HAT).

DELHI FIR	VIDF
G0592/26	2605151128/PERM REFER EAIP INDIA SECTION ENR 5.2; THE FOLLOWING CHANGES ARE MADE IN REMARKS COLUMN: 1. IN TRA724 (PHALODI) REMARK 9: TRA VALID UNTIL 18TH MAY 2026 REPLACED BY TRA VALID UNTIL 17TH MAY 2029. AMEND ACCORDINGLY.
G0617/26	2605200525/2608252359EST TO AVOID PROHIBITED AREA VIP89 ACFT OPERATING TO/FM HINDON AP SHALL FOLLOW FLW ROUTES IN THEIR FLIGHT PLANS: 1. DEPARTURES: A) TOWARDS EAST/SOUTH-EAST/SOUTH/SOUTH-WEST/WEST/NORTH-WEST: VIDX-284351.5N 0770747.22E -DPN-ROUTE AS PUBLISHED B) TOWARDS NORTH: VIDX - DCT - SP - ROUTE AS PUBLISHED. 2. ARRIVALS: A) FROM EAST: ROUTE AS PUBLISHED-SSB-DCT-VIDX. B) FROM SOUTH-EAST/SOUTH: ROUTE AS PUBLISHED-DPN-284351.5N 0770747.22E -VIDX. C) FROM SOUTH-WEST/WEST: ROUTE AS PUBLISHED-CHI-DCT-284351.5N 0770747.22E -VIDX. D) FROM NORTH-WEST/NORTH: ROUTE AS PUBLISHED-SAM-DCT-284351.5N 0770747.22E -VIDX.
G0741/26	2606191039/PERM REF EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE IN REMARKS SECTION OF ATS RTE V12: DELETE POINT NR.2 OF REMARKS SECTION THE ROUTE SEGMENT IKAVA - KOTA NDB (KO) IS TREATED AS EASTBOUND.
G0757/26	2606300644/PERM REFER EAIP INDIA SECTION ENR 5.2; THE FOLLOWING CHANGES ARE MADE IN REMARKS COLUMN: 1. IN TSA722 (GRASS BIR-13) REMARK 6: TSA VALID UNTIL 12TH JULY 2026 REPLACED BY TSA VALID UNTIL 12TH JULY 2029. AMEND ACCORDINGLY.
G0760/26	2607010455/PERM REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENT IS MADE IN ATS ROUTE R218: TEXT R218 (JJP-TASIB) IS AMENDED AS R218 (JJP-HIS) AMEND ACCORDINGLY).
KOLKATA FIR	VECF
G0645/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 89/2026 WEF 09 JULY. 2026. ESTABLISHMENT OF BHOGAPURAM CONTROL AREA (CTA-3)).
G0646/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 90/2026 WEF 09 JULY. 2026. ESTABLISHMENT OF BHOGAPURAM CONTROL AREA (CTA-4).
G0707/26	2607090000/PERM REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE IN REMARKS COLUMN OF ATS ROUTES W12, W49, W50, W66, W76, W86, W100, W102, W108, W138, W140, W149, W150, W160, A791, V15, V60, V62, V77, V78, V79, G450, J46, J75: 1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY: 134.375 MHZ AMEND ACCORDINGLY
G0708/26	2607090000/PERM

	REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE IN REMARKS COLUMN OF ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628, M875: 1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY: 134.375 MHZ. AMEND ACCORDINGLY.
G0709/26	2607090000/PERM REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDMENTS ARE MADE IN 2.1.1 FLIGHT INFORMATION REGION: 1. INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER CONTROL AREA-SECTOR URP 134.375 MHZ (BACKUP FREQUENCY) AMEND ACCORDINGLY.
MUMBAI FIR	VABF
G0473/26	2604100532/2607092359EST OPPORTUNITY BASED APPLICATION OF 10 MINUTES SEPARATION ON XNG TRACKS SHALL BE APPLIED IN OCEANIC AIRSPACE OF MUMBAI FIR, ON TRIAL BASIS, BTN ADS-B EQUIPPED ACFT THAT ARE CORRELATED WITH CPL USING SPACE BASED ADS-B AND IN POSITIVE CTC WITH MUMBAI OCEANIC CTL ON VHF/HF OR CPDLC.
CHENNAI FIR	VOMF
G0622/26	2607090000/PERM REF SUP 101/2026 REGARDING ESTABLISHMENT OF ATS ROUTE V50. THE TEXT AT SERIAL NR 2: AMD DETAILS OF ATS ROUTE V46 IN ENR 3.1, IS AMD AS: INSERT DETAILS OF ATS ROUTE V50 IN ENR 3.1.
G0623/26	2607090000/PERM REF SUP 90/2026 REGARDING ESTABLISHMENT OF BHOGAPURAM CONTROL AREA (CTA-4). HRS OF SER IN COLUMN 3 ARE AMD AS H24 IN PLACE OF HO.
G0647/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 91/2026 WEF 09 JULY 2026. REALIGNMENT OF VISAKHAPATNAM MCTR.
G0648/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 92/2026 WEF 09 JULY 2026. REALIGNMENT OF VISAKHAPATNAM CONTROL AREA.
G0649/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 93/2026 WEF 09 JULY 2026. REALIGNMENT OF TEMPORARY SEGREGATED AREA TSA803(A), TSA803(B) AND TSA803(C) (VISAKHAPATNAM).
G0650/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 94/2026 WEF 09 JULY 2026. REALIGNMENT OF TEMPORARY RESERVED AREA TRA805(A) AND TRA805(B) (VISAKHAPATNAM).
G0651/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 95/2026 WEF 09 JULY 2026. ESTABLISHMENT OF TEMPORARY RESERVED AREA TRA805(C) (VISAKHAPATNAM).
G0658/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 96/2026 WEF 09 JULY 2026. WITHDRAWAL OF TEMPORARY RESERVED AREAS TRA808(A) AND TRA808(B) (VISAKHAPATNAM).
G0668/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 106/2026 WEF 09 JULY 2026.

REALIGNMENT OF ATS RTE W47 (SEGMENT: BBZ - VVZ).

G0727/26	2608060000/PERM REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE IN REMARKS SECTION OF ATS ROUTES: 1. IN ATS ROUTE W15, UNDER POINT NO.5 OF REMARKS, COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 2. IN ATS ROUTE W43, UNDER POINT NO.3 OF REMARKS, COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 3. IN ATS ROUTE W46, UNDER POINT NO. 2(B) OF REMARKS COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 4. IN ATS ROUTE W118, UNDER POINT NO.3 OF REMARKS, COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 5. IN ATS ROUTE W145, UNDER POINT NO. 2(I) OF REMARKS COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 6. IN ATS ROUTE V33, UNDER POINT NO.2 OF REMARKS COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 7. IN ATS ROUTE V34, UNDER POINT NO.2 OF REMARKS COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 8. IN ATS ROUTE V35, UNDER POINT NO.2 OF REMARKS COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 9. IN ATS ROUTE V57, UNDER POINT NO.3 OF REMARKS, COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 10. IN ATS ROUTE V86, UNDER POINT NO.6 OF REMARKS COCHIN ACC: 128.300 MHZ 126.100 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 11. IN ATS ROUTE V87, UNDER POINT NO.6 OF REMARKS COCHIN ACC: 128.300 MHZ 126.100 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 12. IN ATS ROUTE V88, UNDER POINT NO.5 OF REMARKS COCHIN ACC: 128.300 MHZ 126.100 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 13. IN ATS ROUTE V89, UNDER POINT NO.5 OF REMARKS COCHIN ACC: 128.300 MHZ 126.100 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 14. IN ATS ROUTE J13, UNDER POINT NO.7 OF REMARKS, COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 15. IN ATS ROUTE J16, UNDER POINT NO.7 OF REMARKS, COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 16. IN ATS ROUTE J17, UNDER POINT NO.4 OF REMARKS, COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 17. IN ATS ROUTE J99, UNDER POINT NO.4(C) OF REMARKS, COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 18. IN ATS ROUTE W119, INSERT IN REMARKS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 19. IN ATS ROUTE R461, INSERT IN REMARKS COCHIN ACC: 120.775 MHZ 133.150 MHZ. AMEND ACCORDINGLY)
G0728/26	2608060000/PERM REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE IN REMARKS SECTION OF ATS ROUTES: 1. IN ATS ROUTE T6, UNDER POINT NO.2 OF REMARKS, COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 2. IN ATS ROUTE T7, UNDER POINT NO.2 OF REMARKS, COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 3. IN ATS ROUTE Q12, UNDER POINT NO.4 OF REMARKS COCHIN ACC: 128.300 MHZ 133.150 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. 4. IN ATS ROUTE P895, UNDER POINT NO.3 OF REMARKS COCHIN ACC: 128.300 MHZ IS AMENDED AS COCHIN ACC: 120.775 MHZ 133.150 MHZ. AMEND ACCORDINGLY.
G0729/26	2608060000/PERM REFER EAIP INDIA SECTION ENR 2.1.2 CONTROL AREA, FOLLOWING AMENDMENTS ARE MADE: IN COCHIN CONTROL AREA-C UNDER COLUMN NAME FREQUENCY/PURPOSE, 128.3MHZ IS AMENDED AS 120.775 MHZ. AMEND ACCORDINGLY.
G0751/26	2607090000/PERM

	INSERT FLW RMK FOR VOR 181 A HAL IN ENR 5.1 SECTION OF EAIP INDIA: 3. AIRCRAFT PLANNING TO OPERATE IN, OR ON ATS ROUTES TRANSITING THROUGH AIRSPACE SHALL ADDRESS THEIR FLIGHT PLAN ADDITIONALLY TO VOBGZTX.
G0752/26	2607090000/PERM INSERT FLW RMK FOR VOR 181 B HAL IN ENR 5.1 SECTION OF EAIP INDIA: 3. AIRCRAFT PLANNING TO OPERATE IN, OR ON ATS ROUTES TRANSITING THROUGH AIRSPACE SHALL ADDRESS THEIR FLIGHT PLAN ADDITIONALLY TO VOBGZTX.
G0753/26	2607090000/PERM INSERT FLW RMK FOR VOR 181 C HAL IN ENR 5.1 SECTION OF EAIP INDIA: 3. AIRCRAFT PLANNING TO OPERATE IN, OR ON ATS ROUTES TRANSITING THROUGH AIRSPACE SHALL ADDRESS THEIR FLIGHT PLAN ADDITIONALLY TO VOBGZTX.
G0754/26	2607090000/PERM INSERT FLW RMK FOR VOR 181 D HAL IN ENR 5.1 SECTION OF EAIP INDIA: 3. AIRCRAFT PLANNING TO OPERATE IN, OR ON ATS ROUTES TRANSITING THROUGH AIRSPACE SHALL ADDRESS THEIR FLIGHT PLAN ADDITIONALLY TO VOBGZTX.
G0755/26	2607090000/PERM INSERT FLW RMK FOR TRA 809 (BENGALURU) IN ENR 5.2 SECTION OF EAIP INDIA: 8. AIRCRAFT PLANNING TO OPERATE IN, OR ON ATS ROUTES TRANSITING THROUGH AIRSPACE SHALL ADDRESS THEIR FLIGHT PLAN ADDITIONALLY TO VOBGZTX.
MUMBAI/ CHENNAI FIR	VABF VOMF
G0529/26	2604270528/2607282359EST LONGITUDINAL SEPARATION MINIMA OF 20NM BASED ON SPACE BASED ADS-B SURVEILLANCE WILL BE APPLIED ON OPPORTUNITY BASIS FOR ACFT PASSING WPT PARAR H24. ACFT WITH RNP2/RNP4 APPROVAL, FUNCTIONAL ADS-B OUT, CPDLC WITH RCP240 CONNECTION ON VABF WILL BE SUBJ TO THIS SEPARATION. THIS WILL BE APPLIED ON ATS RTE N571 BTN WPT PARAR AND WPT SUGID ON TRIAL BASIS. ACFT TO INDICATE RNP2/RNP4, CPDLC, RCP240, ADS-B AVAILABILITY IN RESPECTIVE FIELDS OF FPL.
G0629/26	2606110000/PERM REF SUP 84/2026 REGARDING ESTABLISHMENT OF TEMPO RESERVED AREA TRA509A, TRA509B AND TRA509C. AT SERIAL NR 1, THE TEXT MUMBAI FIR IS AMD AS MUMBAI AND CHENNAI FIRS.
G0630/26	2606110000/PERM REF ENR 5.1 OF EAIP INDIA. THE RESTRICTED AREA VAR 44-A GOA-I IS DELETED
G0558/26	2605110946/2608122359EST PERFORMANCE BASED LONGITUDINAL SEPARATION MINIMA OF 30NM/ 5MIN BASED ON PBCS CRITERIA WILL BE APPLIED WITHIN WP AGELA AND IGOGU ON ATS ROUTE N571 BTN ACFT HAVING FUNCTIONAL ADS-C AND CPDLC HAVING OPERATIONAL APPROVAL FOR RNP2/RNP4, RCP240 AND RSP180 ON OPPORTUNITY BASIS AS AN OPERATIONAL TRIAL. ACFT TO INDICATE RNP2/RNP4, ADS-C, CPDLC, RCP240, RSP180 AVAILABILITY IN RESPECTIVE FIELDS OF FPL.
KOLKATA/ CHENNAI FIR	VOMF VECF
G0644/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 88/2026 WEF 09 JULY. 2026. ESTABLISHMENT OF BHOGAPURAM CONTROL AREA (CTA-1 AND CTA-2).

G0659/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 97/2026 WEF 09 JULY 2026. REALIGNMENT OF CONDITIONAL ATS ROUTE J26 (SEGMENT: VVZ - ENVUK).
G0660/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 98/2026 WEF 09 JULY 2026. REALIGNMENT OF ATS RTE V9 (SEGMENT: VVZ - VIPAT).
G0661/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 99/2026 WEF 09 JULY 2026. ESTABLISHMENT OF ATS RTE V40.
G0662/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 100/2026 WEF 09 JULY 2026. REALIGNMENT OF ATS RTE V46.
G0663/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 101/2026 WEF 09 JULY 2026. ESTABLISHMENT OF ATS RTE V50.
G0665/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 103/2026 WEF 09 JULY 2026. REALIGNMENT OF ATS RTE W29 (SEGMENT: ANBAS - VVZ).
G0666/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 104/2026 WEF 09 JULY 2026. ESTABLISHMENT OF ATS RTE W32.
G0669/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 107/2026 WEF 09 JULY 2026. ESTABLISHMENT OF ATS RTE W89.
G0670/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 108/2026 WEF 09 JULY 2026. REALIGNMENT OF ATS RTE W90.
G0738/26	2607090000/PERM REFER EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE: 1. DELETE ATS ROUTE V48 (BBZ - AKSAN) AMEND ACCORDINGLY.
G0739/26	2607090000/PERM REFER EAIP INDIA SECTION ENR 4.4, FLW AMENDMENTS ARE MADE: 1. DELETE WAYPOINT AKSAN FROM ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS 2. DELETE WAYPOINT BITEM FROM ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS AMEND ACCORDINGLY.
G0740/26	2607090000/PERM REFER AIPS 104/2026, FLW AMENDMENTS ARE MADE: 1. ATS ROUTE W32 SEGMENT BIDX - TR134/314 DEG(M) 303.8NM 3900FT(MOCA) - LEGIN IS AMENDED AS BIDX - TR134/314 DEG(M) 303.8NM 2000FT(MOCA) - LEGIN. AMEND ACCORDINGLY.
MUMBAI/ KOLKATA/ CHENNAI FIR	VOMF VECF VABF
G0664/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 102/2026 WEF 09 JULY 2026. ESTABLISHMENT OF ATS RTE V63.

G0667/26	2607090000/2607222359 TRIGGER NOTAM - AIRAC AIP SUP 105/2026 WEF 09 JULY 2026. REALIGNMENT OF ATS RTE W41 (SEGMENT: ANBAS - KAKID).
INDIAN FIR	VIDF VABF VECF VOMF
G0686/26	2607090000/2607222359 TRIGGER NOTAM- PERM AIRAC AIP AMDT 06/2026 WEF 09 JUL 2026. AIRAC AIP AMDT 06/2026 UPLOADED ON AIM INDIA WEBSITE.
G0742/26	2606191152/2607232359EST INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.
G0750/26	2608060000/2608192359 TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/2026 WEF 06 AUG 2026. AIRAC AIP AMDT 07/2026 UPLOADED ON AIM INDIA WEBSITE.
G0761/26	2607090000/PERM AMEND FOLLOWING IN REMARKS COLUMN OF AIP INDIA SECTION ENR 2.2: 1) AMEND JEYPORE APP FREQUENCY IN REMARK 3 AS 118.450 MHZ IN PLACE OF 1118.450 MHZ. 2) AMEND UTKELA APP FREQUENCY IN REMARK 5 AS 118.250 MHZ IN PLACE OF 1118.250 MHZ. 3) AMEND VELLORE APP FREQUENCY IN REMARK 3 AS 118.500 MHZ IN PLACE OF 1118.500 MHZ. AMEND ACCORDINGLY.
LATEST PUBLICATIONS:	
AIP AIRAC AMDT 06/2026 EFFECTIVE DATE 09 JUL 2026 AIP AIRAC SUP 131/2026 EFFECTIVE DATE 06 AUG 2026 AIC ISSUED BY DGCA INDIA. REF HTTPS://WWW.DGCA.GOV.IN AIS PRODUCTS AVBL ON AIM INDIA WEBSITE (HTTPS://AIM-INDIA.AAI.AERO) NEXT AIRAC AIP AMDT- 06 AUG 2026	
CHECK LIST OF CURRENT AIP SUPPLEMENTS	
YEAR=2008	35 36 37
YEAR=2010	14
YEAR=2011	61
YEAR=2018	150
YEAR=2020	84
YEAR=2024	98 105 136 154 290
YEAR=2025	41 83 142 148 152 153 154 155 156 157 158 162 164 167 168 169 170 171 172 174 179 180 188 192 194 195 196 197 198 201 202 203 205 206 207 208 209 210 212 213 230 233 241 244
YEAR=2026	13 14 15 23 25 27 28 30 34 35 36 37 38 39 40 41 42 43 51 52 59 69 71 72 73 80 81 82 83 84 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131