Task 4: Create tables with various Data Constraints and verify by inserting values in it.

**Scenario**: Mohan as an engineer know what are the issues when an entry gets wrongly inserted. Thus to avoid such issues Mohan suggested to have constraints so that whenever by mistake also if someone tries to enter data can first get checked and than inserted.

## A) Table Name: Client\_master

Description: Used to store information about clients.

Column Name	Data Type	Size	Attributes
Client_no	Varchar	6	Primary key/ first letter
			must start with 'C'
Name	Varchar	15	Not Null
City	Varchar	15	
Pincode	Numeric	8	
State	Varchar	15	
Bal_due	Numeric	10,2	

Client_no	Name	City	Pincode	State	Bal_due
C001	Ivan	Bombay	400054	Maharashtra	15000
C002	Vandana	Madras	780001	Tamil Nadu	0
C003	Pramada	Bombay	400057	Maharashtra	5000
C004	Basu	Bombay	400056	Maharashtra	0
C005	Ravi	Delhi	100001	Gujarat	2000
C006	Rukmani	Bombay	400050	Maharashtra	0

#### B) Table Name: Product master

Description: Used to store information about products.

Column Name	Data Type	Size	Attributes
Product_no	Varchar	6	Primary key/ first letter
			must start with 'P'
Description	Varchar	15	Not Null
P_percent	Numeric	4,2	Not Null
U_measure	Varchar	10	Not Null
Qty_on_hand	Numeric	8	Not Null
Reorder_lvl	Numeric	8	Not Null
Sell_price	Numeric	8,2	Not Null, cannot be 0
Cost_price	Numeric	8,2	Not Null, cannot be 0

Product_	Description	P_	U_	Qty_on_	Reorder_	sell_	Cost_
No		Percent	Measure	hand	Lvl	price	Price
P001	Floppies	5	Piece	100	20	525	500
P002	Monitor	6	Piece	10	3	12000	11280
P003	Mouse	5	Piece	20	5	1050	1000
P004	Floppies	5	Piece	100	20	525	500
P005	Keyboards	2	Piece	10	3	3150	3050
P006	Cd Drive	2.5	Piece	10	3	5250	5100
P007	1.44 Drive	4	Piece	10	3	8400	8000

## C) Table Name: Salesman\_master

Description: Used to store information about salesman working in the company.

Column Name	Data Type	Size	Attributes
S_no	Varchar	6	Primary key/ first letter
			must start with 'S'
S_name	Varchar	15	Not Null
City	Varchar	10	
Pincode	Numeric	8	
State	Varchar	12	
Sal_amt	Numeric	8,2	Not Null, cannot be 0
Tgt_to_get	Numeric	6,2	Not Null, cannot be 0
Ytd_sales	Numeric	6,2	Not Null
Remarks	Varchar	20	

S_no	S_name	City	Pincode	State	Sal_	Tgt_	Ytd_	remarks
					Amt	to	Sales	
						get		
S001	Kiran	Bombay	400002	Maharashtar	3000	100	50	Excellent
S002	Manish	Bombay	400001	Maharashta	3000	200	100	Good
S003	Ravi	Bombay	400032	Maharashta	3000	200	100	Average
S004	Ashish	Bombay	400044	Maharashta	3500	200	150	Good

## D) Table Name: Sales\_order

Description: Used to store client's orders.

Column Name	Data	Size	Attributes
	Type		
Order_no	Varchar	6	Primary key/ first letter must start with 'O'
Order_date	Date		
Client_no	Varchar	6	Foreign key references client_no of client_master
			table.
S_no	Varchar	6	Foreign key references s_no of salesman_master
			table.
Dely_type	Char	1	Delivery: part(P) / full (F) Default 'F'
Billed_yn	Char	1	
Dely_date	Date		Cannot be less than order_date
Order_status	Varchar	10	Values('inprocess','fullfiled','backorder','cancelled')

Order_no	Order_date	Client_no	S_no	Dely_	Billed_yn	Dely_date	Order_status
				type			
O1901	12-Jan-06	C001	S001	F	N	20-Jan-06	In Process
O1902	25-Jan-06	C002	S002	P	N	27-Jan-06	Cancelled
O4665	18-feb-06	C003	S003	F	Y	20-Feb-06	Fullfilled
O1903	03-Apr-06	C001	S001	F	Y	07-Apr-06	Fullfield
O4666	20-May-06	C004	S002	P	N	22-May-	Cancelled
						06	
O1908	24-May-06	C005	S003	F	N	26-May-	In Process
						06	

E) Table Name: Sales\_order\_details
Description: Used to store client's orders with details of each product ordered.

Column Name	Data Type	Size	Attributes
Order_no	Varchar	6	Primary Key/ Foreign Key
			references order_no of the
			sales_order table.
Product_no	Varchar	6	Primary Key/ Foreign Key
			references product_no of the
			Product_master table.
Qty_ordered	Numeric	8	
Qty_disp	Numeric	8	
Product_rate	Numeric	10,2	

Order_no	Product_no	Qty_ordered	Qty_disp	Product_rate
O1901	P001	4	4	525
O1901	P002	2	1	8400
O1901	P003	2	1	5250
O1902	P001	10	0	525
O4665	P002	3	3	3150
O4665	P004	3	1	5250
O4665	P005	10	10	525
O4665	P003	4	4	1050
O1903	P006	2	2	1050
O1903	P004	1	1	12000
O1908	P005	1	0	8400
O1908	P007	10	0	1050

# **Exercise:**

Create Above tables with given constraints and insert data in it.