

CORE DATA

Core Data

OOP World

Core Data World

Database World

Core Data

OOP World

Class

Core Data World

Entity

Database World

Table

Core Data

OOP World

Class

Property

Core Data World

Entity

Attribute


Database World

Table


Field

Core Data


Persistent
Container



Core Data




Core Data




C
R
U
D

Core Data



Core Data Cont.....

- framework that managing the lifecycle of objects in your application
- provides solutions to object serialization
- Prior to Core Data, programmers relied on SQLite
- It provides a convenient mechanism to create, update, and delete entities in the database without having to write a single line of SQL.
- based on the Model-View-Controller pattern
- Introduces few new concepts and terminology.



Managed Object

- a representation of the object that you want to save to the data store.
- similar to a record in a relational database table and typically contains elds that correspond to properties
- lifecycle of managed objects is managed by Core Data
- Managed objects are subclasses of `NSManagedObject`

Managed Object Context

- is like a buffer between your application and the data store.
- contains all your managed objects before they are written to the data store and manages their lifecycles
- Inside this context you can add, delete, or modify managed objects
- To do these you will call methods on the managed object context
- Is an instance of the `NSManagedObjectContext` class.
- An application can have multiple managed object contexts

Persistent Store Coordinator

- is an instance of `NSPersistentStoreCoordinator` and represents the connection to the data store.
- contains low-level information, such as the name, location, and type of the data store to be used
- application will have one instance of the persistent store coordinator for each database that it needs to interact with.
- used by the managed object context
- Multiple managed object contexts can share the same instance of the persistent store coordinator
- Core Data handles the synchronization of data across all these contexts

Entity Description

- an instance of `NSEntityDescription` and describes a table within the database
- database tables are called entities
- to create entity descriptions you can use the graphical Core Data editor included within XCode
- similar to the schema for a database table
- It does not contain the actual data; it is used internally by Core Data to create tables in the underlying database

Managed Object Model

- an instance of `NSManagedObjectModel` and is a collection of entity descriptions
- a file that ends with the extension `.xcdatamodeld`
- This file is used by XCode to build a graphical editor for the managed object model
- When project is compiled, this file is compiled into a `.mom` file, which is the managed object model in binary format
- keep in mind that this file will be compiled to produce the managed object model