Assessment-Javascript

```
index.html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8"/>
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Document</title>
 <!-- Bootstrap CSS -->
 k
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
  rel="stylesheet"
  integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65
  crossorigin="anonymous"
 />
 <style>
  body {
   background-color: #f8f9fa;
  }
  .container {
   max-width: 720px;
  }
 </style>
```

```
</head>
<body>
<div class="container rounded bg-white shadow p-4 mt-5">
 <h1 class="text-center mb-5">Hotel Management System</h1>
 <form action="" id="regForm">
  <!-- Full Name -->
  <div class="mb-3">
   <label for="name" class="form-label">Full Name</label>
   <input
    type="text"
    class="form-control"
    id="name"
    placeholder="Enter your full name"
    required
   />
  </div>
  <!-- Phone -->
  <div class="mb-3">
   <label for="Phone" class="form-label">Phone</label>
   <input
    type="text"
    class="form-control"
    id="phone"
    placeholder="Enter 10 - digits number"
    required
   />
  </div>
```

```
<!-- Email -->
<div class="mb-3">
<label for="Email" class="form-label">Email</label>
<input
 type="email"
 class="form-control"
 id="email"
 placeholder="Enter your email"
 required
/>
</div>
<!-- Address -->
<div class="mb-3">
<label for="address" class="form-label">Address</label>
<textarea
 class="form-control"
 placeholder="MG Road,..."
 id="address"
 style="height: 100px"
></textarea>
</div>
<!-- Aadhar card number -->
<div class="mb-3">
<label for="acn" class="form-label">Aadhar Card number</label>
<input
```

```
type="text"
 class="form-control"
 id="aadhar"
 placeholder="Aadhar card number"
 required
/>
</div>
<!-- Check in Date -->
<div class="mb-3">
<label for="checkindate" class="form-label">Check in date</label>
<input type="date" class="form-control" id="checkindate" required />
</div>
<!-- Check out Date -->
<div class="mb-3">
<label for="checkoutdate" class="form-label">Check out date</label>
<input type="date" class="form-control" id="checkoutdate" required />
</div>
<!-- Number of Adult -->
<div class="mb-3">
<label for="adult" class="form-label">Number of Adult</label>
<input
 type="text"
 class="form-control"
 id="adult"
 placeholder="Number of Adult"
```

```
required
 />
</div>
 <!-- Purpose of visit -->
 <div class="mb-3">
 <label for="visit" class="form-label">Purpose of Visit</label>
 <textarea
  class="form-control"
  placeholder="Type here..."
  id="visit"
  style="height: 100px"
 ></textarea>
 </div>
<!-- Check me out -->
<div class="mb-3 form-check">
 <input type="checkbox" class="form-check-input" id="exampleCheck1" />
 <label class="form-check-label" for="exampleCheck1"</pre>
  >Check me out</label
 >
 </div>
 <div class="d-flex justify-content-between">
 <button type="reset" class="btn btn-secondary">Reset</button>
 <button type="submit" class="btn btn-primary">Submit/button>
</div>
</form>
```

```
</div>
<script>
let regForm = document.getElementById("regForm");
regForm.addEventListener("submit", (e) => {
 e.preventDefault();
 let name = document.getElementById("name").value;
 let phone = document.getElementById("phone").value;
 let email = document.getElementById("email").value;
 let address = document.getElementById("address").value;
 let aadhar = document.getElementById("aadhar").value;
 let checkindate = document.getElementById("checkindate").value;
 let checkoutdate = document.getElementById("checkoutdate").value;
 let adult = document.getElementById("adult").value;
 let visit = document.getElementById("visit").value;
 let phonePattern = /^\d{10}$/;
 let emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
 if (
  !name ||
  !phone ||
  !email ||
  !address ||
  !aadhar ||
  !checkindate ||
  !checkoutdate ||
```

```
!adult ||
 !visit
) {
 alert("All Fields are required");
}
if (name.length < 3) {
 alert("Name at least 3 character");
}
if (!phonePattern.test(phone)) {
 alert("Phone number must be 10 digits");
}
if (!email.match(emailPattern)) {
 alert("Please enter a valid email address");
}
if (address == "") {
 alert("Please enter address");
}
let checkin = new Date(checkindate);
let checkout = new Date(checkoutdate);
let now = new Date();
if (checkin < now || checkout < now) {
 alert("Dates must be today or in the future");
}
```

```
if (checkout <= checkin) {</pre>
 alert("Checkout date must be after check-in date");
}
if (!adult > 1) {
 alert("Adults are required");
}
alert("Form submitted successfully");
// localStorage
let reg = JSON.parse(localStorage.getItem("registrations")) || [];
reg.push({
 name,
 phone,
 email,
 address,
 aadhar,
 checkindate,
 checkoutdate,
 adult,
 visit,
});
localStorage.setItem("registration", JSON.stringify(reg));
```

```
alert("Registration Successfully...");
   regForm.reset();
   setTimeout(() => {
    window.location.href = "view.html";
   }, 1500);
  });
 </script>
 <!-- Bootstrap JS -->
 <script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
  crossorigin="anonymous"
 ></script>
</body>
</html>
View.html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Document</title>
 <!-- Bootstrap CSS -->
 k
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
 rel="stylesheet"
 integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65
 crossorigin="anonymous"
 />
</head>
<body>
 <div class="container mt-5">
 <h2 class="text-center mb-4">Registered Guest's</h2>
 <thead class="table-dark">
   #
   Name
   Phone
   Email
   Address
   Aadhar card number
   Check In date
   Check Out date
   Adults
   Visit
   Action
   </thead>
```

```
</div>
<div class="container mt-5">
<a href="index.html">Back</a>
</div>
<script>
let tblBody = document.getElementById("regTbl");
const reg = JSON.parse(localStorage.getItem("registration")) || [];
function renderTbl() {
 tblBody.innerHTML = "";
 if (reg.length == 0) {
  tblBody.innerHTML = `
  "No Data Found";
  `;
 } else {
  reg.forEach((val, index) => {
  let rows = `
   ${index + 1}
   ${val.name}
   ${val.phone}
   ${val.email}
   ${val.address}
   ${val.aadhar}
```

```
${val.checkindate}
      ${val.checkoutdate}
      ${val.adult}
      ${val.visit}
     <button class="btn btn-sm btn-warning"</pre>
onclick="editRecord(${index})">Edit</button>
       <button class="btn btn-sm btn-danger"
onclick="deleteRecord(${index})">Delete</button>
     `;
     tblBody.innerHTML += rows;
    });
   }
  }
  function deleteRecord(index) {
   if (confirm("Are you sure to delete this record?")) {
    reg.splice(index, 1);
    localStorage.setItem("registration", JSON.stringify(reg));
    renderTbl();
   }
  }
  function editRecord(index) {
   let newName = prompt("Enter your new name : ", reg[index].name);
   reg[index].name = newName;
   localStorage.setItem("registration", JSON.stringify(reg));
```

```
renderTbl();

// Initial render

renderTbl();

</script>

<!-- Bootstrap JS -->

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"

integrity="sha384-
kenU1KFdBle4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0l4"

crossorigin="anonymous"

></script>

</body>

</html>
```