## **Module-5) React - Styling & Advance React**

• Create Shopping site home page with a Styled-component.

—;

## **Header.js**:

```
import React from 'react'
import custom from "./custom.module.css";
import { LinkContainer } from "react-router-bootstrap";
export default function Header() {
  return (
    <>
       <nav className={`navbar navbar-expand-lg ${custom.bglight}`}>
         <div className="container-fluid">
           <div className={`logo</pre>
${custom.logo}`}>Big<span>Basket</span></div>&nbsp;&nbsp;
           <button className="navbar-toggler" type="button"</pre>
data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"
aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
              <span className="navbar-toggler-icon"></span>
           </button>
           <div className="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
              ul className="navbar-nav me-auto mb-2 mb-lg-0">
                <LinkContainer to="/home1">
                  <a className={`nav-link active ${custom.navLink}`}</pre>
                       aria-current="page"
                       href="#">Home1</a>
                  </LinkContainer>
                <LinkContainer to="/">
```

```
<a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
      href="#">Home</a>
  </LinkContainer>
<LinkContainer to="/features">
  <a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
      href="#">Features</a>
  </LinkContainer>
<LinkContainer to="/products">
  <a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
      href="#">Products</a>
  </LinkContainer >
<LinkContainer to="/review">
  <a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
      href="#">Review</a>
  </LinkContainer >
<LinkContainer to="/contactus">
  <a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
      href="#">Contact Us</a>
  </LinkContainer >
<LinkContainer to="/login">
  <a className={`nav-link active ${custom.navLink}`}</pre>
      aria-current="page"
```

```
href="#">LogIn</a>
                   </LinkContainer >
                <LinkContainer to="/logout">
                   <a className={`nav-link active ${custom.navLink}`}</pre>
                       aria-current="page"
                       href="#">LogOut</a>
                   </LinkContainer >
              <form className="d-flex" role="search">
                <input className="form-control me-2" type="search"</pre>
placeholder="Search" aria-label="Search" />
                <button className="btn btn-outline-success"</pre>
type="submit">Search</button>
              </form>
            </div>
         </div>
       </nav>
      {/* <i class="fa-solid fa-cart-shopping"></i>
       <div className="container">
       <div className="row mt-5">
         <Products/>
         <Products/>
         <Products/>
         <Products/>
         <Products/>
         <Products/>
       </div>
       </div> */}
    </>
  )
}
```

## Home1.js:

```
import React from 'react'
import custom from "./custom.module.css";
export default function Home1() {
  return (
     <>
     <section className={`${custom.home}`}>
       <div className={`${custom.content}`}>
          <h1>stop & shop!!</h1>
          <button className={`${custom.btn}`}><b>Get Yours Now</b></button>
       </div>
     </section>
     </>
  )
}
App.js:
import { BrowserRouter, Route, Routes } from 'react-router-dom';
import Products from './Style/Products';
import Home from './Style/Home';
import Features from './Style/Features';
import Review from './Style/Review';
import Contactus from './Style/Contactus';
import LogOut from './Style/LogOut';
import LogIn from './Style/LogIn';
import Home1 from './Style/Home1';
function App() {
 return (
  <>
   <BrowserRouter>
     <Header />
     <Routes>
      <Route path='/home1' element={<Home1 />} />
      <Route path="/" element={<Home />} />
      <Route path='/features' element={<Features />} />
      <Route path='/review' element={<Review />} />
      <Route path='/contactus' element={<Contactus />} />
```

```
<Route path='/login' element={<LogIn />} />
      <Route path='/logout' element={<LogOut />} />
      <Route path="/products" element={<Products />} />
     </Routes>
   </BrowserRouter>
  </>
)
}
export default App;
custom.module.css:
.home{
  color: black;
  background: url(home4.jpg)no-repeat;
  background-size: cover;
  display: flex;
  min-height: 140vh;
  background-position: center;
}
.content h1{
  text-transform: uppercase;
  font-size: 100px;
  position: absolute;
  top: 300px;
  left: 40px;
}
.btn{
```

text-decoration: none; margin-top: 400px; margin-left: 50px;

color: black;

border: none;

background-color:darkgreen;

text-transform: uppercase;

padding: 10px 25px 10px 25px;

```
}
.btn :hover{
  background-color: black;
  color: aliceblue;
  padding: 10px 25px 10px 25px;
}
```

## Output:

