## jQuery HTML

Method / Property	Description	
Get Content / Set Content		
text()	Sets or returns the text content of selected elements	
html()	Sets or returns the content of selected elements	
val()	Sets or returns the value attribute of the selected elements (for form elements)	
Add New HTML Content		
append()	Inserts content at the end of selected elements	
prepend()	Inserts content at the beginning of selected elements	
before()	Inserts content before selected elements	
after()	Inserts content after selected elements	
Remove Elements/Content		
remove()	Removes the selected elements (including data and events)	
removeAttr()	Removes one or more attributes from selected elements	
empty()	Removes all child nodes and content from selected elements	
Class		
addClass()	Adds one or more class names to selected elements	
removeClass()	Removes one or more classes from selected elements	
toggleClass()	Toggles between adding/removing one or more classes from selected elements	
css()	Sets or returns one or more style properties for selected elements	
Dimension Methods		
width()	Sets or returns the width of selected elements	
innerWidth()	Returns the width of an element (includes padding, but not border)	
outerWidth()	Returns the width of an element (includes padding and border)	
height()	Sets or returns the height of selected elements	
innerHeight()	Returns the height of an element (includes padding, but not border)	
outerWidth()	Returns the width of an element (includes padding and border)	

## **jQuery Traversing Methods**

Method / Property	Description	
Ancestors		
parent()	Returns the direct parent element of the selected element	
parents()	Returns all ancestor elements of the selected element	
parentsUntil()	Returns all ancestor elements between two given arguments	
Descendants		
children()	Returns all direct children of the selected element	
find()	Returns descendant elements of the selected element	
Siblings		
siblings()	Returns all sibling elements of the selected element	
next()	Returns the next sibling element of the selected element	
nextAll()	Returns all next sibling elements of the selected element	
nextUntil()	Returns all next sibling elements between two given arguments	
prev()	Returns the previous sibling element of the selected element	
prevAll()	Returns all previous sibling elements of the selected element	
prevUntil()	Returns all previous sibling elements between two given arguments	
Filtering		
first()	Returns the first element of the selected elements	
last()	Returns the last element of the selected elements	
eq()	Returns an element with a specific index number of the selected elements	
filter()	Reduce the set of matched elements to those that match the selector or pass the function's test	
not()	Returns elements that do not match a certain criteria	
has()	Returns all elements that have one or more elements inside of them	