

B. M. S. College of Engineering, Bengaluru - 560019

Autonomous Institute Affiliated to VTU
SEP – 2021 Semester End Main Examinations

Programme: B.E.

Branch : EE/EC/TCE/EI/ML

Course Code: 19ES4ESCST

Course: CONTROL SYSTEMS

Semester : IV

Duration: 3 hrs.

Max Marks: 100

Date: 22.09.2021

Instructions: 1. Answer any FIVE full questions.
2. Missing data, if any, may suitably assumed.

Important Note: Completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages. Revealing of identification, appeal to evaluator will be treated as malpractice.

1. a) Enumerate the important features of feedback control systems. Explain with an example. 08
- b) Apply the fundamental laws to obtain the mathematical model of the translational mechanical system shown in fig 1b. Also obtain the F-V and F-I analogy 12




Fig.1(b)

2. a) Enumerate the differences between open and closed loop control system. 05
- b) 08




Fig. 2(b)

Apply the appropriate reduction rules and obtain the transfer function for the system shown in Figure 2(b).

c)

07




Fig. 2(c)

Apply MGF to obtain transfer function for the system shown in Figure 2(c).

3. a) Define the time domain specifications of a second order system injected with a unit step input with diagram. 06
 b) A feedback system has $G(s) = \frac{10}{s(s+2)}$, $H(s) = 1$ 08
 Determine the time-domain specifications such as rise time, percentage peak overshoot, peak time and settling time when the system is subjected to a step input of 12 units.
 c) The open-loop transfer function of a unity feedback system is $G(s) = \frac{k}{s(1+0.025s)}$ and damping ratio = 0.4. Determine K and the steady-state error for the ramp input 06

4. a) The characteristic equation of a single loop feedback system is given as 10
 i) $F(s) = s^4 + 5s^3 + 5s^2 + 4s + k = 0$
 ii) $F(s) = s^5 + 2s^4 + 3s^3 + 6s^2 + 5s + 13 = 0$
 Find the stability of the system using R-H criterion and the range of value of k for stability if applicable.
 b) Sketch the root locus of the system whose loop transfer function is given by 10
 $G(s)H(s) = \frac{K(s-4)}{s(s^2+2s+2)}$. Comment on the stability of the system

5. a) Explain the stability analysis using polar plot. 06
 b) Comment on stability using Nyquist criterion for the system having $G(s)H(s) = \frac{(50)}{s(1+s)(2+s)}$ 09
 c) Obtain the polar plot for $G(s)H(s) = \frac{1}{s^2(1+s)}$ 05

6. a) Define the frequency domain specifications 06

- b) Sketch the Bode plot and determine the frequency domain specifications for $G(s)H(s) = \frac{80}{(s+2)(s+20)}$ 14
Also, comment on the stability of the system

7. a) Determine the state-space model for the electrical system shown in Fig. 7(a) 08




Fig. 7(a)

- b) Obtain state-space representation for the system represented by 06

$$\frac{d^3 y(t)}{dt^3} + 8 \frac{d^2 y(t)}{dt^2} + 11 \frac{dy(t)}{dt} + 6y(t) = u(t)$$
- c) Obtain the transfer function for the state-space representation of a system 06
 given by
 $A = \begin{bmatrix} -1 & -2 & 3 \\ 0 & -1 & -3 \\ -3 & -1 & -1 \end{bmatrix}$; $B = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$; $C = \begin{bmatrix} 0 & 1 & 0 \end{bmatrix}$; $D = \begin{bmatrix} 0 & 0 & 0 \end{bmatrix}$
