Canon: Role Brief

Tanishka Bellale — Frontend Developer

Name	Tanishka Bellale
Role	Frontend Developer
Team	RUNTIME REBELS
Project	Canon — an AI-assisted brand-governance and content-verification system
Hackathon	CodeNexus India 2026
GitHub	https://github.com/tanishkabellale-collab
Team project files	https://drive.google.com/drive/folders/1Ci9DM56kiHJLv-XyHUdq-1vtNpli45Kj?usp=drive_link
Prepared	25 October 2026
Document status	Presentation-ready. Facts that still need your confirmation carry a status label and are listed in Section 13.

Built from: the Canon Phased Project Task Document (frontend tasks), PRD, architecture, engineering standards, the task documents for Prathmesh Shinde and Tanishka Gawale, and the Round 1 submission form, as summarised in the original brief (10 pages).

> **Product principle:** every finding should have an evidence trail, and consequential decisions remain under human control. Canon supports human review; it does not guarantee legal compliance or perfect AI accuracy.
>
> **Evidence check made while preparing this document:** the GitHub profile is public and lists 6 repositories, none of which is a Canon repository. The Drive folder (“Runtime Rebels”) opens, but its file list could not be read. No deployed URL was supplied. For that reason no task is marked “Completed — verified”; see Section 13.

Contents

1 Cover and role details
2 Executive summary
3 Self-introduction and contribution statement
4 Frontend task matrix
5 Demo walkthrough and speaking notes
6 Key technical and UX design decisions
7 Accessibility, security and AI transparency
8 Judge Q&A and suggested spoken answers
9 Team responsibilities and handoffs
10 Round 1 contribution statement
11 Round 2 and Round 3 implementation plan
12 Presentation-readiness checklist
13 Outstanding confirmations and evidence register
14 Your personal action list

2. Executive summary

Role. As Frontend Developer, my job is to make Canon's evidence visible and its controls trustworthy. Canon's promise is that every finding comes with a receipt and that humans decide. The interface is where a judge, reviewer or creator sees that promise kept or broken.

Planned scope. Thirteen areas, from project scaffold to Playwright testing, covering login and role-aware navigation, policy setup, submission and revision history, the findings screen with evidence highlighting, accessibility, the reviewer queue and override workflow, the AI-service disclosure panel, Rule Health, the proposal, backtest and approval views, optional PDF/DOCX viewing, the evaluation screen, and browser tests.

Planned stack (from the task document): Next.js App Router, TypeScript, Tailwind CSS, shadcn/ui, TanStack Query, React Hook Form, Zod, Playwright, and Recharts for the Rule Health chart. These are the planned technologies. A technology is described as in use only after the repository confirms it (Register R-02, R-03). Until the design system is finished, shadcn/ui defaults are used.

Status at a glance.

Status label	Areas	Which
Completed — verified	0	None. No repository, deployment or test evidence could be inspected.
Awaiting confirmation	11	Areas 1–10 (Round 2 items; area 10 is Round 2 or 3) and area 13 (Playwright).
Planned — not yet implemented	2	Area 11 (optional file views) and area 12 (evaluation screen, Round 3).
Not yet measured	—	Playwright counts and pass rate; keyboard walk-through and contrast results.

Section 4 is the authoritative record. Statuses reflect available evidence, not necessarily the actual state of the work.

How to use this document. Say only what a file, a screen or a test result can show. If a sentence relies on an unconfirmed fact, use the "not yet confirmed" version of the answer given in Sections 3 and 8.

3. Self-introduction and contribution statement

60-second introduction

This version is safe to say today because it describes the product's design and my role, and it does not claim finished work.

> *"I'm Tanishka Bellale, the frontend developer on team Runtime Rebels. Canon is an AI-assisted brand-governance system. AI makes content cheap, but review capacity doesn't grow with it, so Canon's promise is that every finding carries an evidence trail and humans make the consequential decisions. My role is the interface where that promise is visible. The findings screen highlights the flagged text using character offsets and shows the verified source quote beside it. Unverified findings are labelled. Accepting a suggestion only places text in an editable draft, and a reviewer can't submit an override until a reason code is chosen. One design decision I'd point to: we lead with findings and evidence rather than a single brand score, because a score hides the reasoning. I'll be straightforward about status as I demo: what you see working is working, and anything else I'll call planned."*

Add only if confirmed. If Register items R-02 and R-06 are confirmed, you may add: "The screens I've built are the ones I'm about to show on the deployed link, and I've written Playwright tests for the findings and creator-to-approver flows." Do not add a pass count unless it was measured.

20-second introduction

> *"I'm Tanishka, frontend on Canon. I build the screens where every AI finding shows its evidence and every decision stays with a human — and I'll be clear about what's working today and what's planned."*

If you blank out: five points

- **The problem:** AI makes content cheap, but review capacity does not grow with it.
- **What is different:** every finding has a verified receipt, and reviewer overrides help improve the rules.
- **My role:** the screens where evidence, decisions and Rule Health become visible.
- **What is honest:** the interface cannot approve anything by itself, unverified findings are labelled, and demo data is labelled.
- **What we do not claim:** legal compliance, being “unique”, or any figure we did not measure.

Personal contribution statement

Responsibility (confirmed by the task documents, subject to R-01): the frontend of Canon, as listed in Section 4.

Verified personal contribution: none can be stated yet, because no repository, test or deployment evidence was accessible. After you confirm Section 4, use this sentence: “I built and can demonstrate the screens marked Completed — verified in my task matrix; the rest are planned or awaiting confirmation.”

> *Suggested wording for the sentence that ties it together: “Canon promises evidence and human control. My contribution is making both visible, usable and hard to bypass from the interface.”*

4. Frontend task matrix

Every task tagged “Frontend” in the phased task document appears here. A task listed in the specification is not claimed as personally built until you confirm it (R-01) and evidence is attached (R-02). Status labels follow the project convention; “Available” evidence means evidence accessible to this review.

4A. Responsibility, status and proof

#	Area	Task IDs	My responsibility	Status	Evidence required / available	Dependencies
1	Frontend scaffold and application architecture	P0-T05	Set up the Next.js App Router project with TypeScript and Tailwind; add shadcn/ui, TanStack Query, React Hook Form and Zod. Assumes: personally mine (R-01).	Awaiting confirmation (Round 2 item)	Required: repo path of the app, a deployed URL that loads, a package list showing the stack. Available: none accessible.	Dhruv Patil: deployment and same-origin hosting.
2	Login, application shell, role-aware navigation	P1-T16	Login page; navigation that changes by role; route guards by role; an empty top-bar slot reserved for the AI-service chip.	Awaiting confirmation (Round 2 item)	Required: screen recording or screenshots of each role signed in. Available: none.	Dhruv Patil: authentication endpoints and server-side authorization.
3	Policy setup and rule editor	P2-T13, P2-T14, P2-T15	Policy Setup screen (upload, sources, proposed rules with source quote; Approve, Edit, Reject, Publish v1.0); rule-editor drawer; claim ledger with expired valid_until highlighted.	Awaiting confirmation (Round 2 item)	Required: screens used in the demo; published v1.0 shown. Available: none.	Dhruv Patil: policy endpoints. Prathmesh Shinde: fixture policy and claims files.
4	Content submission and revision history	P3-T09, P3-T10, P3-T11	Submit screen with progress indicator; submission list with status chips and revision history; version diff view.	Awaiting confirmation (Round 2 item)	Required: a submit-and-resubmit run in the demo showing two revisions and a diff. Available: none.	Dhruv Patil: background-job status endpoint. Prathmesh Shinde: demo draft.
5	Findings screen and evidence highlighting	P5-T04 to P5-T09	Highlight flagged text from character offsets; finding detail card (what, why, rule, verified source quote, confidence, suggested rewrite); findings list sorted by severity with click-to-scroll; Accept / Edit / Dismiss; “Passed with no findings” state; visible label on unverified findings; AI-service chip.	Awaiting confirmation (Round 2 item)	Required: findings screen in the demo; a test that highlighted text equals the finding’s stored snippet. Available: none.	Dhruv Patil: finding schema (offsets, verification status). Prathmesh Shinde: source quotes.
6	Accessibility pass	P5-T10	Keyboard navigation, visible focus states, text alternatives for severity colours (icon and label), contrast target of AA.	Awaiting confirmation (Round 2 item). Results: Not yet measured	Required: keyboard-only walk-through record; contrast-tool output. Available: none.	None external; needs the finished screens from areas 3–5 and 7.

#	Area	Task IDs	My responsibility	Status	Evidence required / available	Dependencies
7	Reviewer queue and override workflow	P6-T09 to P6-T14	Reviewer queue; review panel (flagged text beside the quoted approved source, reason-code dropdown, Submit disabled until a reason code is chosen); approver view with claim-ledger lookup; comment thread; creator dispute dialog; submission status tracker.	Awaiting confirmation (Round 2 item)	Required: review flow in the demo; a test showing Submit is disabled without a reason code. Available: none.	Dhruv Patil: override, comment and dispute endpoints; reason-code list; server-side role checks.
8	AI-service disclosure panel	P8-T07	Panel opened from the top-bar chip, with a call-history table for IT; reads real call records rather than static text.	Awaiting confirmation (Round 2 item)	Required: panel matching the real provider and settings; screenshot beside the backend call record. Available: none.	Dhruv Patil: call-record endpoint; provider, settings and retention terms (open item).
9	Rule Health dashboard	P9-T07, P9-T08	Rule Health table ranked by override rate with flag chips and a drawer; recurring-mistakes chart (Recharts).	Awaiting confirmation (Round 2 item)	Required: screen showing the seeded pattern with a visible demo-data label. Available: none.	Dhruv Patil: aggregation endpoint. Prathmesh Shinde: seeded history.
10	Proposal, backtesting and approval views	P10-T09, P10-T10	Proposal view (diagnosis, old-versus-new rule diff, Run backtest, flipped findings); approval step; policy version-history page.	Awaiting confirmation (Round 2 or Round 3 item)	Required: v1.0 to v1.1 shown in the demo. Available: none.	Dhruv Patil: backtest and approval endpoints.
11	PDF and DOCX viewing (optional)	P11-T07, P11-T08	PDF viewer with highlight overlays; DOCX view reusing the same highlight component. Cut early if time is short.	Planned — not yet implemented (optional; update if built)	Required, only if built: highlights on an uploaded file. Available: none.	Dhruv Patil: text extraction and offset mapping for files.
12	Evaluation-results screen (if implemented)	P12-T08	Results table of LLM-only versus hybrid, with bars per category.	Planned — not yet implemented (Round 3 item)	Required: screen showing real harness output. Available: none.	Dhruv Patil: harness output. Prathmesh Shinde: labelled set.
13	Playwright browser testing	P5-T11, P6-T16, P14-T05	Tests for the findings flow and the creator-to-approver flow; automation of the demo path, run repeatedly. Script handed to Dhruv Patil and Tanishka Gawale by Round 2, Day 3.	Awaiting confirmation. Test count and pass rate: Not yet measured	Required: test files, run log or report, consecutive-pass record. Available: none.	Dhruv Patil: stable endpoints and same-origin deployment. Tanishka Gawale: agreed demo path.

4B. Remaining work and acceptance criteria

#	Area	Remaining work	Acceptance criteria
1	Frontend scaffold and application architecture	Confirm the app loads at the deployed link; record repo path.	App builds with strict TypeScript; no `any`; deployed URL opens the login page.
2	Login, application shell, role-aware navigation	Confirm each role signs in and sees only its own navigation.	Each role sees only its tools; direct URL access to another role's page is blocked in the UI, and the server independently refuses the request.
3	Policy setup and rule editor	Confirm all three screens and the drawer work end to end with fixture data.	A brand manager can approve, edit, reject and publish v1.0; expired valid_until entries are visibly highlighted.
4	Content submission and revision history	Confirm submit, progress, history and diff against a real submission.	A resubmission creates a visible new revision; the diff shows changed text; status chips match backend state.
5	Findings screen and evidence highlighting	Verify highlight accuracy after text normalisation and on non-ASCII text; confirm the unverified label and empty state.	Highlighted text matches each finding's stored snippet in the test set; unverified findings always show a label; a clean result shows "Passed with no findings".
6	Accessibility pass	Run and record the keyboard-only walk-through and a contrast check on every demo screen.	Every demo action reachable by keyboard; focus always visible; severity shown by icon and label; text and key controls meet AA contrast, or defects listed.
7	Reviewer queue and override workflow	Confirm the override path with a real reason-code list and server-recorded decisions.	Submit stays disabled until a reason code is chosen; the saved override appears in the record; a creator can dispute.
8	AI-service disclosure panel	Connect the panel to real call records; confirm provider and settings with Dhruv Patil.	Panel values equal the backend record; if data is demonstration-only it is labelled as such.
9	Rule Health dashboard	Confirm the seeded history and visible demo-data label.	Table ranks rules by override rate; label "seeded demo data" is visible on the screen; chart matches the table.
10	Proposal, backtesting and approval views	Confirm the diff, backtest and approval flow against the backend.	The diff shows old and new rule; backtest results list flipped findings; a newly missed critical finding triggers a visible warning; approval needs a signed-in human.
11	PDF and DOCX viewing (optional)	Decide build or cut; if built, test overlays.	Highlight overlays align with text on an uploaded file; if cut, no demo mention except as "planned".
12	Evaluation-results screen (if implemented)	Build only after real evaluation output exists.	Screen shows only measured figures from the harness; no invented numbers.
13	Playwright browser testing	Write and run the tests; keep the log.	Findings flow and creator-to-approver flow pass on the deployed build; the demo-path test passes several runs in a row, with the count recorded.

Acceptance criteria describe what a passing result looks like. They are not results.

5. Demo walkthrough and speaking notes

The demo follows Canon's seven-stage workflow. **Rules for the live demo:** show only what works on the deployed link; label seeded or fictional data on screen and aloud; if a stage fails, use its fallback and say plainly what you are showing. Never show an unavailable feature as if it works.

Stage 1 — A brand manager reviews and approves policy rules (Policy Setup; P2-T13 to T15)

What the judge sees	Proposed rules, each with its source quote; Approve, Edit, Reject; then Publish v1.0.
What I say	"Every rule shows its source quote, and nothing is enforced until a human approves it."
Interaction that demonstrates it	Approve a rule, edit one in the drawer, then publish v1.0. Point to an expired valid_until entry in the claim ledger.
Evidence supporting the claim	Deployed screen; published v1.0 in the version history. Status today: Awaiting confirmation.
Fallback if unavailable	If the screen is not working, say "this step is planned" and show the written requirement. Do not present it as working.

Stage 2 — A creator submits content (Submit screen; P3-T09 to T11)

What the judge sees	The draft being submitted and a progress indicator while the check runs.
What I say	"The check runs as a background job and the screen shows progress."
Interaction that demonstrates it	Submit the demo draft; show the status chip move through its states.
Evidence supporting the claim	A submission visible in the list with a revision entry. Status today: Awaiting confirmation.
Fallback if unavailable	If live submission fails, use a previously submitted example in the list and say so.

Stage 3 — Canon displays findings and evidence (Findings screen; P5-T04 to T09)

What the judge sees	Highlighted text, the detail card with the verified source quote beside it, and the visible label on an unverified finding (the hidden-instruction example).
What I say	"The highlight comes from exact character offsets, and the source quote beside it was verified by code. Unverified findings are labelled, not hidden."
Interaction that demonstrates it	Click a finding in the severity-sorted list; the page scrolls to the highlight. Press Accept and show that only an editable draft changes.
Evidence supporting the claim	Findings screen; highlight-accuracy test (not yet measured). Status today: Awaiting confirmation.
Fallback if unavailable	If the model or network fails, use cached results only if Register item R-10 is confirmed; otherwise describe the screen as planned.

Stage 4 — A reviewer records an override with a reason code (Review panel; P6-T09 to T14)

What the judge sees	Flagged text beside the approved source quote, a reason-code dropdown, and a Submit button that is disabled until a reason is chosen.
What I say	"You cannot submit an override without choosing a reason code, and the decision is recorded."
Interaction that demonstrates it	Try to submit without a code (blocked), choose one, submit, then show the recorded entry.

Evidence supporting the claim	Review flow on the deployed link; test of the disabled button. Status today: Awaiting confirmation.
Fallback if unavailable	If unavailable, show the screen design as planned. Do not claim overrides are recorded.

Stage 5 — Rule Health displays recurring patterns (P9-T07, T08)

What the judge sees	Rule Health table ranked by override rate, flag chips, the drawer and the recurring-mistakes chart, with the demo-data label.
What I say	“This history is seeded demo data from a fictional company, and it is labelled in the screen.”
Interaction that demonstrates it	Open the flagged rule’s drawer; show the override reasons that accumulated.
Evidence supporting the claim	Screenshot showing the label; seeded-history file from Prathmesh Shinde. Status today: Awaiting confirmation.
Fallback if unavailable	If the screen is unavailable, describe the idea verbally and label it planned. Never present seeded history as real customer data.

Stage 6 — A proposed policy change is backtested (Proposal view; P10-T09)

What the judge sees	Diagnosis, the old and new rule side by side, a Run backtest button, and flipped findings, with a warning if a critical finding would be newly missed.
What I say	“The proposal shows the old and new rule side by side, and warns if a critical finding would be newly missed.”
Interaction that demonstrates it	Click Run backtest and open one flipped finding.
Evidence supporting the claim	Backtest result on the deployed link. Status today: Awaiting confirmation.
Fallback if unavailable	If the backtest is not working, show the rule diff only (if built) and say the backtest is planned.

Stage 7 — A human approves the revised policy version (Approval step; P10-T10)

What the judge sees	The approval step and the version history moving from v1.0 to v1.1.
What I say	“A human approves the change; nothing here is automatic.”
Interaction that demonstrates it	Approve as a signed-in approver; open the version-history page.
Evidence supporting the claim	Version history showing v1.1. Status today: Awaiting confirmation.
Fallback if unavailable	If v1.1 cannot be shown, stop at the backtest and say the approval step is planned.

6. Key technical and UX design decisions

Each decision below comes from the project documents. “Design” means the intended behaviour; test results are reported only when evidence exists.

Evidence highlighting

Each finding carries start and end character offsets into the submitted text, plus the source quote that supports it. The interface slices the submitted text at those offsets, wraps the slice in a highlight element, and shows the source quote beside it in the detail card. Offsets only make sense for the exact text version the backend analysed,

so the interface must display that same text. Two risks to test: text normalisation (whitespace, Unicode) changing positions, and JavaScript strings counting UTF-16 code units, which can differ from how a backend counts characters in text with emoji or unusual symbols. A sensible safeguard is to compare the highlighted slice with the finding's stored snippet and, on a mismatch, show the finding without a highlight. Offset correctness is **Not yet measured** (R-16).

Human control: four different actions

Action	Who	What changes	What does not change
Accept a suggested rewrite	Creator	Suggested text is inserted into an editable draft.	The submission itself; nothing is submitted.
Edit the draft	Creator	The draft text. Resubmitting creates a new revision in the history.	Earlier revisions.
Submit an override	Signed-in reviewer	A reason-coded decision is recorded against the finding.	The policy rule; the finding stays on record.
Approve a policy change	Signed-in approver	A new policy version is published after review of the backtest.	Nothing happens automatically.

Verification status

Result	Meaning
Verified finding	The finding's supporting source quote was checked by code against the approved source. Creators see these by default.
Unverified finding	The finding could not be confirmed against a source. It appears only with an explicit visible label and is never disguised. Dropped findings never reach creators.
Passed with no findings	No findings were produced by the checks against the published rules. This does not prove the content is correct, compliant or free of issues the rules do not cover.

Why not a single brand score

A score hides reasoning. Reviewers need the finding, the rule and the source quote, so those lead the interface.

Rule Health

Reviewers must choose a reason code when overriding a finding. Rule Health aggregates these overrides by rule and ranks rules by override rate, with flag chips and a drawer showing the reasons. A rule that is often overridden for the same reason may be too broad, outdated or wrongly worded, which makes it a candidate for review. It is a signal for humans, not proof that a rule is wrong. In the demo the history is seeded: a visible "seeded demo data" label is required on the screen (R-18).

Backtesting

A proposed rule change is run against previously analysed content and compared with the earlier version of the rule. The Proposal view shows the diagnosis, the old and new rule side by side, and the flipped findings, meaning findings that appear or disappear under the new rule. If a critical finding would be newly missed, the interface shows a warning. A person then decides whether to approve the new version; backtesting informs the decision but does not make it.

Engineering rules from the project standards

- Untrusted text is never rendered as HTML. Submitted and document text is shown as plain text.

- Server data is validated at the boundary with Zod, cached in TanStack Query, and typed with strict TypeScript and no `any`.
- Role checks on screen shape the user's experience only; the server is the authority.
- Accessibility counts as part of "done", because Canon itself checks accessibility.

7. Accessibility, security and AI transparency

Accessibility

Design intent: keyboard navigation to every control; visible focus indicators; semantic labels for form fields, buttons and regions; severity shown by icon and text label, never colour alone; contrast of at least AA as the target.

Test status: keyboard-only walk-through — Not yet measured (R-07). Contrast check — Not yet measured (R-08). Until those exist, say "designed for" and not "compliant". Do not say "fully accessible" or "WCAG compliant".

Security

Role-aware navigation and route guards improve the experience by hiding tools a user should not use. They are not security controls: anyone can call the API directly, so the server must authenticate every request and authorize every action. The frontend alone does not enforce security. Rendering all submitted text as plain text reduces the risk of script injection. Server responses are validated with Zod before use.

AI transparency

The top-bar chip and disclosure panel should show the real AI provider, settings and call history, read from backend call records. The panel is useful only if it reflects what actually ran. A static mock-up is not a live integration and must be labelled "demonstration data". The model's hosting and data-retention terms are an open item that will appear in this panel (R-09). The AI-use record for coding tools is kept by Dhruv Patil.

8. Judge Q&A and suggested spoken answers

Answers are written to be spoken naturally. Text in square brackets is an instruction for you to complete from your own evidence or experience; remove the brackets and instruction before you speak. The right-hand column shows how far each answer is supported today.

Question	Suggested spoken answer	Verification status
1. What exactly did you contribute?	I'm the frontend developer. My scope is the interface where Canon's evidence and human controls become visible: login and role-aware navigation, policy setup, submission, findings with highlighted evidence, review and approval, the AI-service panel, Rule Health, the proposal and backtest views, and the browser tests. What I can show working today is what I've marked as complete on our status table; the rest I'll call planned.	Awaiting confirmation (task ownership, R-01; status, R-02)
2. Which screens did you implement?	I'll answer from what I can open right now. [Name only the screens marked Completed — verified in Section 4.] The other screens in the specification are planned, and I won't present them as working.	Awaiting confirmation (R-02, R-04)
3. How is evidence presented?	Each finding stores character offsets into the submitted text. I use those offsets to highlight the exact wording, and the detail card shows the verified source quote beside it, plus the rule and a suggested rewrite. If a finding's quote couldn't be verified, it carries a visible "unverified" label.	Design verified from source; highlight accuracy Not yet measured (R-16)
4. Can the AI approve or change a submission automatically?	No. The interface offers Accept, Edit and Dismiss; accepting only puts text into an editable draft. Overrides and policy approvals need a signed-in human, and the server enforces roles, not just the screen.	Design verified from source; implementation Awaiting confirmation

Question	Suggested spoken answer	Verification status
5. What accessibility checks did you perform?	If tested: “I did a keyboard-only walk-through and a contrast check on the demo screens. The result was [state your actual result].” If not yet tested: “Our design targets keyboard navigation, visible focus, severity shown by icon and label, and AA contrast. I haven’t measured a result yet, so I’m not claiming compliance with any standard.”	Not yet measured (R-07, R-08)
6. What happens if the model or network fails?	The deterministic checks don’t depend on the model, and the interface should show a clear error state rather than a blank screen. [If confirmed: we also have cached results and a recorded fallback demo that plays offline.] [If not confirmed: a cached-results and offline fallback is planned.]	Awaiting confirmation (R-10)
7. Why doesn’t Canon rely on a single brand score?	A score hides the reasoning. Reviewers need the finding, the rule and the source quote, so those lead the interface. A single number also invites false confidence.	Design decision; verified from source
8. What was your most challenging technical problem?	Suggested answer — confirm only if it matches your experience: “Making highlights land on the right words. The backend returns character offsets, but if the text is normalised or contains characters that count differently in JavaScript strings, the highlight can drift. I check that the highlighted slice equals the finding’s stored snippet and show the finding without a highlight if it doesn’t.” If this isn’t your experience, give a different, genuine one.	Personal confirmation required (R-11)
9. Which AI tools did you use?	We disclose AI use, and Dhruv Patil keeps the record. For my own work: [state the tools you personally used, or say you used none]. Any AI-assisted change should go through human review.	Personal confirmation required (R-09, R-17)
10. How did you collaborate with the backend developer?	Dhruv provides the OpenAPI schema and endpoint contracts at the start of Round 2, refreshed daily, with working endpoints per phase. In return I deploy the screens behind the same origin and hand over the Playwright script by Round 2, Day 3. [Add one concrete example of how you worked together if you have one.]	Handoff plan verified from source; actual collaboration Awaiting confirmation (R-19)
11. Which parts are complete, planned or unverified?	I’ll use our status table. Anything marked complete I can show now. Planned items I’ll call planned. Where I haven’t measured something, such as test counts or accessibility results, I’ll say we haven’t measured it.	Depends on completion of Sections 4 and 13

Say this, not that

Say	Do not say
“The interface makes every finding’s source visible”	“The UI guarantees the AI is right”
“Keyboard navigable, with contrast checked at AA” (only if tested)	“Fully accessible” or “WCAG compliant” without a test
“Seeded demo data, fictional company”	Seeded history presented as real customer data
“Planned” or “not built yet”	Describing a cut screen as working
“We found no equivalent in our research”	“Unique” or “the only tool”
“Supports human review”	“Ensures legal compliance”
“We have not measured that.”	Any number you did not measure

9. Team responsibilities and collaboration handoffs

Who answers what

Agree this before presenting. Each person claims only what they can show in a file, a screen or a test result.

Topic	Lead answerer	Cue line
Screens, accessibility, review workflow, browser tests	Tanishka Bellale — Frontend Developer	You lead.
Architecture, verifier, security, AI pipeline, database, deployment, tools used	Dhruv Patil — Backend, AI verification pipeline, database, security, deployment	"Dhruv built that part."
Problem evidence, competitors, demo data, labelled set	Prathmesh Shinde — Literature and Domain Expert	"Prathmesh verified those sources."
Story, scope, plan, submissions, what is next	Tanishka Gawale — Project Manager and Pitch Lead	"Tanishka can take the bigger picture."
Anything unmeasured	Anyone	"We have not measured that."

Handoffs

From	To	What is handed over	Needed by
Dhruv Patil	Tanishka Bellale	OpenAPI schema and endpoint contracts; working endpoints per phase	Start of Round 2; refreshed daily
Tanishka Bellale	Dhruv Patil, Tanishka Gawale	Screens deployed behind the same origin; Playwright script	Round 2, Day 3
Prathmesh Shinde	Dhruv Patil	Fixture policy, claims files, demo draft, seeded history	Round 2, Day 1 to 3
All	Tanishka Gawale	Completed-features list and known gaps	Before each submission deadline

Receipt of each handoff is Awaiting confirmation (R-19).

Open dependencies that affect the frontend

- Design system: finished, or shadcn/ui defaults? The phased document says defaults for now (R-14).
- Hosted model and its retention terms, which the disclosure panel displays (R-09).
- Final product name (R-15).

10. Round 1 contribution statement

Fact: Round 1 is a planning phase. No product code was written in Round 1. Nothing in this document attributes later implementation to Round 1.

> **Check first (R-13):** the Round 1 form says every member submits separately, each with the same team name and project and a description of the part they personally worked on. The task documents say only the team leader submits. Ask Tanishka Gawale which is correct; assume you must submit until confirmed.

Minimum safe version (true on the available evidence)

> *"My role is Frontend Developer. Round 1 was a planning phase and no product code was written. In Rounds 2 and 3 I own the interface: login and role-aware shell, policy setup, submit and findings screens with highlighted*

> *evidence, the review and approval workflow, the AI-service disclosure panel, Rule Health, the proposal and approval views, and the Playwright tests."*

Fuller version (use only the activities you actually performed — R-12)

> *"My role is Frontend Developer. In Round 1 I [planned the screen list and the user flows for each role], [reviewed the architecture and the API plan so the interface fits it], and [studied the accessibility rules the product must meet]. For Rounds 2 and 3 I own the interface: … No product code was written in Round 1."*

Keep only the bracketed activities that are true, and delete the brackets. The three activities are suggested wording from the source; none is confirmed.

11. Round 2 and Round 3 implementation plan

Round 2 and Round 3 items are planned work until you mark them done. The phase for each area is taken from the source task document.

Phase	Areas and tasks	Handoff or timing	Exit evidence
Round 2	Area 1 (P0-T05); 2 (P1-T16); 3 (P2-T13 to T15); 4 (P3-T09 to T11); 5 (P5-T04 to T09); 6 (P5-T10); 7 (P6-T09 to T14); 8 (P8-T07); 9 (P9-T07, T08)	OpenAPI schema and endpoints at the start of Round 2, refreshed daily. Fixtures from Prathmesh Shinde on Days 1 to 3.	Each screen working on the deployed link; evidence stored in the register.
Round 2, Day 3	Area 13: Playwright script for the findings and creator-to-approver flows (P5-T11, P6-T16)	Screens deployed behind the same origin; script handed to Dhruv Patil and Tanishka Gawale.	Test files and a run log.
Round 2 or Round 3	Area 10 (P10-T09, T10)	Backtest and approval endpoints from Dhruv Patil.	v1.0 to v1.1 shown in the demo.
Round 3	Area 12 (P12-T08); area 13 demo-path automation (P14-T05); area 11 only if built (P11-T07, T08)	Real harness output (area 12). Cut file views early if time is short.	Evaluation screen showing real output; several consecutive passing demo-path runs.

12. Presentation-readiness checklist

Check	Evidence that closes it	Status
Every screen shown in the demo works from the deployed link, not just locally	Deployed URL (R-04)	Awaiting confirmation
Demo-data label is visible in the Rule Health screen	Screenshot (R-18)	Awaiting confirmation
Unverified findings are visibly labelled; "Passed with no findings" displays correctly	Screenshots of both states	Awaiting confirmation
Keyboard-only walk-through done and contrast checked	Walk-through record; contrast-tool output (R-07, R-08)	Awaiting confirmation
The Playwright demo path has passed several times in a row	Run log (R-06)	Awaiting confirmation
The AI-service panel matches the real provider and settings	Panel beside the backend call record (R-09)	Awaiting confirmation
The fallback demo recording plays offline	Tested on an offline device (R-10)	Awaiting confirmation

Check	Evidence that closes it	Status
Every spoken sentence is backed by a file, a screen or a test	Sections 3 and 8 reviewed	Awaiting confirmation

13. Outstanding confirmations and evidence register

Each row is a fact that could not be verified from the sources and links available to this review. The main narrative uses the truthful status labels; the reasons are collected here.

ID	Unresolved fact	Why it cannot yet be verified	Who or what resolves it	Priority
R-01	Which “Frontend” tasks are personally mine	Your personal task PDF was not received. The brief lists every task tagged “Frontend” in the phased task document, plus the Playwright handoff.	Tanishka Gawale (Project Manager) confirms ownership per task ID.	High
R-02	Implementation status of each of the 13 areas in Section 4	No Canon repository, commit, screenshot or deployed URL was accessible to this review.	You: mark each area using the status labels, with a repo path, commit, screenshot or URL.	High
R-03	Canon repository and commit evidence	The linked GitHub profile is public with 6 repositories (e.g. Travel-planner, Rangbhumi_ticket_booking, data-science projects); none is named Canon or evidently part of it. The Canon code may be in a private repo or another team member’s account. The repository listing page could not be fetched automatically.	You or Dhruv Patil: the exact Canon repository URL and, ideally, commit links for your work.	High
R-04	Deployed link for the demo	No deployment URL was supplied in the PDF or the prompt.	Dhruv Patil (deployment) or you: the live URL.	High
R-05	Contents of the team project-files folder	The Google Drive folder (titled “Runtime Rebels”) loads, but its file listing could not be read without a signed-in browser.	You: confirm what the folder holds, or paste or share the files that matter (e.g. the phased task document).	Medium
R-06	Playwright results (P5-T11, P6-T16, P14-T05)	No test files, CI run or report were accessible. Run count and pass rate: Not yet measured.	You: test file paths and a run log or report showing consecutive passes.	High
R-07	Keyboard-only walk-through result	No record of a walk-through exists in the sources.	You: do the walk-through; note date, screens covered and any defects.	High
R-08	Colour-contrast check (AA target)	No tool output or measured result exists in the sources. Result: Not yet measured.	You: run a contrast checker; record the tool and findings.	High

ID	Unresolved fact	Why it cannot yet be verified	Who or what resolves it	Priority
R-09	AI tools used for coding, and the AI provider shown in the disclosure panel	The source says tools are “recorded by Dhruv Patil” but gives no list. Provider, model and retention terms are listed as open.	Dhruv Patil: the AI-use record. You: any tools you personally used.	High
R-10	Offline / network-failure fallback (cached model results, recorded demo)	The source asserts these exist in one place and lists them as a pre-demo check in another. No evidence of either was accessible.	Dhruv Patil and Tanishka Gawale: confirm what exists; you: confirm the recording plays offline.	High
R-11	Your genuine hardest technical problem	This is personal experience and must not be invented.	You. A suggested, labelled draft is in Section 8, Q8.	Medium
R-12	Your actual Round 1 planning activities	The source offers three bracketed suggestions without confirming any.	You: tick only the activities you really performed.	Medium
R-13	Who submits the Round 1 form	The form says every member submits separately; the task documents say only the team leader does.	Tanishka Gawale. Assume you must submit until confirmed.	High
R-14	Design-system status	The source says the design-system document is unfinished and shadcn/ui defaults are used for now.	Tanishka Gawale or Dhruv Patil.	Low
R-15	Final product name	Listed as an open item in the source.	Team decision (Tanishka Gawale).	Low
R-16	Highlight offsets correct after text normalisation	Described as a design intent. No test result exists.	You and Dhruv Patil: a test using normalised text and non-ASCII characters.	Medium
R-17	Claim: “every AI-written change was reviewed by a human”	Stated in the source without supporting evidence.	Dhruv Patil (process owner). Remove from speech if not confirmed.	Medium
R-18	Demo-data label visible in Rule Health; history is seeded	Screen not accessible; seeded status comes from the source only.	You: screenshot of the label. Prathmesh Shinde: seeded-history file.	Medium
R-19	Handoffs received (OpenAPI schema, endpoints, fixtures)	Receipt of these inputs cannot be confirmed from the sources.	Dhruv Patil and Prathmesh Shinde.	Medium

14. Your personal action list

Only items that need your input. Details are in the register.

- **Task ownership and statuses (R-01, R-02):** ask Tanishka Gawale which “Frontend” tasks are yours; then mark each of the 13 areas in Section 4.
- **Repository and deployment evidence (R-03, R-04):** the Canon repository URL, commit links and the deployed URL.
- **Playwright (R-06):** test file paths, run log and the number of consecutive passes.
- **Accessibility (R-07, R-08):** do the keyboard-only walk-through and a contrast check; record the results.
- **AI tools (R-09):** the tools you used personally; ask Dhruv Patil for the team AI-use record.
- **Offline fallback (R-10):** whether cached results and the recorded demo exist and play offline.
- **Your technical challenge (R-11):** confirm or replace the suggested answer in Q8.
- **Round 1 and handoffs (R-12, R-13, R-19):** which Round 1 activities you did, who submits, and which handoffs have arrived.