

Hands on Open source


IPv4 and IPv6

Difference b/w IPv4 and IPv6

IPv4 and IPv6


- IPv4 is a mechanism used by TCP/IP (Transmission Control & Internet Protocol): Belong in Transport & Network layer from OSI model.
- IPv6 is a newer version for the future use.
- Both are connectionless(No fix path e.g. UDP) services.
- Address size is 32 bit & 128 bit
- Address format as a Dotted decimal notation 192.149.252.76 and in IPv6 as a Hexadecimal notation : 3FFE-F200-AB00-0123:0234:890A : -
- No. of Addresses 2_{32} =Aprox. 4 Billions and in IPv6 2_{128} =
- security

7. Datagram formats:



32-bits Address

Format of an IPv6 datagram



- Tunneling..
- IPv6 IP address...
- MAC(Media Access Control): h/w.
- 48-64 bit Add.

Access Linux Desktop Remotely

- Get the IP Address of the host device
 - Ipconfig, ifconfig, ipconfign/all
- Use the remote desktop protocol (RDP) e.g. `sudo apt get install xrdp`
- Use virtual network connection(VNC)e.g. tightVNC e.g. `sudo apt get install tightvnc`.
- Use SSH to access linux desktop e.g. `SSH ip_add`
- Use remote desktop tools/ s/w. e.g. solarwinds