

Cucumber Report

Jul 26, 2023, 1:21:47 PM

Start : Jul 26, 1:20:22.779 PM

End : Jul 26, 1:21:43.986 PM

Duration : 1 m 21.207 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 4

SKIPPED - 0

PASSED - 0



FAILED - 9

SKIPPED - 0

PASSED - 0

FAILED - 9


SKIPPED - 43




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User to User Payment</u>	25.439 s	4	0	4	0	24	0	4	20
<u>Payment to system</u>	17.384 s	3	0	3	0	15	0	3	12
<u>Payment Requests</u>	35.584 s	1	0	1	0	7	0	1	6
<u>Alert</u>	2.637 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>User to User Payment</u>	<u>User to User Payment</u>
2		<u>User to User Payment(Scheduled Payments)</u>
3		<u>User to User Payment(Monthly installments)</u>
4		<u>User to User Payment(Recurring payments)</u>
5	<u>Payment to system</u>	<u>Payment to system</u>
6		<u>Payment to system(Scheduled Payments)</u>
7		<u>Payment to system(Monthly installments)</u>
8	<u>Payment Requests</u>	<u>Payment Requests</u>
9	<u>Alert</u>	<u>Alert</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	9	0	9	0	4	0	4	0
@Test1	4	0	4	0	4	0	4	0
@Test2	2	0	2	0	2	0	2	0
@Test3	2	0	2	0	2	0	2	0
@Test4	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>User to User Payment</u>	4	0	4	0	25.439 s
2	<u>Payment to system</u>	3	0	3	0	17.384 s
3	<u>Payment Requests</u>	1	0	1	0	35.584 s
4	<u>Alert</u>	1	0	1	0	2.637 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User to User Payment</u>	<u>User to User Payment</u>	6	0	1	5	13.790 s
2		<u>User to User Payment(Scheduled Payments)</u>	6	0	1	5	3.726 s
3		<u>User to User Payment(Monthly installments)</u>	6	0	1	5	3.585 s
4		<u>User to User Payment(Recurring payments)</u>	6	0	1	5	4.146 s
5	<u>Payment to system</u>	<u>Payment to system</u>	5	0	1	4	4.391 s
6		<u>Payment to system(Scheduled Payments)</u>	5	0	1	4	5.518 s
7		<u>Payment to system(Monthly installments)</u>	5	0	1	4	7.387 s
8	<u>Payment Requests</u>	<u>Payment Requests</u>	7	0	1	6	35.584 s
9	<u>Alert</u>	<u>Alert</u>	6	0	1	5	2.637 s

User to User Payment

FAILED	DURATION - 25.439 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 24 Pass - 0 Fail - 4 Skip - 20	
/ 1:20:22.779 PM // 1:20:48.218 PM /					



User to User Payment

<div>FAILED</div> <div>DURATION - 13.790 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:20:22.796 PM // 1:20:36.586 PM /				
User to User Payment				
@tag @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the User to User Payment</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:64998}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: afe336f0d41d97a886838c18b38dc048</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)</p>	FAILED	13.740 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.1User_to_User_Payment.feature:7) * Not displayable characters are replaced by '?'.		
2	And user should fill the to user field	SKIPPED	0.000 s
3	And User Should Enter The Amount	SKIPPED	0.001 s
4	And User Should Select Scheduling	SKIPPED	0.000 s
5	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s
6	And Close the Browser	SKIPPED	0.000 s



User to User Payment(Scheduled Payments)

FAILED DURATION - 3.726 s / 1:20:36.640 PM // 1:20:40.366 PM / User to User Payment @tag @Test2		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65011}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d6df6cc668a82b085360c9648819fdd8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)	FAILED	3.719 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.1User_to_User_Payment.feature:15) * Not displayable characters are replaced by '?'. </pre>		
2	And user should fill the to user field	SKIPPED	0.001 s
3	And User Should Enter The Amount	SKIPPED	0.001 s
4	And User Should Select(Scheduled) Scheduling "Scheduled"	SKIPPED	0.001 s
5	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s
6	And Close the Browser	SKIPPED	0.000 s



User to User Payment(Monthly installments)

FAILED	DURATION - 3.585 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:20:40.442 PM // 1:20:44.027 PM /				
User to User Payment				
@Test3 @tag				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the User to User Payment</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65024}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 91ea1a3dc9275a45eb715a2fe767419c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	3.574 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.1User_to_User_Payment.feature:23) * Not displayable characters are replaced by '?'. </pre>		
2	And user should fill the to user field	SKIPPED	0.001 s
3	And User Should Enter The Amount	SKIPPED	0.000 s
4	And User Should Select(Monthly installments) Scheduling "Monthly installments","10"	SKIPPED	0.001 s
5	Then User Should Click Next And Confirm The Payment For Monthly installments	SKIPPED	0.000 s
6	And Close the Browser	SKIPPED	0.000 s



User to User Payment(Recurring payments)

FAILED DURATION - 4.146 s / 1:20:44.072 PM // 1:20:48.218 PM / User to User Payment @Test4 @tag		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--



#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65037}, </pre>	FAILED	4.136 s

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a21769760a90cd2d57b577aec5cae12e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.1User_to_User_Payment.feature:32) * Not displayable characters are replaced by '?'. </p>		
2	And user should fill the to user field	SKIPPED	0.001 s
3	And User Should Enter The Amount	SKIPPED	0.001 s
4	And User Should Select(Recurring payments) Scheduling "Recurring payments","10","12345"	SKIPPED	0.001 s
5	Then User Should Click Next And Confirm The Payment	SKIPPED	0.001 s
6	And Close the Browser	SKIPPED	0.000 s

Payment to system



FAILED	DURATION - 17.384 s	Scenarios		Steps	
/ 1:20:48.271 PM // 1:21:05.655 PM /		Total - 3		Total - 15	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 12	

Payment to system

<div><div>FAILED</div><div>DURATION - 4.391 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:20:48.272 PM // 1:20:52.663 PM /				
Payment to system				
@tag @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the Payment to system</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65050}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32a4ea06b72ac4f8131e9d25725a2f4e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_2.user_should_click_the_payment_to_system(StepDefinition_3_2.java:13) at ?.user should click the Payment to system(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.2Payment_To_System.feature:5) * Not displayable characters are replaced by '?'. </p>	FAILED	4.384 s
2	And User Should Enter The Amount	SKIPPED	0.000 s
3	And User Should Select Scheduling	SKIPPED	0.001 s
4	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s
5	And Close the Browser	SKIPPED	0.001 s



Payment to system(Scheduled Payments)

<div>FAILED</div> <div>DURATION - 5.518 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 1:20:52.705 PM // 1:20:58.223 PM /				
Payment to system				
@tag @Test2				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the Payment to system</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65064}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e9d295ee1d1d19246dec2b3ed21ebfd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_2.user_should_click_the_payment_to_system(StepDefinition_3_2.java:13) at ?.user should click the Payment to system(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/ 3.2Payment_To_System.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	5.513 s
2	And User Should Enter The Amount	SKIPPED	0.000 s
3	And User Should Select(Scheduled) Scheduling "Scheduled"	SKIPPED	0.000 s
4	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Close the Browser	SKIPPED	0.000 s



Payment to system(Monthly installments)

<div><div>FAILED</div><div>DURATION - 7.387 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 4</div></div>	<div></div>
/ 1:20:58.268 PM // 1:21:05.655 PM /				
Payment to system				
@Test3 @tag				



#	Step / Hook Details	Status	Duration
1	<p>Given user should click the Payment to system</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65078}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 19df7c55f70b551f6d63b6325b8ed93d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_2.user_should_click_the_payment_to_system(StepDefinition_3_2.java:13) at ?.user should click the Payment to system(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/ 3.2Payment_To_System.feature:19) * Not displayable characters are replaced by '?'. </pre>	FAILED	7.376 s
2	And User Should Enter The Amount	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And User Should Select(Monthly installments) Scheduling "Monthly installments","10"	SKIPPED	0.000 s
4	Then User Should Click Next And Confirm The Payment For Monthly installments	SKIPPED	0.001 s
5	And Close the Browser	SKIPPED	0.001 s

Payment Requests

FAILED	DURATION - 35.584 s	Scenarios		Steps	
/ 1:21:05.736 PM // 1:21:41.320 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	



Payment Requests

FAILED	DURATION - 35.584 s		Steps	
/ 1:21:05.736 PM // 1:21:41.320 PM /				
Payment Requests				
@tag @Test1				



#	Step / Hook Details	Status	Duration
1	Given user should click the Payment Requests	FAILED	35.578 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65093}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a88b42872a0c007268d7723b207d99a *** Element info: {Using=xpath, value=//input[@type='text']}</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4213) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:305) at java.base/java.lang.String.valueOf(String.java:4213) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at StepDefinition.HelperClass.login(HelperClass.java:45) at StepDefinition.StepDefinition_3_3.user_should_click_the_payment_requests(StepDefinition_3_3.java:19) at ?.user should click the Payment Requests(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/ 3.3Payment_Requests.feature:5) * Not displayable characters are replaced by '?'.		
2	And User Should Click Send New Request	SKIPPED	0.000 s
3	Then User Should Select Receiver	SKIPPED	0.001 s
4	And User Should Enter The Amount	SKIPPED	0.000 s
5	Then User Should Enter The Expiration Date	SKIPPED	0.000 s
6	And User Should click Confirm	SKIPPED	0.001 s
7	And Close the Browser	SKIPPED	0.000 s

Alert

FAILED	DURATION - 2.637 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:21:41.349 PM // 1:21:43.986 PM /					

Alert

<div><div>FAILED</div><div>DURATION - 2.637 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 1:21:41.349 PM // 1:21:43.986 PM /				
Alert				
@tag @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the market</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65108}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c760b4bf80b06cc1746ee73c241a2663 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42)</pre>	FAILED	2.631 s

