

Cucumber Report

Jul 26, 2023, 5:07:56 PM

Start : Jul 26, 5:07:38.027 PM

End : Jul 26, 5:07:53.603 PM

Duration : 15.576 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 20




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User to User Payment</u>	5.995 s	1	0	1	0	6	0	1	5
<u>Payment to system</u>	2.341 s	1	0	1	0	5	0	1	4
<u>Payment Requests</u>	3.526 s	1	0	1	0	7	0	1	6
<u>Alert</u>	3.590 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>User to User Payment</u>	<u>User to User Payment</u>
2	<u>Payment to system</u>	<u>Payment to system</u>
3	<u>Payment Requests</u>	<u>Payment Requests</u>
4	<u>Alert</u>	<u>Alert</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	4	0	4	0	4	0	4	0
@Test1	4	0	4	0	4	0	4	0





#	Feature Name	T	P	F	S	Duration
1	<u>User to User Payment</u>	1	0	1	0	5.995 s
2	<u>Payment to system</u>	1	0	1	0	2.341 s
3	<u>Payment Requests</u>	1	0	1	0	3.526 s
4	<u>Alert</u>	1	0	1	0	3.590 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User to User Payment</u>	<u>User to User Payment</u>	6	0	1	5	5.987 s
2	<u>Payment to system</u>	<u>Payment to system</u>	5	0	1	4	2.340 s
3	<u>Payment Requests</u>	<u>Payment Requests</u>	7	0	1	6	3.525 s
4	<u>Alert</u>	<u>Alert</u>	6	0	1	5	3.589 s

User to User Payment

FAILED	DURATION - 5.995 s	Scenarios		Steps	
/ 5:07:38.027 PM // 5:07:44.022 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



User to User Payment

<div>FAILED</div> <div>DURATION - 5.987 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 5:07:38.035 PM // 5:07:44.022 PM /				
User to User Payment				
@tag @Test1				



#	Step / Hook Details	Status	Duration
1	<p>Given user should click the User to User Payment</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50216}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 294ac3b62dc0bf1656cdef99a59ef6eb at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)</p>	FAILED	5.950 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.1User_to_User_Payment.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	And user should fill the to user field	SKIPPED	0.000 s
3	And User Should Enter The Amount	SKIPPED	0.001 s
4	And User Should Select Scheduling	SKIPPED	0.000 s
5	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s
6	And Close the Browser	SKIPPED	0.000 s

Payment to system

FAILED	DURATION - 2.341 s	Scenarios		Steps	
/ 5:07:44.077 PM // 5:07:46.418 PM /		Total - 1	1	Total - 5	5
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



Payment to system

<div>FAILED</div> <div>DURATION - 2.340 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:07:44.077 PM // 5:07:46.417 PM /				
Payment to system				
@tag @Test1				



#	Step / Hook Details	Status	Duration
1	Given user should click the Payment to system	FAILED	2.336 s
	<pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver </pre>		

#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50229}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 414f7f44bd2d79d083a728be3241d47c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_2.user_should_click_the_payment_to_system(StepDefinition_3_2.java:13) at ?.user should click the Payment to system(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/ 3.2Payment_To_System.feature:5) * Not displayable characters are replaced by '?'. </p>		
2	And User Should Enter The Amount	SKIPPED	0.000 s
3	And User Should Select Scheduling	SKIPPED	0.000 s
4	Then User Should Click Next And Confirm The Payment	SKIPPED	0.000 s
5	And Close the Browser	SKIPPED	0.000 s

Payment Requests

<div>FAILED</div> <div>DURATION - 3.526 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 5:07:46.456 PM // 5:07:49.982 PM /					



Payment Requests

<div>FAILED</div> <div>DURATION - 3.525 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 5:07:46.456 PM // 5:07:49.981 PM /</div>				
<div>Payment Requests</div>				
<div>@tag @Test1</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given user should click the Payment Requests</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50241}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 94197a889bb8508e7820d13ec63429f3</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_3_3.user_should_click_the_payment_requests(StepDefinition_3_3.java:19) at ?.user should click the Payment Requests(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/3.3Payment_Requests.feature:5) * Not displayable characters are replaced by '?'. </p>	FAILED	3.506 s
2	And User Should Click Send New Request	SKIPPED	0.002 s
3	Then User Should Select Receiver	SKIPPED	0.000 s
4	And User Should Enter The Amount	SKIPPED	0.000 s
5	Then User Should Enter The Expiration Date	SKIPPED	0.000 s
6	And User Should click Confirm	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	And Close the Browser	SKIPPED	0.000 s

Alert

FAILED	DURATION - 3.590 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 5:07:50.013 PM // 5:07:53.603 PM /					

Alert

FAILED	DURATION - 3.589 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 5:07:50.014 PM // 5:07:53.603 PM /				
Alert				
@tag @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given user should click the market</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '127.0.0.1', os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50254}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d5dea2fba30e451b3a825f7f07629877 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</pre>	FAILED	3.584 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinition.HelperClass.login(HelperClass.java:42) at StepDefinition.StepDefinition_5.user_should_click_the_market(StepDefinition_5.java:16) at ?.user should click the market(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/Feature_5.feature:5) * Not displayable characters are replaced by '?'.		
2	And User Should Click Advertisements	SKIPPED	0.001 s
3	Then User Should Click Show Advertisements	SKIPPED	0.000 s
4	And click Food	SKIPPED	0.001 s
5	Then User Should click Ask	SKIPPED	0.000 s
6	And User Should Pass Value	SKIPPED	0.000 s