


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
User to User Payment	1 m 56.298 s	4	3	1	0	24	18	1	5	
Payment to system	46.753 s	3	3	0	0	15	15	0	0	
Payment Requests	47.998 s	1	0	1	0	7	0	1	6	
Alert	48.925 s	1	0	1	0	6	0	1	5	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User to User Payment	User to User Payment(Scheduled Payments)
2	Payment Requests	Payment Requests
3	<u>Alert</u>	<u>Alert</u>


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@tag	9	6	3	0	4	1	3	0	
@Test1	4	2	2	0	4	1	3	0	
@Test2	2	1	1	0	2	1	1	0	
@Test3	2	2	0	0	2	1	1	0	
@Test4	1	1	0	0	1	0	1	0	

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	User to User Payment	4	3	1	0	1 m 56.298 s
2	Payment to system	3	3	0	0	46.753 s
3	Payment Requests	1	0	1	0	47.998 s
4	<u>Alert</u>	1	0	1	0	48.925 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User to User Payment	<u>User to User Payment</u>	6	6	0	0	33.795 s
2		User to User Payment(Scheduled Payments)	6	0	1	5	47.268 s
3		User to User Payment(Monthly installments)	6	6	0	0	17.135 s
4		User to User Payment(Recurring payments)	6	6	0	0	17.908 s
5	Payment to system	Payment to system	5	5	0	0	15.831 s
6		Payment to system(Scheduled Payments)	5	5	0	0	15.048 s
7		Payment to system(Monthly installments)	5	5	0	0	15.829 s
8	Payment Requests	Payment Requests	7	0	1	6	47.998 s
9	<u>Alert</u>	<u>Alert</u>	6	0	1	5	48.924 s

DETAILED SECTION -- 7 --

User to User Payment

FAILED	DURATION - 1 m 56.298 s	Scenarios		Steps	
		Total - 4		Total - 24	
/ 7:46:58.076 PM // 3	7:48:54.374 PM /	Pass - 3	<u> </u>	Pass - 18	24
		Fail - 1	7	Fail - 1	27
		Skip - 0		Skip - 5	


User to User Payment



#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment	PASSED	28.330 s
	PassLogin Clicked		
2	And user should fill the to user field	PASSED	1.035 s
3	And User Should Enter The Amount	PASSED	1.088 s
4	And User Should Select Scheduling	PASSED	0.282 s
5	Then User Should Click Next And Confirm The Payment	PASSED	2.351 s
6	And Close the Browser	PASSED	0.675 s

User to User Payment(Scheduled Payments)

DETAILED SECTION -- 8 --




#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment	FAILED	47.258 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@type='text']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		
	at StepDefinition.HelperClass.login(HelperClass.java:41) at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22) at ?.user should click the User to User Payment(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/ 3.1User_to_User_Payment.feature:15)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='text']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '192.168.15.109', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\Admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51092}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5bffca2e7f1ee2d55b5fd0484d62091f *** Element info: {Using=xpath, value=//input[@type='text']}		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy22.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:314)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at StepDefinition.HelperClass.login(HelperClass.java:41)		
	at StepDefinition.StepDefinition_3_1.user_should_click_the_User_to_User_Payment(StepDefinition_3_1.java:22)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
2	And user should fill the to user field	SKIPPED	0.000 s
3	And User Should Enter The Amount	SKIPPED	0.001 s
4	And User Should Select(Scheduled) Scheduling "Scheduled"	SKIPPED	0.001 s
5	Then User Should Click Next And Confirm The Payment	SKIPPED	0.002 s
6	And Close the Browser	SKIPPED	0.000 s

User to User Payment(Monthly installments)




#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment	PASSED	12.985 s
	PassLogin Clicked		
2	And user should fill the to user field	PASSED	1.237 s
3	And User Should Enter The Amount	PASSED	0.950 s
4	And User Should Select(Monthly installments) Scheduling "Monthly installments","10"	PASSED	0.697 s
5	Then User Should Click Next And Confirm The Payment For Monthly installments	PASSED	0.629 s
6	And Close the Browser	PASSED	0.635 s

User to User Payment(Recurring payments)




#	Step / Hook Details	Status	Duration
1	Given user should click the User to User Payment	PASSED	13.064 s
	PassLogin Clicked		
2	And user should fill the to user field	PASSED	1.162 s
3	And User Should Enter The Amount	PASSED	1.356 s
4	And User Should Select(Recurring payments) Scheduling "Recurring payments","10","12345"	PASSED	0.363 s
5	Then User Should Click Next And Confirm The Payment	PASSED	1.738 s
6	And Close the Browser	PASSED	0.222 s

Payment to system




DETAILED SECTION -- 12 --

Payment to system




#	Step / Hook Details	Status	Duration
1	Given user should click the Payment to system	PASSED	12.861 s
	PassLogin Clicked		
2	And User Should Enter The Amount	PASSED	0.704 s
3	And User Should Select Scheduling	PASSED	0.293 s
4	Then User Should Click Next And Confirm The Payment	PASSED	1.604 s
5	And Close the Browser	PASSED	0.369 s

Payment to system(Scheduled Payments)



#	Step / Hook Details	Status	Duration
1	Given user should click the Payment to system	PASSED	10.899 s
	PassLogin Clicked		
2	And User Should Enter The Amount	PASSED	0.692 s
3	And User Should Select(Scheduled) Scheduling "Scheduled"	PASSED	0.944 s
4	Then User Should Click Next And Confirm The Payment	PASSED	1.561 s
5	And Close the Browser	PASSED	0.951 s

Payment to system(Monthly installments)




#	Step / Hook Details	Status	Duration
1	Given user should click the Payment to system	PASSED	13.898 s
	PassLogin Clicked		
2	And User Should Enter The Amount	PASSED	0.434 s
3	And User Should Select(Monthly installments) Scheduling "Monthly installments","10"	PASSED	0.753 s
4	Then User Should Click Next And Confirm The Payment For Monthly installments	PASSED	0.519 s
5	And Close the Browser	PASSED	0.222 s

Payment Requests

FAILED	DURATION - 47.998 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 7:49:41.173 PM // 7	:50:29.171 PM /	Pass - 0	1	Pass - 0	7
		Fail - 1		Fail - 1	🖊 ' 🖊
		Skip - 0		Skip - 6	

Payment Requests



DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given user should click the Payment Requests	FAILED	47.987 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@type='text']' (tried for 30 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		
	at StepDefinition.HelperClass.login(HelperClass.java:41)		
	at StepDefinition.StepDefinition_3_3.user_should_click_the_payment_requests(StepDefinition_3_3.java:19)		
	at ?.user should click the Payment Requests(file:///C:/Users/Admin/eclipse-workspace/Payment/src/test/resources/Features/		
	3.3Payment_Requests.feature:5)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='text']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit:		
	https://www.seleniumhg.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	'2018-11-14T08:17:03' System info: host: 'DESKTOP-9ST93DG', ip: '192.168.15.109', os.name: 'Windows 11', os.arch: 'amd64', os.version:		
	'10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName:		
	chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir:		
	C:\Users\Admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51397}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef0e7239bf623bf0fee1dcca577c0df7 *** Element info:		
	{Using=xpath, value=//input[@type='text']}		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy22.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		


#	Step / Hook Details	Status	Duration
	at StepDefinition.HelperClass.login(HelperClass.java:41)		
	at StepDefinition.StepDefinition_3_3.user_should_click_the_payment_requests(StepDefinition_3_3.java:19)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
2	And User Should Click Send New Request	SKIPPED	0.002 s
3	Then User Should Select Receiver	SKIPPED	0.000 s
4	And User Should Enter The Amount	SKIPPED	0.000 s
5	Then User Should Enter The Expiration Date	SKIPPED	0.000 s
6	And User Should click Confirm	SKIPPED	0.000 s
7	And Close the Browser	SKIPPED	0.001 s

Alert

FAILED	DURATION - 48.925 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 7:50:29.198 P	PM // 7:51:18.123 PM /	Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

Alert



sit: sion: Name: dismiss	48.918 s
sit: sion: Name: dismiss	
sion: Name: dismiss	
sion: Name: dismiss	
Name: dismiss	
Name: dismiss	
dismiss	
ı:	
I	

#	Step / Hook Details	Status	Duration
	at StepDefinition.StepDefinition_5.user_should_click_the_market(StepDefinition_5.java:16)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
2	And User Should Click Advertisements	SKIPPED	0.000 s
3	Then User Should Click Show Advertisements	SKIPPED	0.000 s
4	And click Food	SKIPPED	0.000 s
5	Then User Should click Ask	SKIPPED	0.000 s
6	And User Should Pass Value	SKIPPED	0.000 s