
SQL

Class starts
@ 9:10pm







Lecture 3: Data Filtering with SQL

#Agenda

1) Some general String functions
2) Operators
3) Where Clause
   - filter Clause


market_date_info
market_date DATE
market_day VARCHAR(45)
market_week VARCHAR(45)
market_year VARCHAR(45)
market_start_time VARCHAR(45)
market_end_time VARCHAR(45)
special_notes BLOB
market_season VARCHAR(45)
market_min_temp VARCHAR(200)
market_max_temp VARCHAR(45)
market_rain_flag INT
market_snow_flag INT
Indexes
customer
customer_id INT
customer_first_name VARCHAR(45)
customer_last_name VARCHAR(45)
customer_zip VARCHAR(45)
Indexes
ER diagram
(Schema)
Blueprint
customer_purchases
product_id INT
vendor_id INT
market_date DATE
customer_id INT
quantity DECIMAL(16,2)
cost_to_customer_per_qty DECIMAL(16,2)
transaction_time TIME
Indexes
vendor
vendor_id INT
vendor_name VARCHAR(45)
vendor_type VARCHAR(45)
vendor_owner_first_name VARCHAR(45)
vendor_owner_last_name VARCHAR(45)
Indexes
vendor_booth_assignments
vendor_id INT
booth_number INT
market_date DATE
Indexes
vendor_inventory
market_date DATE
quantity DECIMAL(16,2)
vendor_id INT
product_id INT
original_price DECIMAL(16,2)
Indexes
product
product_id INT
product_name VARCHAR(45)
product_size VARCHAR(45)
product_category_id INT
product_qty_type VARCHAR(45)
Indexes
booth
booth_number INT
booth_price_level VARCHAR(45)
booth_description VARCHAR(255)
booth_type VARCHAR(45)
Indexes
product_category
product_category_id INT
product_category_name VARCHAR(45)
Indexes


email
("@")
ayush001@gmail.com
username
domain

	colA
1	medium
2	large
3	small

⇒

STRING_AGG(colA, " | ")

⇓


	colA
1	medium | large | small

Data filtering

Select
*
} columns

from
Table_Name
where colname = "value" (Used for data filtering purpose)
order by columnane (Used for sorting)
limit 100

Rows


col
1
2
8
3