

NETFLIX
D
M
E
AEROFIT
D
M
E


Netflix - EDA

Exploratory data Analysis

* DATA
* Clean
* Missing Value → Exploratory
* EDA → Visualisation → Explanatory

1. Unnesting
2. Missing data
3. Inconsistencies / Incorrect data
4. Date Column
5. Duplicacy
6. Visualise → Univariate, Bivariate, Multivariate

8K → 1.7 lakhs


Unnesting
" , , , " → [" 1 " , " 2 " , " 3 "]
1
2
3
Directors
Cast
listedin
Country
UN
UN
UN
UN
Split → Explode()
Split → Stack()
"Sword
"title"

Missing data

Numerical | Categorical

Means

Medians

Mode

40% | 60%

Synthetic | Real

→ delete 40%

→ Impute → Best possible value/guess

Category

"Unknown"

Numerical

" -1 " → Integrity

Directors → Missing Value → NA / Mode


Genre

Country

Showtype

Cast


cast, G, C



Garbage in Garbage out

↳ Upsampling

Financial Transaction




remarks

1%

Ecommerce Platform

10%



DATE

- YEAR
- MONTH
- WEEK
- DAY OF WEEK

Trends

Seasonality

Cyclic

NETFLIX:

1. Increase # Subscribers
2. Retain Current Subscribers
3. Increasing watch time

AEROFIT → Customer Profiling

	$1500	$1750	$2500
Treadmill	KP281	KP481	KP781
	Cheapest	Medium	most expensive

Treadmill

	KP281	KP481	KP781	
High	200	400	500	1100
Low	500	300	100	900
	700	700	600	2000

pd.crosstab(margins = True, normalize =)

(1) Marginal Prob

$P[KP481] = 700/2000$

(2) Joint Prob

$P[KP481 \cap High] = 400/2000$

(3) Conditional Prob

$P[KP481 / High] = 400/1100$

$P[High / KP481] = 400/700$