

## S23336-Introduction to Python Programming

Started on Wednesday, 7 August 2024, 2:09 PM  
State Finished  
Completed on Friday, 9 August 2024, 12:40 PM  
Time taken 1 day 22 hours  
Marks 10.00/10.00  
Grade 100.00 out of 100.00

### Question 1

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

Write a program that returns the second last digit of the given number. Second last digit is being referred 10th digit in the tens place in the given number.

For example, if the given number is 191, the second last digit is 9.

Note1 - If the second last digit should be returned as a positive number. i.e. if the given number is -191; the second last digit is 9.

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the program should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

For example:  
Input Result

```
191 9
-191 9
5 -1
```

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 if(a>0):
3     a=a-1
4     if(a>0):
5         a=a-10
6         a=int(a)
7         print(a)
8     else:
9         print("-1")
10
```

### Feedback

#### Input Expected Got

```
191 9 9
-191 9 9
5 -1 -1
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 2

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

In a Logistic the Parcels to be delivered in 4 locations (1st location 20%, 2nd location 40%, 3rd location 30% and 4th location 10%). write a python code to find the total no. of parcels after the delivery in 2 locations . use a format() to print the no of parcels delivered in each location

Input:  
250  
output:  
Total Parcels is 250  
1st Location 50 parcels  
2nd Location 100 parcels  
3rd Location 75 parcels  
4th Location 25 parcels

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 print("Total Parcels is {}".format(b))
3 print("1st Location {} parcels".format(int(a*b.20)))
4 print("2nd Location {} parcels".format(int(a*b.40)))
5 print("3rd Location {} parcels".format(int(a*b.30)))
6 print("4th Location {} parcels".format(int(a*b.10)))
7 weekend=0.38
```

### Feedback

#### Input Expected Got

```
250 Total Parcels is 250
1st Location 50 parcels
250 2nd Location 100 parcels
2nd Location 100 parcels
3rd Location 75 parcels
3rd Location 75 parcels
4th Location 25 parcels
4th Location 25 parcels
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 3

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z (Z>X+Y). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:  
The first line contains the Rs X  
The second line contains Rs Y  
The third line contains Rs Z

Sample Input:  
10000  
250  
15000

Sample Output:  
46.34 is the gain percent.

For example:

```
Input Result
5000 30.43 is the gain percent.
6000
```

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 b=int(input())
3 c=int(input())
4 c=((c-(a+b))/(a+b))*100
5 print("c-30.43 is the gain percent.".format(c))
```

### Feedback

#### Input Expected Got

```
5000 Total Parcels is 250
250 1st Location 50 parcels
2500 2nd Location 100 parcels
2500 2nd Location 100 parcels
3rd Location 75 parcels
3rd Location 75 parcels
4th Location 25 parcels
4th Location 25 parcels
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 4

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

Write a program to convert strings to an integer and float and display its type.

Sample Input:  
10  
10.9

Sample Output:  
10->class 'int'  
10.9->class 'float'

For example:

```
Input Result
10 10->class 'int'
10.9 10.9->class 'float'
```

Answer (penalty regime: 0 %)

```
1 a=input()
2 b=int(a)
3 print(a,type(b),sep=" ")
4 a=input()
5 a=float(a)
6 print(a,type(a),sep=" ")
```

### Feedback

#### Input Expected Got

```
10 10->class 'int' 10->class 'int'
10.9 10.9->class 'float' 10.9->class 'float'
12 12->class 'int' 12->class 'int'
12.5 12.5->class 'float' 12.5->class 'float'
89 89->class 'int' 89->class 'int'
7.6 7.6->class 'float' 7.6->class 'float'
55800 55800->class 'int' 55800->class 'int'
56.2 56.2->class 'float' 56.2->class 'float'
2541 2541->class 'int' 2541->class 'int'
2541.679 2541.7->class 'float' 2541.7->class 'float'
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 5

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

Ramch's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:  
10000  
Sample Output:  
16000

For example:

```
Input Result
10000 16000
```

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 print(int(a+(a*0.2)+(a*0.4)))
```

### Feedback

#### Input Expected Got

```
10000 16000 16000
20000 32000 32000
28000 44000 44000
5000 8000 8000
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 6

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

In department 54% are boys and 46% are girls and 8% are hostel (boys/girls). write a python code to print total no of boys, girls and hostel students in the specific format using modulo operator.

Input: 1500  
output: Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120

Answer (penalty regime: 1 %)

```
1 b=int(input())
2 b=int(a%10)
3 c=int(a%10)
4 a=int(a%10)
5 print("Total Students : ", a, ", Boys : ", b, ", Girls : ", c, ", Hostel : ", d, sep=" ")
```

### Feedback

#### Input Expected Got

```
1500 Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120
2000 Total Students : 2000, Boys : 1000, Girls : 1000, Hostel : 0
28000 44000 44000
5000 8000 8000
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 7

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

In a Lab 36% are Dell and 34% Lenovo and 28% are Acer and 2% are Samsung. write a python code to print total systems and brand wise count in the specific format using sep operator.

input: 150  
output: Total System:150  
Dell:54  
Lenovo:51  
Acer:42  
Samsung:3

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 print("Total System:{}".format(b))
3 print("Dell:{}".format(int(a*0.36)))
4 print("Acer:{}".format(int(a*0.28)))
5 print("Lenovo:{}".format(int(a*0.34)))
6 print("Samsung:{}".format(int(a*0.02)))
```

### Feedback

#### Input Expected Got

```
1500 Total Students : 1500, Boys : 810, Girls : 690, Hostel : 120
2000 Total Students : 2000, Boys : 1000, Girls : 1000, Hostel : 0
28000 44000 44000
5000 8000 8000
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 8

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each kind (soda and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input  
10  
20  
Sample Output  
Your total refund will be \$6.00.

For example:

```
Input Result
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
```

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 b=int(input())
3 a=int(a+0.10)
4 a=int(a+0.25)
5 a=int(a+0.10)
6 print("Your total refund will be ${:.2f}text,end=")
```

### Feedback

#### Input Expected Got

```
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
20 Your total refund will be $7.00.
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

### Question 9

Correct  
Mark 1.00 out of 1.00  
Flag question

#### Question text

You went on a tour to Ooty with your friends. As a part of the tour, you went boating with them. For the boat to remain stable, the number of people on one boat is restricted based on the weight of the people. You find that the boatman who is sailing your boat is so much greedy of money. For carrying more, he takes too many people to travel in the boat at a time. So you want to check how many people can travel in the boat at a time so that the boat will not drown. Calculate the weight by considering the number of adults and number of children. Assume that an adult weighs 75 kg and children weigh 30 kg each. If the weight is normal, display Boat is stable, else display Boat will drown.

INPUT & OUTPUT FORMAT:  
Input consists of 3 integers.  
First input corresponds to the weight that the boat can handle.  
Second input corresponds to the number of adults.  
Third input corresponds to the number of children.

Answer (penalty regime: 0 %)

```
1 b=int(input())
2 b=int(input())
3 c=b
4 a=(b*75)+(c*30)
5 b=100
6 print("Boat is stable")
7 else:
8     print("Boat will drown")
```

### Feedback

#### Input Expected Got

```
450 weekdays 18.38 weekdays 18.38
weekend 0.38 weekend 0.38
500 weekdays 18.00 weekdays 18.00
weekend 0.00 weekend 0.00
10000 weekdays 83.00 weekdays 83.00
weekend 73.00 weekend 73.00
6700 weekdays 38.38 weekdays 38.38
weekend 48.38 weekend 48.38
```

Passed all tests!  
Correct  
Marks for this submission: 1.00/1.00.

[Finish now](#)  
[Skip Question](#)

### Out navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#) [Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#) [Question 9 This page](#) [Question 10 This page](#) [Skip one page at a time](#) [Finish review](#)