

CSE641: Computer Vision: Modern Methods And Applications

Report-5

Group 1

Name	Enrollment No.
Dhyey Patel	AU2240054
Malav Modi	AU2240214
Prem Patel	AU2240010

Introduction:

• The objective of this week was to enhance deep learning models' performance for the Flickr dataset by testing different parameter adjustments. We applied CLIP together with EfficientNet, MobileNet and Inception because each model exhibited distinct abilities for extracting features and performing classifications. Each model obtained individual modifications so we could measure how various learning rate changes and batch size and architectural parameter adjustments affected their accuracy and efficiency when dealing with this specific dataset.

Implementation of Models:

• This week, we optimized our models by tuning hyperparameters across three architectures: EfficientNet, MobileNet, and Inception. We transitioned from EfficientNet-B0 to B3 to enhance feature extraction, adjusted MobileNet's depth and width multipliers for better efficiency, and refined Inception's auxiliary classifiers for improved performance. Additionally, we modified the projection head to better align with our task requirements. After implementing these changes, we obtained retrieval ranks for each model to evaluate their effectiveness, observing performance improvements across different architectures. These optimizations contributed to enhanced accuracy and efficiency in our system.

1. EfficientNet:

EfficientNetB0:

```
Retrieval Performance:
Recall@1: 0.0107
Recall@5: 0.0493
Recall@10: 0.0867
```

Mean Average Precision (mAP): 0.0390

2. MobileNet:

Before Optimization:

```
Rank@1: 0.0001
Rank@5: 0.0002
Rank@10: 0.0005
```

Original Retrieval Performance:

Recall@1: 0.0073 Recall@5: 0.0387 Recall@10: 0.0665

Mean Average Precision (mAP): 0.0297

After Optimization:

Original Retrieval Performance:

Recall@1: 0.0136 Recall@5: 0.0726 Recall@10: 0.1171

Mean Average Precision (mAP): 0.0501

3. Inception:

After optimization:

```
print(f"Mean Average Precision (mAP): {mean_ap:.4f}")

∴ (ipython-input-8-bd876885cb90):47: UserWarning: Argument(s) 'always_apply' are not valid for transform Resize

A.Resize(cfg.size, cfg.size, always_apply=True),

<ipython-input-8-bd876885cb90):48: UserWarning: Argument(s) 'always_apply' are not valid for transform Normalize

A.Normalize(max_pixel_value=255.0, always_apply=True),

//usr/local/lib/python3.11/dist-packages/torch/utils/data/dataloader.py:624: UserWarning: This DataLoader will create 4 worker processes in total. Our warnings.warn(

Extracting image features: 100% | 497/497 [03:23<00:00, 2.44it/s]

Extracting text features: 100% | 497/497 [03:06<00:00, 2.66it/s]

Retrieval Performance:

Recall@1: 0.0560

Recall@1: 0.0971

Mean Average Precision (mAP): 0.0423
```

Goals for next week:

In the upcoming week, we will measure performance of EfficientNet, MobileNet and Inception models when applied to person retrieval tasks. The performance of each model regarding person retrieval will be evaluated by measuring retrieval accuracy together with ranking metrics while assessing computational efficiency. Further optimization of person retrieval performance will be determined through result analysis which might involve layer tuning for feature extraction or parameter adjustments.