



Log in

Font Awesome Web Application Icons



Next >

Web Application Icons

The table below shows all Font Awesome Web Application icons:

Icon	Description	Example
B	fa fa-address-book	Try it
	fa fa-address-book-o	Try it
	fa fa-address-card	Try it
	fa fa-address-card-o	Try it
•	fa fa-adjust	Try it
Ég	fa fa-american-sign-language-interpreting	Try it
£	fa fa-anchor	Try it
	fa fa-archive	Try it
	fa fa-area-chart	Try it
+	fa fa-arrows	Try it

=	*	HTML	CSS	•	②	Q
	1	fa	a fa-arrows-v		Try it	
	Eg	fa	a fa-asl-interpreting		Try it	
	. ?)	fa	a fa-assistive-listening-systems		Try it	
	*	fa	a fa-asterisk		Try it	
	@	fa	a fa-at		Try it	
	$ \Rightarrow $	fa	a fa-automobile		Try it	
	AD)))	fa	a fa-audio-description		Try it	
		fa	a fa-balance-scale		Try it	
	0	fa	a fa-ban		Try it	
	血	fa	a fa-bank		Try it	
	<u>ılıl</u>	fa	a fa-bar-chart		Try it	
	<u>ılıl</u>	fa	a fa-bar-chart-o		Try it	
		fa	a fa-barcode		Try it	
	=	fa	a fa-bars		Try it	
	<u>***</u>	fa	a fa-bath		Try it	
		fa	a fa-bathtub		Try it	
		fa	a fa-battery-0		Try it	
		fa	a fa-battery-1		Try it	
		fa	a fa-battery-2		Try it	
		fa	a fa-battery-3		Try it	
		fa	a fa-battery-4		Try it	
		fa	a fa-battery-empty		Try it	
		fa	a fa-battery-full		Try it	

=	*	HTML CSS	•	•	Q
		fa fa-battery-quarte	21	Try it	
		fa fa-battery-three-o	quarters	Try it	
		fa fa-bed		Try it	
	T	fa fa-beer		Try it	
	•	fa fa-bell		Try it	
	\triangle	fa fa-bell-o		Try it	
	%	fa fa-bell-slash		Try it	
	X	fa fa-bell-slash-o		Try it	
	<i>উ</i> 0	fa fa-bicycle		Try it	
	Ä	fa fa-binoculars		Try it	
		fa fa-birthday-cake		Try it	
	*	fa fa-blind		Try it	
	4	fa fa-bolt		Try it	
	*	fa fa-bomb		Try it	
		fa fa-book		Try it	
	Ħ	fa fa-bookmark		Try it	
	\Box	fa fa-bookmark-o		Try it	
	• • • 0 • 0 0 0 0 0 0 0	fa fa-braille		Try it	
		fa fa-briefcase		Try it	
		fa fa-bug		Try it	
		fa fa-building		Try it	
		fa fa-building-o		Try it	
	T	fa fa-bullhorn		Try it	

=	*	HTML	css				•	②	Q
		fa	a fa-bus					Try it	
	\triangle	fa	a fa-cab					Try it	
		fa	a fa-calcul	ator				Try it	
		fa	a fa-calend	dar				Try it	
		fa	a fa-calend	dar-o				Try it	
	\checkmark	fa	a fa-calend	dar-check-o)			Try it	
	_	fa	a fa-calend	dar-minus-d	o			Try it	
	+	fa	a fa-calend	dar-plus-o				Try it	
	×	fa	a fa-calend	dar-times-o	ı			Try it	
	0	fa	a fa-came	ra				Try it	
	0	fa	a fa-came	ra-retro				Try it	
	\rightleftharpoons	fa	a fa-car					Try it	
	▼	fa	a fa-caret-	-square-o-d	own			Try it	
	4	fa	a fa-caret-	-square-o-le	eft			Try it	
	▶	fa	a fa-caret-	-square-o-ri	ight			Try it	
		fa	a fa-caret-	-square-o-u	р			Try it	
	声	fa	a fa-cart-a	ırrow-down				Try it	
	声	fa	a fa-cart-p	olus				Try it	
	CC	fa	a fa-cc					Try it	
	*	fa	a fa-certifi	cate				Try it	
	~	fa	a fa-check					Try it	
	•	fa	a fa-check	-circle				Try it	
	⊘	fa	a fa-check	-circle-o				Try it	

=		HTML CSS	•	•	Q
	\checkmark	fa fa-check-square-o		Try it	
	Ť	fa fa-child		Try it	
		fa fa-circle		Try it	
	0	fa fa-circle-o		Try it	
	0	fa fa-circle-o-notch		Try it	
	0	fa fa-circle-thin		Try it	
	②	fa fa-clock-o		Try it	
		fa fa-clone		Try it	
	×	fa fa-close		Try it	
		fa fa-cloud		Try it	
	&	fa fa-cloud-download		Try it	
	&	fa fa-cloud-upload		Try it	
	>	fa fa-code		Try it	
	þ	fa fa-code-fork		Try it	
	₽	fa fa-coffee		Try it	
	\$	fa fa-cog		Try it	
	Q o	fa fa-cogs		Try it	
	•	fa fa-comment		Try it	
	\wp	fa fa-comment-o		Try it	
	2	fa fa-comments		Try it	
Î	Q	fa fa-comments-o		Try it	
	P	fa fa-commenting		Try it	
	\odot	fa fa-commenting-o		Try it	

=	*	HTML CSS	•	•	Q
	©	fa fa-copyright		Try it	
		fa fa-credit-card		Try it	
		fa fa-credit-card-a	alt	Try it	
	<u>©</u>	fa fa-creative-con	mmons	Try it	
	4	fa fa-crop		Try it	
	Ф	fa fa-crosshairs		Try it	
		fa fa-cube		Try it	
		fa fa-cubes		Try it	
	44	fa fa-cutlery		Try it	
	2	fa fa-dashboard		Try it	
		fa fa-database		Try it	
	P [*]	fa fa-deaf		Try it	
	?)*	fa fa-deafness		Try it	
		fa fa-desktop		Try it	
	\Leftrightarrow	fa fa-diamond		Try it	
	•	fa fa-dot-circle-o		Try it	
	±	fa fa-download		Try it	
	AE	fa fa-drivers-licen	nse	Try it	
	≜ ≡	fa fa-drivers-licen	nse-o	Try it	
		fa fa-edit		Try it	
	•••	fa fa-ellipsis-h		Try it	
	:	fa fa-ellipsis-v		Try it	
	\searrow	fa fa-envelope		Try it	

=	*	HTML	CSS			•	Q	Q
		f	a fa-envelope	e-open			Try it	
	\bigcirc	f	a fa-envelope	e-open-o			Try it	
		f	a fa-envelope	e-square			Try it	
		f	a fa-eraser				Try it	
	=	f	a fa-exchange	е			Try it	
	!	f	a fa-exclamat	ion			Try it	
	0	f	a fa-exclamat	ion-circle			Try it	
	A	f	a fa-exclamat	ion-triangle			Try it	
	Z	f	a fa-external-	·link			Try it	
	Z	f	a fa-external-	-link-square			Try it	
	©	f	a fa-eye				Try it	
	4 >	f	a fa-eye-slash	า			Try it	
	Ø.	f	a fa-eyedropp	oer			Try it	
		f	a fa-fax				Try it	
	‡	f	a fa-female				Try it	
	*	f	a fa-fighter-je	et			Try it	
		f	a fa-file-archi	ve-o			Try it	
	4))	f	a fa-file-audio	0-0			Try it	
		f	a fa-file-code	-0			Try it	
	X	f	a fa-file-excel	I-o			Try it	
		f	a fa-file-imag	e-o			Try it	
		f	a fa-file-movi	e-o			Try it	
		f	a fa-file-pdf-o)			Try it	

≡	*	HTML	CSS	•	②	Q
		fa	a fa-file-picture-o		Try it	
	P	fa	a fa-file-powerpoint-o		Try it	
	◄))	fa	a fa-file-sound-o		Try it	
		fa	a fa-file-video-o		Try it	
	w	fa	a fa-file-word-o		Try it	
		fa	a fa-file-zip-o		Try it	
		fa	a fa-film		Try it	
	•	fa	a fa-filter		Try it	
	<u> </u>	fa	a fa-fire		Try it	
	ĩ	fa	a fa-fire-extinguisher		Try it	
	 ~	fa	a fa-flag		Try it	
	i≋	fa	a fa-flag-checkered		Try it	
		fa	a fa-flag-o		Try it	
	4	fa	a fa-flash		Try it	
	<u> </u>	fa	a fa-flask		Try it	
		fa	a fa-folder		Try it	
		fa	a fa-folder-o		Try it	
		fa	a fa-folder-open		Try it	
		fa	a fa-folder-open-o		Try it	
	(3)	fa	a fa-frown-o		Try it	
	③	fa	a fa-futbol-o		Try it	
	3	fa	a fa-gamepad		Try it	
	4	fa	a fa-gavel		Try it	

=	*	HTML	CSS	•	②	Q
	⇔ °	fa	fa-gears		Try it	
	0	fa	fa-genderless		Try it	
	ű	fa	fa-gift		Try it	
	Y	fa	fa-glass		Try it	
	•	fa	fa-globe		Try it	
		fa	fa-graduation-cap		Try it	
		fa	fa-group		Try it	
	Đ	fa	fa-hard-of-hearing		Try it	
		fa	fa-hdd-o		Try it	
		fa	fa-handshake-o		Try it	
	#	fa	fa-hashtag		Try it	
	ନ	fa	fa-headphones		Try it	
	•	fa	fa-heart		Try it	
	\Diamond	fa	fa-heart-o		Try it	
	•	fa	fa-heartbeat		Try it	
	9	fa	fa-history		Try it	
		fa	fa-home		Try it	
		fa	fa-hotel		Try it	
	$\overline{\mathbf{X}}$	fa	fa-hourglass		Try it	
	Ξ	fa	fa-hourglass-1		Try it	
	Ξ	fa	fa-hourglass-2		Try it	
	Σ	fa	fa-hourglass-3		Try it	
	Σ	fa	fa-hourglass-end		Try it	

=	*	HTML	CSS	•	Q	Q
	Ξ	fa	a fa-hourglass-o		Try it	
	Ξ	fa	a fa-hourglass-start		Try it	
	Į	fa	a fa-i-cursor		Try it	
		fa	a fa-id-badge		Try it	
	₽ ≡	fa	a fa-id-card		Try it	
	≜ ≡	fa	a fa-id-card-o		Try it	
		fa	a fa-image		Try it	
		fa	a fa-inbox		Try it	
	4	fa	a fa-industry		Try it	
	i	fa	a fa-info		Try it	
	0	fa	a fa-info-circle		Try it	
	<u></u>	fa	a fa-institution		Try it	
	a,	fa	a fa-key		Try it	
	<u> </u>	fa	a fa-keyboard-o		Try it	
	ZA	fa	a fa-language		Try it	
		fa	a fa-laptop		Try it	
	Ø	fa	a fa-leaf		Try it	
	*	fa	a fa-legal		Try it	
	0	fa	a fa-lemon-o		Try it	
	ı	fa	a fa-level-down		Try it	
	1	fa	a fa-level-up		Try it	
		fa	a fa-life-bouy		Try it	
		fa	a fa-life-buoy		Try it	

=	*	HTML C	CSS		0	©	Q
		fa fa-	-life-saver			Try it	
	\bigcirc	fa fa-	-lightbulb-o			Try it	
	✓	fa fa-	-line-chart			Try it	
	1	fa fa-	-location-arrov	·		Try it	
	<u> </u>	fa fa-	-lock			Try it	
		fa fa-	-low-vision			Try it	
		fa fa-	-magic			Try it	
	U	fa fa-	-magnet			Try it	
	~	fa fa-	-mail-forward			Try it	
	—	fa fa-	-mail-reply			Try it	
	(fa fa-	-mail-reply-all			Try it	
	Ť	fa fa-	-male			Try it	
		fa fa-	-map			Try it	
		fa fa-	-map-o			Try it	
	•	fa fa-	-map-pin			Try it	
	‡	fa fa-	-map-signs			Try it	
	•	fa fa-	-map-marker			Try it	
	⊕	fa fa-	-meh-o			Try it	
		fa fa-	-microchip			Try it	
	lacksquare	fa fa-	-microphone			Try it	
	≱	fa fa-	-microphone-s	lash		Try it	
	-	fa fa-	-minus			Try it	
	•	fa fa-	-minus-circle			Try it	

=	*	HTML	CSS		•	©	Q
		fa	fa-minus-square-	0		Try it	
		fa	fa-mobile			Try it	
		fa	fa-mobile-phone			Try it	
	0	fa	fa-money			Try it	
	C	fa	fa-moon-o			Try it	
		fa	fa-mortar-board			Try it	
	₹	fa	fa-motorcycle			Try it	
	k	fa	fa-mouse-pointer			Try it	
	,	fa	fa-music			Try it	
	=	fa	fa-navicon			Try it	
		fa	fa-newspaper-o			Try it	
		fa	fa-object-group			Try it	
	ij	fa	fa-object-ungroup)		Try it	
	•	fa	fa-paint-brush			Try it	
	1	fa	fa-paper-plane			Try it	
	\triangleleft	fa	fa-paper-plane-o			Try it	
	*	fa	fa-paw			Try it	
	ø	fa	fa-pencil			Try it	
		fa	fa-pencil-square			Try it	
	B	fa	fa-pencil-square-)		Try it	
	%	fa	fa-percent			Try it	
	C	fa	fa-phone			Try it	
	C	fa	fa-phone-square			Try it	

=	*	HTML	CSS	•	©	Q
		fa	a fa-picture-o		Try it	
	G	fa	a fa-pie-chart		Try it	
	×	fa	a fa-plane		Try it	
	*	fa	a fa-plug		Try it	
	+	fa	a fa-plus		Try it	
	0	fa	a fa-plus-circle		Try it	
		fa	a fa-plus-square		Try it	
	\oplus	fa	a fa-plus-square-o		Try it	
		fa	a fa-podcast		Try it	
	<mark></mark>	fa	a fa-power-off		Try it	
	lacksquare	fa	a fa-print		Try it	
	ii.	fa	a fa-puzzle-piece		Try it	
		fa	a fa-qrcode		Try it	
	?	fa	a fa-question		Try it	
	0	fa	a fa-question-circle		Try it	
	?	fa	a fa-question-circle-o		Try it	
	66	fa	a fa-quote-left		Try it	
	99	fa	a fa-quote-right		Try it	
)	fa	a fa-random		Try it	
	C)	fa	a fa-recycle		Try it	
	$\boldsymbol{\mathcal{C}}$	fa	a fa-refresh		Try it	
	R	fa	a fa-registered		Try it	
	×	fa	a fa-remove		Try it	

=	*	HTML	CSS	•	©	Q
		fa	a fa-reply		Try it	
	(fa	a fa-reply-all		Try it	
	17	fa	a fa-retweet		Try it	
	A	fa	a fa-road		Try it	
	4	fa	a fa-rocket		Try it	
	y	fa	a fa-rss		Try it	
	2	fa	a fa-rss-square		Try it	
	<u>***</u>	fa	a fa-s15		Try it	
	Q	fa	a fa-search		Try it	
	Q	fa	a fa-search-minus		Try it	
	Ф	fa	a fa-search-plus		Try it	
	1	fa	a fa-send		Try it	
		fa	a fa-send-o		Try it	
		fa	a fa-server		Try it	
	~	fa	a fa-share		Try it	
	4	fa	a fa-share-alt		Try it	
	< -	fa	a fa-share-alt-square		Try it	
		fa	a fa-share-square		Try it	
		fa	a fa-share-square-o		Try it	
	U	fa	a fa-shield		Try it	
		fa	a fa-ship		Try it	
	Ω.	fa	a fa-shopping-bag		Try it	
		fa	a fa-shopping-basket		Try it	

=		HTML	CSS	•	③	Q
	%	fa	a fa-shower		Try it	
	→ 〕	fa	a fa-sign-in		Try it	
	()	fa	a fa-sign-out		Try it	
		fa	a fa-sign-language		Try it	
	الد.	fa	a fa-signal		Try it	
		fa	a fa-signing		Try it	
	A	fa	a fa-sitemap		Try it	
	- -	fa	a fa-sliders		Try it	
	\odot	fa	a fa-smile-o		Try it	
	*	fa	a fa-snowflake-o		Try it	
	③	fa	a fa-soccer-ball-o		Try it	
	\$	fa	a fa-sort		Try it	
	↓ A Z	fa	a fa-sort-alpha-asc		Try it	
	\downarrow_A^Z	fa	a fa-sort-alpha-desc		Try it	
	ŢΞ	fa	a fa-sort-amount-asc		Try it	
	Τ <u>E</u>	fa	a fa-sort-amount-desc		Try it	
	•	fa	a fa-sort-asc		Try it	
	•	fa	a fa-sort-desc		Try it	
	•	fa	a fa-sort-down		Try it	
	\downarrow_9^1	fa	a fa-sort-numeric-asc		Try it	
	↓ 9	fa	a fa-sort-numeric-desc		Try it	
	•	fa	a fa-sort-up		Try it	
	>	fa	a fa-space-shuttle		Try it	

=	*	HTML	CSS	•	②	Q
	Ť	fa	fa-spoon		Try it	
		fa	fa-square		Try it	
		fa	fa-square-o		Try it	
	*	fa	fa-star		Try it	
	1	fa	fa-star-half		Try it	
	1	fa	fa-star-half-empty		Try it	
		fa	fa-star-half-full		Try it	
		fa	fa-star-half-o		Try it	
	☆	fa	fa-star-o		Try it	
		fa	fa-sticky-note		Try it	
		fa	fa-sticky-note-o		Try it	
	į	fa	fa-street-view		Try it	
		fa	fa-suitcase		Try it	
	\Diamond	fa	fa-sun-o		Try it	
		fa	fa-support		Try it	
		fa	fa-tablet		Try it	
	2	fa	fa-tachometer		Try it	
	•	fa	fa-tag		Try it	
		fa	fa-tags		Try it	
		fa	fa-tasks		Try it	
	\triangle	fa	fa-taxi		Try it	
	Ţ	fa	fa-television		Try it	
	>_	fa	fa-terminal		Try it	


=	*	HTML	CSS	•	②	Q
		fa	fa-thermometer-0		Try it	
		fa	fa-thermometer-1		Try it	
		fa	fa-thermometer-2		Try it	
		fa	fa-thermometer-3		Try it	
		fa	fa-thermometer-4		Try it	
		fa	fa-thermometer-empty		Try it	
	I	fa	fa-thermometer-full		Try it	
		fa	fa-thermometer-half		Try it	
		fa	fa-thermometer-quarter		Try it	
		fa	fa-thermometer-three-quarters		Try it	
	#	fa	fa-thumb-tack		Try it	
		fa	fa-thumbs-down		Try it	
	Ů	fa	fa-thumbs-o-up		Try it	
		fa	fa-thumbs-up		Try it	
	(fa	fa-ticket		Try it	
	×	fa	fa-times		Try it	
	8	fa	fa-times-circle		Try it	
	®	fa	fa-times-circle-o		Try it	
	×	fa	fa-times-rectangle		Try it	
	×	fa	fa-times-rectangle-o		Try it	
	•	fa	fa-tint		Try it	
	▼	fa	fa-toggle-down		Try it	
	4	fa	fa-toggle-left		Try it	

=	*	HTML	CSS			•	©	Q
		fa	a fa-toggle-u	0			Try it	
	0	fa	a fa-toggle-of	f			Try it	
		fa	a fa-toggle-or	า			Try it	
	ТМ	fa	a fa-trademaı	rk			Try it	
	Û	fa	a fa-trash				Try it	
	Ŵ	fa	a fa-trash-o				Try it	
	‡	fa	a fa-tree				Try it	
	P	fa	a fa-trophy				Try it	
	•	fa	a fa-truck				Try it	
		fa	a fa-tty				Try it	
	Ţ	fa	a fa-tv				Try it	
	أ	fa	a fa-umbrella				Try it	
		fa	a fa-universal	l-access			Try it	
	<u></u>	fa	a fa-universit	у			Try it	
	-	fa	a fa-unlock				Try it	
	<u>C</u>	fa	a fa-unlock-al	lt			Try it	
	\$	fa	a fa-unsorted				Try it	
	<u>1</u>	fa	a fa-upload				Try it	
	&	fa	a fa-user				Try it	
	8	fa	a fa-user-circ	le			Try it	
		fa	a fa-user-circ	le-o			Try it	
	8	fa	a fa-user-o				Try it	
Î	2 +	fa	a fa-user-plus	5			Try it	

≡	*	HTML CSS		•	©	Q
	≗ ×	fa fa-user-times			Try it	
		fa fa-users			Try it	
		fa fa-vcard			Try it	
	#	fa fa-vcard-o			Try it	
		fa fa-video-came	era		Try it	
	('')	fa fa-volume-con	ntrol-phone		Try it	
	♣ ›	fa fa-volume-dov	wn		Try it	
	4	fa fa-volume-off			Try it	
	◄ 》	fa fa-volume-up			Try it	
	A	fa fa-warning			Try it	
	Ŀ	fa fa-wheelchair			Try it	
	31	fa fa-wheelchair-	-alt		Try it	
	×	fa fa-window-clo	se		Try it	
	×	fa fa-window-clo	se-o		Try it	
		fa fa-window-ma	aximize		Try it	
	_	fa fa-window-mir	nimize		Try it	
	8	fa fa-window-res	store		Try it	
	\$	fa fa-wifi			Try it	
	₽ C	fa fa-wrench			Try it	
	Previous	s			Next >	

ADVERTISEMENT





COLOR PICKER






CODE GAME

Play Game





Report Error
Forum
About
Shop

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
c++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference



Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Web Courses

HTML Course
CSS Course
JavaScript Course
Front End Course
SQL Course
Python Course
PHP Course
jQuery Course
Java Course
C++ Course
C# Course
XML Course

Get Certified »

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

