Работу выполнил Дементьев Артём Андреевич
https://github.com/DiamondArrowTheLizard/eltex-module1

Раздел 1
ssh-keygen

```
eltex-pg2-v15@eltex-2026-spring:~$ ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (/home/eltex-pg2-v15/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/eltex-pg2-v15/.ssh/id_rsa
Your public key has been saved in /home/eltex-pg2-v15/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:[redacted] eltex-pg2-v15@eltex-2026-spring
The key's randomart image is:
+---[RSA 3072]----+

+----[SHA256]-----+
eltex-pg2-v15@eltex-2026-spring:~$
```

Копирование ключа

```
eltex-pg2-v15@eltex-2026-spring:~$ ssh-copy-id root@172.16.9.215
/usr/bin/ssh-copy-id: INFO: Source of key(s) to be installed: "/home/eltex-pg2-v15/.ssh/id_rsa.pub"
/usr/bin/ssh-copy-id: INFO: attempting to log in with the new key(s), to filter out any that are already installed
/usr/bin/ssh-copy-id: INFO: 1 key(s) remain to be installed -- if you are prompted now it is to install the new keys
root@172.16.9.215's password:

Number of key(s) added: 1

Now try logging into the machine, with:   "ssh 'root@172.16.9.215'"
and check to make sure that only the key(s) you wanted were added.

eltex-pg2-v15@eltex-2026-spring:~$ cat .ssh/
id_rsa          id_rsa.pub       known_hosts      known_hosts.old
eltex-pg2-v15@eltex-2026-spring:~$ cat .ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABgQCh5LhPkWhLCcvPLLi0a/LgUphLgs84iX3oJ4IwOd8fO6h3P1y7F4kTEDtihJHkl0Q04o3fdU5Sbh2TgQtf4zHysnQ+mY5sv6Be9ZwrH0gDVgpTZOaCQ6C6jpcbmUv8kv1Rb4/6Y+fW+/gl9tV+FrcJmq9B
3I8UHHtkis1QXHUSyJ3p3gm0G92Rt+Ewv9iUObjq7qcekMQ68J7eWSYFSiEepBg0VXhwXJs1b9aBzRkduZ0xO1dOec4tLaLQXnePqlRdzgzvxBAdXbO3BqD8WsiIgX3uWKYP47p09WJUgfmLv0evhCi3mCDXUdjn+/nBku87/0S0Ys2YaWjWz9BbQ4Xbtj2h
Tq4agkPw40iZtoV1ukTx3v3MP0h2reO8MhQWp/Aazpe+xdqCOr4sStpqRIlcLhIvMIolM/GHdw8JpO6joxEK+WpxwvXKviSNhRRcyoTCcBvW/iJSZbJpLuT5w1NtTgKoG4EBtivIi1Dh7mu1K8bNb+xDDYum5qutC/Q0JgE= eltex-pg2-v15@eltex-202
6-spring
```

```
eltex-pg2-v15@eltex-2026-spring:~$ ls -al .ssh/
id_rsa          id_rsa.pub       known_hosts      known_hosts.old
eltex-pg2-v15@eltex-2026-spring:~$ ls -al .ssh/id_rsa.pub
-rw-r--r-- 1 eltex-pg2-v15 eltex-pg2-v15 585 Mar 12 17:16 .ssh/id_rsa.pub
eltex-pg2-v15@eltex-2026-spring:~$
```

```
root@eltex-practice2-pg2-v15:~# cat .ssh/authorized_keys
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABgQCh5LhPkWhLCcvPLLi0a/LgUphLgs84iX3oJ4IwOd8fO6h3P1y7F4kTEDtihJHkl0Q04o3fdU5Sbh2TgQtf4zHysnQ+mY5sv6Be9ZwrH0gDVgpTZOaCQ6C6jpcbmUv8kv1Rb4/6Y+fW+/gl9tV+FrcJmq9B
3I8UHHtkis1QXHUSyJ3p3gm0G92Rt+Ewv9iUObjq7qcekMQ68J7eWSYFSiEepBg0VXhwXJs1b9aBzRkduZ0xO1dOec4tLaLQXnePqlRdzgzvxBAdXbO3BqD8WsiIgX3uWKYP47p09WJUgfmLv0evhCi3mCDXUdjn+/nBku87/0S0Ys2YaWjWz9BbQ4Xbtj2h
Tq4agkPw40iZtoV1ukTx3v3MP0h2reO8MhQWp/Aazpe+xdqCOr4sStpqRIlcLhIvMIolM/GHdw8JpO6joxEK+WpxwvXKviSNhRRcyoTCcBvW/iJSZbJpLuT5w1NtTgKoG4EBtivIi1Dh7mu1K8bNb+xDDYum5qutC/Q0JgE= eltex-pg2-v15@eltex-202
6-spring
root@eltex-practice2-pg2-v15:~# ls -al .ssh | grep authorized_keys
-rw------- 1 root root  585 Mar 12 10:19 authorized_keys
root@eltex-practice2-pg2-v15:~#
```

Создание пользователя через useradd

```
root@eltex-practice2-pg2-v15:~# useradd -d /home/user1 -s /bin/bash user1
root@eltex-practice2-pg2-v15:~# passwd user1
New password:
Retype new password:
passwd: password updated successfully
```

Создание пользователей через adduser

```
root@eltex-practice2-pg2-v15:~# adduser user2
info: Adding user `user2' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `user2' (1002) ...
info: Adding new user `user2' (1002) with group `user2 (1002)' ...
warn: The home directory `/home/user2' already exists.  Not touching this directory.
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for user2
Enter the new value, or press ENTER for the default
        Full Name []: user2
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] Y
info: Adding new user `user2' to supplemental / extra groups `users' ...
info: Adding user `user2' to group `users' ...
root@eltex-practice2-pg2-v15:~# adduser user3
info: Adding user `user3' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `user3' (1003) ...
info: Adding new user `user3' (1003) with group `user3 (1003)' ...
info: Creating home directory `/home/user3' ...
info: Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for user3
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] Y
info: Adding new user `user3' to supplemental / extra groups `users' ...
info: Adding user `user3' to group `users' ...
root@eltex-practice2-pg2-v15:~#
```

Смена оболочки пользователя

```
root@eltex-practice2-pg2-v15:~# usermod -s /usr/sbin/nologin user3
root@eltex-practice2-pg2-v15:~# su user3
This account is currently not available.
root@eltex-practice2-pg2-v15:~# su user3 -s /bin/bash
user3@eltex-practice2-pg2-v15:/root$ whoami
user3
user3@eltex-practice2-pg2-v15:/root$ logout
bash: logout: not login shell: use `exit'
user3@eltex-practice2-pg2-v15:/root$ exit
exit
root@eltex-practice2-pg2-v15:~#
```

Добавление пользователей в новую группу

```
root@eltex-practice2-pg2-v15:~# groupadd newbie
root@eltex-practice2-pg2-v15:~# usermod -aG newbie user1
root@eltex-practice2-pg2-v15:~# usermod -aG newbie user2
root@eltex-practice2-pg2-v15:~# usermod -aG newbie user3
root@eltex-practice2-pg2-v15:~# groups user1
user1 : user1 newbie
root@eltex-practice2-pg2-v15:~# groups user2
user2 : user2 users newbie
root@eltex-practice2-pg2-v15:~# groups user3
user3 : user3 users newbie
root@eltex-practice2-pg2-v15:~#
```

Создание /opt/share

```
root@eltex-practice2-pg2-v15:~# mkdir /opt/share
root@eltex-practice2-pg2-v15:~# chown :newbie /opt/share
root@eltex-practice2-pg2-v15:~# ll /opt
total 12
drwxr-xr-x  3 root root   4096 Mar 12 10:54 ./
drwxr-xr-x 23 root root   4096 Mar 12  2025 ../
drwxr-xr-x  2 root newbie 4096 Mar 12 10:54 share/
root@eltex-practice2-pg2-v15:~# chmod g+s /opt/share
root@eltex-practice2-pg2-v15:~# chmod g+rwx /opt/share
root@eltex-practice2-pg2-v15:~# ll /opt
total 12
drwxr-xr-x  3 root root   4096 Mar 12 10:54 ./
drwxr-xr-x 23 root root   4096 Mar 12  2025 ../
drwxrwsr-x  2 root newbie 4096 Mar 12 10:54 share/
root@eltex-practice2-pg2-v15:~#
```

Задание umask user1

```
root@eltex-practice2-pg2-v15:~# echo "umask 0007" >> /home/user1/.bashrc && cat /home/user1/.bashrc | grep -i "umask"
umask 0007
root@eltex-practice2-pg2-v15:~# su user1
user1@eltex-practice2-pg2-v15:/root$ cd
user1@eltex-practice2-pg2-v15:~$ umask
0007
user1@eltex-practice2-pg2-v15:~$ touch test.txt
user1@eltex-practice2-pg2-v15:~$ ls -al | grep test.txt
-rw-rw---- 1 user1 user1    0 Mar 12 11:14 test.txt
user1@eltex-practice2-pg2-v15:~$
```

Создание/удаление файлов пользователями

```
root@eltex-practice2-pg2-v15:/opt/share# su user1 && su user2 && su -s /bin/bash user3
user1@eltex-practice2-pg2-v15:/opt/share$ touch file1 && exit
exit
user2@eltex-practice2-pg2-v15:/opt/share$ touch file2 && exit
exit
user3@eltex-practice2-pg2-v15:/opt/share$ touch file3 && exit
exit
root@eltex-practice2-pg2-v15:/opt/share# ls -al
total 8
drwxrwsr-x 2 root  newbie 4096 Mar 12 11:31 .
drwxr-xr-x 3 root  root   4096 Mar 12 10:54 ..
-rw-rw---- 1 user1 newbie    0 Mar 12 11:31 file1
-rw-rw-r-- 1 user2 newbie    0 Mar 12 11:31 file2
-rw-rw-r-- 1 user3 newbie    0 Mar 12 11:31 file3
root@eltex-practice2-pg2-v15:/opt/share# su user1 && su user2 && su -s /bin/bash user3
user1@eltex-practice2-pg2-v15:/opt/share$ rm file3 && ls -l && exit
total 0
-rw-rw---- 1 user1 newbie 0 Mar 12 11:31 file1
-rw-rw-r-- 1 user2 newbie 0 Mar 12 11:31 file2
exit
user2@eltex-practice2-pg2-v15:/opt/share$ rm file1 && ls -l && exit
total 0
-rw-rw-r-- 1 user2 newbie 0 Mar 12 11:31 file2
exit
user3@eltex-practice2-pg2-v15:/opt/share$ rm file2 && ls -l && exit
total 0
exit
root@eltex-practice2-pg2-v15:/opt/share#
```

Создание/удаление файлов пользователями (задание sticky bit)

```
root@eltex-practice2-pg2-v15:/opt/share# chmod o+t /opt/share && ll /opt
total 12
drwxr-xr-x  3 root root   4096 Mar 12 10:54 ./
drwxr-xr-x 23 root root   4096 Mar 12  2025 ../
drwxrwsr-t  2 root newbie 4096 Mar 12 11:34 share/
root@eltex-practice2-pg2-v15:/opt/share#
```

```
root@eltex-practice2-pg2-v15:/opt/share# su user1 && su user2 && su -s /bin/bash user3
user1@eltex-practice2-pg2-v15:/opt/share$ touch file1 && exit
exit
user2@eltex-practice2-pg2-v15:/opt/share$ touch file2 && exit
exit
user3@eltex-practice2-pg2-v15:/opt/share$ touch file3 && exit
exit
root@eltex-practice2-pg2-v15:/opt/share# su user1
user1@eltex-practice2-pg2-v15:/opt/share$ rm file2
rm: cannot remove 'file2': Operation not permitted
user1@eltex-practice2-pg2-v15:/opt/share$ rm file3
rm: cannot remove 'file3': Operation not permitted
user1@eltex-practice2-pg2-v15:/opt/share$ exit
exit
root@eltex-practice2-pg2-v15:/opt/share# su user2
user2@eltex-practice2-pg2-v15:/opt/share$ rm file1
rm: cannot remove 'file1': Operation not permitted
user2@eltex-practice2-pg2-v15:/opt/share$ rm file3
rm: cannot remove 'file3': Operation not permitted
user2@eltex-practice2-pg2-v15:/opt/share$ exit
exit
root@eltex-practice2-pg2-v15:/opt/share# su user3
This account is currently not available.
root@eltex-practice2-pg2-v15:/opt/share# rm file1
root@eltex-practice2-pg2-v15:/opt/share# su user3 -s /bin/bash
user3@eltex-practice2-pg2-v15:/opt/share$ rm file2
rm: cannot remove 'file2': Operation not permitted
user3@eltex-practice2-pg2-v15:/opt/share$ exit
exit
root@eltex-practice2-pg2-v15:/opt/share# ls -l
total 0
-rw-rw-r-- 1 user2 newbie 0 Mar 12 11:39 file2
-rw-rw-r-- 1 user3 newbie 0 Mar 12 11:39 file3
root@eltex-practice2-pg2-v15:/opt/share#
```

Выполнение dmesg через sudo

```
root@eltex-practice2-pg2-v15:~# su user1
user1@eltex-practice2-pg2-v15:/root$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
user1@eltex-practice2-pg2-v15:/root$ sudo !!
sudo dmesg
user1 is not in the sudoers file.
user1@eltex-practice2-pg2-v15:/root$ exit
exit
root@eltex-practice2-pg2-v15:~# usermod -aG sudo user1
root@eltex-practice2-pg2-v15:~# su user1
user1@eltex-practice2-pg2-v15:/root$ sudo dmesg | less
user1@eltex-practice2-pg2-v15:/root$
```

```
[    0.000000] Linux version 6.8.0-55-generic (buildd@lcy02-amd64-095) (x86_64-linux-gnu-gcc-13 (Ubuntu 13.3.0-6ubuntu2~24.04) 13.3.0, GNU ld (GNU Binutils for Ubuntu) 2.42) #57-Ubuntu SMP PRE
EMPT_DYNAMIC Wed Feb 12 23:42:21 UTC 2025 (Ubuntu 6.8.0-55.57-generic 6.8.12)
[    0.000000] Command line: BOOT_IMAGE=/vmlinuz-6.8.0-55-generic root=/dev/mapper/ubuntu--vg-ubuntu--lv ro
[    0.000000] KERNEL supported cpus:
[    0.000000]   Intel GenuineIntel
[    0.000000]   AMD AuthenticAMD
[    0.000000]   Hygon HygonGenuine
[    0.000000]   Centaur CentaurHauls
[    0.000000]   zhaoxin   Shanghai
[    0.000000] BIOS-provided physical RAM map:
[    0.000000] BIOS-e820: [mem 0x0000000000000000-0x000000000009fbff] usable
[    0.000000] BIOS-e820: [mem 0x000000000009fc00-0x000000000009ffff] reserved
[    0.000000] BIOS-e820: [mem 0x00000000000f0000-0x00000000000fffff] reserved
[    0.000000] BIOS-e820: [mem 0x0000000000100000-0x00000000bffd9fff] usable
[    0.000000] BIOS-e820: [mem 0x00000000bffda000-0x00000000bfffffff] reserved
[    0.000000] BIOS-e820: [mem 0x00000000feffc000-0x00000000feffffff] reserved
[    0.000000] BIOS-e820: [mem 0x00000000fffc0000-0x00000000ffffffff] reserved
[    0.000000] BIOS-e820: [mem 0x0000000100000000-0x000000013fffffff] usable
[    0.000000] BIOS-e820: [mem 0x000000fd00000000-0x000000ffffffffff] reserved
[    0.000000] NX (Execute Disable) protection: active
[    0.000000] APIC: Static calls initialized
[    0.000000] SMBIOS 2.8 present.
[    0.000000] DMI: QEMU Standard PC (i440FX + PIIX, 1996), BIOS rel-1.17.0-0-gb52ca86e094d-prebuilt.qemu.org 04/01/2014
[    0.000000] Hypervisor detected: KVM
[    0.000000] kvm-clock: Using msrs 4b564d01 and 4b564d00
[    0.000014] kvm-clock: using sched offset of 1092332810453 cycles
[    0.000027] clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
[    0.000044] tsc: Detected 3400.000 MHz processor
[    0.000996] e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
[    0.001013] e820: remove [mem 0x000a0000-0x000fffff] usable
[    0.100327] AGP: No AGP bridge found
[    0.101151] last_pfn = 0x140000 max_arch_pfn = 0x400000000
[    0.101203] MTRR map: 4 entries (3 fixed + 1 variable; max 19), built from 8 variable MTRRs
[    0.101211] x86/PAT: Configuration [0-7]: WB  WC  UC- UC  WB  WP  UC- WT
[    0.101277] last_pfn = 0xbffda max_arch_pfn = 0x400000000
[    0.103425] found SMP MP-table at [mem 0x000f5490-0x000f549f]
[    0.103700] RAMDISK: [mem 0x2fccd000-0x33e5dfff]
[    0.104570] ACPI: Early table checksum verification disabled
[    0.104581] ACPI: RSDP 0x00000000000F5290 000014 (v00 BOCHS )
[    0.104592] ACPI: RSDT 0x00000000BFFE3B5F 000034 (v01 BOCHS  BXPC     00000001 BXPC 00000001)
[    0.104606] ACPI: FACP 0x00000000BFFE3979 000074 (v01 BOCHS  BXPC     00000001 BXPC 00000001)
[    0.104619] ACPI: DSDT 0x00000000BFFDF040 004939 (v01 BOCHS  BXPC     00000001 BXPC 00000001)
[    0.104627] ACPI: FACS 0x00000000BFFDF000 000040
[    0.104633] ACPI: APIC 0x00000000BFFE39ED 000080 (v03 BOCHS  BXPC     00000001 BXPC 00000001)
[    0.104640] ACPI: SSDT 0x00000000BFFE3A6D 0000CA (v01 BOCHS  VMGENID  00000001 BXPC 00000001)
[    0.104648] ACPI: WAET 0x00000000BFFE3B37 000028 (v01 BOCHS  BXPC     00000001 BXPC 00000001)
[    0.104653] ACPI: Reserving FACP table memory at [mem 0xbffe3979-0xbffe39ec]
[    0.104656] ACPI: Reserving DSDT table memory at [mem 0xbffdf040-0xbffe3978]
[    0.104658] ACPI: Reserving FACS table memory at [mem 0xbffdf000-0xbffdf03f]
:
```

Выполнение dmesg через bash + SUID
#!/bin/bash

dmesg

```
root@eltex-practice2-pg2-v15:/opt/share# vi get_dmesg.sh
root@eltex-practice2-pg2-v15:/opt/share# chmod a+x get_dmesg.sh
root@eltex-practice2-pg2-v15:/opt/share# chmod u+s get_dmesg.sh
root@eltex-practice2-pg2-v15:/opt/share# ls -l
total 4
-rw-rw-r-- 1 user2 newbie  0 Mar 12 11:39 file2
-rw-rw-r-- 1 user3 newbie  0 Mar 12 11:39 file3
-rwsr-xr-x 1 root  newbie 24 Mar 17 08:20 get_dmesg.sh
root@eltex-practice2-pg2-v15:/opt/share# su  user2
user2@eltex-practice2-pg2-v15:/opt/share$ ./get_dmesg.sh
```

```
user2@eltex-practice2-pg2-v15:/opt/share$ ./get_dmesg.sh
dmesg: read kernel buffer failed: Operation not permitted
```

Задание времени действия пароля пользователем

```
root@eltex-practice2-pg2-v15:/opt/share# chage -M 10 user1
root@eltex-practice2-pg2-v15:/opt/share# chage -M 10 user2
root@eltex-practice2-pg2-v15:/opt/share#
root@eltex-practice2-pg2-v15:/opt/share# chage -M 10 user3
root@eltex-practice2-pg2-v15:/opt/share#
```

/etc/motd

```
root@eltex-practice2-pg2-v15:/opt/share# touch /etc/motd
root@eltex-practice2-pg2-v15:/opt/share# echo "Дементьев Артём" >> /etc/motd
root@eltex-practice2-pg2-v15:/opt/share# cat /etc/motd
Дементьев Артём
root@eltex-practice2-pg2-v15:/opt/share#
```

Создание бэкапа через rsync

```
root@eltex-practice2-pg2-v15:~# rsync -r --fsync /etc /root/etc_backup
```

```
skipping non-regular file "etc/systemd/system/sockets.target.wants/apport-forward.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/dm-event.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/iscsid.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/multipathd.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/snapd.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/ssh.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/systemd-networkd.socket"
skipping non-regular file "etc/systemd/system/sockets.target.wants/uuidd.socket"
skipping non-regular file "etc/systemd/system/ssh.service.requires/ssh.socket"
skipping non-regular file "etc/systemd/system/suspend-then-hibernate.target.wants/grub-common.service"
skipping non-regular file "etc/systemd/system/suspend.target.wants/grub-common.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/apparmor.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/blk-availability.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/finalrd.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/keyboard-setup.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/lvm2-lvmpolld.socket"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/lvm2-monitor.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/multipathd.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/open-iscsi.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/setvtrgb.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/systemd-pstore.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/systemd-resolved.service"
skipping non-regular file "etc/systemd/system/sysinit.target.wants/systemd-timesyncd.service"
skipping non-regular file "etc/systemd/system/sysstat.service.wants/sysstat-collect.timer"
skipping non-regular file "etc/systemd/system/sysstat.service.wants/sysstat-summary.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/apport-autoreport.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/apt-daily-upgrade.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/apt-daily.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/dpkg-db-backup.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/e2scrub_all.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/fstrim.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/fwupd-refresh.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/logrotate.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/man-db.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/motd-news.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/snapd.snap-repair.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/ua-timer.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/update-notifier-download.timer"
skipping non-regular file "etc/systemd/system/timers.target.wants/update-notifier-motd.timer"
skipping non-regular file "etc/systemd/user/sockets.target.wants/dirmngr.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/gpg-agent-browser.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/gpg-agent-extra.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/gpg-agent-ssh.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/gpg-agent.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/keyboxd.socket"
skipping non-regular file "etc/systemd/user/sockets.target.wants/pk-debconf-helper.socket"
skipping non-regular file "etc/systemd/user/timers.target.wants/launchpadlib-cache-clean.timer"
skipping non-regular file "etc/update-motd.d/50-landscape-sysinfo"
skipping non-regular file "etc/xdg/systemd/user"
root@eltex-practice2-pg2-v15:~#
```

Содержимое бэкапа

```
root@eltex-practice2-pg2-v15:~/etc_backup# cd etc
root@eltex-practice2-pg2-v15:~/etc_backup/etc# ls
adduser.conf            cron.daily            ethertypes   init.d           locale.conf     motd                passwd-     rc6.d          subgid             udev
alternatives            cron.hourly           fonts        initramfs-tools  locale.gen      multipath           perl        rcS.d          subgid-            udisks2
apparmor                cron.monthly          fstab        inputrc          logcheck        multipath.conf      pki         rpc            subuid             ufw
apparmor.d              crontab               fuse.conf    iproute2         login.defs      nanorc              plymouth    rsyslog.conf   subuid-            update-manager
apport                  cron.weekly           fwupd        iscsi            logrotate.conf  needrestart         pm          rsyslog.d      sudo.conf          update-motd.d
apt                     cron.yearly           gai.conf     issue            logrotate.d     netconfig           polkit-1    screenrc       sudoers            update-notifier
bash.bashrc             cryptsetup-initramfs  gnutls       issue.net        lsb-release     netplan             pollinate   security       sudoers.d          UPower
bash_completion         crypttab              groff        kernel           lvm             network             profile     selinux        sudo_logsrvd.conf  usb_modeswitch.conf
bash_completion.d       dbus-1                group        landscape        machine-id      networkd-dispatcher profile.d   sensors3.conf  supercat           usb_modeswitch.d
bindresvport.blacklist  debconf.conf          group-       ldap             magic           networks            protocols   sensors.d      sysctl.conf        vim
binfmt.d                debian_version        grub.d       ld.so.cache      magic.mime      newt                python3     services       sysctl.d           vmware-tools
byobu                   default               gshadow      ld.so.conf       manpath.config  nftables.conf       python3.12  sgml           sysstat            wgetrc
ca-certificates         deluser.conf          gshadow-     ld.so.conf.d     mdadm           nsswitch.conf       qemu        shadow         systemd            X11
ca-certificates.conf    depmod.d              gss          legal            mime.types      opt                 rc0.d       shadow-        terminfo           xattr.conf
cloud                   dhcp                  hdparm.conf  libaudit.conf    mke2fs.conf     overlayroot.conf    rc1.d       shells         thermald           xdg
console-setup           dhcpcd.conf           host.conf    libblockdev      ModemManager    PackageKit          rc2.d       skel           timezone           xml
credstore               dpkg                  hosts        libibverbs.d     modprobe.d      pam.conf            rc3.d       sos            tmpfiles.d         zsh_command_not_found
credstore.encrypted     e2scrub.conf          hosts.allow  libnl-3          modules         pam.d               rc4.d       ssh            ubuntu-advantage
cron.d                  environment           hosts.deny   locale.alias     modules-load.d  passwd              rc5.d       ssl            ucf.conf
root@eltex-practice2-pg2-v15:~/etc_backup/etc#
```

Архивация через gzip

```
root@eltex-practice2-pg2-v15:~# tar czf etc_backup.tar.gz etc_backup
root@eltex-practice2-pg2-v15:~# ls -l
total 568
drwxr-xr-x 3 root root   4096 Mar 17 09:21 etc_backup
-rw-r--r-- 1 root root 577067 Mar 17 09:37 etc_backup.tar.gz
root@eltex-practice2-pg2-v15:~#
```

Архивация через bzip2

```
root@eltex-practice2-pg2-v15:~# tar cjf etc_backup.tar.bz2 etc_backup
root@eltex-practice2-pg2-v15:~# ls -l
total 1104
drwxr-xr-x 3 root root   4096 Mar 17 09:21 etc_backup
-rw-r--r-- 1 root root 548039 Mar 17 09:45 etc_backup.tar.bz2
-rw-r--r-- 1 root root 577067 Mar 17 09:37 etc_backup.tar.gz
root@eltex-practice2-pg2-v15:~#
```

Архивация через 7zip

```
root@eltex-practice2-pg2-v15:~# 7z a -t7z etc_backup.tar.7z etc_backup

7-Zip 23.01 (x64) : Copyright (c) 1999-2023 Igor Pavlov : 2023-06-20
 64-bit locale=en_US.UTF-8 Threads:2 OPEN_MAX:1024

Scanning the drive:
242 folders, 859 files, 2341510 bytes (2287 KiB)

Creating archive: etc_backup.tar.7z

Add new data to archive: 242 folders, 859 files, 2341510 bytes (2287 KiB)


Files read from disk: 847
Archive size: 461625 bytes (451 KiB)
Everything is Ok
root@eltex-practice2-pg2-v15:~# ls -l
total 1556
drwxr-xr-x 3 root root   4096 Mar 17 09:21 etc_backup
-rw-r--r-- 1 root root 461625 Mar 17 09:50 etc_backup.tar.7z
-rw-r--r-- 1 root root 548039 Mar 17 09:45 etc_backup.tar.bz2
-rw-r--r-- 1 root root 577067 Mar 17 09:37 etc_backup.tar.gz
root@eltex-practice2-pg2-v15:~#
```

Редактирование motd

```
root@eltex-practice2-pg2-v15:~# date >> /etc/motd
root@eltex-practice2-pg2-v15:~# cat /etc/motd
Дементьев Артём
Tue Mar 17 09:56:04 AM UTC 2026
root@eltex-practice2-pg2-v15:~#
```

Обновление бэкапа

```
root@eltex-practice2-pg2-v15:~# rsync -r --fsync --update /etc /root/etc_backup


root@eltex-practice2-pg2-v15:~# cat /root/etc_backup/etc/motd
Дементьев Артём
Tue Mar 17 09:56:04 AM UTC 2026
root@eltex-practice2-pg2-v15:~#
```

Распаковка архивов и сравнение /etc/motd

```
root@eltex-practice2-pg2-v15:~# tar xf etc_backup.tar.gz -C etc_backup_gzip
root@eltex-practice2-pg2-v15:~# 7z x etc_backup.tar.
etc_backup.tar.7z   etc_backup.tar.bz2  etc_backup.tar.gz
root@eltex-practice2-pg2-v15:~# 7z x etc_backup.tar.7z -oetc_backup_7zip

7-Zip 23.01 (x64) : Copyright (c) 1999-2023 Igor Pavlov : 2023-06-20
 64-bit locale=en_US.UTF-8 Threads:2 OPEN_MAX:1024

Scanning the drive for archives:
1 file, 461625 bytes (451 KiB)

Extracting archive: etc_backup.tar.7z
--
Path = etc_backup.tar.7z
Type = 7z
Physical Size = 461625
Headers Size = 15402
Method = LZMA2:3m
Solid = +
Blocks = 1

Everything is Ok

Folders: 242
Files: 859
Size:       2341510
Compressed: 461625
root@eltex-practice2-pg2-v15:~#
```

```
root@eltex-practice2-pg2-v15:~# diff etc_backup_gzip/etc_backup/etc/motd etc_backup_7zip/etc_backup/etc/motd
2d1
< Tue Mar 17 09:56:04 AM UTC 2026
root@eltex-practice2-pg2-v15:~#
```

Раздел 2
Содержимое practice2_eltex-practice2-pg2-v15_part2.log
journalctl -b --since "08:28:13" --until "08:28:33"
Mar 12 08:28:13 localhost kernel: Linux version 6.8.0-55-generic (buildd@lcy02-amd64-095) (x86_64-linux-gnu-gcc-13 (Ubuntu 13.3.0-6ubuntu2~24.04) 13.3.0, GNU ld (GNU Binutils for Ubuntu) 2.42) #57-Ubuntu SMP PREEMPT_DYNAMIC Wed Feb 12 23:42:21 UTC 2025 (Ubuntu 6.8.0-55.57-generic 6.8.12)
Mar 12 08:28:13 localhost kernel: Command line: BOOT_IMAGE=/vmlinuz-6.8.0-55-generic root=/dev/mapper/ubuntu--vg-ubuntu--lv ro
Mar 12 08:28:13 localhost kernel: KERNEL supported cpus:
Mar 12 08:28:13 localhost kernel: Intel GenuineIntel
Mar 12 08:28:13 localhost kernel: AMD AuthenticAMD
Mar 12 08:28:13 localhost kernel: Hygon HygonGenuine
Mar 12 08:28:13 localhost kernel: Centaur CentaurHauls
Mar 12 08:28:13 localhost kernel: zhaoxin Shanghai
Mar 12 08:28:13 localhost kernel: BIOS-provided physical RAM map:
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009fbff] usable
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x000000000009fc00-0x000000000009ffff] reserved
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x00000000000f0000-0x00000000000fffff] reserved
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x0000000000100000-0x00000000bffd9fff] usable
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x00000000bffda000-0x00000000bfffffff] reserved
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x00000000feffc000-0x00000000feffffff] reserved
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x00000000fffc0000-0x00000000ffffffff] reserved
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x0000000100000000-0x000000013fffffff] usable
Mar 12 08:28:13 localhost kernel: BIOS-e820: [mem 0x000000fd00000000-0x000000ffffffffff] reserved
Mar 12 08:28:13 localhost kernel: NX (Execute Disable) protection: active
Mar 12 08:28:13 localhost kernel: APIC: Static calls initialized
Mar 12 08:28:13 localhost kernel: SMBIOS 2.8 present.
Mar 12 08:28:13 localhost kernel: DMI: QEMU Standard PC (i440FX + PIIX, 1996), BIOS rel-1.17.0-0-gb52ca86e094d-prebuilt.qemu.org 04/01/2014
Mar 12 08:28:13 localhost kernel: Hypervisor detected: KVM
Mar 12 08:28:13 localhost kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Mar 12 08:28:13 localhost kernel: kvm-clock: using sched offset of 1092332810453 cycles
Mar 12 08:28:13 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
Mar 12 08:28:13 localhost kernel: tsc: Detected 3400.000 MHz processor
Mar 12 08:28:13 localhost kernel: e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
Mar 12 08:28:13 localhost kernel: e820: remove [mem 0x000a0000-0x000fffff] usable
Mar 12 08:28:13 localhost kernel: AGP: No AGP bridge found
Mar 12 08:28:13 localhost kernel: last_pfn = 0x140000 max_arch_pfn = 0x400000000
Mar 12 08:28:13 localhost kernel: MTRR map: 4 entries (3 fixed + 1 variable; max 19), built from 8 variable MTRRs

Mar 12 08:28:13 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC-
WT
Mar 12 08:28:13 localhost kernel: last_pfn = 0xbffda max_arch_pfn = 0x400000000
Mar 12 08:28:13 localhost kernel: found SMP MP-table at [mem 0x000f5490-0x000f549f]
Mar 12 08:28:13 localhost kernel: RAMDISK: [mem 0x2fccd000-0x33e5dfff]
Mar 12 08:28:13 localhost kernel: ACPI: Early table checksum verification disabled
Mar 12 08:28:13 localhost kernel: ACPI: RSDP 0x00000000000F5290 000014 (v00 BOCHS)
Mar 12 08:28:13 localhost kernel: ACPI: RSDT 0x00000000BFFE3B5F 000034 (v01 BOCHS
BXPC 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: FACP 0x00000000BFFE3979 000074 (v01 BOCHS
BXPC 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: DSDT 0x00000000BFFDF040 004939 (v01 BOCHS
BXPC 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: FACS 0x00000000BFFDF000 000040
Mar 12 08:28:13 localhost kernel: ACPI: APIC 0x00000000BFFE39ED 000080 (v03 BOCHS
BXPC 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: SSDT 0x00000000BFFE3A6D 0000CA (v01 BOCHS
VMGENID 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: WAET 0x00000000BFFE3B37 000028 (v01 BOCHS
BXPC 00000001 BXPC 00000001)
Mar 12 08:28:13 localhost kernel: ACPI: Reserving FACP table memory at [mem 0xbffe3979-
0xbffe39ec]
Mar 12 08:28:13 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0xbffdf040-
0xbffe3978]
Mar 12 08:28:13 localhost kernel: ACPI: Reserving FACS table memory at [mem 0xbffdf000-
0xbffdf03f]
Mar 12 08:28:13 localhost kernel: ACPI: Reserving APIC table memory at [mem
0xbffe39ed-0xbffe3a6c]
Mar 12 08:28:13 localhost kernel: ACPI: Reserving SSDT table memory at [mem
0xbffe3a6d-0xbffe3b36]
Mar 12 08:28:13 localhost kernel: ACPI: Reserving WAET table memory at [mem 0xbffe3b37-
0xbffe3b5e]
Mar 12 08:28:13 localhost kernel: No NUMA configuration found
Mar 12 08:28:13 localhost kernel: Faking a node at [mem 0x0000000000000000-
0x000000013fffffff]
Mar 12 08:28:13 localhost kernel: NODE_DATA(0) allocated [mem 0x13ffd5000-0x13fffffff]
Mar 12 08:28:13 localhost kernel: Zone ranges:
Mar 12 08:28:13 localhost kernel: DMA [mem 0x0000000000001000-0x0000000000ffffff]
Mar 12 08:28:13 localhost kernel: DMA32 [mem 0x0000000001000000-0x00000000ffffffff]
Mar 12 08:28:13 localhost kernel: Normal [mem 0x0000000100000000-0x000000013fffffff]
Mar 12 08:28:13 localhost kernel: Device empty
Mar 12 08:28:13 localhost kernel: Movable zone start for each node
Mar 12 08:28:13 localhost kernel: Early memory node ranges
Mar 12 08:28:13 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000009efff]
Mar 12 08:28:13 localhost kernel: node 0: [mem 0x0000000000100000-0x00000000bffd9fff]
Mar 12 08:28:13 localhost kernel: node 0: [mem 0x0000000100000000-0x000000013fffffff]
Mar 12 08:28:13 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-
0x000000013fffffff]
Mar 12 08:28:13 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Mar 12 08:28:13 localhost kernel: On node 0, zone DMA: 97 pages in unavailable ranges
Mar 12 08:28:13 localhost kernel: On node 0, zone Normal: 38 pages in unavailable ranges
Mar 12 08:28:13 localhost kernel: ACPI: PM-Timer IO Port: 0x608

Mar 12 08:28:13 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
Mar 12 08:28:13 localhost kernel: IOAPIC[0]: apic_id 0, version 17, address 0xfec00000, GSI 0-23
Mar 12 08:28:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 0 global_irq 2 dfl dfl)
Mar 12 08:28:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Mar 12 08:28:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Mar 12 08:28:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Mar 12 08:28:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Mar 12 08:28:13 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Mar 12 08:28:13 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Mar 12 08:28:13 localhost kernel: kvm-guest: APIC: eoi() replaced with kvm_guest_apic_eoi_write()
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x0009f000-0x0009ffff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000effff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000f0000-0x000fffff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0xbffda000-0xbfffffff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0xc0000000-0xfeffbfff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0xfeffc000-0xfeffffff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0xff000000-0xfffbffff]
Mar 12 08:28:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0xfffc0000-0xffffffff]
Mar 12 08:28:13 localhost kernel: [mem 0xc0000000-0xfeffbfff] available for PCI devices
Mar 12 08:28:13 localhost kernel: Booting paravirtualized kernel on KVM
Mar 12 08:28:13 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1910969940391419 ns
Mar 12 08:28:13 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
Mar 12 08:28:13 localhost kernel: percpu: Embedded 86 pages/cpu s229376 r8192 d114688 u1048576
Mar 12 08:28:13 localhost kernel: pcpu-alloc: s229376 r8192 d114688 u1048576 alloc=1*2097152
Mar 12 08:28:13 localhost kernel: pcpu-alloc: [0] 0 1
Mar 12 08:28:13 localhost kernel: kvm-guest: PV spinlocks enabled
Mar 12 08:28:13 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Mar 12 08:28:13 localhost kernel: Kernel command line: BOOT_IMAGE=/vmlinuz-6.8.0-55-generic root=/dev/mapper/ubuntu--vg-ubuntu--lv ro
Mar 12 08:28:13 localhost kernel: Unknown kernel command line parameters "BOOT_IMAGE=/vmlinuz-6.8.0-55-generic", will be passed to user space.
Mar 12 08:28:13 localhost kernel: Dentry cache hash table entries: 524288 (order: 10, 4194304 bytes, linear)
Mar 12 08:28:13 localhost kernel: Inode-cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)

Mar 12 08:28:13 localhost kernel: Fallback order for Node 0: 0
Mar 12 08:28:13 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 1031898
Mar 12 08:28:13 localhost kernel: Policy zone: Normal
Mar 12 08:28:13 localhost kernel: mem auto-init: stack:all(zero), heap alloc:on, heap free:off
Mar 12 08:28:13 localhost kernel: AGP: Checking aperture...
Mar 12 08:28:13 localhost kernel: AGP: No AGP bridge found
Mar 12 08:28:13 localhost kernel: software IO TLB: area num 2.
Mar 12 08:28:13 localhost kernel: Memory: 3933500K/4193760K available (22528K kernel code, 4443K rwdata, 14344K rodata, 4988K init, 4716K bss, 260000K reserved, 0K cma-reserved)
Mar 12 08:28:13 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
Mar 12 08:28:13 localhost kernel: ftrace: allocating 58006 entries in 227 pages
Mar 12 08:28:13 localhost kernel: ftrace: allocated 227 pages with 5 groups
Mar 12 08:28:13 localhost kernel: Dynamic Preempt: voluntary
Mar 12 08:28:13 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Mar 12 08:28:13 localhost kernel: rcu:	RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Mar 12 08:28:13 localhost kernel:	Trampoline variant of Tasks RCU enabled.
Mar 12 08:28:13 localhost kernel:	Rude variant of Tasks RCU enabled.
Mar 12 08:28:13 localhost kernel:	Tracing variant of Tasks RCU enabled.
Mar 12 08:28:13 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 100 jiffies.
Mar 12 08:28:13 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Mar 12 08:28:13 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Mar 12 08:28:13 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Mar 12 08:28:13 localhost kernel: Console: colour dummy device 80x25
Mar 12 08:28:13 localhost kernel: printk: legacy console [tty0] enabled
Mar 12 08:28:13 localhost kernel: ACPI: Core revision 20230628
Mar 12 08:28:13 localhost kernel: APIC: Switch to symmetric I/O mode setup
Mar 12 08:28:13 localhost kernel: x2apic enabled
Mar 12 08:28:13 localhost kernel: APIC: Switched APIC routing to: physical x2apic
Mar 12 08:28:13 localhost kernel: ..TIMER: vector=0x30 apic1=0 pin1=2 apic2=-1 pin2=-1
Mar 12 08:28:13 localhost kernel: tsc: Marking TSC unstable due to TSCs unsynchronized
Mar 12 08:28:13 localhost kernel: Calibrating delay loop (skipped) preset value.. 6800.00 BogoMIPS (lpj=3400000)
Mar 12 08:28:13 localhost kernel: process: using AMD E400 aware idle routine
Mar 12 08:28:13 localhost kernel: Last level iTLB entries: 4KB 512, 2MB 255, 4MB 127
Mar 12 08:28:13 localhost kernel: Last level dTLB entries: 4KB 512, 2MB 255, 4MB 127, 1GB 0
Mar 12 08:28:13 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Mar 12 08:28:13 localhost kernel: Spectre V2 : Mitigation: Retpolines
Mar 12 08:28:13 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB mitigation: Filling RSB on context switch
Mar 12 08:28:13 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB : Filling RSB on VMEXIT
Mar 12 08:28:13 localhost kernel: x86/fpu: x87 FPU will use FXSAVE
Mar 12 08:28:13 localhost kernel: Freeing SMP alternatives memory: 48K
Mar 12 08:28:13 localhost kernel: pid_max: default: 32768 minimum: 301
Mar 12 08:28:13 localhost kernel: LSM: initializing lsm=lockdown,capability,landlock,yama,apparmor,integrity
Mar 12 08:28:13 localhost kernel: landlock: Up and running.
Mar 12 08:28:13 localhost kernel: Yama: becoming mindful.
Mar 12 08:28:13 localhost kernel: AppArmor: AppArmor initialized

Mar 12 08:28:13 localhost kernel: Mount-cache hash table entries: 8192 (order: 4, 65536 bytes, linear)
Mar 12 08:28:13 localhost kernel: Mountpoint-cache hash table entries: 8192 (order: 4, 65536 bytes, linear)
Mar 12 08:28:13 localhost kernel: smpboot: CPU0: AMD QEMU Virtual CPU version 2.5+ (family: 0xf, model: 0x6b, stepping: 0x1)
Mar 12 08:28:13 localhost kernel: RCU Tasks: Setting shift to 1 and lim to 1 rcu_task_cb_adjust=1 rcu_task_cpu_ids=2.
Mar 12 08:28:13 localhost kernel: RCU Tasks Rude: Setting shift to 1 and lim to 1 rcu_task_cb_adjust=1 rcu_task_cpu_ids=2.
Mar 12 08:28:13 localhost kernel: RCU Tasks Trace: Setting shift to 1 and lim to 1 rcu_task_cb_adjust=1 rcu_task_cpu_ids=2.
Mar 12 08:28:13 localhost kernel: Performance Events: AMD PMU driver.
Mar 12 08:28:13 localhost kernel: ... version: 0
Mar 12 08:28:13 localhost kernel: ... bit width: 48
Mar 12 08:28:13 localhost kernel: ... generic registers: 4
Mar 12 08:28:13 localhost kernel: ... value mask: 0000ffffffffffff
Mar 12 08:28:13 localhost kernel: ... max period: 00007fffffffffff
Mar 12 08:28:13 localhost kernel: ... fixed-purpose events: 0
Mar 12 08:28:13 localhost kernel: ... event mask: 000000000000000f
Mar 12 08:28:13 localhost kernel: signal: max sigframe size: 1440
Mar 12 08:28:13 localhost kernel: rcu: Hierarchical SRCU implementation.
Mar 12 08:28:13 localhost kernel: rcu: Max phase no-delay instances is 400.
Mar 12 08:28:13 localhost kernel: smp: Bringing up secondary CPUs ...
Mar 12 08:28:13 localhost kernel: smpboot: x86: Booting SMP configuration:
Mar 12 08:28:13 localhost kernel: .... node #0, CPUs: #1
Mar 12 08:28:13 localhost kernel: smp: Brought up 1 node, 2 CPUs
Mar 12 08:28:13 localhost kernel: smpboot: Max logical packages: 1
Mar 12 08:28:13 localhost kernel: smpboot: Total of 2 processors activated (13600.00 BogoMIPS)
Mar 12 08:28:13 localhost kernel: devtmpfs: initialized
Mar 12 08:28:13 localhost kernel: x86/mm: Memory block size: 128MB
Mar 12 08:28:13 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Mar 12 08:28:13 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Mar 12 08:28:13 localhost kernel: pinctrl core: initialized pinctrl subsystem
Mar 12 08:28:13 localhost kernel: PM: RTC time: 08:28:04, date: 2026-03-12
Mar 12 08:28:13 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
Mar 12 08:28:13 localhost kernel: DMA: preallocated 512 KiB GFP_KERNEL pool for atomic allocations
Mar 12 08:28:13 localhost kernel: DMA: preallocated 512 KiB GFP_KERNEL|GFP_DMA pool for atomic allocations
Mar 12 08:28:13 localhost kernel: DMA: preallocated 512 KiB GFP_KERNEL|GFP_DMA32 pool for atomic allocations
Mar 12 08:28:13 localhost kernel: audit: initializing netlink subsys (disabled)
Mar 12 08:28:13 localhost kernel: audit: type=2000 audit(1773304083.992:1): state=initialized audit_enabled=0 res=1
Mar 12 08:28:13 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Mar 12 08:28:13 localhost kernel: thermal_sys: Registered thermal governor 'bang_bang'
Mar 12 08:28:13 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Mar 12 08:28:13 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Mar 12 08:28:13 localhost kernel: thermal_sys: Registered thermal governor 'power_allocator'
Mar 12 08:28:13 localhost kernel: EISA bus registered

Mar 12 08:28:13 localhost kernel: cpuidle: using governor ladder
Mar 12 08:28:13 localhost kernel: cpuidle: using governor menu
Mar 12 08:28:13 localhost kernel: acpiphp: ACPI Hot Plug PCI Controller Driver version: 0.5
Mar 12 08:28:13 localhost kernel: PCI: Using configuration type 1 for base access
Mar 12 08:28:13 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Mar 12 08:28:13 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Mar 12 08:28:13 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Mar 12 08:28:13 localhost kernel: fbcon: Taking over console
Mar 12 08:28:13 localhost kernel: ACPI: Added _OSI(Module Device)
Mar 12 08:28:13 localhost kernel: ACPI: Added _OSI(Processor Device)
Mar 12 08:28:13 localhost kernel: ACPI: Added _OSI(3.0 _SCP Extensions)
Mar 12 08:28:13 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Mar 12 08:28:13 localhost kernel: ACPI: 2 ACPI AML tables successfully acquired and loaded
Mar 12 08:28:13 localhost kernel: ACPI: _OSC evaluation for CPUs failed, trying _PDC
Mar 12 08:28:13 localhost kernel: ACPI: Interpreter enabled
Mar 12 08:28:13 localhost kernel: ACPI: PM: (supports S0 S5)
Mar 12 08:28:13 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Mar 12 08:28:13 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Mar 12 08:28:13 localhost kernel: PCI: Using E820 reservations for host bridge windows
Mar 12 08:28:13 localhost kernel: ACPI: Enabled 3 GPEs in block 00 to 0F
Mar 12 08:28:13 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Mar 12 08:28:13 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI EDR HPX-Type3]
Mar 12 08:28:13 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Mar 12 08:28:13 localhost kernel: acpi PNP0A03:00: fail to add MMCONFIG information, can't access extended configuration space under this bridge
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [8] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [18] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [6] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [7] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [9] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [10] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [11] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [12] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [13] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [14] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [15] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [16] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [17] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [19] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [20] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [21] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [22] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [23] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [24] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [25] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [26] registered

Mar 12 08:28:13 localhost kernel: acpiphp: Slot [27] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [28] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [29] registered
Mar 12 08:28:13 localhost kernel: PCI host bridge to bus 0000:00
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0xc0000000-0xfebfffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0xc000000000-0xc0a000bfff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: [8086:7010] type 00 class 0x010180 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: BAR 4 [io 0xf0e0-0xf0ef]
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: BAR 0 [io 0x01f0-0x01f7]: legacy IDE quirk
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: BAR 1 [io 0x03f6]: legacy IDE quirk
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: BAR 2 [io 0x0170-0x0177]: legacy IDE quirk
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.1: BAR 3 [io 0x0376]: legacy IDE quirk
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.2: [8086:7020] type 00 class 0x0c0300 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.2: BAR 4 [io 0xf0c0-0xf0df]
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x068000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.3: quirk: [io 0x0600-0x063f] claimed by PIIX4 ACPI
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.3: quirk: [io 0x0700-0x070f] claimed by PIIX4 SMB
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: [1234:1111] type 00 class 0x030000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: BAR 0 [mem 0xfd000000-0xfdffffff pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: BAR 2 [mem 0xfea50000-0xfea50fff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: ROM [mem 0xfea40000-0xfea4ffff pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:03.0: [1af4:1002] type 00 class 0x00ff00 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:03.0: BAR 0 [io 0xf000-0xf03f]
Mar 12 08:28:13 localhost kernel: pci 0000:00:03.0: BAR 1 [mem 0xfea51000-0xfea51fff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:03.0: BAR 4 [mem 0xc0a0000000-0xc0a0003fff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: [1b36:0001] type 01 class 0x060400 conventional PCI bridge
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0xc000000000-0xc0000000ff 64bit]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: PCI bridge to [bus 01]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0:   bridge window [io 0xe000-0xefff]

Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: bridge window [mem 0xfe800000-0xfe9fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: bridge window [mem 0xc080000000-0xc09fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:08.0: [1af4:1003] type 00 class 0x078000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:08.0: BAR 0 [io 0xf040-0xf07f]
Mar 12 08:28:13 localhost kernel: pci 0000:00:08.0: BAR 1 [mem 0xfea52000-0xfea52fff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:08.0: BAR 4 [mem 0xc0a0004000-0xc0a0007fff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:12.0: [1af4:1000] type 00 class 0x020000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:00:12.0: BAR 0 [io 0xf080-0xf0bf]
Mar 12 08:28:13 localhost kernel: pci 0000:00:12.0: BAR 1 [mem 0xfea53000-0xfea53fff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:12.0: BAR 4 [mem 0xc0a0008000-0xc0a000bfff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:12.0: ROM [mem 0xfea00000-0xfea3ffff pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: [1b36:0001] type 01 class 0x060400 conventional PCI bridge
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: BAR 0 [mem 0xc000001000-0xc0000010ff 64bit]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: PCI bridge to [bus 02]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [io 0xd000-0xdfff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [mem 0xfe600000-0xfe7fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [mem 0xc060000000-0xc07fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: [1b36:0001] type 01 class 0x060400 conventional PCI bridge
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: BAR 0 [mem 0xc000002000-0xc0000020ff 64bit]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: PCI bridge to [bus 03]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [io 0xc000-0xcfff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [mem 0xfe400000-0xfe5fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [mem 0xc040000000-0xc05fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:01: extended config space not accessible
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [1-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [0] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [3-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [4-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [5] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [6-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [7-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [8-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [9-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [10-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [11-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [12-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [13-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [14-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [15-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [16-2] registered

Mar 12 08:28:13 localhost kernel: acpiphp: Slot [17-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [18-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [19-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [20-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [21-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [22-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [23-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [24-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [25-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [26-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [27-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [28-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [29-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [30] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [31] registered
Mar 12 08:28:13 localhost kernel: pci 0000:01:01.0: [1af4:1004] type 00 class 0x010000 conventional PCI endpoint
Mar 12 08:28:13 localhost kernel: pci 0000:01:01.0: BAR 0 [io 0xe000-0xe03f]
Mar 12 08:28:13 localhost kernel: pci 0000:01:01.0: BAR 1 [mem 0xfe800000-0xfe800fff]
Mar 12 08:28:13 localhost kernel: pci 0000:01:01.0: BAR 4 [mem 0xc080000000-0xc080003fff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: PCI bridge to [bus 01]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:02: extended config space not accessible
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [0-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [1-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [2-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [3-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [4-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [5-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [6-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [7-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [8-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [9-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [10-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [11-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [12-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [13-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [14-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [15-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [16-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [17-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [18-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [19-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [20-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [21-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [22-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [23-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [24-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [25-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [26-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [27-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [28-3] registered

Mar 12 08:28:13 localhost kernel: acpiphp: Slot [29-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [30-2] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [31-2] registered
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: PCI bridge to [bus 02]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:03: extended config space not accessible
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [0-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [1-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [2-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [3-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [4-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [5-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [6-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [7-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [8-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [9-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [10-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [11-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [12-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [13-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [14-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [15-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [16-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [17-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [18-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [19-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [20-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [21-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [22-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [23-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [24-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [25-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [26-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [27-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [28-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [29-4] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [30-3] registered
Mar 12 08:28:13 localhost kernel: acpiphp: Slot [31-3] registered
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: PCI bridge to [bus 03]
Mar 12 08:28:13 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Mar 12 08:28:13 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Mar 12 08:28:13 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Mar 12 08:28:13 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Mar 12 08:28:13 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
Mar 12 08:28:13 localhost kernel: iommu: Default domain type: Translated
Mar 12 08:28:13 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Mar 12 08:28:13 localhost kernel: SCSI subsystem initialized
Mar 12 08:28:13 localhost kernel: libata version 3.00 loaded.
Mar 12 08:28:13 localhost kernel: ACPI: bus type USB registered
Mar 12 08:28:13 localhost kernel: usbcore: registered new interface driver usbfs
Mar 12 08:28:13 localhost kernel: usbcore: registered new interface driver hub
Mar 12 08:28:13 localhost kernel: usbcore: registered new device driver usb
Mar 12 08:28:13 localhost kernel: pps_core: LinuxPPS API ver. 1 registered

Mar 12 08:28:13 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Mar 12 08:28:13 localhost kernel: PTP clock support registered
Mar 12 08:28:13 localhost kernel: EDAC MC: Ver: 3.0.0
Mar 12 08:28:13 localhost kernel: NetLabel: Initializing
Mar 12 08:28:13 localhost kernel: NetLabel: domain hash size = 128
Mar 12 08:28:13 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Mar 12 08:28:13 localhost kernel: NetLabel: unlabeled traffic allowed by default
Mar 12 08:28:13 localhost kernel: mctp: management component transport protocol core
Mar 12 08:28:13 localhost kernel: NET: Registered PF_MCTP protocol family
Mar 12 08:28:13 localhost kernel: PCI: Using ACPI for IRQ routing
Mar 12 08:28:13 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Mar 12 08:28:13 localhost kernel: e820: reserve RAM buffer [mem 0x0009fc00-0x0009ffff]
Mar 12 08:28:13 localhost kernel: e820: reserve RAM buffer [mem 0xbffda000-0xbfffffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: vgaarb: setting as boot VGA device
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: vgaarb: bridge control possible
Mar 12 08:28:13 localhost kernel: pci 0000:00:02.0: vgaarb: VGA device added: decodes=io+mem,owns=io+mem,locks=none
Mar 12 08:28:13 localhost kernel: vgaarb: loaded
Mar 12 08:28:13 localhost kernel: clocksource: Switched to clocksource kvm-clock
Mar 12 08:28:13 localhost kernel: VFS: Disk quotas dquot_6.6.0
Mar 12 08:28:13 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Mar 12 08:28:13 localhost kernel: AppArmor: AppArmor Filesystem Enabled
Mar 12 08:28:13 localhost kernel: pnp: PnP ACPI init
Mar 12 08:28:13 localhost kernel: pnp 00:02: [dma 2]
Mar 12 08:28:13 localhost kernel: pnp: PnP ACPI: found 4 devices
Mar 12 08:28:13 localhost kernel: clocksource: acpi_pm: mask: 0xffffff max_cycles: 0xffffff, max_idle_ns: 2085701024 ns
Mar 12 08:28:13 localhost kernel: NET: Registered PF_INET protocol family
Mar 12 08:28:13 localhost kernel: IP idents hash table entries: 65536 (order: 7, 524288 bytes, linear)
Mar 12 08:28:13 localhost kernel: tcp_listen_portaddr_hash hash table entries: 2048 (order: 3, 32768 bytes, linear)
Mar 12 08:28:13 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Mar 12 08:28:13 localhost kernel: TCP established hash table entries: 32768 (order: 6, 262144 bytes, linear)
Mar 12 08:28:13 localhost kernel: TCP bind hash table entries: 32768 (order: 8, 1048576 bytes, linear)
Mar 12 08:28:13 localhost kernel: TCP: Hash tables configured (established 32768 bind 32768)
Mar 12 08:28:13 localhost kernel: MPTCP token hash table entries: 4096 (order: 4, 98304 bytes, linear)
Mar 12 08:28:13 localhost kernel: UDP hash table entries: 2048 (order: 4, 65536 bytes, linear)
Mar 12 08:28:13 localhost kernel: UDP-Lite hash table entries: 2048 (order: 4, 65536 bytes, linear)
Mar 12 08:28:13 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Mar 12 08:28:13 localhost kernel: NET: Registered PF_XDP protocol family
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: PCI bridge to [bus 01]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: bridge window [io 0xe000-0xefff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: bridge window [mem 0xfe800000-0xfe9fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:05.0: bridge window [mem 0xc080000000-0xc09fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: PCI bridge to [bus 02]

Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [io 0xd000-0xdfff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [mem 0xfe600000-0xfe7fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1e.0: bridge window [mem 0xc060000000-0xc07fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: PCI bridge to [bus 03]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [io 0xc000-0xcfff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [mem 0xfe400000-0xfe5fffff]
Mar 12 08:28:13 localhost kernel: pci 0000:00:1f.0: bridge window [mem 0xc040000000-0xc05fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: resource 7 [mem 0xc0000000-0xfebfffff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:00: resource 8 [mem 0xc000000000-0xc0a000bfff window]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:01: resource 0 [io 0xe000-0xefff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:01: resource 1 [mem 0xfe800000-0xfe9fffff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:01: resource 2 [mem 0xc080000000-0xc09fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:02: resource 0 [io 0xd000-0xdfff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:02: resource 1 [mem 0xfe600000-0xfe7fffff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:02: resource 2 [mem 0xc060000000-0xc07fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:03: resource 0 [io 0xc000-0xcfff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:03: resource 1 [mem 0xfe400000-0xfe5fffff]
Mar 12 08:28:13 localhost kernel: pci_bus 0000:03: resource 2 [mem 0xc040000000-0xc05fffffff 64bit pref]
Mar 12 08:28:13 localhost kernel: pci 0000:00:01.0: PIIX3: Enabling Passive Release
Mar 12 08:28:13 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
Mar 12 08:28:13 localhost kernel: ACPI: _SB_.LNKD: Enabled at IRQ 11
Mar 12 08:28:13 localhost kernel: PCI: CLS 0 bytes, default 64
Mar 12 08:28:13 localhost kernel: PCI-DMA: Using software bounce buffering for IO (SWIOTLB)
Mar 12 08:28:13 localhost kernel: software IO TLB: mapped [mem 0x00000000bbfda000-0x00000000bffda000] (64MB)
Mar 12 08:28:13 localhost kernel: Trying to unpack rootfs image as initramfs...
Mar 12 08:28:13 localhost kernel: Initialise system trusted keyrings
Mar 12 08:28:13 localhost kernel: Key type blacklist registered
Mar 12 08:28:13 localhost kernel: workingset: timestamp_bits=36 max_order=20 bucket_order=0
Mar 12 08:28:13 localhost kernel: zbud: loaded
Mar 12 08:28:13 localhost kernel: squashfs: version 4.0 (2009/01/31) Phillip Lougher
Mar 12 08:28:13 localhost kernel: fuse: init (API version 7.39)
Mar 12 08:28:13 localhost kernel: integrity: Platform Keyring initialized
Mar 12 08:28:13 localhost kernel: integrity: Machine keyring initialized
Mar 12 08:28:13 localhost kernel: Key type asymmetric registered
Mar 12 08:28:13 localhost kernel: Asymmetric key parser 'x509' registered
Mar 12 08:28:13 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 243)
Mar 12 08:28:13 localhost kernel: io scheduler mq-deadline registered
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:05.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0.S28_)

Mar 12 08:28:13 localhost kernel: shpchp 0000:00:05.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0)
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:05.0: Cannot get control of SHPC hotplug
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1e.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0.SF0_)
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1e.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0)
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1e.0: Cannot get control of SHPC hotplug
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1f.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0.SF8_)
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1f.0: Requesting control of SHPC hotplug via OSHP (_SB_.PCI0)
Mar 12 08:28:13 localhost kernel: shpchp 0000:00:1f.0: Cannot get control of SHPC hotplug
Mar 12 08:28:13 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Mar 12 08:28:13 localhost kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Mar 12 08:28:13 localhost kernel: ACPI: button: Power Button [PWRF]
Mar 12 08:28:13 localhost kernel: ACPI: _SB_.LNKC: Enabled at IRQ 10
Mar 12 08:28:13 localhost kernel: ACPI: _SB_.LNKB: Enabled at IRQ 10
Mar 12 08:28:13 localhost kernel: ACPI: _SB_.LNKA: Enabled at IRQ 11
Mar 12 08:28:13 localhost kernel: Free page reporting enabled
Mar 12 08:28:13 localhost kernel: Serial: 8250/16550 driver, 32 ports, IRQ sharing enabled
Mar 12 08:28:13 localhost kernel: Linux agpgart interface v0.103
Mar 12 08:28:13 localhost kernel: loop: module loaded
Mar 12 08:28:13 localhost kernel: virtio_scsi virtio3: 2/0/0 default/read/poll queues
Mar 12 08:28:13 localhost kernel: scsi host0: Virtio SCSI HBA
Mar 12 08:28:13 localhost kernel: ata_piix 0000:00:01.1: version 2.13
Mar 12 08:28:13 localhost kernel: scsi 0:0:0:0: Direct-Access QEMU QEMU HARDDISK 2.5+ PQ: 0 ANSI: 5
Mar 12 08:28:13 localhost kernel: scsi host1: ata_piix
Mar 12 08:28:13 localhost kernel: scsi host2: ata_piix
Mar 12 08:28:13 localhost kernel: ata1: PATA max MWDMA2 cmd 0x1f0 ctl 0x3f6 bmdma 0xf0e0 irq 14 lpm-pol 0
Mar 12 08:28:13 localhost kernel: ata2: PATA max MWDMA2 cmd 0x170 ctl 0x376 bmdma 0xf0e8 irq 15 lpm-pol 0
Mar 12 08:28:13 localhost kernel: ACPI: bus type drm_connector registered
Mar 12 08:28:13 localhost kernel: tun: Universal TUN/TAP device driver, 1.6
Mar 12 08:28:13 localhost kernel: PPP generic driver version 2.4.2
Mar 12 08:28:13 localhost kernel: uhci_hcd 0000:00:01.2: UHCI Host Controller
Mar 12 08:28:13 localhost kernel: uhci_hcd 0000:00:01.2: new USB bus registered, assigned bus number 1
Mar 12 08:28:13 localhost kernel: uhci_hcd 0000:00:01.2: detected 2 ports
Mar 12 08:28:13 localhost kernel: uhci_hcd 0000:00:01.2: irq 11, io port 0x0000f0c0
Mar 12 08:28:13 localhost kernel: usb usb1: New USB device found, idVendor=1d6b, idProduct=0001, bcdDevice= 6.08
Mar 12 08:28:13 localhost kernel: usb usb1: New USB device strings: Mfr=3, Product=2, SerialNumber=1
Mar 12 08:28:13 localhost kernel: usb usb1: Product: UHCI Host Controller
Mar 12 08:28:13 localhost kernel: usb usb1: Manufacturer: Linux 6.8.0-55-generic uhci_hcd
Mar 12 08:28:13 localhost kernel: usb usb1: SerialNumber: 0000:00:01.2
Mar 12 08:28:13 localhost kernel: hub 1-0:1.0: USB hub found
Mar 12 08:28:13 localhost kernel: hub 1-0:1.0: 2 ports detected

Mar 12 08:28:13 localhost kernel: i8042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
Mar 12 08:28:13 localhost kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
Mar 12 08:28:13 localhost kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
Mar 12 08:28:13 localhost kernel: mousedev: PS/2 mouse device common for all mice
Mar 12 08:28:13 localhost kernel: rtc_cmos 00:03: RTC can wake from S4
Mar 12 08:28:13 localhost kernel: rtc_cmos 00:03: registered as rtc0
Mar 12 08:28:13 localhost kernel: input: AT Translated Set 2 keyboard as /devices/platform/i8042/serio0/input/input1
Mar 12 08:28:13 localhost kernel: rtc_cmos 00:03: setting system clock to 2026-03-12T08:28:04 UTC (1773304084)
Mar 12 08:28:13 localhost kernel: rtc_cmos 00:03: alarms up to one day, y3k, 242 bytes nvram
Mar 12 08:28:13 localhost kernel: i2c_dev: i2c /dev entries driver
Mar 12 08:28:13 localhost kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Mar 12 08:28:13 localhost kernel: device-mapper: uevent: version 1.0.3
Mar 12 08:28:13 localhost kernel: device-mapper: ioctl: 4.48.0-ioctl (2023-03-01) initialised: dm-devel@redhat.com
Mar 12 08:28:13 localhost kernel: platform eisa.0: Probing EISA bus 0
Mar 12 08:28:13 localhost kernel: platform eisa.0: EISA: Cannot allocate resource for mainboard
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 1
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 2
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 3
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 4
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 5
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 6
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 7
Mar 12 08:28:13 localhost kernel: platform eisa.0: Cannot allocate resource for EISA slot 8
Mar 12 08:28:13 localhost kernel: platform eisa.0: EISA: Detected 0 cards
Mar 12 08:28:13 localhost kernel: amd_pstate: the _CPC object is not present in SBIOS or ACPI disabled
Mar 12 08:28:13 localhost kernel: ledtrig-cpu: registered to indicate activity on CPUs
Mar 12 08:28:13 localhost kernel: [drm] Initialized simpledrm 1.0.0 20200625 for simple-framebuffer.0 on minor 0
Mar 12 08:28:13 localhost kernel: Console: switching to colour frame buffer device 100x37
Mar 12 08:28:13 localhost kernel: simple-framebuffer simple-framebuffer.0: [drm] fb0: simpledrmdrmfb frame buffer device
Mar 12 08:28:13 localhost kernel: drop_monitor: Initializing network drop monitor service
Mar 12 08:28:13 localhost kernel: NET: Registered PF_INET6 protocol family
Mar 12 08:28:13 localhost kernel: scsi 0:0:0:0: Attached scsi generic sg0 type 0
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: Power-on or device reset occurred
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: [sda] 67108864 512-byte logical blocks: (34.4 GB/32.0 GiB)
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: [sda] Write Protect is off
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: [sda] Mode Sense: 63 00 10 08
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: [sda] Write cache: enabled, read cache: enabled, supports DPO and FUA
Mar 12 08:28:13 localhost kernel: sda: sda1 sda2 sda3
Mar 12 08:28:13 localhost kernel: sd 0:0:0:0: [sda] Attached SCSI disk
Mar 12 08:28:13 localhost kernel: Freeing initrd memory: 67140K
Mar 12 08:28:13 localhost kernel: ata2: found unknown device (class 0)
Mar 12 08:28:13 localhost kernel: ata2.00: ATAPI: QEMU DVD-ROM, 2.5+, max UDMA/100

Mar 12 08:28:13 localhost kernel: scsi 2:0:0:0: CD-ROM QEMU QEMU DVD-ROM 2.5+ PQ: 0 ANSI: 5
Mar 12 08:28:13 localhost kernel: Segment Routing with IPv6
Mar 12 08:28:13 localhost kernel: In-situ OAM (IOAM) with IPv6
Mar 12 08:28:13 localhost kernel: NET: Registered PF_PACKET protocol family
Mar 12 08:28:13 localhost kernel: Key type dns_resolver registered
Mar 12 08:28:13 localhost kernel: IPI shorthand broadcast: enabled
Mar 12 08:28:13 localhost kernel: sched_clock: Marking stable (1349006690, 1226400)->(1390177660, -39944570)
Mar 12 08:28:13 localhost kernel: registered taskstats version 1
Mar 12 08:28:13 localhost kernel: Loading compiled-in X.509 certificates
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Build time autogenerated kernel key: e0bedf6fa049a1e09bd65ebab3904f14cdd5bc68'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Live Patch Signing: 14df34d1a87cf37625abec039ef2bf521249b969'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Kernel Module Signing: 88f752e560a1e0737e31163a466ad7b70a850c19'
Mar 12 08:28:13 localhost kernel: blacklist: Loading compiled-in revocation X.509 certificates
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing: 61482aa2830d0ab2ad5af10b7250da9033ddcef0'
Mar 12 08:28:13 localhost kernel: usb 1-1: new full-speed USB device number 2 using uhci_hcd
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (2017): 242ade75ac4a15e50d50c84b0d45ff3eae707a03'
Mar 12 08:28:13 localhost kernel: sr 2:0:0:0: [sr0] scsi3-mmc drive: 4x/4x cd/rw xa/form2 tray
Mar 12 08:28:13 localhost kernel: cdrom: Uniform CD-ROM driver Revision: 3.20
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (ESM 2018): 365188c1d374d6b07c3c8f240f8ef722433d6a8b'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (2019): c0746fd6c5da3ae827864651ad66ae47fe24b3e8'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (2021 v1): a8d54bbb3825cfb94fa13c9f8a594a195c107b8d'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (2021 v2): 4cf046892d6fd3c9a5b03f98d845f90851dc6a8c'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (2021 v3): 100437bb6de6e469b581e61cd66bce3ef4ed53af'
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Canonical Ltd. Secure Boot Signing (Ubuntu Core 2019): c1d57b8f6b743f23ee41f4f7ee292f06eecadfb9'
Mar 12 08:28:13 localhost kernel: Key type .fscrypt registered
Mar 12 08:28:13 localhost kernel: Key type fscrypt-provisioning registered
Mar 12 08:28:13 localhost kernel: sr 2:0:0:0: Attached scsi CD-ROM sr0
Mar 12 08:28:13 localhost kernel: sr 2:0:0:0: Attached scsi generic sg1 type 5
Mar 12 08:28:13 localhost kernel: cryptd: max_cpu_qlen set to 1000
Mar 12 08:28:13 localhost kernel: SSE version of gcm_enc/dec engaged.
Mar 12 08:28:13 localhost kernel: Key type encrypted registered
Mar 12 08:28:13 localhost kernel: AppArmor: AppArmor sha256 policy hashing enabled
Mar 12 08:28:13 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Mar 12 08:28:13 localhost kernel: Loading compiled-in module X.509 certificates
Mar 12 08:28:13 localhost kernel: Loaded X.509 cert 'Build time autogenerated kernel key: e0bedf6fa049a1e09bd65ebab3904f14cdd5bc68'
Mar 12 08:28:13 localhost kernel: ima: Allocated hash algorithm: sha256
Mar 12 08:28:13 localhost kernel: ima: No architecture policies found
Mar 12 08:28:13 localhost kernel: evm: Initialising EVM extended attributes:

Mar 12 08:28:13 localhost kernel: evm: security.selinux
Mar 12 08:28:13 localhost kernel: evm: security.SMACK64
Mar 12 08:28:13 localhost kernel: evm: security.SMACK64EXEC
Mar 12 08:28:13 localhost kernel: evm: security.SMACK64TRANSMUTE
Mar 12 08:28:13 localhost kernel: evm: security.SMACK64MMAP
Mar 12 08:28:13 localhost kernel: evm: security.apparmor
Mar 12 08:28:13 localhost kernel: evm: security.ima
Mar 12 08:28:13 localhost kernel: evm: security.capability
Mar 12 08:28:13 localhost kernel: evm: HMAC attrs: 0x1
Mar 12 08:28:13 localhost kernel: PM: Magic number: 2:655:472
Mar 12 08:28:13 localhost kernel: acpi LNXSYSTM:00: hash matches
Mar 12 08:28:13 localhost kernel: powernow_k8: Power state transitions not supported
Mar 12 08:28:13 localhost kernel: powernow_k8: Power state transitions not supported
Mar 12 08:28:13 localhost kernel: RAS: Correctable Errors collector initialized.
Mar 12 08:28:13 localhost kernel: clk: Disabling unused clocks
Mar 12 08:28:13 localhost kernel: Freeing unused decrypted memory: 2028K
Mar 12 08:28:13 localhost kernel: Freeing unused kernel image (initmem) memory: 4988K
Mar 12 08:28:13 localhost kernel: Write protecting the kernel read-only data: 38912k
Mar 12 08:28:13 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 2040K
Mar 12 08:28:13 localhost kernel: x86/mm: Checked W+X mappings: passed, no W+X pages found.
Mar 12 08:28:13 localhost kernel: Run /init as init process
Mar 12 08:28:13 localhost kernel: with arguments:
Mar 12 08:28:13 localhost kernel: /init
Mar 12 08:28:13 localhost kernel: with environment:
Mar 12 08:28:13 localhost kernel: HOME=/
Mar 12 08:28:13 localhost kernel: TERM=linux
Mar 12 08:28:13 localhost kernel: BOOT_IMAGE=/vmlinuz-6.8.0-55-generic
Mar 12 08:28:13 localhost kernel: usb 1-1: New USB device found, idVendor=0627, idProduct=0001, bcdDevice= 0.00
Mar 12 08:28:13 localhost kernel: usb 1-1: New USB device strings: Mfr=1, Product=3, SerialNumber=10
Mar 12 08:28:13 localhost kernel: usb 1-1: Product: QEMU USB Tablet
Mar 12 08:28:13 localhost kernel: usb 1-1: Manufacturer: QEMU
Mar 12 08:28:13 localhost kernel: usb 1-1: SerialNumber: 28754-0000:00:01.2-1
Mar 12 08:28:13 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Mar 12 08:28:13 localhost kernel: usbcore: registered new interface driver usbhid
Mar 12 08:28:13 localhost kernel: usbhid: USB HID core driver
Mar 12 08:28:13 localhost kernel: input: QEMU QEMU USB Tablet as /devices/pci0000:00/0000:00:01.2/usb1/1-1/1-1:1.0/0003:0627:0001.0001/input/input3
Mar 12 08:28:13 localhost kernel: hid-generic 0003:0627:0001.0001: input,hidraw0: USB HID v0.01 Mouse [QEMU QEMU USB Tablet] on usb-0000:00:01.2-1/input0
Mar 12 08:28:13 localhost kernel: FDC 0 is a S82078B
Mar 12 08:28:13 localhost kernel: virtio_net virtio2 ens18: renamed from eth0
Mar 12 08:28:13 localhost kernel: input: VirtualPS/2 VMware VMMouse as /devices/platform/i8042/serio1/input/input5
Mar 12 08:28:13 localhost kernel: input: VirtualPS/2 VMware VMMouse as /devices/platform/i8042/serio1/input/input4
Mar 12 08:28:13 localhost kernel: Console: switching to colour dummy device 80x25
Mar 12 08:28:13 localhost kernel: bochs-drm 0000:00:02.0: vgaarb: deactivate vga console
Mar 12 08:28:13 localhost kernel: [drm] Found bochs VGA, ID 0xb0c5.
Mar 12 08:28:13 localhost kernel: [drm] Framebuffer size 16384 kB @ 0xfd000000, mmio @

0xfea50000.
Mar 12 08:28:13 localhost kernel: [drm] Found EDID data blob.
Mar 12 08:28:13 localhost kernel: [drm] Initialized bochs-drm 1.0.0 20130925 for 0000:00:02.0 on minor 0
Mar 12 08:28:13 localhost kernel: fbcon: bochs-drmdrmfb (fb0) is primary device
Mar 12 08:28:13 localhost kernel: Console: switching to colour frame buffer device 160x50
Mar 12 08:28:13 localhost kernel: bochs-drm 0000:00:02.0: [drm] fb0: bochs-drmdrmfb frame buffer device
Mar 12 08:28:13 localhost kernel: random: crng init done
Mar 12 08:28:13 localhost kernel: raid6: sse2x4   gen() 18118 MB/s
Mar 12 08:28:13 localhost kernel: raid6: sse2x2   gen() 5230 MB/s
Mar 12 08:28:13 localhost kernel: raid6: sse2x1   gen() 1303 MB/s
Mar 12 08:28:13 localhost kernel: raid6: using algorithm sse2x4 gen() 18118 MB/s
Mar 12 08:28:13 localhost kernel: raid6: .... xor() 2921 MB/s, rmw enabled
Mar 12 08:28:13 localhost kernel: raid6: using ssse3x2 recovery algorithm
Mar 12 08:28:13 localhost kernel: xor: measuring software checksum speed
Mar 12 08:28:13 localhost kernel: prefetch64-sse : 31010 MB/sec
Mar 12 08:28:13 localhost kernel: generic_sse   : 26352 MB/sec
Mar 12 08:28:13 localhost kernel: xor: using function: prefetch64-sse (31010 MB/sec)
Mar 12 08:28:13 localhost kernel: async_tx: api initialized (async)
Mar 12 08:28:13 localhost kernel: Btrfs loaded, zoned=yes, fsverity=yes
Mar 12 08:28:13 localhost kernel: EXT4-fs (dm-0): mounted filesystem 78dfc1ab-05ce-40b9-a2f8-2f3e03168145 ro with ordered data mode. Quota mode: none.
Mar 12 08:28:13 localhost kernel: workqueue: drm_fb_helper_damage_work hogged CPU for >10000us 4 times, consider switching to WQ_UNBOUND
Mar 12 08:28:13 localhost systemd[1]: Inserted module 'autofs4'
Mar 12 08:28:13 localhost systemd[1]: systemd 255.4-1ubuntu8.5 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP +GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN +IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 -PWQUALITY +P11KIT +QRENCODE +TPM2 +BZIP2 +LZ4 +XZ +ZLIB +ZSTD -BPF_FRAMEWORK -XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Mar 12 08:28:13 localhost systemd[1]: Detected virtualization kvm.
Mar 12 08:28:13 localhost systemd[1]: Detected architecture x86-64.
Mar 12 08:28:13 localhost kernel: workqueue: drm_fb_helper_damage_work hogged CPU for >10000us 8 times, consider switching to WQ_UNBOUND
Mar 12 08:28:13 localhost systemd[1]: No hostname configured, using default hostname.
Mar 12 08:28:13 localhost systemd[1]: Hostname set to <localhost>.
Mar 12 08:28:13 localhost systemd[1]: Queued start job for default target graphical.target.
Mar 12 08:28:13 localhost systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Mar 12 08:28:13 localhost systemd[1]: Created slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
Mar 12 08:28:13 localhost systemd[1]: Created slice user.slice - User and Session Slice.
Mar 12 08:28:13 localhost systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Mar 12 08:28:13 localhost systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Mar 12 08:28:13 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-c3f8f018\x2df5f7\x2d4a5d\x2d92a1\x2d12ee87108672.device - /dev/disk/by-uuid/c3f8f018-f5f7-4a5d-92a1-12ee87108672...
Mar 12 08:28:13 localhost systemd[1]: Reached target integritysetup.target - Local Integrity

Protected Volumes.
Mar 12 08:28:13 localhost systemd[1]: Reached target slices.target - Slice Units.
Mar 12 08:28:13 localhost systemd[1]: Reached target snapd.mounts-pre.target - Mounting snaps.
Mar 12 08:28:13 localhost systemd[1]: Reached target snapd.mounts.target - Mounted snaps.
Mar 12 08:28:13 localhost systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Mar 12 08:28:13 localhost systemd[1]: Listening on dm-event.socket - Device-mapper event daemon FIFOs.
Mar 12 08:28:13 localhost systemd[1]: Listening on lvm2-lvmpolld.socket - LVM2 poll daemon socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on multipathd.socket - multipathd control socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on syslog.socket - Syslog Socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-fsckd.socket - fsck to fsckd communication Socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Mar 12 08:28:13 localhost systemd[1]: systemd-pcrextend.socket - TPM2 PCR Extension (Varlink) was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-udevd-control.socket - udev Control Socket.
Mar 12 08:28:13 localhost systemd[1]: Listening on systemd-udevd-kernel.socket - udev Kernel Socket.
Mar 12 08:28:13 localhost systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Mar 12 08:28:13 localhost systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Mar 12 08:28:13 localhost systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Mar 12 08:28:13 localhost systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Mar 12 08:28:13 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Mar 12 08:28:13 localhost systemd[1]: Starting keyboard-setup.service - Set the console keyboard layout...
Mar 12 08:28:13 localhost systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
Mar 12 08:28:13 localhost systemd[1]: Starting lvm2-monitor.service - Monitoring of LVM2 mirrors, snapshots etc. using dmeventd or progress polling...
Mar 12 08:28:13 localhost systemd-journald[307]: Collecting audit messages is disabled.
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Mar 12 08:28:13 localhost systemd-journald[307]: Journal started
Mar 12 08:28:13 localhost systemd-journald[307]: Runtime Journal (/run/log/journal/560b026a44d3424ea490d29e1a7e2775) is 4.8M, max 39.1M, 34.2M free.
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel

Module efi_pstore...
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Mar 12 08:28:13 localhost systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Mar 12 08:28:13 localhost systemd[1]: netplan-ovs-cleanup.service - OpenVSwitch configuration for cleanup was skipped because of an unmet condition check (ConditionFileIsExecutable=/usr/bin/ovs-vsctl).
Mar 12 08:28:13 localhost systemd[1]: systemd-fsck-root.service - File System Check on Root Device was skipped because of an unmet condition check (ConditionPathExists=!/run/initramfs/fsck-root).
Mar 12 08:28:13 localhost systemd[1]: Starting systemd-modules-load.service - Load Kernel Modules...
Mar 12 08:28:13 localhost systemd[1]: systemd-pcrmachine.service - TPM2 PCR Machine ID Measurement was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:13 localhost systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
Mar 12 08:28:13 localhost systemd[1]: systemd-tpm2-setup-early.service - TPM2 SRK Setup (Early) was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:13 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Mar 12 08:28:13 localhost systemd[1]: Started systemd-journald.service - Journal Service.
Mar 12 08:28:13 localhost systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Mar 12 08:28:13 localhost systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Mar 12 08:28:13 localhost systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Mar 12 08:28:13 localhost systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Mar 12 08:28:13 localhost systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
Mar 12 08:28:13 localhost systemd[1]: modprobe@configfs.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Mar 12 08:28:13 localhost systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Mar 12 08:28:13 localhost systemd[1]: modprobe@drm.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Mar 12 08:28:13 localhost systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Mar 12 08:28:13 localhost systemd[1]: modprobe@fuse.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@fuse.service - Load Kernel Module fuse.
Mar 12 08:28:13 localhost systemd[1]: modprobe@loop.service: Deactivated successfully.
Mar 12 08:28:13 localhost systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Mar 12 08:28:13 localhost systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...

Mar 12 08:28:13 localhost systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Mar 12 08:28:13 localhost systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Mar 12 08:28:13 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev-early.service - Create Static Device Nodes in /dev gracefully...
Mar 12 08:28:13 localhost systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Mar 12 08:28:13 localhost systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Mar 12 08:28:13 localhost kernel: EXT4-fs (dm-0): re-mounted 78dfc1ab-05ce-40b9-a2f8-2f3e03168145 r/w. Quota mode: none.
Mar 12 08:28:13 localhost systemd[1]: Finished keyboard-setup.service - Set the console keyboard layout.
Mar 12 08:28:13 localhost systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
Mar 12 08:28:13 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev-early.service - Create Static Device Nodes in /dev gracefully.
Mar 12 08:28:13 localhost systemd[1]: Activating swap swap.img.swap - /swap.img...
Mar 12 08:28:13 localhost systemd[1]: Starting multipathd.service - Device-Mapper Multipath Device Controller...
Mar 12 08:28:14 localhost systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc).
Mar 12 08:28:14 localhost systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Mar 12 08:28:14 localhost systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Mar 12 08:28:14 localhost systemd[1]: Starting systemd-random-seed.service - Load/Save OS Random Seed...
Mar 12 08:28:14 localhost systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Mar 12 08:28:14 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Mar 12 08:28:14 localhost systemd[1]: systemd-tpm2-setup.service - TPM2 SRK Setup was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:14 localhost kernel: Adding 3261436k swap on /swap.img. Priority:-2 extents:7 across:5735424k
Mar 12 08:28:14 localhost systemd[1]: Activated swap swap.img.swap - /swap.img.
Mar 12 08:28:14 localhost systemd[1]: Reached target swap.target - Swaps.
Mar 12 08:28:14 localhost systemd-journald[307]: Time spent on flushing to /var/log/journal/560b026a44d3424ea490d29e1a7e2775 is 4.950381s for 775 entries.
Mar 12 08:28:14 localhost systemd-journald[307]: System Journal (/var/log/journal/560b026a44d3424ea490d29e1a7e2775) is 29.3M, max 1.4G, 1.4G free.
Mar 12 08:28:28 localhost systemd-journald[307]: Received client request to flush runtime journal.
Mar 12 08:28:28 localhost kernel: workqueue: drm_fb_helper_damage_work hogged CPU for >10000us 16 times, consider switching to WQ_UNBOUND
Mar 12 08:28:28 localhost kernel: piix4_smbus 0000:00:01.3: SMBus Host Controller at 0x700, revision 0
Mar 12 08:28:28 localhost systemd-journald[307]: /var/log/journal/560b026a44d3424ea490d29e1a7e2775/system.journal: Journal file uses a different sequence number ID, rotating.

Mar 12 08:28:28 localhost systemd-journald[307]: Rotating system journal.
Mar 12 08:28:28 localhost kernel: EXT4-fs (sda2): mounted filesystem c3f8f018-f5f7-4a5d-92a1-12ee87108672 r/w with ordered data mode. Quota mode: none.
Mar 12 08:28:28 localhost kernel: workqueue: drm_fb_helper_damage_work hogged CPU for >10000us 32 times, consider switching to WQ_UNBOUND
Mar 12 08:28:28 localhost kernel: cfg80211: Loading compiled-in X.509 certificates for regulatory database
Mar 12 08:28:28 localhost kernel: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'
Mar 12 08:28:28 localhost kernel: Loaded X.509 cert 'wens: 61c038651aabdcf94bd0ac7ff06c7248db18c600'
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.787:2): apparmor="STATUS" operation="profile_load" profile="unconfined" name="1password" pid=544 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.787:3): apparmor="STATUS" operation="profile_load" profile="unconfined" name="Discord" pid=545 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.790:4): apparmor="STATUS" operation="profile_load" profile="unconfined" name=4D6F6E676F444220436F6D70617373 pid=547 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.790:5): apparmor="STATUS" operation="profile_load" profile="unconfined" name="QtWebEngineProcess" pid=548 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.791:6): apparmor="STATUS" operation="profile_load" profile="unconfined" name="balena-etcher" pid=549 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.791:7): apparmor="STATUS" operation="profile_load" profile="unconfined" name="brave" pid=550 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.792:8): apparmor="STATUS" operation="profile_load" profile="unconfined" name="buildah" pid=551 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.792:9): apparmor="STATUS" operation="profile_load" profile="unconfined" name="busybox" pid=552 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.793:10): apparmor="STATUS" operation="profile_load" profile="unconfined" name="cam" pid=553 comm="apparmor_parser"
Mar 12 08:28:28 localhost kernel: audit: type=1400 audit(1773304102.793:11): apparmor="STATUS" operation="profile_load" profile="unconfined" name="ch-checkns" pid=554 comm="apparmor_parser"
Mar 12 08:28:28 localhost lvm[310]: 1 logical volume(s) in volume group "ubuntu-vg" monitored
Mar 12 08:28:14 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Mar 12 08:28:14 localhost systemd[1]: Starting systemd-udevd.service - Rule-based Manager for Device Events and Files...
Mar 12 08:28:14 localhost systemd-modules-load[319]: Inserted module 'msr'
Mar 12 08:28:28 localhost multipathd[360]: multipathd v0.9.4: start up
Mar 12 08:28:28 localhost multipathd[360]: reconfigure: setting up paths and maps
Mar 12 08:28:14 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Mar 12 08:28:14 localhost systemd-udevd[362]: Using default interface naming scheme 'v255'.
Mar 12 08:28:14 localhost systemd[1]: Finished systemd-modules-load.service - Load Kernel

Modules.
Mar 12 08:28:14 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Mar 12 08:28:14 localhost systemd[1]: Started systemd-udevd.service - Rule-based Manager for Device Events and Files.
Mar 12 08:28:14 localhost systemd[1]: plymouth-start.service - Show Plymouth Boot Screen was skipped because of an unmet condition check (ConditionKernelCommandLine=splash).
Mar 12 08:28:14 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Mar 12 08:28:28 localhost systemd-fsck[513]: /dev/sda2: clean, 317/131072 files, 50706/524288 blocks
Mar 12 08:28:14 localhost systemd[1]: systemd-ask-password-plymouth.path - Forward Password Requests to Plymouth Directory Watch was skipped because of an unmet condition check (ConditionPathExists=/run/plymouth/pid).
Mar 12 08:28:14 localhost systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Mar 12 08:28:28 localhost apparmor.systemd[519]: Restarting AppArmor
Mar 12 08:28:28 localhost apparmor.systemd[519]: Reloading AppArmor profiles
Mar 12 08:28:14 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Mar 12 08:28:14 localhost systemd[1]: Finished lvm2-monitor.service - Monitoring of LVM2 mirrors, snapshots etc. using dmeventd or progress polling.
Mar 12 08:28:15 localhost systemd[1]: Listening on systemd-rfkill.socket - Load/Save RF Kill Switch Status /dev/rfkill Watch.
Mar 12 08:28:15 localhost systemd[1]: Condition check resulted in dev-vport1p1.device - /dev/vport1p1 being skipped.
Mar 12 08:28:15 localhost systemd[1]: Condition check resulted in dev-virtio\x2dports-org.qemu.guest_agent.0.device - /dev/virtio-ports/org.qemu.guest_agent.0 being skipped.
Mar 12 08:28:15 localhost systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Mar 12 08:28:15 localhost systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Mar 12 08:28:15 localhost systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Mar 12 08:28:15 localhost systemd[1]: netplan-ovs-cleanup.service - OpenVSwitch configuration for cleanup was skipped because of an unmet condition check (ConditionFileIsExecutable=/usr/bin/ovs-vsctl).
Mar 12 08:28:15 localhost systemd[1]: plymouth-start.service - Show Plymouth Boot Screen was skipped because of an unmet condition check (ConditionKernelCommandLine=splash).
Mar 12 08:28:28 localhost snapd-apparmor[648]: main.go:143: No profiles to load
Mar 12 08:28:15 localhost systemd[1]: systemd-ask-password-plymouth.path - Forward Password Requests to Plymouth Directory Watch was skipped because of an unmet condition check (ConditionPathExists=/run/plymouth/pid).
Mar 12 08:28:15 localhost systemd[1]: systemd-fsck-root.service - File System Check on Root Device was skipped because of an unmet condition check (ConditionPathExists=!/run/initramfs/fsck-root).
Mar 12 08:28:15 localhost systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc).
Mar 12 08:28:15 localhost systemd[1]: systemd-pcrmachine.service - TPM2 PCR Machine ID Measurement was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:15 localhost systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Mar 12 08:28:15 localhost systemd[1]: systemd-tpm2-setup-early.service - TPM2 SRK Setup (Early) was skipped because of an unmet condition check (ConditionSecurity=measured-uki).

Mar 12 08:28:15 localhost systemd[1]: systemd-tpm2-setup.service - TPM2 SRK Setup was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:15 localhost systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Mar 12 08:28:15 localhost systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Mar 12 08:28:15 localhost systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Mar 12 08:28:15 localhost systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Mar 12 08:28:15 localhost systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Mar 12 08:28:15 localhost systemd[1]: modprobe@loop.service: Deactivated successfully.
Mar 12 08:28:15 localhost systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Mar 12 08:28:15 localhost systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Mar 12 08:28:16 localhost systemd[1]: Started multipathd.service - Device-Mapper Multipath Device Controller.
Mar 12 08:28:16 localhost systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
Mar 12 08:28:16 localhost (udev-worker)[384]: dm-0: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/dm-0' failed with exit code 1.
Mar 12 08:28:16 localhost (udev-worker)[371]: sr0: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/sr0' failed with exit code 1.
Mar 12 08:28:16 localhost (udev-worker)[383]: sda: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/sda' failed with exit code 1.
Mar 12 08:28:17 localhost lvm[502]: PV /dev/sda3 online, VG ubuntu-vg is complete.
Mar 12 08:28:17 localhost lvm[502]: VG ubuntu-vg finished
Mar 12 08:28:17 localhost (udev-worker)[385]: sda2: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/sda2' failed with exit code 1.
Mar 12 08:28:17 localhost (udev-worker)[371]: sda3: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/sda3' failed with exit code 1.
Mar 12 08:28:17 localhost systemd[1]: Found device dev-disk-by\x2duuid-c3f8f018\x2df5f7\x2d4a5d\x2d92a1\x2d12ee87108672.device - QEMU_HARDDISK 2.
Mar 12 08:28:17 localhost (udev-worker)[372]: sda1: Process '/usr/bin/unshare -m /usr/bin/snap auto-import --mount=/dev/sda1' failed with exit code 1.
Mar 12 08:28:17 localhost systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-c3f8f018\x2df5f7\x2d4a5d\x2d92a1\x2d12ee87108672.service - File System Check on /dev/disk/by-uuid/c3f8f018-f5f7-4a5d-92a1-12ee87108672...
Mar 12 08:28:17 localhost systemd[1]: Finished systemd-random-seed.service - Load/Save OS Random Seed.
Mar 12 08:28:17 localhost systemd[1]: Started systemd-fsckd.service - File System Check Daemon to report status.
Mar 12 08:28:17 localhost systemd[1]: Finished systemd-fsck@dev-disk-by\x2duuid-c3f8f018\x2df5f7\x2d4a5d\x2d92a1\x2d12ee87108672.service - File System Check on /dev/disk/by-uuid/c3f8f018-f5f7-4a5d-92a1-12ee87108672.
Mar 12 08:28:17 localhost systemd[1]: Mounting boot.mount - /boot...
Mar 12 08:28:18 localhost systemd[1]: Mounted boot.mount - /boot.
Mar 12 08:28:18 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Mar 12 08:28:18 localhost systemd[1]: Listening on systemd-sysext.socket - System Extension Image Management (Varlink).
Mar 12 08:28:18 localhost systemd[1]: Starting apparmor.service - Load AppArmor profiles...

Mar 12 08:28:18 localhost systemd[1]: Starting console-setup.service - Set console font and keymap...
Mar 12 08:28:18 localhost systemd[1]: Starting finalrd.service - Create final runtime dir for shutdown pivot root...
Mar 12 08:28:18 localhost systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Mar 12 08:28:18 localhost systemd[1]: Starting plymouth-read-write.service - Tell Plymouth To Write Out Runtime Data...
Mar 12 08:28:18 localhost systemd[1]: Starting systemd-binfmt.service - Set Up Additional Binary Formats...
Mar 12 08:28:18 localhost systemd[1]: Starting ufw.service - Uncomplicated firewall...
Mar 12 08:28:18 localhost systemd[1]: Finished console-setup.service - Set console font and keymap.
Mar 12 08:28:18 localhost systemd[1]: Finished finalrd.service - Create final runtime dir for shutdown pivot root.
Mar 12 08:28:19 localhost systemd[1]: proc-sys-fs-binfmt_misc.automount: Got automount request for /proc/sys/fs/binfmt_misc, triggered by 527 (systemd-binfmt)
Mar 12 08:28:19 localhost systemd[1]: Mounting proc-sys-fs-binfmt_misc.mount - Arbitrary Executable File Formats File System...
Mar 12 08:28:19 localhost systemd[1]: Finished plymouth-read-write.service - Tell Plymouth To Write Out Runtime Data.
Mar 12 08:28:19 localhost systemd[1]: Mounted proc-sys-fs-binfmt_misc.mount - Arbitrary Executable File Formats File System.
Mar 12 08:28:19 localhost systemd[1]: Finished systemd-binfmt.service - Set Up Additional Binary Formats.
Mar 12 08:28:19 localhost systemd[1]: Finished ufw.service - Uncomplicated firewall.
Mar 12 08:28:19 localhost systemd[1]: Reached target network-pre.target - Preparation for Network.
Mar 12 08:28:19 localhost systemd[1]: Starting systemd-networkd.service - Network Configuration...
Mar 12 08:28:19 localhost systemd-networkd[537]: lo: Link UP
Mar 12 08:28:19 localhost systemd-networkd[537]: lo: Gained carrier
Mar 12 08:28:19 localhost systemd-networkd[537]: Enumeration completed
Mar 12 08:28:19 localhost systemd[1]: Started systemd-networkd.service - Network Configuration.
Mar 12 08:28:19 localhost systemd-networkd[537]: ens18: Configuring with /run/systemd/network/10-netplan-ens18.network.
Mar 12 08:28:19 localhost systemd-networkd[537]: ens18: Link UP
Mar 12 08:28:19 localhost systemd-networkd[537]: ens18: Gained carrier
Mar 12 08:28:19 localhost systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Mar 12 08:28:19 localhost systemd-networkd[537]: ens18: DHCPv4 address 172.16.9.215/23, gateway 172.16.8.1 acquired from 172.16.8.1
Mar 12 08:28:21 localhost systemd-networkd[537]: ens18: Gained IPv6LL
Mar 12 08:28:21 localhost systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Mar 12 08:28:23 localhost systemd[1]: Finished apparmor.service - Load AppArmor profiles.
Mar 12 08:28:23 localhost systemd[1]: Starting snapd.apparmor.service - Load AppArmor profiles managed internally by snapd...
Mar 12 08:28:24 localhost systemd[1]: Finished snapd.apparmor.service - Load AppArmor profiles managed internally by snapd.
Mar 12 08:28:28 localhost systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.

Mar 12 08:28:28 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Mar 12 08:28:29 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Mar 12 08:28:29 localhost systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Mar 12 08:28:29 localhost systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Mar 12 08:28:29 localhost systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
Mar 12 08:28:29 localhost systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint=/etc/machine-id).
Mar 12 08:28:29 localhost systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Mar 12 08:28:29 localhost systemd[1]: Starting systemd-timesyncd.service - Network Time Synchronization...
Mar 12 08:28:29 localhost systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Mar 12 08:28:29 localhost systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Mar 12 08:28:29 localhost systemd[1]: vgauth.service - Authentication service for virtual machines hosted on VMware was skipped because of an unmet condition check (ConditionVirtualization=vmware).
Mar 12 08:28:29 localhost systemd[1]: open-vm-tools.service - Service for virtual machines hosted on VMware was skipped because of an unmet condition check (ConditionVirtualization=vmware).
Mar 12 08:28:29 localhost systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Mar 12 08:28:29 localhost systemd[1]: Started systemd-timesyncd.service - Network Time Synchronization.
Mar 12 08:28:29 localhost systemd[1]: Reached target time-set.target - System Time Set.
Mar 12 08:28:29 localhost systemd-resolved[685]: Positive Trust Anchors:
Mar 12 08:28:29 localhost systemd-resolved[685]: . IN DS 20326 8 2 e06d44b80b8f1d39a95c0b0d7c65d08458e880409bbc683457104237c7f8ec8d
Mar 12 08:28:29 localhost systemd-resolved[685]: Negative trust anchors: home.arpa 10.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 170.0.0.192.in-addr.arpa 171.0.0.192.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa ipv4only.arpa corp home internal intranet lan local private test
Mar 12 08:28:29 localhost systemd-resolved[685]: Defaulting to hostname 'linux'.
Mar 12 08:28:29 localhost systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Mar 12 08:28:29 localhost systemd[1]: Reached target network.target - Network.
Mar 12 08:28:29 localhost systemd[1]: Reached target network-online.target - Network is Online.
Mar 12 08:28:29 localhost systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Mar 12 08:28:29 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Mar 12 08:28:29 localhost systemd[1]: apport-autoreport.path - Process error reports when automatic reporting is enabled (file watch) was skipped because of an unmet condition check (ConditionPathExists=/var/lib/apport/autoreport).
Mar 12 08:28:29 localhost systemd[1]: tpm-udev.path - Handle dynamically added tpm devices was

skipped because of an unmet condition check (ConditionVirtualization=container).
Mar 12 08:28:29 localhost systemd[1]: apport-autoreport.timer - Process error reports when automatic reporting is enabled (timer based) was skipped because of an unmet condition check (ConditionPathExists=/var/lib/apport/autoreport).
Mar 12 08:28:29 localhost systemd[1]: Started apt-daily.timer - Daily apt download activities.
Mar 12 08:28:29 localhost systemd[1]: Started apt-daily-upgrade.timer - Daily apt upgrade and clean activities.
Mar 12 08:28:29 localhost systemd[1]: Started dpkg-db-backup.timer - Daily dpkg database backup timer.
Mar 12 08:28:29 localhost systemd[1]: Started e2scrub_all.timer - Periodic ext4 Online Metadata Check for All Filesystems.
Mar 12 08:28:29 localhost systemd[1]: Started fstrim.timer - Discard unused filesystem blocks once a week.
Mar 12 08:28:29 localhost systemd[1]: Started fwupd-refresh.timer - Refresh fwupd metadata regularly.
Mar 12 08:28:29 localhost systemd[1]: Started logrotate.timer - Daily rotation of log files.
Mar 12 08:28:29 localhost systemd[1]: Started man-db.timer - Daily man-db regeneration.
Mar 12 08:28:29 localhost systemd[1]: Started motd-news.timer - Message of the Day.
Mar 12 08:28:29 localhost systemd[1]: snapd.snap-repair.timer - Timer to automatically fetch and run repair assertions was skipped because no trigger condition checks were met.
Mar 12 08:28:29 localhost systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Mar 12 08:28:29 localhost systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Mar 12 08:28:29 localhost systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Mar 12 08:28:30 localhost systemd[1]: ua-timer.timer - Ubuntu Pro Timer for running repeated jobs was skipped because of an unmet condition check (ConditionPathExists=/var/lib/ubuntu-advantage/private/machine-token.json).
Mar 12 08:28:30 localhost systemd[1]: Started update-notifier-download.timer - Download data for packages that failed at package install time.
Mar 12 08:28:30 localhost systemd[1]: Started update-notifier-motd.timer - Check to see whether there is a new version of Ubuntu available.
Mar 12 08:28:30 localhost systemd[1]: Reached target paths.target - Path Units.
Mar 12 08:28:30 localhost systemd[1]: Reached target timers.target - Timer Units.
Mar 12 08:28:30 localhost systemd[1]: apport-forward.socket - Unix socket for apport crash forwarding was skipped because of an unmet condition check (ConditionVirtualization=container).
Mar 12 08:28:30 localhost systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Mar 12 08:28:30 localhost systemd[1]: Listening on iscsid.socket - Open-iSCSI iscsid Socket.
Mar 12 08:28:30 localhost systemd[1]: Starting lxd-installer.socket - Helper to install lxd snap on demand...
Mar 12 08:28:30 localhost systemd[1]: Starting snapd.socket - Socket activation for snappy daemon...
Mar 12 08:28:30 localhost systemd[1]: Listening on ssh.socket - OpenBSD Secure Shell server socket.
Mar 12 08:28:30 localhost systemd[1]: Listening on uuidd.socket - UUID daemon activation socket.
Mar 12 08:28:30 localhost systemd[1]: open-iscsi.service - Login to default iSCSI targets was skipped because no trigger condition checks were met.
Mar 12 08:28:30 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.

Mar 12 08:28:30 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Mar 12 08:28:30 localhost systemd[1]: Finished blk-availability.service - Availability of block devices.
Mar 12 08:28:30 localhost systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:30 localhost systemd[1]: Listening on lxd-installer.socket - Helper to install lxd snap on demand.
Mar 12 08:28:30 localhost systemd[1]: Listening on snapd.socket - Socket activation for snappy daemon.
Mar 12 08:28:30 localhost systemd[1]: Reached target sockets.target - Socket Units.
Mar 12 08:28:30 localhost systemd[1]: Reached target basic.target - Basic System.
Mar 12 08:28:30 localhost systemd[1]: Starting apport.service - automatic crash report generation...
Mar 12 08:28:30 localhost systemd[1]: Started cron.service - Regular background program processing daemon.
Mar 12 08:28:30 localhost systemd[1]: Starting dbus.service - D-Bus System Message Bus...
Mar 12 08:28:30 localhost systemd[1]: Started dmesg.service - Save initial kernel messages after boot.
Mar 12 08:28:30 localhost (cron)[695]: cron.service: Referenced but unset environment variable evaluates to an empty string: EXTRA_OPTS
Mar 12 08:28:30 localhost cron[695]: (CRON) INFO (pidfile fd = 3)
Mar 12 08:28:30 localhost systemd[1]: Starting e2scrub_reap.service - Remove Stale Online ext4 Metadata Check Snapshots...
Mar 12 08:28:30 localhost systemd[1]: getty-static.service - getty on tty2-tty6 if dbus and logind are not available was skipped because of an unmet condition check (ConditionPathExists=!/usr/bin/dbus-daemon).
Mar 12 08:28:30 localhost systemd[1]: Starting grub-common.service - Record successful boot for GRUB...
Mar 12 08:28:30 localhost cron[695]: (CRON) INFO (Running @reboot jobs)
Mar 12 08:28:30 localhost dbus-daemon[696]: dbus[696]: Unknown group "power" in message bus configuration file
Mar 12 08:28:31 localhost systemd[1]: networkd-dispatcher.service - Dispatcher daemon for systemd-networkd was skipped because no trigger condition checks were met.
Mar 12 08:28:31 localhost dbus-daemon[696]: [system] AppArmor D-Bus mediation is enabled
Mar 12 08:28:31 localhost dbus-daemon[696]: [system] Activating systemd to hand-off: service name='org.freedesktop.hostname1' unit='dbus-org.freedesktop.hostname1.service' requested by ':1.2' (uid=998 pid=537 comm="/usr/lib/systemd/systemd-networkd" label="unconfined")
Mar 12 08:28:31 localhost systemd[1]: Starting polkit.service - Authorization Manager...
Mar 12 08:28:31 localhost systemd[1]: pollinate.service - Pollinate to seed the pseudo random number generator was skipped because of an unmet condition check (ConditionPathExists=!/var/cache/pollinate/seeded).
Mar 12 08:28:31 localhost systemd[1]: Started qemu-guest-agent.service - QEMU Guest Agent.
Mar 12 08:28:31 localhost systemd[1]: Starting rsyslog.service - System Logging Service...
Mar 12 08:28:31 localhost systemd[1]: secureboot-db.service - Secure Boot updates for DB and DBX was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/db-d719b2cb-3d3a-4596-a3bc-dad00e67656f).
Mar 12 08:28:31 localhost systemd[1]: snapd.core-fixup.service - Automatically repair incorrect owner/permissions on core devices was skipped because no trigger condition checks were met.
Mar 12 08:28:31 localhost systemd[1]: snapd.recovery-chooser-trigger.service - Wait for the Ubuntu Core chooser trigger was skipped because of an unmet condition check (ConditionKernelCommandLine=snapd_recovery_mode).
Mar 12 08:28:31 localhost systemd[1]: Reached target getty-pre.target - Preparation for Logins.

Mar 12 08:28:31 localhost systemd[1]: Starting snapd.seeded.service - Wait until snapd is fully seeded...
Mar 12 08:28:31 localhost systemd[1]: Starting snapd.service - Snap Daemon...
Mar 12 08:28:31 localhost systemd[1]: Starting sysstat.service - Resets System Activity Logs...
Mar 12 08:28:31 localhost systemd[1]: Starting systemd-logind.service - User Login Management...
Mar 12 08:28:31 localhost systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionSecurity=measured-uki).
Mar 12 08:28:31 localhost systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
Mar 12 08:28:31 localhost systemd[1]: thermald.service - Thermal Daemon Service was skipped because of an unmet condition check (ConditionVirtualization=no).
Mar 12 08:28:31 localhost systemd[1]: ua-reboot-cmds.service - Ubuntu Pro reboot cmds was skipped because of an unmet condition check (ConditionPathExists=/var/lib/ubuntu-advantage/private/machine-token.json).
Mar 12 08:28:31 localhost systemd[1]: ubuntu-advantage.service - Ubuntu Pro Background Auto Attach was skipped because no trigger condition checks were met.
Mar 12 08:28:31 localhost systemd[1]: Starting udisks2.service - Disk Manager...
Mar 12 08:28:31 localhost systemd[1]: Started dbus.service - D-Bus System Message Bus.
Mar 12 08:28:31 localhost systemd[1]: e2scrub_reap.service: Deactivated successfully.
Mar 12 08:28:31 localhost systemd[1]: Finished e2scrub_reap.service - Remove Stale Online ext4 Metadata Check Snapshots.
Mar 12 08:28:31 localhost systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Mar 12 08:28:31 localhost dbus-daemon[696]: [system] Successfully activated service 'org.freedesktop.systemd1'
Mar 12 08:28:31 localhost systemd[1]: Starting plymouth-quit-wait.service - Hold until boot process finishes up...
Mar 12 08:28:31 localhost systemd[1]: Starting plymouth-quit.service - Terminate Plymouth Boot Screen...
Mar 12 08:28:31 localhost systemd[1]: Finished plymouth-quit-wait.service - Hold until boot process finishes up.
Mar 12 08:28:31 localhost systemd[1]: Finished plymouth-quit.service - Terminate Plymouth Boot Screen.
Mar 12 08:28:31 localhost systemd[1]: Starting setvtrgb.service - Set console scheme...
Mar 12 08:28:31 localhost systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
Mar 12 08:28:31 localhost systemd-logind[708]: New seat seat0.
Mar 12 08:28:31 localhost systemd[1]: Finished setvtrgb.service - Set console scheme.
Mar 12 08:28:31 localhost systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Mar 12 08:28:31 localhost systemd-logind[708]: Watching system buttons on /dev/input/event0 (Power Button)
Mar 12 08:28:31 localhost systemd-logind[708]: Watching system buttons on /dev/input/event1 (AT Translated Set 2 keyboard)
Mar 12 08:28:31 localhost kernel: kauditd_printk_skb: 109 callbacks suppressed
Mar 12 08:28:31 localhost kernel: audit: type=1400 audit(1773304111.373:121): apparmor="STATUS" operation="profile_replace" info="same as current profile, skipping" profile="unconfined" name="rsyslogd" pid=727 comm="apparmor_parser"
Mar 12 08:28:31 localhost systemd[1]: Started getty@tty1.service - Getty on tty1.
Mar 12 08:28:31 localhost systemd[1]: Reached target getty.target - Login Prompts.
Mar 12 08:28:31 localhost systemd[1]: Started systemd-logind.service - User Login Management.
Mar 12 08:28:31 localhost systemd[1]: Started unattended-upgrades.service - Unattended Upgrades Shutdown.
Mar 12 08:28:31 localhost dbus-daemon[696]: [system] Successfully activated service

'org.freedesktop.hostname1'
Mar 12 08:28:31 localhost systemd[1]: Started systemd-hostnamed.service - Hostname Service.
Mar 12 08:28:31 localhost dbus-daemon[696]: [system] Activating via systemd: service name='org.freedesktop.PolicyKit1' unit='polkit.service' requested by ':1.5' (uid=0 pid=724 comm="/usr/lib/systemd/systemd-hostnamed" label="unconfined")
Mar 12 08:28:31 localhost systemd[1]: Started rsyslog.service - System Logging Service.
Mar 12 08:28:31 localhost rsyslogd[730]: imuxsock: Acquired UNIX socket '/run/systemd/journal/syslog' (fd 3) from systemd. [v8.2312.0]
Mar 12 08:28:31 localhost rsyslogd[730]: rsyslogd's groupid changed to 104
Mar 12 08:28:31 localhost rsyslogd[730]: rsyslogd's userid changed to 103
Mar 12 08:28:31 localhost rsyslogd[730]: [origin software="rsyslogd" swVersion="8.2312.0" x-pid="730" x-info="https://www.rsyslog.com"] start
Mar 12 08:28:31 localhost udisksd[711]: udisks daemon version 2.10.1 starting
Mar 12 08:28:31 localhost polkitd[702]: Started polkitd version 124
Mar 12 08:28:31 localhost systemd[1]: Finished sysstat.service - Resets System Activity Logs.
Mar 12 08:28:31 localhost systemd[1]: grub-common.service: Deactivated successfully.
Mar 12 08:28:31 localhost systemd[1]: Finished grub-common.service - Record successful boot for GRUB.
Mar 12 08:28:31 localhost systemd[1]: Starting grub-initrd-fallback.service - GRUB failed boot detection...
Mar 12 08:28:31 localhost polkitd[702]: Loading rules from directory /etc/polkit-1/rules.d
Mar 12 08:28:31 localhost polkitd[702]: Loading rules from directory /usr/share/polkit-1/rules.d
Mar 12 08:28:32 localhost polkitd[702]: Finished loading, compiling and executing 6 rules
Mar 12 08:28:32 localhost dbus-daemon[696]: [system] Successfully activated service 'org.freedesktop.PolicyKit1'
Mar 12 08:28:32 localhost polkitd[702]: Acquired the name org.freedesktop.PolicyKit1 on the system bus
Mar 12 08:28:32 localhost systemd[1]: Started polkit.service - Authorization Manager.
Mar 12 08:28:32 localhost kernel: workqueue: drm_fb_helper_damage_work hogged CPU for >10000us 64 times, consider switching to WQ_UNBOUND
Mar 12 08:28:32 localhost systemd[1]: Starting ModemManager.service - Modem Manager...
Mar 12 08:28:32 localhost ModemManager[766]: <msg> ModemManager (version 1.23.4) starting in system bus...
Mar 12 08:28:32 eltex-practice2-pg2-v15 systemd-hostnamed[724]: Hostname set to <eltex-practice2-pg2-v15> (transient)
Mar 12 08:28:32 eltex-practice2-pg2-v15 kernel: NET: Registered PF_QIPCRTR protocol family
Mar 12 08:28:32 eltex-practice2-pg2-v15 systemd[1]: Started ModemManager.service - Modem Manager.
Mar 12 08:28:32 eltex-practice2-pg2-v15 udisksd[711]: Error probing device: Error sending ATA command IDENTIFY PACKET DEVICE to '/dev/sr0': Unexpected sense data returned:
0000: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
0010: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
(g-io-error-quark, 0)
Mar 12 08:28:32 eltex-practice2-pg2-v15 systemd-resolved[685]: System hostname changed to 'eltex-practice2-pg2-v15'.
Mar 12 08:28:32 eltex-practice2-pg2-v15 systemd[1]: Started udisks2.service - Disk Manager.

find / -name "auth.log"
/var/log/auth.log

```
cat /var/log/auth.log | awk '{$1=$2=""; print $0}' | sed 's/\[.*\]//gi' | sort
  chage: changed password expiry for user1
  chage: changed password expiry for user2
  chage: changed password expiry for user3
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
  CRON: pam_unix(cron:session): session closed for user root
```

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root

CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session closed for user root
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)

CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
CRON: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
(sd-pam): pam_unix(systemd-user:session): session closed for user root
(sd-pam): pam_unix(systemd-user:session): session closed for user root
sshd: Accepted publickey for root from 172.16.8.4 port 43994 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 50040 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 53464 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 53526 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 54382 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 55936 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Accepted publickey for root from 172.16.8.4 port 56088 ssh2: RSA SHA256:+uZ4TxbK0IbHt8C01o1PYR8XcwQAUjwStyP37j8PWzk
sshd: Disconnected from user root 172.16.8.4 port 43994
sshd: Disconnected from user root 172.16.8.4 port 53464
sshd: Disconnected from user root 172.16.8.4 port 53526
sshd: Disconnected from user root 172.16.8.4 port 54382
sshd: Disconnected from user root 172.16.8.4 port 55936
sshd: Disconnected from user root 172.16.8.4 port 56088
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session closed for user root
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)

sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: pam_unix(sshd:session): session opened for user root(uid=0) by root(uid=0)
sshd: Received disconnect from 172.16.8.4 port 43994:11: disconnected by user
sshd: Received disconnect from 172.16.8.4 port 53464:11: disconnected by user
sshd: Received disconnect from 172.16.8.4 port 53526:11: disconnected by user
sshd: Received disconnect from 172.16.8.4 port 54382:11: disconnected by user
sshd: Received disconnect from 172.16.8.4 port 55936:11: disconnected by user
sshd: Received disconnect from 172.16.8.4 port 56088:11: disconnected by user
sshd: Server listening on 0.0.0.0 port 22.
sshd: Server listening on :: port 22.
sudo: pam_unix(sudo:session): session closed for user root
sudo: pam_unix(sudo:session): session closed for user root
sudo: pam_unix(sudo:session): session closed for user root
sudo: pam_unix(sudo:session): session opened for user root(uid=0) by root(uid=1001)
sudo: pam_unix(sudo:session): session opened for user root(uid=0) by root(uid=1001)
sudo: pam_unix(sudo:session): session opened for user root(uid=0) by root(uid=1001)
sudo: user1 : TTY=pts/0 ; PWD=/root ; USER=root ; COMMAND=/usr/bin/dmesg
sudo: user1 : TTY=pts/0 ; PWD=/root ; USER=root ; COMMAND=/usr/bin/dmesg
sudo: user1 : TTY=pts/0 ; PWD=/root ; USER=root ; COMMAND=/usr/bin/dmesg
sudo: user1 : user NOT in sudoers ; TTY=pts/0 ; PWD=/root ; USER=root ; COMMAND=/usr/bin/dmesg
sudo: user1 : user NOT in sudoers ; TTY=pts/0 ; PWD=/root ; USER=root ; COMMAND=/usr/bin/dmesg
sudo: user2 : user NOT in sudoers ; TTY=pts/0 ; PWD=/opt/share ; USER=root ; COMMAND=/usr/bin/dmesg
su: pam_unix(su:session): session closed for user user1
su: pam_unix(su:session): session closed for user user1
su: pam_unix(su:session): session closed for user user1
su: pam_unix(su:session): session closed for user user1
su: pam_unix(su:session): session closed for user user1
su: pam_unix(su:session): session closed for user user2
su: pam_unix(su:session): session closed for user user2
su: pam_unix(su:session): session opened for user user1(uid=1001) by root(uid=0)
su: pam_unix(su:session): session opened for user user1(uid=1001) by root(uid=0)
su: pam_unix(su:session): session opened for user user1(uid=1001) by root(uid=0)
su: pam_unix(su:session): session opened for user user1(uid=1001) by root(uid=0)
su: pam_unix(su:session): session opened for user user1(uid=1001) by root(uid=0)
su: pam_unix(su:session): session opened for user user2(uid=1002) by root(uid=0)
su: pam_unix(su:session): session opened for user user2(uid=1002) by root(uid=0)
su: (to user1) root on pts/0
su: (to user1) root on pts/0
su: (to user1) root on pts/0
su: (to user1) root on pts/0
su: (to user1) root on pts/0
su: (to user2) root on pts/0
su: (to user2) root on pts/0
systemd-logind: New session 1046 of user root.
systemd-logind: New session 692 of user root.
systemd-logind: New session 694 of user root.

```
  systemd-logind: New session 865 of user root.
  systemd-logind: New session 872 of user root.
  systemd-logind: New session 879 of user root.
  systemd-logind: New session 888 of user root.
  systemd-logind: Removed session 692.
  systemd-logind: Removed session 694.
  systemd-logind: Removed session 865.
  systemd-logind: Removed session 872.
  systemd-logind: Removed session 879.
  systemd-logind: Removed session 888.
  systemd-logind: Session 692 logged out. Waiting for processes to exit.
  systemd-logind: Session 694 logged out. Waiting for processes to exit.
  systemd-logind: Session 865 logged out. Waiting for processes to exit.
  systemd-logind: Session 872 logged out. Waiting for processes to exit.
  systemd-logind: Session 879 logged out. Waiting for processes to exit.
  systemd-logind: Session 888 logged out. Waiting for processes to exit.
  (systemd): pam_unix(systemd-user:session): session opened for user root(uid=0) by root(uid=0)
  (systemd): pam_unix(systemd-user:session): session opened for user root(uid=0) by root(uid=0)
  (systemd): pam_unix(systemd-user:session): session opened for user root(uid=0) by root(uid=0)
  (systemd): pam_unix(systemd-user:session): session opened for user root(uid=0) by root(uid=0)
  (systemd): pam_unix(systemd-user:session): session opened for user root(uid=0) by root(uid=0)
  usermod: add 'user1' to group 'sudo'
  usermod: add 'user1' to group 'sudo'
  usermod: add 'user1' to shadow group 'sudo'
  usermod: add 'user1' to shadow group 'sudo'
  usermod: delete 'user1' from group 'sudo'
  usermod: delete 'user1' from shadow group 'sudo'

cat /var/log/auth.log | awk '{$1=$2=""; print $0}' | sed 's/\[.*\]//gi' | awk '{print $1}' | sed 's/://g' | sort
| uniq -c | sort -rn
   1166 CRON
     34 sshd
     21 su
     19 systemd-logind
     12 sudo
      6 usermod
      5 (systemd)
      3 chage
      2 (sd-pam)

cat /etc/passwd | grep "/usr/sbin/nologin" | sort -t: -k3 -nr | while IFS=: read -r user pass uid gid info
home shell; do
    groups=$(groups "$user" | cut -d: -f2 | xargs | tr ' ' ',')
    echo "$uid, $user, $groups"
done
65534, nobody, nogroup
1003, user3, user3,users,newbie
998, systemd-network, systemd-network
997, systemd-timesync, systemd-timesync
992, systemd-resolve, systemd-resolve
991, polkitd, polkitd
989, fwupd-refresh, fwupd-refresh
```

109, sshd, nogroup
108, usbmux, plugdev
107, landscape, landscape
105, tcpdump, tcpdump
104, uuidd, uuidd
103, syslog, syslog,adm
101, messagebus, messagebus
42, _apt, nogroup
39, irc, irc
38, list, list
34, backup, backup
33, www-data, www-data
13, proxy, proxy
10, uucp, uucp
9, news, news
8, mail, mail
7, lp, lp
6, man, man
5, games, games
3, sys, sys
2, bin, bin
1, daemon, daemon

dmesg | grep -i "kernel"
[0.000000] KERNEL supported cpus:
[0.136533] Booting paravirtualized kernel on KVM
[0.141242] Kernel command line: BOOT_IMAGE=/vmlinuz-6.8.0-55-generic root=/dev/mapper/ubuntu--vg-ubuntu--lv ro
[0.141441] Unknown kernel command line parameters "BOOT_IMAGE=/vmlinuz-6.8.0-55-generic", will be passed to user space.
[0.433734] Memory: 3933500K/4193760K available (22528K kernel code, 4443K rwdata, 14344K rodata, 4988K init, 4716K bss, 260000K reserved, 0K cma-reserved)
[0.620319] DMA: preallocated 512 KiB GFP_KERNEL pool for atomic allocations
[0.620392] DMA: preallocated 512 KiB GFP_KERNEL|GFP_DMA pool for atomic allocations
[0.620455] DMA: preallocated 512 KiB GFP_KERNEL|GFP_DMA32 pool for atomic allocations
[1.376833] Loaded X.509 cert 'Build time autogenerated kernel key: e0bedf6fa049a1e09bd65ebab3904f14cdd5bc68'
[1.383920] Loaded X.509 cert 'Canonical Ltd. Kernel Module Signing: 88f752e560a1e0737e31163a466ad7b70a850c19'
[1.504963] Loaded X.509 cert 'Build time autogenerated kernel key: e0bedf6fa049a1e09bd65ebab3904f14cdd5bc68'
[1.543765] Freeing unused kernel image (initmem) memory: 4988K
[1.545264] Write protecting the kernel read-only data: 38912k
[1.547053] Freeing unused kernel image (rodata/data gap) memory: 2040K
[9.638100] systemd[1]: Listening on systemd-udevd-kernel.socket - udev Kernel Socket.
[9.750996] systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
[9.767971] systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
[9.966121] systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
[10.016165] systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
[10.110643] systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
[10.119464] systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module

efi_pstore...
[10.138621] systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
[10.158782] systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
[10.257375] systemd[1]: Starting systemd-modules-load.service - Load Kernel Modules...
[10.265867] systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...

```
wc -l /var/log/kern.log
33 /var/log/kern.log

awk -v RS='' -v FS='\n' -v OFS='; ' '/Commandline/ {print $2, $1, $NF}' /var/log/apt/history.log
Commandline: apt-get install --reinstall apt; Start-Date: 2025-02-16  20:51:22; End-Date: 2025-02-16  20:51:24
Commandline: apt-get install --reinstall base-files; Start-Date: 2025-02-16  20:51:26; End-Date: 2025-02-16  20:51:28
Commandline: apt-get install --reinstall base-passwd; Start-Date: 2025-02-16  20:51:31; End-Date: 2025-02-16  20:51:32
Commandline: apt-get install --reinstall bash; Start-Date: 2025-02-16  20:51:35; End-Date: 2025-02-16  20:51:37
Commandline: apt-get install --reinstall bsdutils; Start-Date: 2025-02-16  20:51:39; End-Date: 2025-02-16  20:51:41
Commandline: apt-get install --reinstall coreutils; Start-Date: 2025-02-16  20:51:44; End-Date: 2025-02-16  20:51:45
Commandline: apt-get install --reinstall dash; Start-Date: 2025-02-16  20:51:48; End-Date: 2025-02-16  20:51:49
Commandline: apt-get install --reinstall debconf; Start-Date: 2025-02-16  20:51:52; End-Date: 2025-02-16  20:51:53
Commandline: apt-get install --reinstall debianutils; Start-Date: 2025-02-16  20:51:56; End-Date: 2025-02-16  20:51:58
Commandline: apt-get install --reinstall diffutils; Start-Date: 2025-02-16  20:52:00; End-Date: 2025-02-16  20:52:02
Commandline: apt-get install --reinstall dpkg; Start-Date: 2025-02-16  20:52:04; End-Date: 2025-02-16  20:52:06
Commandline: apt-get install --reinstall e2fsprogs; Start-Date: 2025-02-16  20:52:09; End-Date: 2025-02-16  20:52:10
Commandline: apt-get install --reinstall findutils; Start-Date: 2025-02-16  20:52:13; End-Date: 2025-02-16  20:52:14
Commandline: apt-get install --reinstall gcc-14-base:amd64; Start-Date: 2025-02-16  20:52:17; End-Date: 2025-02-16  20:52:18
Commandline: apt-get install --reinstall gpgv; Start-Date: 2025-02-16  20:52:21; End-Date: 2025-02-16  20:52:23
Commandline: apt-get install --reinstall grep; Start-Date: 2025-02-16  20:52:25; End-Date: 2025-02-16  20:52:27
Commandline: apt-get install --reinstall gzip; Start-Date: 2025-02-16  20:52:29; End-Date: 2025-02-16  20:52:31
Commandline: apt-get install --reinstall hostname; Start-Date: 2025-02-16  20:52:34; End-Date: 2025-02-16  20:52:35
Commandline: apt-get install --reinstall init-system-helpers; Start-Date: 2025-02-16  20:52:38; End-Date: 2025-02-16  20:52:39
Commandline: apt-get install --reinstall libacl1:amd64; Start-Date: 2025-02-16  20:52:42; End-Date: 2025-02-16  20:52:43
Commandline: apt-get install --reinstall libapt-pkg6.0t64:amd64; Start-Date: 2025-02-16  20:52:46;
```

End-Date: 2025-02-16 20:52:47
Commandline: apt-get install --reinstall libassuan0:amd64; Start-Date: 2025-02-16 20:52:50; End-Date: 2025-02-16 20:52:51
Commandline: apt-get install --reinstall libattr1:amd64; Start-Date: 2025-02-16 20:52:54; End-Date: 2025-02-16 20:52:56
Commandline: apt-get install --reinstall libaudit-common; Start-Date: 2025-02-16 20:52:58; End-Date: 2025-02-16 20:53:00
Commandline: apt-get install --reinstall libaudit1:amd64; Start-Date: 2025-02-16 20:53:02; End-Date: 2025-02-16 20:53:04
Commandline: apt-get install --reinstall libblkid1:amd64; Start-Date: 2025-02-16 20:53:06; End-Date: 2025-02-16 20:53:08
Commandline: apt-get install --reinstall libbz2-1.0:amd64; Start-Date: 2025-02-16 20:53:11; End-Date: 2025-02-16 20:53:12
Commandline: apt-get install --reinstall libc-bin; Start-Date: 2025-02-16 20:53:15; End-Date: 2025-02-16 20:53:17
Commandline: apt-get install --reinstall libc6:amd64; Start-Date: 2025-02-16 20:53:19; End-Date: 2025-02-16 20:53:22
Commandline: apt-get install --reinstall libcap-ng0:amd64; Start-Date: 2025-02-16 20:53:25; End-Date: 2025-02-16 20:53:26
Commandline: apt-get install --reinstall libcap2:amd64; Start-Date: 2025-02-16 20:53:29; End-Date: 2025-02-16 20:53:30
Commandline: apt-get install --reinstall libcom-err2:amd64; Start-Date: 2025-02-16 20:53:33; End-Date: 2025-02-16 20:53:34
Commandline: apt-get install --reinstall libcrypt1:amd64; Start-Date: 2025-02-16 20:53:37; End-Date: 2025-02-16 20:53:38
Commandline: apt-get install --reinstall libdebconfclient0:amd64; Start-Date: 2025-02-16 20:53:41; End-Date: 2025-02-16 20:53:42
Commandline: apt-get install --reinstall libext2fs2t64:amd64; Start-Date: 2025-02-16 20:53:45; End-Date: 2025-02-16 20:53:46
Commandline: apt-get install --reinstall libffi8:amd64; Start-Date: 2025-02-16 20:53:49; End-Date: 2025-02-16 20:53:50
Commandline: apt-get install --reinstall libgcc-s1:amd64; Start-Date: 2025-02-16 20:53:53; End-Date: 2025-02-16 20:53:54
Commandline: apt-get install --reinstall libgcrypt20:amd64; Start-Date: 2025-02-16 20:53:57; End-Date: 2025-02-16 20:53:59
Commandline: apt-get install --reinstall libgmp10:amd64; Start-Date: 2025-02-16 20:54:01; End-Date: 2025-02-16 20:54:03
Commandline: apt-get install --reinstall libgnutls30t64:amd64; Start-Date: 2025-02-16 20:54:05; End-Date: 2025-02-16 20:54:07
Commandline: apt-get install --reinstall libgpg-error0:amd64; Start-Date: 2025-02-16 20:54:10; End-Date: 2025-02-16 20:54:11
Commandline: apt-get install --reinstall libhogweed6t64:amd64; Start-Date: 2025-02-16 20:54:14; End-Date: 2025-02-16 20:54:15
Commandline: apt-get install --reinstall libidn2-0:amd64; Start-Date: 2025-02-16 20:54:18; End-Date: 2025-02-16 20:54:19
Commandline: apt-get install --reinstall liblz4-1:amd64; Start-Date: 2025-02-16 20:54:22; End-Date: 2025-02-16 20:54:23
Commandline: apt-get install --reinstall liblzma5:amd64; Start-Date: 2025-02-16 20:54:26; End-Date: 2025-02-16 20:54:27
Commandline: apt-get install --reinstall libmd0:amd64; Start-Date: 2025-02-16 20:54:30; End-Date: 2025-02-16 20:54:32
Commandline: apt-get install --reinstall libmount1:amd64; Start-Date: 2025-02-16 20:54:34; End-

Date: 2025-02-16 20:54:36
Commandline: apt-get install --reinstall libncursesw6:amd64; Start-Date: 2025-02-16 20:54:38; End-Date: 2025-02-16 20:54:39
Commandline: apt-get install --reinstall libnettle8t64:amd64; Start-Date: 2025-02-16 20:54:42; End-Date: 2025-02-16 20:54:43
Commandline: apt-get install --reinstall libnpth0t64:amd64; Start-Date: 2025-02-16 20:54:46; End-Date: 2025-02-16 20:54:48
Commandline: apt-get install --reinstall libp11-kit0:amd64; Start-Date: 2025-02-16 20:54:50; End-Date: 2025-02-16 20:54:52
Commandline: apt-get install --reinstall libpam-modules:amd64; Start-Date: 2025-02-16 20:54:54; End-Date: 2025-02-16 20:54:56
Commandline: apt-get install --reinstall libpam-modules-bin; Start-Date: 2025-02-16 20:54:58; End-Date: 2025-02-16 20:55:00
Commandline: apt-get install --reinstall libpam-runtime; Start-Date: 2025-02-16 20:55:03; End-Date: 2025-02-16 20:55:04
Commandline: apt-get install --reinstall libpam0g:amd64; Start-Date: 2025-02-16 20:55:07; End-Date: 2025-02-16 20:55:08
Commandline: apt-get install --reinstall libpcre2-8-0:amd64; Start-Date: 2025-02-16 20:55:11; End-Date: 2025-02-16 20:55:12
Commandline: apt-get install --reinstall libproc2-0:amd64; Start-Date: 2025-02-16 20:55:15; End-Date: 2025-02-16 20:55:16
Commandline: apt-get install --reinstall libseccomp2:amd64; Start-Date: 2025-02-16 20:55:19; End-Date: 2025-02-16 20:55:20
Commandline: apt-get install --reinstall libselinux1:amd64; Start-Date: 2025-02-16 20:55:23; End-Date: 2025-02-16 20:55:24
Commandline: apt-get install --reinstall libsemanage-common; Start-Date: 2025-02-16 20:55:27; End-Date: 2025-02-16 20:55:28
Commandline: apt-get install --reinstall libsemanage2:amd64; Start-Date: 2025-02-16 20:55:31; End-Date: 2025-02-16 20:55:32
Commandline: apt-get install --reinstall libsepol2:amd64; Start-Date: 2025-02-16 20:55:35; End-Date: 2025-02-16 20:55:36
Commandline: apt-get install --reinstall libsmartcols1:amd64; Start-Date: 2025-02-16 20:55:38; End-Date: 2025-02-16 20:55:40
Commandline: apt-get install --reinstall libss2:amd64; Start-Date: 2025-02-16 20:55:42; End-Date: 2025-02-16 20:55:44
Commandline: apt-get install --reinstall libssl3t64:amd64; Start-Date: 2025-02-16 20:55:46; End-Date: 2025-02-16 20:55:48
Commandline: apt-get install --reinstall libstdc++6:amd64; Start-Date: 2025-02-16 20:55:51; End-Date: 2025-02-16 20:55:52
Commandline: apt-get install --reinstall libsystemd0:amd64; Start-Date: 2025-02-16 20:55:55; End-Date: 2025-02-16 20:55:56
Commandline: apt-get install --reinstall libtasn1-6:amd64; Start-Date: 2025-02-16 20:55:59; End-Date: 2025-02-16 20:56:00
Commandline: apt-get install --reinstall libtinfo6:amd64; Start-Date: 2025-02-16 20:56:03; End-Date: 2025-02-16 20:56:04
Commandline: apt-get install --reinstall libudev1:amd64; Start-Date: 2025-02-16 20:56:07; End-Date: 2025-02-16 20:56:08
Commandline: apt-get install --reinstall libunistring5:amd64; Start-Date: 2025-02-16 20:56:11; End-Date: 2025-02-16 20:56:13
Commandline: apt-get install --reinstall libuuid1:amd64; Start-Date: 2025-02-16 20:56:15; End-Date: 2025-02-16 20:56:17
Commandline: apt-get install --reinstall libxxhash0:amd64; Start-Date: 2025-02-16 20:56:19; End-

Date: 2025-02-16 20:56:21
Commandline: apt-get install --reinstall libzstd1:amd64; Start-Date: 2025-02-16 20:56:23; End-Date: 2025-02-16 20:56:25
Commandline: apt-get install --reinstall login; Start-Date: 2025-02-16 20:56:28; End-Date: 2025-02-16 20:56:29
Commandline: apt-get install --reinstall logsave; Start-Date: 2025-02-16 20:56:32; End-Date: 2025-02-16 20:56:33
Commandline: apt-get install --reinstall mawk; Start-Date: 2025-02-16 20:56:36; End-Date: 2025-02-16 20:56:37
Commandline: apt-get install --reinstall mount; Start-Date: 2025-02-16 20:56:39; End-Date: 2025-02-16 20:56:41
Commandline: apt-get install --reinstall ncurses-base; Start-Date: 2025-02-16 20:56:43; End-Date: 2025-02-16 20:56:45
Commandline: apt-get install --reinstall ncurses-bin; Start-Date: 2025-02-16 20:56:47; End-Date: 2025-02-16 20:56:49
Commandline: apt-get install --reinstall passwd; Start-Date: 2025-02-16 20:56:52; End-Date: 2025-02-16 20:56:53
Commandline: apt-get install --reinstall perl-base; Start-Date: 2025-02-16 20:56:55; End-Date: 2025-02-16 20:56:57
Commandline: apt-get install --reinstall procps; Start-Date: 2025-02-16 20:57:00; End-Date: 2025-02-16 20:57:01
Commandline: apt-get install --reinstall sed; Start-Date: 2025-02-16 20:57:04; End-Date: 2025-02-16 20:57:05
Commandline: apt-get install --reinstall sensible-utils; Start-Date: 2025-02-16 20:57:08; End-Date: 2025-02-16 20:57:09
Commandline: apt-get install --reinstall sysvinit-utils; Start-Date: 2025-02-16 20:57:12; End-Date: 2025-02-16 20:57:13
Commandline: apt-get install --reinstall tar; Start-Date: 2025-02-16 20:57:16; End-Date: 2025-02-16 20:57:17
Commandline: apt-get install --reinstall ubuntu-keyring; Start-Date: 2025-02-16 20:57:20; End-Date: 2025-02-16 20:57:21
Commandline: apt-get install --reinstall util-linux; Start-Date: 2025-02-16 20:57:24; End-Date: 2025-02-16 20:57:26
Commandline: apt-get install --reinstall zlib1g:amd64; Start-Date: 2025-02-16 20:57:28; End-Date: 2025-02-16 20:57:30
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes --force-yes upgrade; Start-Date: 2025-02-16 20:57:34; End-Date: 2025-02-16 20:57:38
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes --force-yes dist-upgrade; Start-Date: 2025-02-16 20:57:39; End-Date: 2025-02-16 20:57:39
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes install adduser apparmor apport apport-core-dump-handler apt base-passwd bcache-tools btrfs-progs busybox-initramfs ca-certificates cloud-guest-utils cloud-init coreutils cpio cryptsetup cryptsetup-bin curl dbus dbus-bin dbus-daemon dbus-session-bus-common dbus-system-bus-common dbus-user-session debconf dhcpcd-base distro-info-data dmeventd dmsetup dpkg dracut-install e2fsprogs ethtool fdisk fuse3 gawk gcc-14-base gettext-base gir1.2-girepository-2.0 gir1.2-glib-2.0 gpgv init-system-helpers initramfs-tools initramfs-tools-bin initramfs-tools-core iproute2 klibc-utils kmod kpartx libacl1 libaio1t64 libapparmor1 libapt-pkg6.0t64 libargon2-1 libassuan0 libattr1 libaudit-common libaudit1 libblkid1 libbpf1 libbrotli1 libbsd0 libbz2-1.0 libc6 libcap-ng0 libcap2 libcap2-bin libcbor0.10 libcom-err2 libcrypt1 libcryptsetup12 libcurl4t64 libdb5.3t64 libdbus-1-3 libdebconfclient0 libdevmapper-event1.02.1 libdevmapper1.02.1 libdrm-common libdrm2 libedit2 libelf1t64 libexpat1 libext2fs2t64 libfdisk1 libffi8 libfido2-1 libfuse3-3 libgcc-s1 libgcrypt20 libgdbm-compat4t64 libgdbm6t64 libgirepository-1.0-1 libglib2.0-0t64 libgmp10 libgnutls30t64 libgpg-

error0 libgssapi-krb5-2 libhogweed6t64 libicu74 libidn2-0 libinih1 libintl-perl libisns0t64 libjson-c5 libk5crypto3 libkeyutils1 libklibc libkmod2 libkrb5-3 libkrb5support0 libldap2 liblvm2cmd2.03 liblz4-1 liblzma5 liblzo2-2 libmd0 libmnl0 libmodule-find-perl libmodule-scandeps-perl libmount1 libmpfr6 libncursesw6 libnetplan1 libnettle8t64 libnghttp2-14 libnpth0t64 libopeniscsiusr libp11-kit0 libpam-modules libpam-modules-bin libpam-runtime libpam-systemd libpam0g libpci3 libpcre2-8-0 libperl5.38t64 libpopt0 libproc-processtable-perl libproc2-0 libpsl5t64 libpython3-stdlib libpython3.12-minimal libpython3.12-stdlib libreadline8t64 libreiserfscore0t64 librtmp1 libsasl2-2 libsasl2-modules-db libseccomp2 libselinux1 libsemanage-common libsemanage2 libsepol2 libsgutils2-1.46-2 libsigsegv2 libsmartcols1 libsort-naturally-perl libsqlite3-0 libss2 libssh-4 libssl3t64 libstdc++6 libsystemd-shared libsystemd0 libtasn1-6 libterm-readkey-perl libtinfo6 libtirpc-common libtirpc3t64 libudev1 libunistring5 liburcu8t64 libusb-1.0-0 libuuid1 libxtables12 libxxhash0 libyaml-0-2 libzstd1 linux-base logsave lsb-base lsb-release lvm2 mdadm media-types mount multipath-tools needrestart netbase netplan-generator netplan.io open-iscsi openssh-client openssl passwd pci.ids pciutils perl perl-base perl-modules-5.38 pollinate procps python-apt-common python3 python3-apport python3-apt python3-attr python3-blinker python3-certifi python3-cffi-backend python3-chardet python3-click python3-colorama python3-configobj python3-cryptography python3-dbus python3-debconf python3-distro python3-distro-info python3-distupgrade python3-gi python3-httplib2 python3-idna python3-jinja2 python3-json-pointer python3-jsonpatch python3-jsonschema python3-jwt python3-launchpadlib python3-lazr.restfulclient python3-lazr.uri python3-markupsafe python3-minimal python3-netplan python3-oauthlib python3-pkg-resources python3-problem-report python3-pyparsing python3-pyrsistent python3-requests python3-serial python3-six python3-update-manager python3-urllib3 python3-wadllib python3-xkit python3-yaml python3.12 python3.12-minimal readline-common sed sensible-utils sg3-utils sg3-utils-udev snapd squashfs-tools sudo systemd systemd-dev systemd-resolved systemd-sysv sysvinit-utils tar tzdata ubuntu-drivers-common ubuntu-keyring ubuntu-release-upgrader-core ubuntu-server-minimal ucf udev unattended-upgrades unminimize usbutils xfsprogs xxd xz-utils zlib1g lxd-installer; Start-Date: 2025-02-16 20:57:42; End-Date: 2025-02-16 20:58:20
Commandline: apt-get install --reinstall -y gdisk zstd unattended-upgrades xfsprogs multipath-tools kpartx cloud-init squashfs-tools sg3-utils pollinate packagekit-tools polkitd xml-core needrestart mdadm lvm2 libterm-readkey-perl libsort-naturally-perl libproc-processtable-perl:amd64 libmodule-scandeps-perl libmodule-find-perl libldap-common libintl-xs-perl libintl-perl libglib2.0-bin gpg-wks-client gnupg keyboxd gpgsm gpg-agent pinentry-curses gpg gnupg-utils finalrd fdisk eatmydata dmeventd dirmngr gpgconf curl initramfs-tools linux-base initramfs-tools-core cryptsetup cryptsetup-bin btrfs-progs bcache-tools appstream libsasl2-2:amd64 xz-utils xauth ubuntu-release-upgrader-core plymouth openssh-client libx11-data libedit2:amd64 groff-base gettext-base fuse3 cpio apparmor xxd xdg-user-dirs ucf systemd-timesyncd systemd-resolved sudo shared-mime-info python3-pygments networkd-dispatcher netplan.io cloud-guest-utils thin-provisioning-tools software-properties-common snapd iproute2 libcap2-bin libtirpc-common libpam-systemd:amd64 coreutils ncurses-bin mawk libsemanage-common bash base-passwd tar sysvinit-utils sensible-utils sed apt init-system-helpers hostname gzip grep gpgv findutils diffutils debconf debianutils dash adduser kmod usbutils pciutils sgml-base perl libperl5.38t64:amd64 dmsetup dhcpcd-base open-iscsi udev gawk python3-chardet lsb-release dbus-daemon dbus-bin systemd-sysv systemd python3 python3.12 readline-common ethtool netplan-generator libpam-cap:amd64 libnss-systemd:amd64 console-setup keyboard-configuration xkb-data liblocale-gettext-perl kbd ca-certificates openssl libpam-modules:amd64 python3-minimal python3.12-minimal procps passwd libpam-modules-bin logsave libpam-runtime libaudit-common mount e2fsprogs util-linux perl-base bsdutils apport libc-bin base-files login dpkg; Start-Date: 2025-02-16 20:58:40; End-Date: 2025-02-16 20:59:23
Commandline: apt-get install --reinstall -y cryptsetup-initramfs dbus dbus-session-bus-common dbus-system-bus-common distro-info-data dracut-install gcc-14-base:amd64 gnupg-l10n iso-codes libapt-pkg6.0t64:amd64 libc6:amd64 libcbor0.10:amd64 libcryptsetup12:amd64 libdb5.3t64:amd64

libdbus-1-3:amd64 libexpat1:amd64 libfuse3-3:amd64 libgcrypt20:amd64 libglib2.0-0t64:amd64 libgmp10:amd64 libgnutls30t64:amd64 libgpg-error0:amd64 libidn2-0:amd64 libjson-c5:amd64 libklibc:amd64 libkrb5-3:amd64 libksba8:amd64 libldap2:amd64 liblzma5:amd64 liblzo2-2:amd64 libmpfr6:amd64 libnettle8t64:amd64 libnghttp2-14:amd64 libopeniscsiusr libp11-kit0:amd64 libpam0g:amd64 libpcre2-8-0:amd64 libpng16-16t64:amd64 libpolkit-gobject-1-0:amd64 libpopt0:amd64 libproc2-0:amd64 libpython3-stdlib:amd64 libpython3.12-minimal:amd64 libreadline8t64:amd64 libsigsegv2:amd64 libsqlite3-0:amd64 libssh-4:amd64 libstemmer0d:amd64 libsystemd-shared:amd64 libsystemd0:amd64 libtasn1-6:amd64 libtirpc3t64:amd64 libudev1:amd64 libusb-1.0-0:amd64 libxml2:amd64 libxtables12:amd64 lsb-base ncurses-base packagekit perl-modules-5.38 publicsuffix python3-babel python3-certifi python3-colorama python3-dbus python3-gi python3-httplib2 python3-json-pointer python3-jsonpatch python3-jwt python3-launchpadlib python3-lazr.restfulclient python3-lazr.uri python3-markdown-it python3-oauthlib python3-pkg-resources python3-requests python3-rich python3-serial python3-software-properties python3-tz python3-wadllib python3-yaml systemd-dev tzdata ubuntu-drivers-common; Start-Date: 2025-02-16 20:59:26; End-Date: 2025-02-16 20:59:43
Commandline: apt-get install -y ubuntu-minimal ubuntu-standard; Start-Date: 2025-02-16 20:59:50; End-Date: 2025-02-16 21:00:01
Commandline: apt-get -y --fix-policy install; Start-Date: 2025-02-16 21:00:04; End-Date: 2025-02-16 21:00:04
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes install adduser apparmor apport apport-core-dump-handler apport-symptoms appstream apt apt-utils base-files base-passwd bash bash-completion bc bcache-tools bind9-dnsutils bind9-host bind9-libs bolt bsdextrautils bsdutils btrfs-progs busybox-initramfs busybox-static byobu ca-certificates cloud-guest-utils cloud-initramfs-copymods cloud-initramfs-dyn-netconf command-not-found console-setup console-setup-linux coreutils cpio cron cron-daemon-common cryptsetup cryptsetup-bin cryptsetup-initramfs curl dash dbus dbus-bin dbus-daemon dbus-session-bus-common dbus-system-bus-common dbus-user-session debconf debconf-i18n debianutils dhcpcd-base diffutils dirmngr distro-info distro-info-data dmeventd dmidecode dmsetup dosfstools dpkg dracut-install e2fsprogs ed eject ethtool fdisk file finalrd findutils fonts-ubuntu-console friendly-recovery ftp fuse3 fwupd fwupd-signed gawk gcc-14-base gdisk gettext-base gir1.2-girepository-2.0 gir1.2-glib-2.0 gir1.2-packagekitglib-1.0 git git-man gnupg gnupg-l10n gnupg-utils gpg gpg-agent gpg-wks-client gpgconf gpgsm gpgv grep groff-base gzip hdparm hostname htop ibverbs-providers inetutils-telnet info init init-system-helpers initramfs-tools initramfs-tools-bin initramfs-tools-core install-info iproute2 iptables iputils-ping iputils-tracepath iso-codes jq kbd keyboard-configuration keyboxd klibc-utils kmod kpartx krb5-locales landscape-common less libacl1 libaio1t64 libapparmor1 libappstream5 libapt-pkg6.0t64 libarchive13t64 libargon2-1 libassuan0 libatasmart4 libatm1t64 libattr1 libaudit-common libaudit1 libblkid1 libblockdev-crypto3 libblockdev-fs3 libblockdev-loop3 libblockdev-mdraid3 libblockdev-nvme3 libblockdev-part3 libblockdev-swap3 libblockdev-utils3 libblockdev3 libbpf1 libbrotli1 libbsd0 libbytesize-common libbytesize1 libbz2-1.0 libc-bin libc6 libcap-ng0 libcap2 libcap2-bin libcbor0.10 libcom-err2 libcrypt1 libcryptsetup12 libcurl3t64-gnutls libcurl4t64 libdb5.3t64 libdbus-1-3 libdebconfclient0 libdevmapper-event1.02.1 libdevmapper1.02.1 libdrm-common libdrm2 libduktape207 libdw1t64 libedit2 libelf1t64 liberror-perl libestr0 libevdev2 libevent-core-2.1-7t64 libexpat1 libext2fs2t64 libfastjson4 libfdisk1 libffi8 libfido2-1 libflashrom1 libfribidi0 libftdi1-2 libfuse3-3 libfwupd2 libgcc-s1 libgcrypt20 libgdbm-compat4t64 libgdbm6t64 libgirepository-1.0-1 libglib2.0-0t64 libglib2.0-bin libglib2.0-data libgmp10 libgnutls30t64 libgpg-error0 libgpgme11t64 libgpm2 libgssapi-krb5-2 libgstreamer1.0-0 libgudev-1.0-0 libgusb2 libhogweed6t64 libibverbs1 libicu74 libidn2-0 libinih1 libintl-perl libintl-xs-perl libip4tc2 libip6tc2 libisns0t64 libjansson4 libjcat1 libjq1 libjson-c5 libjson-glib-1.0-0 libjson-glib-1.0-common libk5crypto3 libkeyutils1 libklibc libkmod2 libkrb5-3 libkrb5support0 libksba8 libldap-common libldap2 liblmdb0 liblocale-gettext-perl liblvm2cmd2.03 liblz4-1 liblzma5 liblzo2-2 libmagic-mgc libmagic1t64 libmaxminddb0 libmbim-glib4 libmbim-proxy libmbim-utils libmd0 libmm-glib0 libmnl0 libmodule-find-perl libmodule-scandeps-perl libmount1 libmpfr6 libmspack0t64

libncurses6 libncursesw6 libnetfilter-conntrack3 libnetplan1 libnettle8t64 libnewt0.52 libnfnetlink0 libnftables1 libnftnl11 libnghttp2-14 libnl-3-200 libnl-genl-3-200 libnl-route-3-200 libnpth0t64 libnspr4 libnss-systemd libnss3 libntfs-3g89t64 libnuma1 libnvme1t64 libonig5 libopeniscsiusr libp11-kit0 libpackagekit-glib2-18 libpam-cap libpam-modules libpam-modules-bin libpam-runtime libpam-systemd libpam0g libparted2t64 libpcap0.8t64 libpci3 libpcre2-8-0 libperl5.38t64 libpipeline1 libplymouth5 libpng16-16t64 libpolkit-agent-1-0 libpolkit-gobject-1-0 libpopt0 libproc-processtable-perl libproc2-0 libprotobuf-c1 libpsl5t64 libpython3-stdlib libpython3.12-minimal libpython3.12-stdlib libpython3.12t64 libqmi-glib5 libqmi-proxy libqmi-utils libqrtr-glib0 libreadline8t64 libreiserfscore0t64 librtmp1 libsasl2-2 libsasl2-modules libsasl2-modules-db libseccomp2 libselinux1 libsemanage-common libsemanage2 libsensors-config libsensors5 libsepol2 libsgutils2-1.46-2 libsigsegv2 libslang2 libsmartcols1 libsodium23 libsort-naturally-perl libsqlite3-0 libss2 libssh-4 libssl3t64 libstdc++6 libstemmer0d libsystemd-shared libsystemd0 libtasn1-6 libtcl8.6 libterm-readkey-perl libtext-charwidth-perl libtext-iconv-perl libtext-wrapi18n-perl libtinfo6 libtirpc-common libtirpc3t64 libtraceevent1 libtraceevent1-plugin libtracefs1 libtss2-esys-3.0.2-0t64 libtss2-mu-4.0.1-0t64 libtss2-sys1t64 libtss2-tcti-cmd0t64 libtss2-tcti-device0t64 libtss2-tcti-mssim0t64 libtss2-tcti-swtpm0t64 libuchardet0 libudev1 libudisks2-0 libunistring5 libunwind8 liburcu8t64 libusb-1.0-0 libutempter0 libuuid1 libuv1t64 libvolume-key1 libx11-6 libx11-data libxau6 libxcb1 libxdmcp6 libxext6 libxkbcommon0 libxml2 libxmlb2 libxmlsec1t64 libxmlsec1t64-openssl libxmuu1 libxslt1.1 libxtables12 libxxhash0 libyaml-0-2 libzstd1 linux-base locales login logrotate logsave lsb-release lshw lsof lvm2 lxd-agent-loader lxd-installer man-db manpages mawk mdadm media-types modemmanager motd-news-config mount mtr-tiny multipath-tools nano ncurses-base ncurses-bin needrestart netbase netcat-openbsd netplan-generator netplan.io networkd-dispatcher nftables ntfs-3g numactl open-iscsi open-vm-tools openssh-client openssl overlayroot packagekit packagekit-tools parted passwd pastebinit patch pci.ids pciutils perl perl-base perl-modules-5.38 pinentry-curses plymouth plymouth-theme-ubuntu-text polkitd pollinate powermgmt-base procps psmisc publicsuffix python-apt-common python3 python3-apport python3-apt python3-attr python3-automat python3-bcrypt python3-blinker python3-boto3 python3-botocore python3-certifi python3-cffi-backend python3-chardet python3-click python3-colorama python3-commandnotfound python3-configobj python3-constantly python3-cryptography python3-dateutil python3-dbus python3-debconf python3-debian python3-distro python3-distro-info python3-distupgrade python3-gdbm python3-gi python3-hamcrest python3-httplib2 python3-hyperlink python3-idna python3-incremental python3-jmespath python3-jwt python3-launchpadlib python3-lazr.restfulclient python3-lazr.uri python3-magic python3-markdown-it python3-mdurl python3-minimal python3-netifaces python3-netplan python3-newt python3-oauthlib python3-openssl python3-packaging python3-pexpect python3-pkg-resources python3-problem-report python3-ptyprocess python3-pyasn1 python3-pyasn1-modules python3-pygments python3-pyparsing python3-requests python3-rich python3-s3transfer python3-service-identity python3-setuptools python3-six python3-software-properties python3-systemd python3-twisted python3-update-manager python3-urllib3 python3-wadllib python3-yaml python3-zope.interface python3.12 python3.12-minimal readline-common rsync rsyslog run-one sbsigntool screen secureboot-db sed sensible-utils sg3-utils sg3-utils-udev sgml-base shared-mime-info snapd software-properties-common sosreport squashfs-tools strace sudo sysstat systemd systemd-dev systemd-hwe-hwdb systemd-resolved systemd-sysv systemd-timesyncd sysvinit-utils tar tcl tcl8.6 tcpdump telnet thin-provisioning-tools time tmux tnftp tpm-udev trace-cmd tzdata ubuntu-keyring ubuntu-minimal ubuntu-pro-client ubuntu-pro-client-l10n ubuntu-release-upgrader-core ubuntu-server ubuntu-standard ucf udev udisks2 ufw unattended-upgrades update-manager-core update-notifier-common usb-modeswitch usb-modeswitch-data usb.ids usbutils util-linux uuid-runtime vim vim-common vim-runtime vim-tiny wget whiptail xauth xdg-user-dirs xfsprogs xkb-data xml-core xxd xz-utils zerofree zlib1g zstd cloud-init; Start-Date: 2025-02-16 21:00:10; End-Date: 2025-02-16 21:00:28 Commandline: apt-get --quiet --assume-yes --option=Dpkg::options::=--force-unsafe-io --option=Dpkg::Options::=--force-confold install grub-pc; Start-Date: 2025-03-12 18:07:37; End-Date: 2025-03-12 18:08:03

Commandline: apt-get --quiet --assume-yes --option=Dpkg::options::=--force-unsafe-io --option=Dpkg::Options::=--force-confold install linux-generic; Start-Date: 2025-03-12 18:08:37; End-Date: 2025-03-12 18:11:58
Commandline: apt-get --quiet --assume-yes --option=Dpkg::options::=--force-unsafe-io --option=Dpkg::Options::=--force-confold install openssh-server; Start-Date: 2025-03-12 18:12:45; End-Date: 2025-03-12 18:13:11
Commandline: /usr/bin/unattended-upgrades -v; Start-Date: 2025-03-12 18:13:21; End-Date: 2025-03-12 18:14:11
Commandline: apt dist-upgrade; Start-Date: 2025-03-12 18:19:08; End-Date: 2025-03-12 18:21:04
Commandline: apt install vim qemu-guest-agent; Start-Date: 2025-03-12 18:21:23; End-Date: 2025-03-12 18:21:31
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:05:33; End-Date: 2026-03-13 06:06:19
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:06:24; End-Date: 2026-03-13 06:07:48
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:07:50; End-Date: 2026-03-13 06:08:30
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:08:32; End-Date: 2026-03-13 06:09:23
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:09:25; End-Date: 2026-03-13 06:12:29
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:12:34; End-Date: 2026-03-13 06:13:15
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:13:17; End-Date: 2026-03-13 06:14:13
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:14:15; End-Date: 2026-03-13 06:14:58
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:15:00; End-Date: 2026-03-13 06:15:42
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:15:45; End-Date: 2026-03-13 06:16:27
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:16:33; End-Date: 2026-03-13 06:17:24
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:17:29; End-Date: 2026-03-13 06:18:07
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:18:09; End-Date: 2026-03-13 06:19:01
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:19:03; End-Date: 2026-03-13 06:19:42
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:19:47; End-Date: 2026-03-13 06:20:11
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:20:13; End-Date: 2026-03-13 06:22:04
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:22:07; End-Date: 2026-03-13 06:25:19
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:25:22; End-Date: 2026-03-13 06:25:45
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:25:47; End-Date: 2026-03-13 06:26:48
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:26:50; End-Date: 2026-03-13 06:27:42

Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:27:45; End-Date: 2026-03-13 06:28:46
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:28:49; End-Date: 2026-03-13 06:40:09
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:40:20; End-Date: 2026-03-13 06:44:22
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:44:34; End-Date: 2026-03-13 06:45:26
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:45:35; End-Date: 2026-03-13 06:48:49
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:49:00; End-Date: 2026-03-13 06:50:23
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:50:37; End-Date: 2026-03-13 06:53:54
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:53:58; End-Date: 2026-03-13 06:54:56
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:55:24; End-Date: 2026-03-13 06:56:10
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:56:17; End-Date: 2026-03-13 06:58:53
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 06:59:21; End-Date: 2026-03-13 07:02:26
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:02:41; End-Date: 2026-03-13 07:04:33
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:04:39; End-Date: 2026-03-13 07:05:35
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:05:39; End-Date: 2026-03-13 07:07:16
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:07:20; End-Date: 2026-03-13 07:08:17
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:08:24; End-Date: 2026-03-13 07:10:33
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:10:41; End-Date: 2026-03-13 07:11:35
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:11:41; End-Date: 2026-03-13 07:13:01
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:13:05; End-Date: 2026-03-13 07:13:53
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:14:00; End-Date: 2026-03-13 07:16:32
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:16:45; End-Date: 2026-03-13 07:23:24
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:23:43; End-Date: 2026-03-13 07:24:48
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:24:52; End-Date: 2026-03-13 07:25:47
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:25:57; End-Date: 2026-03-13 07:26:46
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:26:51; End-Date: 2026-03-13 07:29:47
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:29:53; End-Date: 2026-03-13 07:31:33

Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:31:41; End-Date: 2026-03-13 07:32:28
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:32:36; End-Date: 2026-03-13 07:33:36
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:33:41; End-Date: 2026-03-13 07:34:28
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:34:33; End-Date: 2026-03-13 07:35:20
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:35:27; End-Date: 2026-03-13 07:37:19
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:37:26; End-Date: 2026-03-13 07:41:55
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:42:00; End-Date: 2026-03-13 07:43:49
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:43:58; End-Date: 2026-03-13 07:44:57
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:45:17; End-Date: 2026-03-13 07:48:24
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:48:28; End-Date: 2026-03-13 07:50:39
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:50:46; End-Date: 2026-03-13 07:51:57
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-13 07:52:09; End-Date: 2026-03-13 07:54:40
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-14 06:24:06; End-Date: 2026-03-14 06:26:25
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-14 06:26:31; End-Date: 2026-03-14 06:27:10
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-14 06:27:13; End-Date: 2026-03-14 06:27:24
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-14 06:27:26; End-Date: 2026-03-14 06:27:56
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:08:47; End-Date: 2026-03-15 06:09:01
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:09:03; End-Date: 2026-03-15 06:11:42
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:11:44; End-Date: 2026-03-15 06:11:51
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:11:53; End-Date: 2026-03-15 06:11:57
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:11:58; End-Date: 2026-03-15 06:12:04
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:12:06; End-Date: 2026-03-15 06:12:11
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-15 06:12:12; End-Date: 2026-03-15 06:12:15
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-17 06:59:47; End-Date: 2026-03-17 06:59:51
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-17 06:59:53; End-Date: 2026-03-17 07:00:44
Commandline: /usr/bin/unattended-upgrade; Start-Date: 2026-03-17 07:00:46; End-Date: 2026-03-17 07:00:51

Commandline: apt install bzip2; Start-Date: 2026-03-17 09:43:52; End-Date: 2026-03-17 09:43:56
Commandline: apt install 7zip; Start-Date: 2026-03-17 09:44:38; End-Date: 2026-03-17 09:44:42

Раздел 3
Содержимое practice2_eltex-practice2-pg2-v15_part3.log
apt update
Get:1 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Hit:2 http://ru.archive.ubuntu.com/ubuntu noble InRelease
Get:3 http://ru.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:4 http://ru.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:5 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1,541 kB]
Get:6 http://ru.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1,837 kB]
Get:7 http://ru.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [177 kB]
Get:8 http://ru.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [16.7 kB]
Get:9 http://ru.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:10 http://ru.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1,566 kB]
Get:11 http://ru.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [386 kB]
Get:12 http://ru.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [33.0 kB]
Get:13 http://ru.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:14 http://ru.archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7,348 B]
Get:15 http://ru.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216 B]
Get:16 http://ru.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [13.2 kB]
Get:17 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [247 kB]
Get:18 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]
Get:19 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [10.5 kB]
Get:20 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:21 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [977 kB]
Get:22 http://ru.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:23 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [219 kB]
Get:24 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [74.1 kB]
Get:25 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [20.8 kB]
Get:26 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Fetched 7,529 kB in 1s (5,058 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
87 packages can be upgraded. Run 'apt list --upgradable' to see them.

apt install --yes git gh
Reading package lists...
Building dependency tree...
Reading state information...
git is already the newest version (1:2.43.0-1ubuntu7.3).
git set to manually installed.
The following NEW packages will be installed:
  gh
0 upgraded, 1 newly installed, 0 to remove and 87 not upgraded.
Need to get 6,836 kB of archives.

```
After this operation, 45.4 MB of additional disk space will be used.
Get:1 http://ru.archive.ubuntu.com/ubuntu noble-updates/universe amd64 gh amd64 2.45.0-
1ubuntu0.3 [8,836 kB]
Fetched 8,836 kB in 1s (11.2 MB/s)
Selecting previously unselected package gh.
(Reading database ... 125245 files and directories currently installed.)
Preparing to unpack .../gh_2.45.0-1ubuntu0.3_amd64.deb ...
Unpacking gh (2.45.0-1ubuntu0.3) ...
Setting up gh (2.45.0-1ubuntu0.3) ...
Processing triggers for man-db (2.12.0-4build2) ...

Pending kernel upgrade!
Running kernel version:
  6.8.0-55-generic
Diagnostics:
  The currently running kernel version is not the expected kernel version 6.8.0-106-generic.

Restarting the system to load the new kernel will not be handled automatically, so you should
consider rebooting.

Restarting services...

Service restarts being deferred:
 /etc/needrestart/restart.d/dbus.service
 systemctl restart getty@tty1.service
 systemctl restart systemd-logind.service
 systemctl restart unattended-upgrades.service

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

git config --global user.name "DiamondArrowTheLizard"
git config --global user.email "diamond1arrow@gmail.com"
git config --global init.defaultBranch main

ssh-keygen -t ed25519 -f .ssh/eltex-pg2-v15

gh auth login
? What account do you want to log into? GitHub.com
? What is your preferred protocol for Git operations on this host? SSH
? Upload your SSH public key to your GitHub account? /root/.ssh/eltex-pg2-v15.pub
? Title for your SSH key: eltex-practice2-pg2-v15
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: Кофе защищает от болезни Альцгеймера
Press Enter to open github.com in your browser...
! Failed opening a web browser at https://github.com/login/device
  exec: "xdg-open,x-www-browser,www-browser,wslview": executable file not found in $PATH
  Please try entering the URL in your browser manually
```

```
✓ Authentication complete.
- gh config set -h github.com git_protocol ssh
✓ Configured git protocol
! Authentication credentials saved in plain text
✓ Uploaded the SSH key to your GitHub account: /root/.ssh/eltex-pg2-v15.pub
✓ Logged in as DiamondArrowTheLizard

gh auth setup-git --hostname github.com

gh auth status
github.com
  ✓ Logged in to github.com account DiamondArrowTheLizard (/root/.config/gh/hosts.yml)
  - Active account: true
  - Git operations protocol: ssh
  - Token: gho_************************************
  - Token scopes: 'admin:public_key', 'gist', 'read:org', 'repo'

gh repo create --public "eltex-module1"
✓ Created repository DiamondArrowTheLizard/eltex-module1 on GitHub
  https://github.com/DiamondArrowTheLizard/eltex-module1

mkdir eltex-module1 && cd eltex-module1

git init
Initialized empty Git repository in /root/eltex-module1/.git/

echo "#Краткое описание репозитория" >> README.md

git add README.md

git commit -m "first commit"
[main (root-commit) ef34414] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

git branch -M main

git remote add origin https://github.com/DiamondArrowTheLizard/eltex-module1

git status
On branch main
nothing to commit, working tree clean

git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 274 bytes | 274.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/DiamondArrowTheLizard/eltex-module1
 * [new branch]      main -> main
```

```
branch 'main' set up to track 'origin/main'.

mkdir -p module1/task1

mkdir module1/task2

mkdir module1/task3

scp report_part1.txt root@172.16.9.215:/root/eltex-module1/module1/task1
Enter passphrase for key '/home/eltex-pg2-v15/.ssh/id_rsa':
report_part1.txt                                  100%  128     8.9KB/s   00:00

scp eltex-pg2-v15_part2.log   root@172.16.9.215:/root/eltex-module1/module1/task2
Enter passphrase for key '/home/eltex-pg2-v15/.ssh/id_rsa':
eltex-pg2-v15_part2.log                           100% 3839     9.3MB/s   00:00

scp eltex-pg2-v15_part3.log   root@172.16.9.215:/root/eltex-module1/module1/task3
Enter passphrase for key '/home/eltex-pg2-v15/.ssh/id_rsa':
eltex-pg2-v15_part3.log                           100% 7299    12.4MB/s   00:00

scp eltex-pg2-v15_part3_gt50M.log    root@172.16.9.215:/root/eltex-module1/module1/task3
Enter passphrase for key '/home/eltex-pg2-v15/.ssh/id_rsa':
eltex-pg2-v15_part3_gt50M.log                     100% 2863     7.3MB/s   00:00

git add .

git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   module1/task1/report_part1.txt
        new file:   module1/task2/eltex-pg2-v15_part2.log
        new file:   module1/task3/eltex-pg2-v15_part3.log
        new file:   module1/task3/eltex-pg2-v15_part3_gt50M.log

git commit -m "added reports w/commands used to finish modules"
[main c3965d7] added reports w/commands used to finish modules
 4 files changed, 405 insertions(+)
 create mode 100644 module1/task1/report_part1.txt
 create mode 100644 module1/task2/eltex-pg2-v15_part2.log
 create mode 100644 module1/task3/eltex-pg2-v15_part3.log
 create mode 100644 module1/task3/eltex-pg2-v15_part3_gt50M.log

git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 2 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (10/10), 3.77 KiB | 3.77 MiB/s, done.
Total 10 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To https://github.com/DiamondArrowTheLizard/eltex-module1
   ef34414..c3965d7  main -> main

cd && mkdir eltex-module1_clone && cd eltex-module1_clone

git clone https://github.com/DiamondArrowTheLizard/eltex-module1.git .
Cloning into '.'...
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (14/14), done.
remote: Total 16 (delta 0), reused 13 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (16/16), 4.98 KiB | 4.98 MiB/s, done.

ls -l
total 8
drwxr-xr-x 5 root root 4096 Mar 18 11:40 module1
-rw-r--r-- 1 root root   57 Mar 18 11:40 README.md

cd ~/eltex-module1

echo "module1 - Практика №1" >> README.md

git add .

git commit -m "modified README.md"
[main 8402617] modified README.md
 1 file changed, 5 insertions(+)

git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 427 bytes | 427.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/DiamondArrowTheLizard/eltex-module1
   d15a158..8402617  main -> main

cd ~/eltex-module1_clone

git fetch
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (6/6), done.
Unpacking objects: 100% (6/6), 1.40 KiB | 1.40 MiB/s, done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
From https://github.com/DiamondArrowTheLizard/eltex-module1
   d15a158..2f5f8d2  main       -> origin/main

git log origin/main
commit 2f5f8d2e901e0c5b26d5fe29026171db86f64c43 (origin/main, origin/HEAD)
Author: Artemiy Dement'ev <164989836+DiamondArrowTheLizard@users.noreply.github.com>
```

```
Date:   Wed Mar 18 18:48:09 2026 +0700

    removed git stash symbols

commit 8402617950e70ef01991fa6f0e1250a1d62ce020
Author: DiamondArrowTheLizard <diamond1arrow@gmail.com>
Date:   Wed Mar 18 11:46:24 2026 +0000

    modified README.md

commit d15a158a191153ccd9cc8cb6fd64f8e126265652 (HEAD -> main)
Author: Artemiy Dement'ev <164989836+DiamondArrowTheLizard@users.noreply.github.com>
Date:   Wed Mar 18 18:33:28 2026 +0700

    fixed formatting error in README.md

commit c3965d71ec9a39d9f56f40df4297ff8b49ce40d3
Author: DiamondArrowTheLizard <diamond1arrow@gmail.com>
Date:   Wed Mar 18 11:31:46 2026 +0000

    added reports w/commands used to finish modules

commit ef34414553851d0b28d2101cf29302d339fb6dfc
Author: DiamondArrowTheLizard <diamond1arrow@gmail.com>
Date:   Wed Mar 18 11:20:12 2026 +0000

    first commit


git diff main origin/main
diff --git a/README.md b/README.md
index a7eddd8..ec1fa5d 100644
--- a/README.md
+++ b/README.md
@@ -1 +1,2 @@
 # Краткое описание репозитория
+module1 - Практика №1

git merge
Updating d15a158..2f5f8d2
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)

cd ~/eltex-module1

mkdir -p module2/task1 module2/task2 module2/task3

cp ~/practice2_eltex-practice2-pg2-v15_part2.log ./module2/task2/

cp ~/practice2_eltex-practice2-pg2-v15_part3.log ./module2/task3/
```

```
git add .

git commit -m "added reports for module 2"

git push
```