
<Company Name>
<Company Name>

<Diagnostic Centre Client Coordination System>
Use-Case Model

Version <1.0>

<Project Name>	Version: <1.0>
Use-Case Model	Date: <17/mar/18>
<document identifier>	

Revision History

Date	Version	Description	Author
<17/mar/18>	<1.0>	<made the first version>	<Danila Lucia-Diana>

<Project Name>	Version: <1.0>
Use-Case Model	Date: <17/mar/18>
<document identifier>	

Table of Contents

1. Use-Cases Identification	4
2. UML Use-Case Diagrams	4

<Project Name>	Version: <1.0>
Use-Case Model	Date: <17/mar/18>
<document identifier>	

Use-Case Model

1. Use-Cases Identification

Use case: <READ TEST>

Level: <user-goal level>

Primary actor: <CLIENT >

Main success scenario: <LOG IN; READ TEST>

Extensions: <if test doesn't have the results yet posted-> the client can only see its previous test and the results for it, and the test made now without the results for them>

Use case: <UPDATE TEST>

Level: <user-goal level>

Primary actor: <DOCTOR >

Main success scenario: <LOG IN; UPDATE TEST>

Extensions: <if there is no internet connection, the doctor cannot update the test>

Use case: <DELETE TEST>

Level: <user-goal level>

Primary actor: <DOCTOR >

Main success scenario: <LOG IN; DELETE TEST>

Extensions: < if there is no internet connection, the doctor cannot delete the test >

2. UML Use-Case Diagrams

