




dbdiagram.io


property_manager
manager_id int
name text NN
1
apartment_manager_version
version_id bigint
apartment_id int NN
manager_id int NN
valid_from date NN
valid_to date NN
tx_from timestamptz NN
tx_to timestamptz NN
tx_id bigint NN
(tx_id, tx_from)
*
tx_registry
tx_id bigint
tx_time timestamptz NN
author text NN
reason text NN
(tx_id, tx_time)
apartment_rent_version
version_id bigint
apartment_id int NN
rent_eur numeric(10,2) NN
valid_from date NN
valid_to date NN
tx_from timestamptz NN
tx_to timestamptz NN
tx_id bigint NN
(tx_id, tx_from)
owner
owner_id int
name text NN
apartment
apartment_id int
owner_id int NN
adress text NN
rooms int NN
area_m2 numeric(6,2) NN
tenant
tenant_id int
name text NN
birth_date date NN
lease_version
version_id bigint
tenant_id int NN
apartment_id int NN
deposit_eur numeric(10,2) NN
valid_from date NN
valid_to date NN
tx_from timestamptz NN
tx_to timestamptz NN
tx_id bigint NN
(tx_id, tx_from)
dbdiagram.io

```
Enum temporal_type {
    non_temporal
    bitemporal
}
```

dbdiagram.io