

Linear systems and elimination

The exact fifth complete-pivoting growth factor

Difficulty: challenging **Importance:** interesting to specialist

Status: Open

Rating rationale: Challenging reflects a nonconvex global optimization problem with a high-degree algebraic candidate; specialist impact is an exact low-order pivoting constant.

Context and notation

All elimination in this problem is in exact arithmetic. Write $\|A\|_{\max} = \max_{ij} |a_{ij}|$. A pivoting path creates successive active Schur complements $S_1 = A, S_2, \dots, S_n$, with row/column permutations as appropriate. Its element-growth factor is

$$\rho(A) = \frac{\max_{1 \leq j \leq n} \|S_j\|_{\max}}{\|A\|_{\max}}.$$

Partial pivoting chooses a largest-magnitude entry in the active first column; complete pivoting chooses one anywhere in the active matrix. If ties occur, a universal statement includes every admissible tie choice; a supremum includes all admissible paths. These conventions remove implementation-dependent ambiguity. Matrices are nonsingular unless otherwise stated.

Problem statement

Let

$$g_5 = \sup\{\rho_{\text{CP}}(A) : A \in \mathbb{R}^{5 \times 5} \text{ nonsingular}\}.$$

Let α be the unique real root in $(4, 5)$ of the integer polynomial P_5 displayed in Equation (2.15) of the primary reference below. This definition specifies an exact algebraic number; numerically $\alpha \approx 4.1325170786324728542$. Prove or disprove

$$g_5 = \alpha.$$

All complete-pivoting paths are included in the supremum. The lower bound $g_5 \geq \alpha$ is already established in the cited paper. The unresolved part is global optimality over all allowable patterns of active constraints, not exact evaluation of a particular numerical example. Order five is independently singled out by the literature as the first unresolved dimension; this catalog does not split the same question into entries for every subsequent order.

Reference

Chen, Edelman, and Urschel, *The largest 5th pivot may be the root of a 61st degree polynomial*, February 2026, Equation (2.15), Conjecture 2.1, Theorem 2.2, and Theorem 3.5. The current rigorous interval is $\alpha \leq g_5 \leq 4.84$.

Earlier status check — 2026-09-08

Searches for the paper title and *complete pivoting maximum five* 2026 found no global proof. Shah-Urschel's August asymptotic result leaves this exact finite-dimensional optimum undetermined.

Audit update — 2026-09-10

The [February 2026 primary preprint](#) still presents the degree-61 candidate as conjecturally optimal, rather than proving the matching upper bound. Title-based and fifth-pivot resolution searches found no later exact determination. The broader complete-pivoting bounds do not certify this finite-order optimum.

Reviewed supporting results — 13 September 2026

Author: Sidney Holden, Center for Computational Biology, Flatiron Institute, Simons Foundation.

The [submitted report](#), Section 5 (Theorem 5.1), certifies strict local maximality of the algebraic candidate in all 24 free entries with the normalization and diagonal complete-pivoting path fixed. Sections 3–4 reconstruct the candidate and degree-61 polynomial; Section 6 provides a strictly feasible rational witness. The candidate and established lower bound remain attributed to Chen, Edelman and Urschel. Section 7 certifies an auxiliary relaxation optimum of $81/16$, which is not a feasible complete-pivoting growth example.

The [independent informal AI-agent review](#) supports the explicitly limited claims. **Status remains Open:** the work supplies supporting local and certificate results, but no matching global upper bound and no counterexample. All original matrices and admissible pivot paths remain part of the target.

[Submission record and verified affiliation](#). Substantial AI assistance is disclosed. The review is informal automated review, not external human peer review or formal verification. No Lean verification was performed.