Website quality report

http://127.0.0.1:3000/

Overall: 55 / 100 · Coverage: 82% · Partial

Pillar	Score	Coverage	Status
Functionality	100	67%	partial
Security	82	88%	partial
Performance	38	83%	partial
UX & Accessibility	0	67%	partial

Executive summary

Mapped 5 pages; 150 deduplicated findings (65 verified by re-test). The website has a missing Content Security Policy (CSP) that restricts script and resource execution. This is a security issue due to a defense-in-depth gap.

- 1. Ensure the CSP is present in the header
- 2. Verify if the CSP is working as expected by checking HTTP headers
- 3. Check for any issues with the CSP, such as missing attributes or incorrect references
- 4. Ensure that the CSP is not causing performance issues by analyzing Lighthouse data

1. ARIA dialog and alertdialog nodes should have an accessible name

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/

Element: #mat-mdc-dialog-0


Ensure every ARIA dialog and alertdialog node has an accessible name

Suggested fix: Correct the affected element according to the aria-dialog-name rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute

<mat-dialog-container tabindex="-1" class="mat-mdc-dialog-container mdc-dialog cdk-dialog-container mdc-dialog--opening mdc-dialog--open" id="mat-mdc-dialog-0" role="dialog" aria-modal="false" style="--mat-dialog-transition-duration: 150ms;">



Page screenshot; selector identifies the affected element.

Sources: axe-core

2. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/

Element: input


Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has an empty placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">



Page screenshot; selector identifies the affected element.

Sources: axe-core

3. ARIA dialog and alertdialog nodes should have an accessible name

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/about

Element: #mat-mdc-dialog-0

Ensure every ARIA dialog and alertdialog node has an accessible name

Suggested fix: Correct the affected element according to the aria-dialog-name rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute

<mat-dialog-container tabindex="-1" class="mat-mdc-dialog-container mdc-dialog cdk-dialog-container mdc-dialog--opening mdc-dialog--open" id="mat-mdc-dialog-0" role="dialog" aria-modal="false" style="--mat-dialog-transition-duration: 150ms;">

Sources: axe-core

4. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/about

Element: input

Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has an empty placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: axe-core

5. ARIA dialog and alertdialog nodes should have an accessible name

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/chatbot

Element: #mat-mdc-dialog-0

Ensure every ARIA dialog and alertdialog node has an accessible name

Suggested fix: Correct the affected element according to the aria-dialog-name rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute

<mat-dialog-container tabindex="-1" class="mat-mdc-dialog-container mdc-dialog cdk-dialog-container mdc-dialog--opening mdc-dialog--open" id="mat-mdc-dialog-0" role="dialog" aria-modal="false" style="--mat-dialog-transition-duration: 150ms;">

Sources: axe-core

6. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/chatbot

Element: input

Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has an empty placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: axe-core

7. ARIA dialog and alertdialog nodes should have an accessible name

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-dialog-0


Ensure every ARIA dialog and alertdialog node has an accessible name

Suggested fix: Correct the affected element according to the aria-dialog-name rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute

<mat-dialog-container tabindex="-1" class="mat-mdc-dialog-container mdc-dialog cdk-dialog-container mdc-dialog--opening mdc-dialog--open" id="mat-mdc-dialog-0" role="dialog" aria-modal="false" style="--mat-dialog-transition-duration: 150ms;">



Page screenshot; selector identifies the affected element.

Sources: axe-core

8. Elements must only use permitted ARIA attributes

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/contact

Element: #captcha


Ensure ARIA attributes are not prohibited for an element's role

Suggested fix: Correct the affected element according to the aria-prohibited-attr rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-prohibited-attr?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
aria-label attribute cannot be used on a code with no valid role attribute.

<code _ngcontent-ng-c1181356724="" id="captcha" aria-label="CAPTCHA code which must be solved"></code>



Page screenshot; selector identifies the affected element.

Sources: axe-core

9. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/contact

Element: input[autocapitalize="none"]


Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has an empty placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">



Page screenshot; selector identifies the affected element.

Sources: axe-core

10. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/contact

Element: .mdc-slider__input


Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has no placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1181356724="" type="range" matsliderthumb="" class="mdc-slider__input ng-untouched ng-pristine ng-valid" aria-valuetext="1★" step="1" min="1" max="5" style="padding: 0px 16px; width: calc(100% + 10px); left: -21px;">



Page screenshot; selector identifies the affected element.

Sources: axe-core

11. ARIA dialog and alertdialog nodes should have an accessible name

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/login

Element: #mat-mdc-dialog-0


Ensure every ARIA dialog and alertdialog node has an accessible name

Suggested fix: Correct the affected element according to the aria-dialog-name rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute

<mat-dialog-container tabindex="-1" class="mat-mdc-dialog-container mdc-dialog cdk-dialog-container mdc-dialog--opening mdc-dialog--open" id="mat-mdc-dialog-0" role="dialog" aria-modal="false" style="--mat-dialog-transition-duration: 150ms;">



Page screenshot; selector identifies the affected element.

Sources: axe-core

12. Form elements must have labels

UX & Accessibility / High / Verified

http://127.0.0.1:3000/#/login

Element: input[type="text"]


Ensure every form element has a label

Suggested fix: Correct the affected element according to the label rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/label?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Element does not have an implicit (wrapped) <label>
Element does not have an explicit <label>
aria-label attribute does not exist or is empty
aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty
Element has no title attribute
Element has an empty placeholder attribute
Element's default semantics were not overridden with role="none" or role="presentation"

<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">



Page screenshot; selector identifies the affected element.

Sources: axe-core

13. First visible content appears slowly

Performance / High / Verified

http://127.0.0.1:3000/

This Lighthouse laboratory measurement is outside the recommended range. It is not a real-user percentile and may be affected by blocked third-party assets and container resources.

Suggested fix: Reduce blocking CSS, improve server response time, and deliver critical above-the-fold assets earlier.

Verification: Observed by Lighthouse; repeat under representative conditions before making production claims.

First Contentful Paint: 3.6 s; good threshold <= 1800. Lighthouse laboratory mobile run.



Lighthouse mobile final screenshot.

Sources: Lighthouse

14. JavaScript blocks the main thread

Performance / High / Verified

http://127.0.0.1:3000/

This Lighthouse laboratory measurement is outside the recommended range. It is not a real-user percentile and may be affected by blocked third-party assets and container resources.

Suggested fix: Split long JavaScript tasks, defer nonessential scripts, reduce unused code, and move heavy work to Web Workers.

Verification: Observed by Lighthouse; repeat under representative conditions before making production claims.

Total Blocking Time: 1,170 ms; good threshold <= 200. Lighthouse laboratory mobile run.



Lighthouse mobile final screenshot.

Sources: Lighthouse

15. Largest Contentful Paint is slow

Performance / High / Verified

http://127.0.0.1:3000/

This Lighthouse laboratory measurement is outside the recommended range. It is not a real-user percentile and may be affected by blocked third-party assets and container resources.

Suggested fix: Optimize the main content image, preload critical resources, cache the first response, and reduce render-blocking resources.

Verification: Observed by Lighthouse; repeat under representative conditions before making production claims.

Largest Contentful Paint: 7.8 s; good threshold <= 2500. Lighthouse laboratory mobile run.



Lighthouse mobile final screenshot.

Sources: Lighthouse

16. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: .search-area


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1731522247="" class="search-area">



Page screenshot; selector identifies the affected element.

Sources: axe-core

17. This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > button

This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.Button.Name
<button _ngcontent-ng-c1586896698="" mat-button="" class="mdc-button mat-mdc-button-base auto-focus-absorb mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-name="mat-mdc-button-ripple"><span class="mat-mdc-butto...

Sources: Pa11y / HTML_CodeSniffer

18. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to #004bbb.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: #cookieconsent:desc > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to #004bbb.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link" href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

19. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: html > body > div:nth-child(1) > div > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

20. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: #cookieconsent:desc

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
This website uses fruit cookies...

Sources: Pa11y / HTML_CodeSniffer

21. This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: #searchQuery > div > input

This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1.F68
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

22. This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/

Element: #searchQuery > div > input

This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputText.Name
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

23. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/about

Element: .search-area

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1731522247="" class="search-area">

Sources: axe-core

24. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/chatbot

Element: .search-area

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1731522247="" class="search-area">

Sources: axe-core

25. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/chatbot

Element: .welcome-branding

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c2782319431="" class="welcome-branding">

Sources: axe-core

26. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/chatbot

Element: textarea

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<textarea _ngcontent-ng-c348111972="" rows="1" cdktextareaautosize="" cdkautosizeminrows="1" cdkautosizemaxrows="5" class="cdk-textarea-autosize chat-textarea ng-untouched ng-pristine ng-valid" style="min-height: 56px; max-height: 280px; height: 56px;" placeholder="Ask me anything"></textarea>

Sources: axe-core

27. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: .search-area


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1731522247="" class="search-area">



Page screenshot; selector identifies the affected element.

Sources: axe-core

28. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: .mat-headline-medium


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<h1 _ngcontent-ng-c1181356724="" translate="" class="mat-headline-medium">Customer Feedback</h1>



Page screenshot; selector identifies the affected element.

Sources: axe-core

29. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact


Element: .mdc-text-field--disabled

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks



Page screenshot; selector identifies the affected element.

Sources: axe-core

30. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-form-field-label-2 > mat-label


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<mat-label _ngcontent-ng-c1181356724="" translate="">Comment</mat-label>



Page screenshot; selector identifies the affected element.

Sources: axe-core

31. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact


Element: mat-form-field:nth-child(3) > .mat-mdc-text-field-wrapper.mdc-text-field.mdc-text-field--outlined > .mat-mdc-form-field-flex > .mat-mdc-form-field-infix

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks



Page screenshot; selector identifies the affected element.

Sources: axe-core

32. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: .rating-container


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1181356724="" class="rating-container">



Page screenshot; selector identifies the affected element.

Sources: axe-core

33. This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > button

This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.Button.Name
<button _ngcontent-ng-c1586896698="" mat-button="" class="mdc-button mat-mdc-button-base auto-focus-absorb mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-name="mat-mdc-button-ripple"><span class="mat-mdc-butto...

Sources: Pa11y / HTML_CodeSniffer

34. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to

#004bbb.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #cookieconsent:desc > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to #004bbb.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link"
href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

35. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: html > body > div:nth-child(1) > div > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

36. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #cookieconsent:desc

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
This website uses fruit cookies...

Sources: Pa11y / HTML_CodeSniffer

37. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.93:1. Recommendation: change background to #32525d.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(1) > mat-icon

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.93:1. Recommendation: change background to #32525d.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<mat-icon _ngcontent-ng-c1731522247="" role="img" class="mat-icon notranslate material-icons mat-ligature-font mat-icon-no-color" aria-hidden="true" data-mat-icon-type="font">menu</mat-icon>

Sources: Pa11y / HTML_CodeSniffer

38. This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #searchQuery > div > input

This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1.F68
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

39. This rangeinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #rating > input

This rangeinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputRange.Name
<input _ngcontent-ng-c1181356724="" type="range" matsliderthumb="" class="mdc-slider__input ng-untouched ng-pristine ng-valid" aria-valuetext="1★" step="1" min="1" max="5" style="padding: 0px 16px; width: calc(100% + 10px); left: -21px;">

Sources: Pa11y / HTML_CodeSniffer

40. This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #searchQuery > div > input

This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputText.Name
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

41. This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/contact

Element: #userId

This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputText.Name
<input _ngcontent-ng-c1181356724="" hidden="" type="text" id="userId" ngdefaultcontrol="" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

42. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: .search-area


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<div _ngcontent-ng-c1731522247="" class="search-area">



Page screenshot; selector identifies the affected element.

Sources: axe-core

43. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: .mat-headline-medium


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<h1 _ngcontent-ng-c3099251276="" class="mat-headline-medium">Login</h1>



Page screenshot; selector identifies the affected element.

Sources: axe-core

44. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #mat-mdc-form-field-label-1 > mat-label


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<mat-label _ngcontent-ng-c3099251276="" translate="">Email</mat-label>



Page screenshot; selector identifies the affected element.

Sources: axe-core

45. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login


Element: mat-form-field:nth-child(1) > .mat-mdc-text-field-wrapper.mdc-text-field.mdc-text-field--outlined > .mat-mdc-form-field-flex > .mat-mdc-form-field-infix

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks



Page screenshot; selector identifies the affected element.

Sources: axe-core

46. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #mat-mdc-form-field-label-2 > mat-label


Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks

<mat-label _ngcontent-ng-c3099251276="" translate="">Password</mat-label>



Page screenshot; selector identifies the affected element.

Sources: axe-core

47. All page content should be contained by landmarks

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login


Element: .mat-mdc-form-field-has-icon-suffix > .mat-mdc-text-field-wrapper.mdc-text-field.mdc-text-field--outlined > .mat-mdc-form-field-flex > .mat-mdc-form-field-infix

Ensure all page content is contained by landmarks

Suggested fix: Correct the affected element according to the region rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/region?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix any of the following:
Some page content is not contained by landmarks



Page screenshot; selector identifies the affected element.

Sources: axe-core

48. This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label

undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > button

This button element does not have a name available to an accessibility API. Valid names are: title undefined, element content, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.Button.Name
<button _ngcontent-ng-c1586896698="" mat-button="" class="mdc-button mat-mdc-button-base auto-focus-absorb mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-name="mat-mdc-button-ripple"><span class="mat-mdc-butto...

Sources: Pa11y / HTML_CodeSniffer

49. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to #004bbb.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #cookieconsent:desc > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 1.87:1. Recommendation: change background to #004bbb.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link" href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

50. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: html > body > div:nth-child(1) > div > a

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.66:1. Recommendation: change background to #050b00.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

51. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #cookieconsent:desc

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.67:1. Recommendation: change background to #000711.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
This website uses fruit cookies...

Sources: Pa11y / HTML_CodeSniffer

52. This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.93:1. Recommendation: change background to #32525d.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(1) > mat-icon

This element has insufficient contrast at this conformance level. Expected a contrast ratio of at least 4.5:1, but text in this element has a contrast ratio of 2.93:1. Recommendation: change background to #32525d.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Fail
<mat-icon _ngcontent-ng-c1731522247="" role="img" class="mat-icon notranslate material-icons mat-ligature-font mat-icon-no-color" aria-hidden="true" data-mat-icon-type="font">menu</mat-icon>

Sources: Pa11y / HTML_CodeSniffer

53. This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #searchQuery > div > input

This form field should be labelled in some way. Use the label element (either with a "for" attribute or wrapped around the form field), or "title", "aria-label" or "aria-labelledby" attributes as appropriate.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1.F68
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

54. This link points to a named anchor "/forgot-password" within the document, but no anchor exists with that name.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #login-form > a

This link points to a named anchor "/forgot-password" within the document, but no anchor exists with that name.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
<a _ngcontent-ng-c3099251276="" routerlink="/forgot-password" translate="" class="primary-link forgot-pw" href="#/forgot-password">Forgot your password?

Sources: Pa11y / HTML_CodeSniffer

55. This link points to a named anchor "/register" within the document, but no anchor exists with that name.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #newCustomerLink > a

This link points to a named anchor "/register" within the document, but no anchor exists with that name.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID
<a _ngcontent-ng-c3099251276="" routerlink="/register" translate="" class="primary-link" href="#/register">Not yet a customer?

Sources: Pa11y / HTML_CodeSniffer

56. This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

UX & Accessibility / Medium / Verified

http://127.0.0.1:3000/#/login

Element: #searchQuery > div > input

This textinput element does not have a name available to an accessibility API. Valid names are: label element, title undefined, aria-label undefined, aria-labelledby undefined.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputText.Name
<input _ngcontent-ng-c1668053465="" type="text" autocapitalize="none" placeholder="" tabindex="-1" class="ng-untouched ng-pristine ng-valid">

Sources: Pa11y / HTML_CodeSniffer

57. Content Security Policy is missing

Security / Medium / Verified

http://127.0.0.1:3000/

Header: content-security-policy

The browser has no site-defined policy restricting script and resource execution. This is a defense-in-depth gap, not proof of an injection vulnerability.

Suggested fix: The website should include the necessary security policies for both its content and data handling.

Verification: Independent GET: content-security-policy absent.

HTTP 200
content-security-policy: absent

Independent GET: content-security-policy absent.

ZAP rule 10038, confidence High

Sources: Custom HTTP checks, OWASP ZAP passive baseline, Nuclei (curated read-only templates)

58. Cross-Domain Misconfiguration

Security / Medium / Possible

http://127.0.0.1:3000/

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server. This is not a confirmed exploit. This remains an unconfirmed signal, not a verified exploit.

Suggested fix: The website should include proper security measures to prevent unauthorized access and ensure data integrity.

Verification: Not independently re-tested.

ZAP rule 10098, confidence Medium
Access-Control-Allow-Origin: *

Sources: OWASP ZAP passive baseline

59. Cross-Domain Misconfiguration

Security / Medium / Possible

http://127.0.0.1:3000/api/Challenges/?name=Score+Board

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Suggested fix: Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).
Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.

Verification: Not independently re-tested.

ZAP rule 10098, confidence Medium
Access-Control-Allow-Origin: *

Sources: OWASP ZAP passive baseline

60. Cross-Domain Misconfiguration

Security / Medium / Possible

http://127.0.0.1:3000/rest/products/search?q=

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Suggested fix: Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).
Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.

Verification: Not independently re-tested.

ZAP rule 10098, confidence Medium
Access-Control-Allow-Origin: *

Sources: OWASP ZAP passive baseline

61. Database error signal after a punctuation probe

Security / Medium / Possible

http://127.0.0.1:3000/rest/products/search?q=

A single quotation mark produced a database-style error absent from the normal response. This is a possible SQL injection or error-handling issue, not a confirmed exploit. This remains an unconfirmed signal, not a verified exploit.

Suggested fix: The website should include proper security measures to prevent unauthorized access and ensure data integrity.

Verification: Punctuation-triggered SQL error signal reproduced; injection not proven.

Parameter: q; punctuation-only probe
HTTP 500
Signal: SQLITE_ERROR

Punctuation-triggered SQL error signal reproduced; injection not proven.

Sources: Custom HTTP checks

62. Alternative text of images should not be repeated as text

UX & Accessibility / Low / Verified

http://127.0.0.1:3000/#/

Element: #homeButton > img


Ensure image alternative is not repeated as text

Suggested fix: Correct the affected element according to the image-redundant-alt rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/image-redundant-alt?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
Element contains <img> element with alt text that duplicates existing text

<img _ngcontent-ng-c1731522247="" class="logo" alt="OWASP Juice Shop" src="assets/public/images/JuiceShop_Logo.png">



Page screenshot; selector identifies the affected element.

Sources: axe-core

63. Alternative text of images should not be repeated as text

UX & Accessibility / Low / Verified

http://127.0.0.1:3000/#/about

Element: img

Ensure image alternative is not repeated as text

Suggested fix: Correct the affected element according to the image-redundant-alt rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/image-redundant-alt?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
Element contains <img> element with alt text that duplicates existing text

<img _ngcontent-ng-c1731522247="" class="logo" alt="OWASP Juice Shop" src="assets/public/images/JuiceShop_Logo.png">

Sources: axe-core

64. Alternative text of images should not be repeated as text

UX & Accessibility / Low / Verified

http://127.0.0.1:3000/#/chatbot

Element: .logo

Ensure image alternative is not repeated as text

Suggested fix: Correct the affected element according to the image-redundant-alt rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/image-redundant-alt?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
Element contains <img> element with alt text that duplicates existing text

<img _ngcontent-ng-c1731522247="" class="logo" alt="OWASP Juice Shop" src="assets/public/images/JuiceShop_Logo.png">

Sources: axe-core

65. Alternative text of images should not be repeated as text

UX & Accessibility / Low / Verified

http://127.0.0.1:3000/#/contact

Element: img


Ensure image alternative is not repeated as text

Suggested fix: Correct the affected element according to the image-redundant-alt rule, then re-run axe-core.
Guidance: https://dequeuniversity.com/rules/axe/4.10/image-redundant-alt?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
Element contains <img> element with alt text that duplicates existing text

<img _ngcontent-ng-c1731522247="" class="logo" alt="OWASP Juice Shop" src="assets/public/images/JuiceShop_Logo.png">



Page screenshot; selector identifies the affected element.

Sources: axe-core

66. Alternative text of images should not be repeated as text

UX & Accessibility / Low / Verified

http://127.0.0.1:3000/#/login

Element: img


Ensure image alternative is not repeated as text

Suggested fix: Correct the affected element according to the image-redundant-alt rule, then re-run axe-core. Guidance: https://dequeuniversity.com/rules/axe/4.10/image-redundant-alt?application=axeAPI

Verification: Observed by axe-core's DOM accessibility rule. Manual WCAG assessment is still needed.

Fix all of the following:
Element contains <img> element with alt text that duplicates existing text

<img _ngcontent-ng-c1731522247="" class="logo" alt="OWASP Juice Shop" src="assets/public/images/JuiceShop_Logo.png">



Page screenshot; selector identifies the affected element.

Sources: axe-core

67. Referrer Policy is missing

Security / Low / Verified

http://127.0.0.1:3000/

Header: referrer-policy

The site relies on browser defaults for information sent in the Referer header. This is a possible SQL injection or error-handling issue, not a confirmed exploit.

Suggested fix: The website should include proper security measures to prevent unauthorized access and ensure data integrity.

Verification: Independent GET: referrer-policy absent.

HTTP 200
referrer-policy: absent

Independent GET: referrer-policy absent.

Sources: Custom HTTP checks

68. X-Content-Type-Options Header Missing

Security / Low / Verified

http://127.0.0.1:3000/socket.io/?EIO=4&transport=polling&t=Q4X502H

Element: x-content-type-options

Header: x-content-type-options

A single quotation mark produced a database-style error absent from the normal response. This is a possible SQL injection or error-handling issue, not a confirmed exploit.

Suggested fix: The website should include proper security measures to prevent unauthorized access and ensure data integrity.

Verification: Independent GET: x-content-type-options absent.

ZAP rule 10021, confidence Medium

Independent GET: x-content-type-options absent.

Sources: OWASP ZAP passive baseline

69. X-Content-Type-Options Header Missing

Security / Low / Verified

http://127.0.0.1:3000/socket.io/?EIO=4&transport=polling&t=Q4X50Nn

Element: x-content-type-options

Header: x-content-type-options

The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

Suggested fix: Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.
If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.

Verification: Independent GET: x-content-type-options absent.

ZAP rule 10021, confidence Medium

Independent GET: x-content-type-options absent.

Sources: OWASP ZAP passive baseline

70. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: #cookieconsent:desc > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link"
href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

71. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > div:nth-child(1) > div > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

72. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(1)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-icon-button="" aria-label="Open Sidenav" mattooltipposition="below" class="mdc-icon-button mat-mdc-icon-button mat-mdc-button-base mat-mdc-tooltip-trigger nav-square-button mat-unthemed" mat-ripple-loader-unin...

Sources: Pa11y / HTML_CodeSniffer

73. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(2)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/search" aria-label="Back to homepage" class="mdc-button mat-mdc-button-base buttons nav-home-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-clas...

Sources: Pa11y / HTML_CodeSniffer

74. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: #navbarAccount

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" aria-label="Show/hide account menu" id="navbarAccount" class="mdc-button mat-mdc-button-base mat-mdc-menu-trigger buttons hide-lt-md nav-button nav-account-button mat-mdc-button mat-unthemed" mat-rip...

Sources: Pa11y / HTML_CodeSniffer

75. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/basket" aria-label="Show the shopping cart" class="mdc-button mat-mdc-button-base buttons nav-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-cla...

Sources: Pa11y / HTML_CodeSniffer

76. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: #navbarLanguageButton

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" id="navbarLanguageButton" mat-button="" aria-label="Language selection menu" mattooltipposition="below" class="mdc-button mat-mdc-button-base mat-mdc-tooltip-trigger mat-mdc-menu-trigger buttons nav-square-button ...

Sources: Pa11y / HTML_CodeSniffer

77. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(1) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

78. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(2) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

79. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(3) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

80. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(4) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

81. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(5) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

82. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(6) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

83. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text

or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(7) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

84. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(8) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

85. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(9) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

86. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(10) > mat-card > article > footer > button

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

87. Anchor element found with link content, but no href, ID or name attribute has been supplied.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > a:nth-child(13)

Anchor element found with link content, but no href, ID or name attribute has been supplied.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder
<a _ngcontent-ng-c1586896698="" mat-list-item="" aria-label="Launch beginners tutorial" class="mat-mdc-list-item mdc-list-item mat-mdc-list-item-interactive mat-mdc-list-item-single-line mdc-list-item--with-one-line" aria-disabled="false"><span class...

Sources: Pa11y / HTML_CodeSniffer

88. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-toolbar _ngcontent-ng-c1731522247="" color="primary" class="mat-toolbar mat-elevation-z6 navbar-toolbar mat-primary mat-toolbar-multiple-rows"><mat-toolbar-row _ngcontent-ng-...</mat-toolbar>

Sources: Pa11y / HTML_CodeSniffer

89. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(1) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

90. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(2) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

91. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(3) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

92. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(4) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

93. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(5) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

94. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(6) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

95. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(7) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

96. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(8) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

97. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(9) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

98. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(10) > mat-card > article > footer > button

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c2246952636="" color="primary" mat-button="" mat-raised-button="" class="mdc-button mat-mdc-button-base btn-basket mdc-button--raised mat-mdc-raised-button mat-primary" mat-ripple-loader-uninitialized="" mat-ripple-loader-class-...

Sources: Pa11y / HTML_CodeSniffer

99. The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-toolbar > mat-toolbar-row > h2

The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141
<h2 _ngcontent-ng-c1586896698=""> OWASP Juice Shop</h2>

Sources: Pa11y / HTML_CodeSniffer

100. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > div:nth-child(1)

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div role="dialog" aria-live="polite" aria-label="cookieconsent" aria-describedby="cookieconsent:desc" class="cc-window cc-floating cc-type-info cc-theme-classic cc-bottom cc-right cc-color-override--1225450786 " style=""><!--googleoff: all--><span i...

Sources: Pa11y / HTML_CodeSniffer

101. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3) > span:nth-child(3) > span:nth-child(2)

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs
<span _ngcontent-ng-c1731522247="" class="fa-layers-counter fa-layers-top-right fa-3x warn-notification">0

Sources: Pa11y / HTML_CodeSniffer

102. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-search-result > main > div:nth-child(2) > app-product:nth-child(6) > mat-card > article > aside > span

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<span _ngcontent-ng-c2246952636="" translate="">Only 1 left

Sources: Pa11y / HTML_CodeSniffer

103. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #cookieconsent:desc > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link" href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

104. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > div:nth-child(1) > div > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

105. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(1)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-icon-button="" aria-label="Open Sidenav" mattooltipposition="below" class="mdc-icon-button mat-mdc-icon-button mat-mdc-button-base mat-mdc-tooltip-trigger nav-square-button mat-unthemed" mat-ripple-loader-unin...

Sources: Pa11y / HTML_CodeSniffer

106. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(2)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/search" aria-label="Back to homepage" class="mdc-button mat-mdc-button-base buttons nav-home-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-clas...

Sources: Pa11y / HTML_CodeSniffer

107. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #navbarAccount

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" aria-label="Show/hide account menu" id="navbarAccount" class="mdc-button mat-mdc-button-base mat-mdc-menu-trigger buttons hide-lt-md nav-button nav-account-button mat-mdc-button mat-unthemed" mat-rip...

Sources: Pa11y / HTML_CodeSniffer

108. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/basket" aria-label="Show the shopping cart" class="mdc-button mat-mdc-button-base buttons nav-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-cla...

Sources: Pa11y / HTML_CodeSniffer

109. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #navbarLanguageButton

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" id="navbarLanguageButton" mat-button="" aria-label="Language selection menu" mattooltipposition="below" class="mdc-button mat-mdc-button-base mat-mdc-tooltip-trigger mat-mdc-menu-trigger buttons nav-square-button ...

Sources: Pa11y / HTML_CodeSniffer

110. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #submitButton

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1181356724="" type="submit" id="submitButton" mat-raised-button="" color="primary" aria-label="Button to send the review" class="mdc-button mat-mdc-button-base mdc-button--raised mat-mdc-raised-button mat-primary mat-mdc-button...

Sources: Pa11y / HTML_CodeSniffer

111. Anchor element found with link content, but no href, ID or name attribute has been supplied.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > a:nth-child(13)

Anchor element found with link content, but no href, ID or name attribute has been supplied.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder
<a _ngcontent-ng-c1586896698="" mat-list-item="" aria-label="Launch beginners tutorial" class="mat-mdc-list-item mdc-list-item mat-mdc-list-item-interactive mat-mdc-list-item-single-line mdc-list-item--with-one-line" aria-disabled="false"><span class...

Sources: Pa11y / HTML_CodeSniffer

112. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-toolbar _ngcontent-ng-c1731522247="" color="primary" class="mat-toolbar mat-elevation-z6 navbar-toolbar mat-primary mat-toolbar-multiple-rows"><mat-toolbar-row _ngcontent-ng-...</mat-toolbar>

Sources: Pa11y / HTML_CodeSniffer

113. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #feedback-form > mat-form-field:nth-child(2)

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-form-field _ngcontent-ng-c1181356724="" appearance="outline" color="tertiary" class="mat-mdc-form-field mat-mdc-form-field-type-mat-input mat-form-field-disabled mat-form-field-appearance-outline mat-primary ng-untouched ng-pristine mat-form-fie...

Sources: Pa11y / HTML_CodeSniffer

114. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #feedback-form > mat-form-field:nth-child(3)

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-form-field _ngcontent-ng-c1181356724="" appearance="outline" color="tertiary" class="mat-mdc-form-field mat-mdc-form-field-type-mat-input mat-form-field-appearance-outline mat-form-field-hide-placeholder mat-primary ng-untouched ng-pristine ng-i...

Sources: Pa11y / HTML_CodeSniffer

115. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #feedback-form > mat-form-field:nth-child(6)

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-form-field _ngcontent-ng-c1181356724="" appearance="outline" color="tertiary" class="mat-mdc-form-field mat-mdc-form-field-type-mat-input mat-form-field-appearance-outline mat-form-field-hide-placeholder mat-primary ng-untouched ng-pristine ng-i...

Sources: Pa11y / HTML_CodeSniffer

116. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #submitButton

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c1181356724="" type="submit" id="submitButton" mat-raised-button="" color="primary" aria-label="Button to send the review" class="mdc-button mat-mdc-button-base mdc-button--raised mat-mdc-raised-button mat-primary mat-mdc-button...

Sources: Pa11y / HTML_CodeSniffer

117. The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-toolbar > mat-toolbar-row > h2

The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141
<h2 _ngcontent-ng-c1586896698=""> OWASP Juice Shop</h2>

Sources: Pa11y / HTML_CodeSniffer

118. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > div:nth-child(1)

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div role="dialog" aria-live="polite" aria-label="cookieconsent" aria-describedby="cookieconsent:desc" class="cc-window cc-floating cc-type-info cc-theme-classic cc-bottom cc-right cc-color-override--1225450786 " style=""><!--googleoff: all--><span i...

Sources: Pa11y / HTML_CodeSniffer

119. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > div:nth-child(8)

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div popover="manual" class="cd...

Sources: Pa11y / HTML_CodeSniffer

120. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > div:nth-child(8) > div

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div id="cdk-overlay-0" class="...

Sources: Pa11y / HTML_CodeSniffer

121. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3) > span:nth-child(3) > span:nth-child(2)

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs
<span _ngcontent-ng-c1731522247="" class="fa-layers-counter fa-layers-top-right fa-3x warn-notification">0

Sources: Pa11y / HTML_CodeSniffer

122. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-form-field-label-1 > mat-label

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-label _ngcontent-ng-c1181356724="" translate="">Author</mat-label>

Sources: Pa11y / HTML_CodeSniffer

123. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-form-field-label-2 > mat-label

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-label _ngcontent-ng-c1181356724="" translate="">Comment</mat-label>

Sources: Pa11y / HTML_CodeSniffer

124. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-hint-3 > em

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<em _ngcontent-ng-c1181356724="" translate="" class="feedback-hint">Max. 160 characters

Sources: Pa11y / HTML_CodeSniffer

125. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all

covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-hint-4

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-hint _ngcontent-ng-c1181356724="" class="mat-mdc-form-field-hint mat-mdc-form-field-bottom-align mat-mdc-form-field-hint-end" id="mat-mdc-hint-4">0/160</mat-hint>

Sources: Pa11y / HTML_CodeSniffer

126. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/contact

Element: #mat-mdc-form-field-label-3 > mat-label

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-label _ngcontent-ng-c1181356724="" translate="">Result</mat-label>

Sources: Pa11y / HTML_CodeSniffer

127. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #cookieconsent:desc > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="learn more about cookies" role="button" tabindex="0" class="cc-link" href="https://www.youtube.com/watch?v=9PnbKL3wuH4" rel="noopener noreferrer nofollow" target="_blank">But me wait!

Sources: Pa11y / HTML_CodeSniffer

128. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > div:nth-child(1) > div > a

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<a aria-label="dismiss cookie message" role="button" tabindex="0" class="cc-btn cc-dismiss">Me want it!

Sources: Pa11y / HTML_CodeSniffer

129. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(1)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-icon-button="" aria-label="Open Sidenav" mattooltipposition="below" class="mdc-icon-button mat-mdc-icon-button mat-mdc-button-base mat-mdc-tooltip-trigger nav-square-button mat-unthemed" mat-ripple-loader-unin...

Sources: Pa11y / HTML_CodeSniffer

130. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > button:nth-child(2)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/search" aria-label="Back to homepage" class="mdc-button mat-mdc-button-base buttons nav-home-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-clas...

Sources: Pa11y / HTML_CodeSniffer

131. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #navbarAccount

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" aria-label="Show/hide account menu" id="navbarAccount" class="mdc-button mat-mdc-button-base mat-mdc-menu-trigger buttons hide-lt-md nav-button nav-account-button mat-mdc-button mat-unthemed" mat-rip...

Sources: Pa11y / HTML_CodeSniffer

132. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3)

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" mat-button="" routerlink="/basket" aria-label="Show the shopping cart" class="mdc-button

mat-mdc-button-base buttons nav-button mat-mdc-button mat-unthemed" mat-ripple-loader-uninitialized="" mat-ripple-loader-cla...

Sources: Pa11y / HTML_CodeSniffer

133. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #navbarLanguageButton

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c1731522247="" id="navbarLanguageButton" mat-button="" aria-label="Language selection menu" mattooltipposition="below" class="mdc-button mat-mdc-button-base mat-mdc-tooltip-trigger mat-mdc-menu-trigger buttons nav-square-button ...

Sources: Pa11y / HTML_CodeSniffer

134. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #loginButton

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<button _ngcontent-ng-c3099251276="" type="submit" id="loginButton" mat-raised-button="" color="primary" aria-label="Login" class="mdc-button mat-mdc-button-base mdc-button--raised mat-mdc-raised-button mat-primary mat-mdc-button-disabled" mat-ripple...

Sources: Pa11y / HTML_CodeSniffer

135. Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #rememberMe > label

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle2.Guideline2_5.2_5_3.F96
<label mat-internal-form-field="" class="mdc-form-field mat-internal-form-field" for="rememberMe-input"><spa...</label>

Sources: Pa11y / HTML_CodeSniffer

136. Anchor element found with link content, but no href, ID or name attribute has been supplied.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-nav-list > a:nth-child(13)

Anchor element found with link content, but no href, ID or name attribute has been supplied.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder
<a _ngcontent-ng-c1586896698="" mat-list-item="" aria-label="Launch beginners tutorial" class="mat-mdc-list-item mdc-list-item mat-mdc-list-item-interactive mat-mdc-list-item-single-line mdc-list-item--with-one-line" aria-disabled="false"><span class...

Sources: Pa11y / HTML_CodeSniffer

137. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-toolbar _ngcontent-ng-c1731522247="" color="primary" class="mat-toolbar mat-elevation-z6 navbar-toolbar mat-primary mat-toolbar-multiple-rows"><mat-toolbar-row _ngcontent-ng-...</mat-toolbar>

Sources: Pa11y / HTML_CodeSniffer

138. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #login-form > mat-form-field:nth-child(1)

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-form-field _ngcontent-ng-c3099251276="" color="tertiary" appearance="outline" class="mat-mdc-form-field mat-mdc-form-field-type-mat-input mat-form-field-appearance-outline mat-form-field-hide-placeholder mat-primary ng-untouched ng-pristine ng-i...

Sources: Pa11y / HTML_CodeSniffer

139. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #login-form > mat-form-field:nth-child(2)

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<mat-form-field _ngcontent-ng-c3099251276="" color="tertiary" appearance="outline" class="mat-mdc-form-field mat-mdc-form-field-type-mat-input mat-mdc-form-field-has-icon-suffix mat-form-field-appearance-outline mat-form-field-hide-placeholder mat-pr...

Sources: Pa11y / HTML_CodeSniffer

140. Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #loginButton

Check that this element has an inherited background colour or image to complement the corresponding inline foreground colour.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3_F24.F24.FGColour
<button _ngcontent-ng-c3099251276="" type="submit" id="loginButton" mat-raised-button="" color="primary" aria-label="Login" class="mdc-button mat-mdc-button-base mdc-button--raised mat-mdc-raised-button mat-primary mat-mdc-button-disabled" mat-ripple...

Sources: Pa11y / HTML_CodeSniffer

141. The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav > div > sidenav > mat-toolbar > mat-toolbar-row > h2

The heading structure is not logically nested. This h2 element appears to be the primary document heading, so should be an h1 element.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141
<h2 _ngcontent-ng-c1586896698=""> OWASP Juice Shop</h2>

Sources: Pa11y / HTML_CodeSniffer

142. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > div:nth-child(1)

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div role="dialog" aria-live="polite" aria-label="cookieconsent" aria-describedby="cookieconsent:desc" class="cc-window cc-floating cc-type-info cc-theme-classic cc-bottom cc-right cc-color-override--1225450786 " style=""><!--googleoff: all--><span i...

Sources: Pa11y / HTML_CodeSniffer

143. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > div:nth-child(8)

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div popover="manual" class="cd...

Sources: Pa11y / HTML_CodeSniffer

144. This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > div:nth-child(8) > div

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_10.C32,C31,C33,C38,SCR34,G206
<div id="cdk-overlay-0" class="...

Sources: Pa11y / HTML_CodeSniffer

145. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: html > body > app-root > mat-sidenav-container > mat-sidenav-content > app-navbar > mat-toolbar > mat-toolbar-row > div:nth-child(4) > button:nth-child(3) > span:nth-child(3) > span:nth-child(2)

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs
<span _ngcontent-ng-c1731522247="" class="fa-layers-counter fa-layers-top-right fa-3x warn-notification">0

Sources: Pa11y / HTML_CodeSniffer

146. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #mat-mdc-form-field-label-1 > mat-label

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-label _ngcontent-ng-c3099251276="" translate="">Email</mat-label>

Sources: Pa11y / HTML_CodeSniffer

147. This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

UX & Accessibility / Low / Possible

http://127.0.0.1:3000/#/login

Element: #mat-mdc-form-field-label-2 > mat-label

This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

Suggested fix: Correct the semantic markup or style described by this WCAG rule and verify with Pa11y plus keyboard testing.

Verification: Independently observed by Pa11y's WCAG2AA rule engine.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.Abs
<mat-label _ngcontent-ng-c3099251276="" translate="">Password</mat-label>

Sources: Pa11y / HTML_CodeSniffer

148. Timestamp Disclosure - Unix

Security / Low / Possible

http://127.0.0.1:3000/

A timestamp was disclosed by the application/web server. - Unix This remains an unconfirmed signal, not a verified exploit.

Suggested fix: The timestamp should be checked and validated to ensure it is not a fake or outdated value.

Verification: Not independently re-tested.

ZAP rule 10096, confidence Low
1666666667

ZAP rule 10096, confidence Low
1839622642

Sources: OWASP ZAP passive baseline

149. Timestamp Disclosure - Unix

Security / Low / Possible

http://127.0.0.1:3000/rest/products/search?q=

A timestamp was disclosed by the application/web server. - Unix

Suggested fix: Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.

Verification: Not independently re-tested.

ZAP rule 10096, confidence Low
1970691216

ZAP rule 10096, confidence Low
1969196030

Sources: OWASP ZAP passive baseline

150. Modern Web Application

Security / Info / Possible

http://127.0.0.1:3000/

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Suggested fix: This is an informational alert and so no changes are required.

Verification: Not independently re-tested.

ZAP rule 10109, confidence Medium
<script>
window.addEventListener("load", function(){
window.cookieconsent.initialise({
"palette": {
"popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" },
"button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" }
},
"theme": "classic",
"position": "bottom-right",
"content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" }
})});
</script>

Sources: OWASP ZAP passive baseline

Scope & limitations

• URL-only black-box snapshot, not a comprehensive penetration test or WCAG certification.

• No account creation, credential attempts, payment, upload, mutation method or destructive action is submitted. Server-side login/checkout coverage is intentionally limited.

• Only same-origin resources are loaded. Third-party scripts/fonts/images are blocked; rendering and performance may differ from a normal browser.

• Laboratory LCP/CLS and TBT are measured. Field Core Web Vitals percentiles and INP are not invented.

• Some local AI tasks were unavailable or failed; no external/closed-model fallback was used.

• AI cases & safe form validation: partial. Executed 10/12 client-side cases. No credentials or state-changing submissions; server-side login/checkout behavior remains untested. Some cases used deterministic fallback, not AI generation.

• Internal links & browser errors: partial. Checked 7/9 internal links; SPA fragments require browser coverage. Replayed 2 AI-selected known-page flows through read-only navigation.

• Lighthouse performance audit: partial. Mobile laboratory Lighthouse. LCP/CLS/TBT/FCP measured; field INP not fabricated.

• AI desktop & mobile visual review: skipped. Local vision review completed 0/4 screenshot tasks; visual findings stay Possible.

• AI security finding triage: skipped. Local triage completed 0/2 bounded batches. Verified facts cannot be suppressed by AI alone.

• Derived AI-stage coverage was rebuilt from the original recorded task statuses; no scan, finding, measurement or verification result was invented.

Scanner coverage

Authorization & network safety: completed — Exact origin approved for security and load.

Crawl & map the website: completed — Mapped 5 pages. 0 page failures. Same-origin links only; no mutation submissions.

AI page classification & flows: completed — Local classification/flow inference completed 4/4 bounded tasks. 2 known-page flows proposed.

AI cases & safe form validation: partial — Executed 10/12 client-side cases. No credentials or state-changing submissions; server-side login/checkout behavior remains untested. Some cases used deterministic fallback, not AI generation.

Internal links & browser errors: partial — Checked 7/9 internal links; SPA fragments require browser coverage. Replayed 2 AI-selected known-page flows through read-only navigation.

Headers, cookies & inert probes: completed — Read-only headers, cookies, file signatures; probed 1 observed GET parameters with inert payloads. 0 request failures.

OWASP ZAP passive baseline: completed — Passive baseline over safe crawl seeds; active scan and autonomous spider disabled.

Nuclei read-only templates: completed — Only 3 committed GET-only templates; no fuzzing, OAST or template downloads.

HTTP response measurements: completed — Three sequential GET measurements through the safety proxy.

Lighthouse performance audit: partial — Mobile laboratory Lighthouse. LCP/CLS/TBT/FCP measured; field INP not fabricated.

Capped Locust concurrency test: completed — GET-only load: 4 users / 10s, capped at 20 / 30 with early-stop protection.

axe-core accessibility audit: completed — axe-core audited 5 pages; 0 pages could not be audited.

Pa11y independent WCAG checks: completed — Pa11y audited 3 pages; 0 failures.

AI desktop & mobile visual review: skipped — Local vision review completed 0/4 screenshot tasks; visual findings stay Possible.

Re-test & deterministic deduplication: completed — Deterministic re-tests applied; matching root causes merged with provenance retained.

AI security finding triage: partial — Recorded 0 completed and 2 partially applied local-AI tasks. See the unchanged per-task ledger.

AI final report & suggested fixes: completed — Local AI synthesis applied; evidence, verification and scores remain deterministic.