The pxLST package

Professional code listings for P3CTeX

Scvria

P3CTeX / UOC PEC Repository

2026/03/16 – Version 0.1

Abstract

pxLST provides a small, stable LaTeX2e API for typesetting syntax-highlighted source code in styled tcolorbox frames using the listings backend. The current implementation is fully contained in tex/latex/pxLST.sty; tex/code/pxLST.code.tex is reserved for a future split and is currently a stub.

Contents

1 Loading **1**

2 Global configuration **1**

2.1 \pxLSTsetup 1

3 Environments **2**

3.1 Code and CODE 2

3.2 miniCode 2

3.3 CodeBox and CodeBox* 2

4 Commands **2**

4.1 \pxLSTinput 2

4.2 \pxCodeInline 2

5 Palette model **3**

1 Loading

```
\usepackage{pxLST}
```

2 Global configuration

2.1 \pxLSTsetup

```
\pxLSTsetup[<palette>]{<language>}[<lststyle>]
```

- <palette> is a palette name (default dark). The package ships dark, pastel, and light.
- <language> is a listings language name. The package defines: pxJava, pxProlog, pxOWL, pxTAD, pxYAML, algoritme, pxBash, pxPython, pxC, pxJavaScript, pxJS, pxSQL.
- <lststyle> is a listings style name (default pxlst). Additional styles provided: block, framed, plain.

Example.

```
\pxLSTsetup[dark]{pxJava}
\pxLSTsetup[pastel]{algoritme}[framed]
\pxLSTsetup[light]{pxYAML}
```

3 Environments

All environments below are verbatim-safe and implemented via \newtcblisting. Palette/language are taken from the most recent \pxLSTsetup call.

3.1 Code and CODE

```
\begin{Code}[<listing options>]{<title>}
  ... verbatim code ...
\end{Code}
```

CODE is an alias environment with the same argument contract.

3.2 miniCode

```
\begin{miniCode}[<width>]
  ... verbatim code ...
\end{miniCode}
```

The default width is .8\linewidth.

3.3 `CodeBox` and `CodeBox*`

```
\begin{CodeBox}[<listing options>]{<id>}{<title>}{<tag>}{<caption>}
  ... verbatim code ...
\end{CodeBox}
```

`CodeBox*` has the same signature and is *breakable* across pages. Both environments insert `\label{cdbx:<id>}` in the title bar, so you can reference a box with `\ref{cdbx:<id>}`.

4 Commands

4.1 `\pxLSTinput`

```
\pxLSTinput[<language>]{<file>}
```

Typesets an external file as a framed listing. The filename is resolved relative to the working directory where `pdflatex` is executed.

4.2 `\pxCodeInline`

```
\pxCodeInline[<language>]{<snippet>}
```

Inline snippet rendered with `\lstinline` in a small `tcolorbox`. Content is *not* verbatim (escape `\%`, `\#`, `\&` as usual).

5 Palette model

Palettes are selected via the optional argument to `\pxLSTsetup`:

```
\pxLSTsetup[dark]{pxJava}
\pxLSTsetup[pastel]{algoritme}
\pxLSTsetup[light]{pxYAML}
```

The package provides three built-in palettes:

- `dark`: high-contrast Darcula-inspired theme for on-screen use.
- `pastel`: softer variant of the dark theme.
- `light`: light background suitable for print.

Internally each palette is implemented by a macro that redefines a small family of color-role commands to literal `xcolor` names (for example `\pxDEFlstfg` becomes `\color{dark-fg}` in the dark palette). This keeps the interaction with `listings` and `tcolorbox` predictable without exposing additional configuration surface.