


ООП


Объектно-ориентированное программирование




The
App Brewery















Object Oriented Programming





The
App Brewery




The
App Brewery



The
App Brewery



The
App Brewery



The
App Brewery





Chef



Waiter



Cleaner



Manager



The



Waiter

has:

```
is_holding_plate = True  
tables_responsible = [4, 5, 6]
```


does:

```
def take_order(table, order):  
    #takes order to chef  
  
def take_payment(amount):  
    #add money to restaurant
```



The

Waiter



Henry




Betty



Class

Waiter



Object



Henry



Betty

Class

Object



Object

Class

```
car = CarBlueprint()
```





Car

attributes:

```
speed = 0
```

```
fuel = 32
```

car.speed

Object

Attribute

car.speed



Car

attributes:

```
speed = 0  
fuel = 32
```

does:

```
def move():  
    speed = 60  
  
def stop():  
    speed = 0
```




Практическая часть



Задача

1. Печатать отчет
2. Проверить ресурсы
3. Получить оплату
4. Проверить оплату
5. Приготовить кофе

Constructor



Constructor

```
class Car:  
    def __init__(self):  
        #initialise attributes
```

Attribute

```
class Car:  
    def __init__(self, seats):  
        self.seats = seats
```

```
my_car = Car(5)
```



The

Практическая часть 2

Question

attributes:

text
answer



Tip

Question

attributes:

text
answer

```
new_q = Question("2+3=5", "True")
```

new_q

attributes:

```
text = "2+3=5"  
answer = "True"
```

```
new_q = Question( )
```

attributes:

```
question_number = 0  
questions_list
```

methods:

```
next_question()
```



attributes:

```
question_number = 0  
questions_list  
score = 0
```

methods:

```
next_question()  
still_has_questions()  
check_answer()
```

