Key & glossary: how to read these diagrams

Colours

- An action, a screen or an app people use
- A decision, or a rule the till enforces
- Stored data (the till's database)
- Good outcome
- Warning: works, but needs attention
- Problem: refused, held or failed
- Outside the venue (internet services)
- Hardware (printers)
- Note or explanation

Shapes and lines

- A step, screen or thing
- A question: follow the labelled arrow
- Data saved in the database
- What happens next
- Optional, in the background, or an indirect link
- A group (its title says what)


Small italic text

Where that part lives in the code: under *src/main/services/* unless the path says otherwise (e.g. *src/renderer* = the screens).


Glossary

Till / host	The main OneTap POS computer. Holds the database and runs every business rule; all other apps talk to it.
IPC	How the till's own windows talk to the till program (inside the same computer).
LAN API	How phones, tablets, Admin and the kitchen display talk to the till over the venue Wi-Fi (HTTP).
Live events (SSE)	Messages the till pushes to every device the moment something changes, so screens update without refreshing.
Pairing / device token	A phone or tablet proves it belongs to the venue with the pairing code from Admin, and keeps a token for it.
Session / token	Proof that someone signed in with their PIN; lasts 12 hours.
Idempotency key	A unique ID created once per tap (Send, Pay). A retry carries the same ID, so the till can tell a repeat from a new action and never does it twice.
Sitting	One group of guests at a table, from opening the table to paying.
TicketLog	A snapshot of a table's bill, written at every Send. The latest one is the current bill.
Order + Payment	The saved sale, written once the table is paid. Reports read these.
PrintJob	A record of something sent to a printer, and its retries.
KDS	Kitchen display system: screens in the kitchen that show orders; cooks bump them when done.
Pre-bill	The bill printed for the guest before paying (not a fiscal receipt).
Covers	Number of guests at a table.
Fiskalizimi	Reporting every sale to the Albanian tax office as an invoice.
easyPos / CIS	easyPos is the service the POS sends invoices to; it files them with the tax office's system (CIS).
NSLF / NIVF / EIC	Codes on a fiscal invoice: NSLF is generated by the POS side, NIVF is the tax office's registration number, EIC is for electronic invoices.
docId / claim	The fixed ID of one invoice, and a record written before sending it, so a crash or retry can never file it twice.
Deferred	An invoice that could not reach the tax office yet; the sale went through and it is resent automatically.
Vault	The encrypted form of the till's database.
SyncState	A table of named settings and records (venue settings, fiscal claims, layouts…).
Clock-only roles	Staff who only clock in and out on the POS: kitchen, runners, bartender, barback, busser, cleaner, host.


1 · System map: apps and connections




2 · Life of an order




3 · Payment & fiskalizimi




4 · Data model: what the till stores




5 · Sign-in & security





6 · Shifts & clock-in





7 · Reports: which screen reads what











Why totals and lists can disagree: today's totals (row A) and the paid list (row C) use different queries. The paid and voided lists used to turn a failed read into an empty list ('Paid 0') with no error; they now show the error.

8 · Live updates & offline

