POST

POST ▾ http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   Body 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
1   {"id":"26", "Survived":1, "Pclass":2, "Name":"Diego", "Sex":"Male",
     "Age":"22"}

Status: 200 OK   Size: 70 Bytes   Time: 8 ms

Response   Headers 5   Cookies   Results   Docs
1   {
2   "id": 26,
3   "Survived": 1,
4   "Pclass": 2,
5   "Name": "Diego",
6   "Sex": "Male",
7   "Age": 22
8   }

PUT

PUT ▾ http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   Body 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
1   {"id":"26", "Survived":0, "Pclass":3, "Name":"David", "Sex":"Male",
     "Age":"27"}

Status: 200 OK   Size: 70 Bytes   Time: 4 ms

Response   Headers 5   Cookies   Results   Docs
1   {
2   "id": 26,
3   "Survived": 0,
4   "Pclass": 3,
5   "Name": "David",
6   "Sex": "Male",
7   "Age": 27
8   }

POST

POST ▾ http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   Body 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
1   {"id":"27", "Survived":1, "Pclass":1, "Name":"Ricardo", "Sex"
     :"Male", "Age":"22"}

Status: 200 OK   Size: 72 Bytes   Time: 3 ms

Response   Headers 5   Cookies   Results   Docs
1   {
2   "id": 27,
3   "Survived": 1,
4   "Pclass": 1,
5   "Name": "Ricardo",
6   "Sex": "Male",
7   "Age": 22
8   }

GET

GET ▾ http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   Body 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
1   {"id":"27", "Survived":1, "Pclass":1, "Name":"Ricardo", "Sex"
     :"Male", "Age":"22"}

Status: 200 OK   Size: 2.36 KB   Time: 4 ms

Response   Headers 5   Cookies   Results   Docs
203   "id": 26,
204   "Survived": 0,
205   "Pclass": 3,
206   "Name": "David",
207   "Sex": "Male",
208   "Age": 27
209   },
210   {
211   "id": 27,
212   "Survived": 1,
213   "Pclass": 1,
214   "Name": "Ricardo",
215   "Sex": "Male",
216   "Age": 22
217   }
218   ]

POST

POST http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   **Body** 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"28", "Survived":1, "Pclass":3, "Name":"Ashley", "Sex"
     :"Female", "Age":"21"}
```

Status: 200 OK   Size: 73 Bytes   Time: 3 ms

Response   Headers 5   Cookies   Results

```
1  {
2    "id": 28,
3    "Survived": 1,
4    "Pclass": 3,
5    "Name": "Ashley",
6    "Sex": "Female",
7    "Age": 21
8  }
```

POST

POST http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   **Body** 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"29", "Survived":0, "Pclass":2, "Name":"Alexis", "Sex":"Male"
     , "Age":"21"}
```

Status: 200 OK   Size: 71 Bytes   Time: 3 ms

Response   Headers 5   Cookies   Results

```
1  {
2    "id": 29,
3    "Survived": 0,
4    "Pclass": 2,
5    "Name": "Alexis",
6    "Sex": "Male",
7    "Age": 21
8  }
```

POST

POST http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   **Body** 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"30", "Survived":1, "Pclass":1, "Name":"Alan", "Sex":"Male",
     "Age":"16"}
```

Status: 200 OK   Size: 69 Bytes   Time: 3 ms

Response   Headers 5   Cookies   Results

```
1  {
2    "id": 30,
3    "Survived": 1,
4    "Pclass": 1,
5    "Name": "Alan",
6    "Sex": "Male",
7    "Age": 16
8  }
```

GET

GET http://127.0.0.1:8000/usersclass/   Send

Query   Headers 2   Auth   **Body** 1   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"30", "Survived":1, "Pclass":1, "Name":"Alan", "Sex":"Male",
     "Age":"16"}
```

Status: 200 OK   Size: 2.57 KB   Time: 8 ms

Response   Headers 5   Cookies   Results   Docs

```
223        "Sex": "Female",
224        "Age": 21
225      },
226      {
227        "id": 29,
228        "Survived": 0,
229        "Pclass": 2,
230        "Name": "Alexis",
231        "Sex": "Male",
232        "Age": 21
233      },
234      {
235        "id": 30,
236        "Survived": 1,
237        "Pclass": 1,
238        "Name": "Alan",
239        "Sex": "Male",
240        "Age": 16
241      }
242    ]
```

POST

POST ∨ | http://127.0.0.1:8000/usersclass/ | Send

Query   Headers ²   Auth   Body ¹   Tests   Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1  {"id":"31", "Survived":0, "Pclass":3, "Name":"Rene", "Sex":"Male",
      "Age":"21"}
```

Status: 200 OK Size: 69 Bytes Time: 3 ms

Response Headers ⁵ Cookies Results

```
1  {
2      "id": 31,
3      "Survived": 0,
4      "Pclass": 3,
5      "Name": "Rene",
6      "Sex": "Male",
7      "Age": 21
8  }
```

POST

POST ∨ | http://127.0.0.1:8000/usersclass/ | Send

Query   Headers ²   Auth   Body ¹   Tests   Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1  {"id":"32", "Survived":1, "Pclass":1, "Name":"Melanie", "Sex"
      :"Female", "Age":"30"}
```

Status: 200 OK Size: 74 Bytes Time: 2 ms

Response Headers ⁵ Cookies Results

```
1  {
2      "id": 32,
3      "Survived": 1,
4      "Pclass": 1,
5      "Name": "Melanie",
6      "Sex": "Female",
7      "Age": 30
8  }
```

POST

POST ∨ | http://127.0.0.1:8000/usersclass/ | Send

Query   Headers ²   Auth   Body ¹   Tests   Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1  {"id":"33", "Survived":0, "Pclass":2, "Name":"Emiliano", "Sex"
      :"Male", "Age":"19"}
```

Status: 200 OK Size: 73 Bytes Time: 2 ms

Response Headers ⁵ Cookies Results

```
1  {
2      "id": 33,
3      "Survived": 0,
4      "Pclass": 2,
5      "Name": "Emiliano",
6      "Sex": "Male",
7      "Age": 19
8  }
```

POST

POST ∨ | http://127.0.0.1:8000/usersclass/ | Send

Query   Headers ²   Auth   Body ¹   Tests   Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1  {"id":"34", "Survived":1, "Pclass":3, "Name":"Diego", "Sex":"Male",
      "Age":"22"}
```

Status: 200 OK Size: 70 Bytes Time: 3 ms

Response Headers ⁵ Cookies Results

```
1  {
2      "id": 34,
3      "Survived": 1,
4      "Pclass": 3,
5      "Name": "Diego",
6      "Sex": "Male",
7      "Age": 22
8  }
```

GET

Request:
```
GET  http://127.0.0.1:8000/usersclass/          Send
```
Query   Headers 2   Auth   **Body 1**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
```
1   {"id":"34", "Survived":1, "Pclass":3, "Name":"Diego", "Sex":"Male",
      "Age":"22"}
```

Response:
Status: 200 OK   **Size: 2.85 KB**   **Time: 5 ms**

Response   Headers 5   Cookies   Results
```
255        "Sex": "Female",
256        "Age": 30
257      },
258      {
259        "id": 33,
260        "Survived": 0,
261        "Pclass": 2,
262        "Name": "Emiliano",
263        "Sex": "Male",
264        "Age": 19
265      },
266      {
267        "id": 34,
268        "Survived": 1,
269        "Pclass": 3,
270        "Name": "Diego",
271        "Sex": "Male",
272        "Age": 22
273      }
274  ]
```

POST

Request:
```
POST  http://127.0.0.1:8000/usersclass/          Send
```
Query   Headers 2   Auth   **Body 1**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
```
1   {"id":"35", "Survived":1, "Pclass":2, "Name":"Brandon", "Sex"
      :"Male", "Age":"22"}
```

Response:
Status: 200 OK   **Size: 72 Bytes**   **Time: 5 ms**

Response   Headers 5   Cookies   Results
```
1   {
2     "id": 35,
3     "Survived": 1,
4     "Pclass": 2,
5     "Name": "Brandon",
6     "Sex": "Male",
7     "Age": 22
8   }
```

POST

Request:
```
POST  http://127.0.0.1:8000/usersclass/          Send
```
Query   Headers 2   Auth   **Body 1**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format
```
1   {"id":"36", "Survived":1, "Pclass":3, "Name":"Brian", "Sex":"Male",
      "Age":"27"}
```

Response:
Status: 200 OK   **Size: 70 Bytes**   **Time: 5 ms**

Response   Headers 5   Cookies   Results
```
1   {
2     "id": 36,
3     "Survived": 1,
4     "Pclass": 3,
5     "Name": "Brian",
6     "Sex": "Male",
7     "Age": 27
8   }
```

POST

POST | http://127.0.0.1:8000/usersclass/ | **Send**

Query   Headers²   Auth   **Body¹**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1   {"id":"37", "Survived":0, "Pclass":2, "Name":"Omar", "Sex":"Male",
    "Age":"21"}
```

Status: 200 OK   **Size: 69 Bytes**   **Time: 2 ms**

Response   Headers⁵   Cookies   Results

```
1   {
2       "id": 37,
3       "Survived": 0,
4       "Pclass": 2,
5       "Name": "Omar",
6       "Sex": "Male",
7       "Age": 21
8   }
```

PUT

PUT | http://127.0.0.1:8000/usersclass/ | **Send**

Query   Headers²   Auth   **Body¹**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1   {"id":"37", "Survived":1, "Pclass":3, "Name":"Marcoy", "Sex":"Male"
    , "Age":"17"}
```

Status: 200 OK   **Size: 71 Bytes**   **Time: 3 ms**

Response   Headers⁵   Cookies   Results

```
1   {
2       "id": 37,
3       "Survived": 1,
4       "Pclass": 3,
5       "Name": "Marcoy",
6       "Sex": "Male",
7       "Age": 17
8   }
```

GET

GET | http://127.0.0.1:8000/usersclass/ | **Send**

Query   Headers²   Auth   **Body¹**   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1   {"id":"37", "Survived":1, "Pclass":3, "Name":"Marcoy", "Sex":"Male"
    , "Age":"17"}
```

Status: 200 OK   **Size: 3.06 KB**   **Time: 9 ms**

Response   Headers⁵   Cookies   Results   Docs

```
279          "Sex": "Male",
280          "Age": 22
281      },
282      {
283          "id": 36,
284          "Survived": 1,
285          "Pclass": 3,
286          "Name": "Brian",
287          "Sex": "Male",
288          "Age": 27
289      },
290      {
291          "id": 37,
292          "Survived": 1,
293          "Pclass": 3,
294          "Name": "Marcoy",
295          "Sex": "Male",
296          "Age": 17
297      }
298  ]
```

DELETE

| DELETE ∨ | http://127.0.0.1:8000/usersclass/37 | Send |

Query   Headers [2]   Auth   **Body** [1]   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"37", "Survived":1, "Pclass":3, "Name":"Marcoy", "Sex":"Male"
   , "Age":"17"}
```

Status: 200 OK   **Size: 29 Bytes**   **Time: 7 ms**

Response   Headers [5]   Cookies   Results

```
1  "El registro se ha eliminado"
```

GET

| GET ∨ | http://127.0.0.1:8000/usersclass/ | Send |

Query   Headers [2]   Auth   **Body** [1]   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"37", "Survived":1, "Pclass":3, "Name":"Marcoy", "Sex":"Male"
   , "Age":"17"}
```

Status: 200 OK   **Size: 2.99 KB**   **Time: 7 ms**

Response   Headers [5]   Cookies   Results

```
272        "Age": 22
273      },
274      {
275        "id": 35,
276        "Survived": 1,
277        "Pclass": 2,
278        "Name": "Brandon",
279        "Sex": "Male",
280        "Age": 22
281      },
282      {
283        "id": 36,
284        "Survived": 1,
285        "Pclass": 3,
286        "Name": "Brian",
287        "Sex": "Male",
288        "Age": 27
289      }
290  ]
```

POST

| POST ∨ | http://127.0.0.1:8000/usersclass/ | Send |

Query   Headers [2]   Auth   **Body** [1]   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"37", "Survived":0, "Pclass":1, "Name":"Alekey", "Sex":"Male"
   , "Age":"15"}
```

Status: 200 OK   **Size: 71 Bytes**   **Time: 3 ms**

Response   Headers [5]   Cookies   Results

```
1  {
2    "id": 37,
3    "Survived": 0,
4    "Pclass": 1,
5    "Name": "Alekey",
6    "Sex": "Male",
7    "Age": 15
8  }
```

PUT

| PUT ∨ | http://127.0.0.1:8000/usersclass/ | Send |

Query   Headers [2]   Auth   **Body** [1]   Tests   Pre Run New

Json   Xml   Text   Form   Form-encode   Graphql   Binary

Json Content   Format

```
1  {"id":"37", "Survived":1, "Pclass":3, "Name":"Hector", "Sex":"Male"
   , "Age":"10"}
```

Status: 200 OK   **Size: 71 Bytes**   **Time: 6 ms**

Response   Headers [5]   Cookies   Results

```
1  {
2    "id": 37,
3    "Survived": 1,
4    "Pclass": 3,
5    "Name": "Hector",
6    "Sex": "Male",
7    "Age": 10
8  }
```

DELETE

DELETE | http://127.0.0.1:8000/usersclass/35 | Send

Query Headers 2 Auth **Body** 1 Tests Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1   {"id":"37", "Survived":1, "Pclass":3, "Name":"Hector", "Sex":"Male"
    , "Age":"10"}
```

Status: 200 OK   Size: 29 Bytes   Time: 3 ms

Response Headers 5 Cookies Results

```
1   "El registro se ha eliminado"
```

GET

GET | http://127.0.0.1:8000/usersclass/ | Send

Query Headers 2 Auth **Body** 1 Tests Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1   {"id":"37", "Survived":1, "Pclass":3, "Name":"Hector", "Sex":"Male"
    , "Age":"10"}
```

Status: 200 OK   Size: 2.99 KB   Time: 5 ms

Response Headers 5 Cookies Results

```
265      },
266      {
267        "id": 34,
268        "Survived": 1,
269        "Pclass": 3,
270        "Name": "Diego",
271        "Sex": "Male",
272        "Age": 22
273      },
274      {
275        "id": 36,
276        "Survived": 1,
277        "Pclass": 3,
278        "Name": "Brian",
279        "Sex": "Male",
280        "Age": 27
281      },
282      {
283        "id": 37,
284        "Survived": 1,
```

DELETE

DELETE | http://127.0.0.1:8000/usersclass/36 | Send

Query Headers 2 Auth **Body** 1 Tests Pre Run New

Json Xml Text Form Form-encode Graphql Binary

Json Content   Format

```
1   {"id":"37", "Survived":1, "Pclass":3, "Name":"Hector", "Sex":"Male"
    , "Age":"10"}
```

Status: 200 OK   Size: 29 Bytes   Time: 4 ms

Response Headers 5 Cookies Results

```
1   "El registro se ha eliminado"
```