Question 1:
Source:

```java
// Ben Diegel, JAVA I, Lab 3 Question 1
import java.util.Scanner;

public class lab3_q1{
    public static void main(String[] args){

        final double TAX = .0675, // CONSTANTS for tax and tip percentages (decimal form)
                     TIP = .2;

        double mealCharge, // charge for only the meal
               taxAmount, // amount of tax on the meal
               tipAmount, // amount of tip for meal
               totalBill; // total amount of everything

        Scanner keyboard = new Scanner(System.in); // new keyboard scanner

        System.out.print("\nPlease enter the price of your meal. \n>>"); // gets the meal charge with nice formating
        mealCharge = keyboard.nextDouble();

        taxAmount = mealCharge * TAX; // calcs the tax amount for the meal
        tipAmount = mealCharge * TIP; // calcs the tip amount
        totalBill = mealCharge + taxAmount + tipAmount; // adds everything together

        System.out.println("\nMeal Charge:\t$" + mealCharge + // formats the end result like a recipt.
                           "\nTax:\t\t$" + taxAmount +        // (how do you set percision??)
                           "\nTip:\t\t$" + tipAmount +
                           "\n\nTotal:\t\t$" + totalBill);

    }
}
```

Output:

```
(xenial)mlgskelly@localhost: ~/Scripting/Java/Labs

(xenial)mlgskelly@localhost:~/Scripting/Java/Labs$ javac lab3_q1.java
(xenial)mlgskelly@localhost:~/Scripting/Java/Labs$ java lab3_q1

Please enter the price of your meal.
>>27.89

Meal Charge:    $27.89
Tax:            $1.882575
Tip:            $5.578

Total:          $35.350575
(xenial)mlgskelly@localhost:~/Scripting/Java/Labs$ []
```

Question 2:
Source:

```java
import java.util.Scanner;

public class lab3_q2{
    public static void main(String[] args){

        Scanner keyboard = new Scanner(System.in);

        String name, city, college, profession, animal, petName;
        int age;

        System.out.print("\nPlease enter your name.\n>>");
        name = keyboard.nextLine();

        System.out.print("\nPlease enter your city.\n>>");
        city = keyboard.nextLine();

        System.out.print("\nPlease enter your college.\n>>");
        college = keyboard.nextLine();

        System.out.print("\nPlease enter your profession.\n>>");
        profession = keyboard.nextLine();

        System.out.print("\nPlease enter your animal's species.\n>>");
        animal = keyboard.nextLine();

        System.out.print("\nPlease enter your pet's name.\n>>");
        petName = keyboard.nextLine();

        System.out.print("\nPlease enter your age.\n>>");
        age = keyboard.nextInt();

        System.out.print("\nThere once was a person named " + name + " who lived in " + city + ".\n" +
                "At the age of " + age + ", " + name + " went to college at " + college + ".\n" +
                name + " graduated and went to work as a " + profession + ".\n" +
                "Then, " + name + " adopted a(n) " + animal + " named " + petName + ".\n" +
                "They both lived happily ever after!\n");
    }
}
```

output:

```
(xenial)mlgskelly@localhost: ~/Scripting/Java/Labs

Addition.java    lab2.class         lab3.odt    lab3_q1.java    lab3_q2.java
(xenial)mlgskelly@localhost:~/Scripting/Java/Labs$ java lab3_q2

Please enter your name.
>>Ben

Please enter your city.
>>Monroe

Please enter your college.
>>GTC

Please enter your profession.
>>computer programmer

Please enter your animal's species.
>>cat

Please enter your pet's name.
>>Jasper

Please enter your age.
>>20

There once was a person named Ben who lived inMonroe.
At the age of 20, Ben went to college at GTC.
Ben graduated and went to work as a computer programmer.
Then, Ben adopted a(n) cat named Jasper.
They both lived happily ever after!
(xenial)mlgskelly@localhost:~/Scripting/Java/Labs$ []
```