



Universidad Autónoma De Tamaulipas



Fundamentos de Programación

1-N



Tarea 10

Molina Meneses Diego

Filtro_ICMP:



ClasificadorIP:



IPS:

The screenshot shows the PSeInt IDE with a project named 'IPS.psc' and a file named 'Validacion_Red.psc'. The code is written in pseudocode and describes an algorithm for handling failed login attempts (IPS). The algorithm defines variables for failed attempts and known IP status. It prompts the user for the number of failed attempts and whether the IP is known. Based on these inputs, it either blocks the IP permanently, requests a captcha, or allows a retry. The execution window shows the following output:



```
*** Ejecución Iniciada. ***
Intentos fallidos:
> 2
¿Es IP conocida? (1=Si, 0=No):
> 1
Permitir reintento
*** Ejecución Finalizada. ***
```

Buttons at the bottom of the execution window include 'No cerrar esta ventana', 'Siempre visible', and 'Reiniciar'.



The screenshot shows the IntelliJ IDEA IDE with a project named 'a2241330016_tarea10'. The source code for the 'IPS.java' file is displayed. The code is a Java implementation of the IPS algorithm, using a Scanner to read user input. The output window shows the following output:

```
run:
Intentos fallidos: 2
Es IP conocida? (1=Si, 0=No): 1
Permitir reintento
BUILD SUCCESSFUL (total time: 6 seconds)
```



ValidacionRed:





Alerta_Trafico:





SelectorProtocolo:





Analizador_Firewall:



QoS:



DetectorExtensiones:



MenuHerramientasRed:

