

Nivel 0

```
diego@debianz:~$ ssh -p 2220 bandit0@bandit.labs.overthewire.org

[bandit0@bandit0]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit0@bandit.labs.overthewire.org's password: _

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit0@bandit:~$
```

Nivel 1

```
bandit0@bandit:~$ ls
readme
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNW0Z0Ta6ip5If

bandit0@bandit:~$

Enjoy your stay!

bandit1@bandit:~$ _
```

Nivel 2

```
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvfgWU1XP5yac29mFx
bandit1@bandit:~$

backend: gibson-0
bandit2@bandit.labs.overthewire.org's password:
```

```
bandit2@bandit:~$
```

Nivel 3

```
bandit2@bandit:~$ cat "--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLP1Smx
bandit2@bandit:~$
```

```
diego@debianz:~$ ssh -p 2220 bandit3@bandit.labs.overthewire.org
```

```

  _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
  _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

      This is an OverTheWire game server.
      More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit3@bandit.labs.overthewire.org's password: _
```

```
bandit3@bandit:~$
```

Nivel 4

```
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -la
.  ..  ...Hiding-From-You
bandit3@bandit:~/inhere$ _
```

```
bandit3@bandit:~/inhere$ cat ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$ _
```

```
More information on http://www.overthewire.org/wargames
backend: gibbon-0
bandit4@bandit.labs.overthewire.org's password:
```

```
bandit4@bandit:~$ cat /etc/crontab
# System crontab
SHELL=/bin/bash
MAILTO=root
# For details see man crontab
# Example of job definition:
# .SHELL:   /bin/bash
# .SHELL:   /bin/false
# .MINUTE:   *
# .HOUR:     *
# .DAY:      *
# .MONTH:    *
# .DAY_OF_WEEK: *
# .JOB_NAME: test_crontab
# .COMMAND:  /bin/false
#
# Use this space for specifying additional jobs to perform at a particular
# time of day.  Entries that begin with '#' are ignored.
#
# Example:
# SHELL=/bin/bash
# minute * * * * * test_crontab /bin/false

```

Nivel 5

```
bandit4@bandit:~$  
bandit4@bandit:~$ cd inhere  
bandit4@bandit:~/inhere$ ls  
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09  
bandit4@bandit:~/inhere$ file ./-*  
./-file00: data  
./-file01: data  
./-file02: data  
./-file03: data  
./-file04: data  
./-file05: data  
./-file06: data  
./-file07: ASCII text  
./-file08: data  
./-file09: data  
bandit4@bandit:~/inhere$ cat ./-file07  
4oQYVPkx200E005pTW81FB8j81xXGUQw  
bandit4@bandit:~/inhere$
```

```
backend: gibson-0  
bandit5@bandit.labs.overthewire.org's password: _
```

Enjoy your stay!

```
bandit5@bandit:~$ _
```

Nivel 6

```
bandit5@bandit:~$ cd inhere  
bandit5@bandit:~/inhere$ find . -type f -size 1033c  
./maybehere07/.file2  
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2  
HWasnPhTq9AVKe0dmk45nxy20cvUa6EG
```

```
bandit5@bandit:~/inhere$
```

```
backend: gibson-0  
bandit6@bandit.labs.overthewire.org's password:
```

Enjoy your stay!

```
bandit6@bandit:~$ _
```

Nivel 7

```
bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c 2>/dev/null  
/var/lib/dpkg/info/bandit7.password  
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password  
morbNTDkSW6jIlUc0ym0dMaLn0lFVAaj  
bandit6@bandit:~$ _
```

```
backend: gibbon-0  
bandit7@bandit.labs.overthewire.org's password:
```

Enjoy your stay!

```
bandit7@bandit:~$
```

Nivel 8

```
bandit7@bandit:~$ grep millionth data.txt  
millionth dfwvzFQi4mU0wfNbF0e9RoWskMLg7eEc  
bandit7@bandit:~$ _
```

```
backend: gibbon-0  
bandit8@bandit.labs.overthewire.org's password:
```

Enjoy your stay!

```
bandit8@bandit:~$
```

Nivel 9

```
bandit8@bandit:~$ sort data.txt | uniq -u  
4CKMh1JI91bUI22PX0qGanal4xvAg0JM  
bandit8@bandit:~$
```

```
backend: gibbon-0  
bandit9@bandit.labs.overthewire.org's password: _
```

```
Enjoy your stay!
bandit9@bandit:~$
```

Nivel 10

```
bandit9@bandit:~$ strings data.txt | grep =
FB`=
c\5D=
===== the
?/=1
=Uc1
=vG*2P
===== password
k=ezG
E===== is
=%r_
.?=Dm
D&A=n
5===== FGUW5illVJrxX9kMYMmlN4MgbpfMiqey
=*^Y
=L3jT
q<=,
'QHE=
+=NBf
bandit9@bandit:~$ _
```

```
backend: gibson-0
bandit10@bandit.labs.overthewire.org's password:
```

```
Enjoy your stay!
bandit10@bandit:~$
```

Nivel 11

```
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173f2Kb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$
```

```
backend: gibson-0
bandit11@bandit.labs.overthewire.org's password: _
```



Enjoy your stay!

```
bandit11@bandit:~$
```

Nivel 12

```
bandit11@bandit:~$ cat data.txt | tr 'A-Za-z' 'N-ZA-Mn-za-m'  
The password is 7x16WNeHIi5YkIhWsfFIqoognUTyj9Q4  
bandit11@bandit:~$ _
```

```
backend: gibson-0  
bandit12@bandit.labs.overthewire.org's password:
```

Enjoy your stay!

```
bandit12@bandit:~$
```

Nivel 13

```
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ file data8.bin  
data8.bin: gzip compressed data, was "data9.bin", last modified: Tue Oct 14 09:26:00 2025, max com  
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ mv data8.bin data.gz  
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ gunzip data.gz  
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ file data  
data: ASCII text  
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ cat data  
The password is F05dwFsc0cbaIiH0h8J2eUks2vdTDwAn  
bandit12@bandit:/tmp/tmp.VTbdmGGtXl$ _
```

Enjoy your stay!

```
bandit13@bandit:~$
```