

Antes

```
PS C:\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA1
```

Algorithm	Hash	Path
SHA1	12C37386FD4708BF8BFA85C479D83591A8783CBA	C:\url-mia-2026\semana_8\da...

```
PS C:\url-mia-2026\semana_8>
```

```
PS C:\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm MD5
```

Algorithm	Hash	Path
MD5	0187911F3C42AD92E35F494CC74268F8	C:\url-mia-2026\semana_8\da...

The screenshot shows the Visual Studio Code interface. On the left, the Explorer pane shows the file structure with 'datos.xml' selected. The main editor displays the XML content of 'datos.xml':

```
<?xml version="1.0" encoding="utf-8" >
<alumnos>
  <alumno id="1">
    Wendy Licardie
  </alumno>
  <alumno id="2">
    Diego Licardie
  </alumno>
</alumnos>
```

At the bottom, the Terminal pane shows the output of the PowerShell commands:

```
PS C:\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA1
```

Algorithm	Hash	Path
SHA1	12C37386FD4708BF8BFA85C479D83591A8783CBA	C:\url-mia-2026\semana_8\da...

```
PS C:\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm MD5
```

Algorithm	Hash	Path
MD5	0187911F3C42AD92E35F494CC74268F8	C:\url-mia-2026\semana_8\da...

Despues

