

N8N Automated Shorts Generator: Complete SOP

Table of Contents

1. Introduction
2. Setup Requirements
3. API Configuration Guide
4. Content Strategy and Niche Selection
5. Stage 1: Idea Generation
6. Stage 2: Generating Video Prompts
7. Stage 3: Generating Images
8. Stage 4: Creating Video Prompts
9. Stage 5: Generating Sound
10. Stage 6: Stitching Everything Together
11. Advanced Google Sheets Integration
12. Automating Social Media Posting
13. Performance Optimization
14. Analytics and Success Tracking
15. Monetization Strategies
16. Platform Compliance Guidelines
17. Troubleshooting
18. Examples of Successful Channels
19. Resources and Templates

Introduction

The N8N Automated Shorts Generator is a powerful, completely automated system that creates engaging short-form videos for platforms like TikTok, Instagram Reels, and YouTube Shorts without requiring you to appear on camera. This system uses AI to:

1. Generate video ideas based on your niche
2. Create detailed scene descriptions
3. Generate images for each scene
4. Create short video clips from those images
5. Generate appropriate audio
6. Stitch everything together into a complete video

7. Organize the output in Google Sheets for easy management

The best part? You can set this up to run automatically on a schedule (every hour, day, or week) to create a consistent stream of content without ongoing manual work.

This automation revolutionizes content creation by allowing you to scale your social media presence across multiple platforms with minimal effort, potentially reaching millions of viewers with content that's generated while you sleep.

Want to master AI tools like N8N and transform your business? Join the [AI Profit Boardroom](#) where you'll get weekly updated SOPs, templates, and strategies to scale your business, get more customers, and save hundreds of hours through AI automation.

Setup Requirements

What You'll Need

To implement this automated shorts generator, you'll need:

- N8N Account:**
 - Free self-hosted option available (recommended for unlimited usage)
 - Or cloud version with free tier (limited to 100 executions/month)
 - System requirements for self-hosting: 1GB RAM, 10GB storage minimum
- API Keys:**
 - OpenAI (for ChatGPT) - Starting at approximately \$0.01 per 1K tokens
 - F.AI (for Flux image generation and Kling video generation) - \$0.10-0.25 per image/video
- Google Account:**
 - For Google Sheets integration
 - To store and organize your generated videos
 - Google Cloud Platform setup for API access
- Hardware Requirements:**
 - For self-hosted N8N: Any modern computer/server with stable internet
 - For cloud version: Just a web browser and internet connection

Estimated Monthly Costs

Component	Cost Range	Notes
N8N Self-Hosted	\$0-5/month	Server costs if not using existing hardware
N8N Cloud	\$0-20/month	Free tier available, \$20/month for premium

OpenAI	\$5-20/month	Depends on volume, can be optimized
F.AI	\$10-50/month	Depends on quality and quantity of videos
Total	\$15-95/month	For daily video production

Free Template Access

You can get the complete N8N Automated Shorts Generator template for free:

1. Join the [AI SEO Success Lab](#) (free community)
2. Navigate to the Classroom section
3. Go to the AI course
4. Find the N8N Automated Shorts module
5. Download the JSON template file

Installation Guide

For self-hosted N8N:

bash

Using Docker

```
docker run -it --rm \
  --name n8n \
  -p 5678:5678 \
  -v ~/.n8n:/home/node/.n8n \
  n8nio/n8n
```

Using npm

```
npm install n8n -g
```

```
n8n start
```

Looking to leverage AI for better SEO results? Check out our [Free SEO Course + 200+ ChatGPT Prompts](#) to supercharge your search engine rankings while saving time with AI.

API Configuration Guide

Setting up your API connections correctly is critical for the entire automation to function properly. Here's a detailed guide for each service:

OpenAI API Setup

1. Visit [OpenAI's platform](#)
2. Create an account or log in
3. Navigate to "API Keys" section
4. Click "Create new secret key"
5. Copy the key immediately (it won't be shown again)
6. Set usage limits to avoid unexpected charges:
 - Go to "Usage limits"
 - Set a monthly spending cap (\$20 recommended to start)

F.AI Setup Guide

1. Create an account at [F.AI](#)
2. Navigate to "API Keys" in your dashboard
3. Click "Add Key"
4. Copy the key immediately
5. Fund your account with sufficient credits:
 - Minimum \$10 recommended to start
 - Set up email alerts when balance is low

Rate Limits and Optimization

Service	Rate Limits	Cost Optimization
OpenAI	200 requests/min (paid)	Use GPT-3.5 for drafts, GPT-4 for finals
Flux (F.AI)	10 images/min	Batch requests for efficiency
Kling (F.AI)	5 videos/min	Use standard quality for tests

Storing API Keys Securely in N8N

1. In N8N, go to Settings > Credentials
2. Click "New Credential"
3. Select "API Key Auth" or "HTTP Header Auth"
4. Enter your key details
5. Never expose keys in workflow settings
6. For self-hosted: Use environment variables

Example secure credential setup for OpenAI:

```
json
{
  "name": "OpenAI API",
```

```
"type": "httpHeaderAuth",
"data": {
  "name": "Authorization",
  "value": "Bearer YOUR_API_KEY_HERE"
},
"nodesAccess": [
  {
    "nodeType": "n8n-nodes-base.httpRequest",
    "accessPermissions": "*"
  }
]
}
```

Need help implementing these advanced AI techniques for your business?

Book a [FREE SEO strategy session](#) to discover how AI can boost your traffic, leads, and sales while getting a personalized roadmap for your business.

Content Strategy and Niche Selection

Before setting up your automation, it's crucial to define your content strategy and select the right niche for maximum engagement and growth potential.

Niche Selection Framework

1. Research Phase:

- Identify 5-10 potential niches you're knowledgeable or passionate about
- Use tools like TubeBuddy, VidIQ, or TikTok Creative Center to analyze competition
- Check hashtag popularity and engagement rates

2. Evaluation Criteria:

- Search volume (high = more potential viewers)
- Competition level (medium = best opportunity)
- Monetization potential (advertising, affiliate, products)
- Content sustainability (can generate ideas for months/years)
- AI compatibility (visual topics work better than abstract ones)

3. Top-Performing Niches for AI-Generated Shorts:

- Animal facts/behaviors (consistently viral)
- Travel destinations (visually engaging)
- Cooking tips/recipes (practical value)
- DIY/crafts (educational content)
- Tech tips (high CPM for monetization)

- Historical facts (educational and interesting)
- SEO/marketing tips (business audience)

Content Pillars Strategy

For maximum engagement, develop 3-5 content pillars within your niche:

Pillar Type	Example (SEO Niche)	Purpose
Educational	"SEO Ranking Factors"	Build authority
News/Updates	"Google Algorithm Changes"	Demonstrate relevance
Case Studies	"Website Rankings Before/After"	Show proof
Tips & Tricks	"5-second SEO Hacks"	Provide value
Entertainment	"SEO Fails"	Engage and share

Optimizing Your Prompt for Your Niche

When customizing the idea generator prompt (Stage 1), include these niche-specific elements:

You're an AI designed to generate compelling viral video short ideas for social media.

Make it [YOUR NICHE] themed with these characteristics:

- Focus on [CONTENT PILLAR 1, 2, & 3]
- Include trending concepts like [CURRENT TRENDS]
- Target audience is [TARGET DEMOGRAPHIC]
- Tone should be [INFORMATIVE/ENTERTAINING/INSPIRATIONAL]
- Videos should have a clear [HOOK/PROBLEM/SOLUTION] structure

For each idea, include:

1. A catchy title/concept (under 7 words)
2. A creative storyline that would make a compelling 30-60 second video
3. 5 relevant hashtags including at least 2 trending ones

Format your response as JSON:

```
{
  "title": "catchy title here",
  "storyline": "detailed storyline here",
  "hashtags": ["hashtag1", "hashtag2", "hashtag3", "hashtag4",
"hashtag5"]
}
```

}

Want to join a community of AI-focused marketers and business owners? Our [FREE AI SEO Accelerator community](#) offers peer support, the latest strategies, and regular updates on tools like the N8N Automated Shorts Generator.

Stage 1: Idea Generation

The first stage of the automation process is generating creative video ideas tailored to your niche.

Setting Up the Schedule Trigger

1. In N8N, create a new workflow
2. Add a "Schedule Trigger" node
3. Configure how often you want videos generated:
 - For hourly: Set to "Hours" and interval "1"
 - For daily: Set to "Days" and interval "1"
 - For weekly: Set to "Weeks" and interval "1"

Advanced Scheduling Options

For more sophisticated scheduling:

```
json
{
  "rule": {
    "hour": [9, 15, 21],
    "dayOfWeek": [1, 3, 5],
    "timezone": "America/New_York"
  }
}
```

This example generates content at 9am, 3pm, and 9pm on Monday, Wednesday, and Friday.

Implementing the Idea Generator

1. Add an "OpenAI" node after the Schedule Trigger
2. Configure it as follows:
 - Credential to connect with: OpenAI account
 - Resource: Text

- Operation: Message a Model
 - Model: CHATGPT-40-LATEST (or your preferred model)
 - Messages: Create a prompt that dynamically references variables
3. Set up a prompt that instructs the AI to generate compelling video ideas for your niche

Based on the screenshot, you might use expressions like:

```
Composition must cover wide or mid-scale frames about {{ $json.IDEA
}}
```

```
Emphasize {{ $json.Environment }}
```

4. Test the node to ensure it generates appropriate ideas

Example Outputs

For an SEO niche, you might get:

```
json
{
  "title": "The Day Google Got Sick",
  "hook": "What happens when Google catches a cold?",
  "storyline": "A quirky animated story follows Google (the search
engine depicted as a robot) who catches a cold and accidentally
buries a small business website until an SEO detective named MetaMax
saves the day with metadata and backlinks. Visual journey through
rankings falling and being restored.",
  "ending": "Don't let your site catch Google's cold! Follow for more
SEO rescue tips.",
  "hashtags": ["#SEOTips", "#GoogleAlgorithm", "#RankingRescue",
"#DigitalMarketing", "#SmallBizTips"]
}
```

Tips for Idea Generation

- Be specific about your niche and target audience
- For maximum virality, focus on educational, entertaining, or inspirational content
- Include trending topics in your prompt
- Set mood/tone expectations (funny, dramatic, informative, etc.)
- Create a "swipe file" of successful videos in your niche to reference

Get access to 50+ Free AI SEO Tools that can help you implement these techniques and more at [AI SEO with Julian Goldie](#).

Stage 2: Generating Video Prompts

Next, we'll transform the idea into detailed scene descriptions that can be used to generate images.

Setting Up Google Sheets Integration

1. Add a "Google Sheets" node after the Idea Generator
2. Configure it to append a row to your tracking spreadsheet
3. Set up column mapping:
 - o ID: `=ROW() - 1` (This creates sequential IDs)
 - o Idea: Map to the title from your idea generator
 - o Caption: Map to the title or storyline
 - o Production: Leave as "In Production"
 - o Final Output: Leave blank (will be filled later)

Advanced Google Sheets Configuration

Create a comprehensive tracking sheet with these columns:

- ID: Automatic numbering
- Idea: Video concept
- Caption: Final text for posting
- Hook: Opening attention grabber
- Production Status: (In Queue, In Production, Ready, Posted)
- Creation Date: Timestamp
- Posting Date: Scheduled or actual
- Platform(s): Where it will be posted
- Final Output: Video file URL
- Performance Metrics: Views, likes, comments (optional)

Creating the Prompt Generator

1. Add another "OpenAI" node
2. Configure it similarly to the first one
3. Use this enhanced prompt template:

`You're a hyper-realistic prompt engine built for generating ultra-specific documentary-style image prompts. Make the prompts simple and easy.`

`Your objective is to create a 13-scene static photo sequence based on this video idea:`

```
{{ $node["Idea Generator"].json["content"] }}
```

For each scene:

1. Create a clear, detailed description of what should be in the image
2. Focus on visual elements that would work well in a short video
3. Maintain continuity between scenes
4. Include specific details about:
 - Camera angle (close-up, wide shot, overhead, etc.)
 - Lighting conditions (bright, moody, sunset, etc.)
 - Main subject positioning
 - Background elements
 - Color palette suggestions
5. Keep descriptions under 50 words

Format your response as:

```
{  
  "scenes": [  
    "Scene 1: [detailed description]",  
    "Scene 2: [detailed description]",  
    ...and so on for 13 scenes  
  ]  
}
```

4. Test the node to ensure it generates detailed scene descriptions

Example Scene Output

For our "Google Got Sick" concept, a scene might look like:

Scene 1: Close-up shot of a sleek, chrome Google 'G' robot with glowing blue eyes. Suddenly, its eyes flicker red with digital thermometer readout. Backdrop of clean, minimal white server room. Soft blue ambient lighting with small red warning lights beginning to flash.

Adding a Code Node for Formatting

1. Add a "Code" node after the Prompt Generator
2. Use this enhanced code to format the scene descriptions:

javascript

```

// This code processes scene descriptions and adds metadata for better
image generation
const scenes = $input.json.scenes;
const formattedScenes = {};

scenes.forEach((scene, index) => {
  // Extract scene number and description
  const sceneMatch = scene.match(/Scene (\d+): (.*)/);
  if (!sceneMatch) return;

  const sceneNum = sceneMatch[1];
  const description = sceneMatch[2];

  // Extract potential camera angle information
  let cameraAngle = "medium shot";
  if (description.includes("close-up")) cameraAngle = "close-up";
  if (description.includes("wide shot")) cameraAngle = "wide shot";
  if (description.includes("overhead")) cameraAngle = "overhead";

  // Extract potential lighting information
  let lighting = "natural";
  if (description.includes("bright")) lighting = "bright";
  if (description.includes("moody")) lighting = "moody";
  if (description.includes("sunset")) lighting = "sunset";

  // Create formatted scene object with metadata
  formattedScenes[`scene${index+1}`] = {
    description: description.trim(),
    metadata: {
      sceneNumber: index + 1,
      cameraAngle: cameraAngle,
      lighting: lighting,
      isTransition: description.includes("transition") ||
description.includes("fades"),
      totalScenes: scenes.length
    }
  };
});

return {
  json: {
    formattedScenes,
    rawScenes: scenes
  }
}

```

```
};
```

3. Test to ensure it properly formats the scenes into individual objects with metadata

Creating Scene Transitions

For smoother videos, ensure proper transitions by explicitly requesting them in your prompt:

Remember to include proper transitions between key scenes:

- Scene 3-4 should have a smooth transition as the story shifts
- Scene 7-8 should have a dramatic transition to highlight the problem
- Scene 12-13 should have a resolution transition

Want to take your SEO to the next level with AI? Join the [SEO Elite Circle](#) to get expert guidance on implementing these advanced techniques and driving more traffic, leads, and sales to your business.

Stage 3: Generating Images

Now we'll use the scene descriptions to generate high-quality images for our video.

Setting Up Flux Image Generation

1. Add an "HTTP Request" node after the Code node
2. Configure it as follows:
 - o Method: POST
 - o URL: `https://queue.fal.run/fal-ai/flux/schnell`
 - o Headers:
 - Name: Authorization
 - Value: Your F.AI API key
 - o Body: Raw / JSON (application/json)
 - o Body: Raw / JSON (application/json)
3. Use this enhanced JSON structure for the body:

Note: The exact JSON structure will depend on your specific scene content and requirements.

Note: Continue this pattern for all 13 scenes.

4. Test the node to initiate image generation

Image Quality Optimization

To get the best image quality for your videos:

1. **Resolution:** Always use 1024x1024 for best quality
2. **Negative Prompts:** Always include negative prompts to avoid common issues:
`"negative_prompt": "blurry, distorted, low quality, unrealistic, text, watermark, out of frame, cropped"`
3. **Style Consistency:** Add style guidelines to each prompt:
`"Professional quality, high resolution, detailed, cinematic lighting, consistent style"`

Advanced Parameters:

json

```
"additional_params": {  
  "guidance_scale": 7.5,  
  "num_inference_steps": 30,  
  "seed": 12345
```

4. }

Using the same seed across images helps maintain style consistency.

Adding a Wait Node

1. Add a "Wait" node after the HTTP Request
2. Set it to wait for at least 60-90 seconds (images take time to generate)
3. For more reliability, use this formula based on number of images:
`{{13 * 7000}}`
This waits 7 seconds per image (91 seconds total for 13 images)

Retrieving Generated Images

1. Add another "HTTP Request" node after the Wait node
2. Configure it as follows:
 - o Method: GET
 - o URL: `https://api.f.ai/v1/files/list`
 - o Headers:
 - Name: Authorization
 - Value: Your F.AI API key
 - o Options: Set "Batching" to 2000ms to avoid errors
3. Add this query parameter:
 - o Name: filter
 - o Value: `{"name": {"$regex": "^scene\\d+\\.png$"}}}`
4. Test the node to retrieve the image URLs

Image Error Handling

Add a "Split In Batches" node after the image retrieval to handle any failed image generations:

```
javascript
// Check for any missing or failed images
const files = $input.json.files;
const expectedScenes = 13;
const receivedScenes = files.length;

if (receivedScenes < expectedScenes) {
  // Log the missing scenes
  const sceneNumbers = files.map(f => {
    const match = f.name.match(/scene(\d+)\.png/);
    return match ? parseInt(match[1]) : null;
  }).filter(n => n !== null);

  const missingScenes = [];
  for (let i = 1; i <= expectedScenes; i++) {
    if (!sceneNumbers.includes(i)) {
      missingScenes.push(i);
    }
  }

  // Either regenerate missing scenes or use placeholders
  if (missingScenes.length > 0) {
    // Code to handle missing scenes
    console.log(`Missing scenes: ${missingScenes.join(', ')}`);
  }
}

return {json: {files}};
```

Looking for more AI automation strategies? Join our [FREE AI SEO Accelerator](#) where we share the latest tips, tricks, and strategies for using AI to grow your business.

Stage 4: Creating Video Prompts

In this stage, we'll analyze the generated images and create video prompts.

Setting Up Image Analysis

1. Add an "OpenAI" node after the image retrieval
2. Configure it to use "Analyze Image" operation
3. Map the image URLs from the previous node
4. Set up a detailed prompt for image analysis

The analysis should focus on elements that would work well in short video clips, including main subject description, setting/environment, lighting conditions, and movement potential.

5. Test to ensure proper image analysis

Creating Video Generation Request

1. Add an "HTTP Request" node after the analysis
2. Configure it as follows:
 - Method: POST
 - URL: `https://api.f.ai/v1/q.fall.run`
 - Headers:
 - Name: Authorization
 - Value: Your F.AI API key
 - Body: Raw / JSON (application/json)
3. Use this enhanced JSON structure for the body:

```
json
{
  "files": [
    {
      "name": "video1.mp4",
      "params": {
        "type": "img2vid",
        "img": "{{ $node['Get Images'].json['files'][0]['url'] }}",
        "model": "Kling",
        "additional_params": {
          "motion_bucket_id": 40,
          "duration": 4,
          "fps": 24,
          "noise": 0.2,
          "prompt": "{{ $node['Image
Analysis'].json['scene1']['description'] }} {{ $node['Image
Analysis'].json['scene1']['movement'] }}"
        }
      }
    },
    {
      "name": "video2.mp4",
      "params": {
```

```

    "type": "img2vid",
    "img": "{{ $node['Get Images'].json['files'][1]['url'] }}",
    "model": "Kling",
    "additional_params": {
      "motion_bucket_id": 40,
      "duration": 4,
      "fps": 24,
      "noise": 0.2,
      "prompt": "{{ $node['Image
Analysis'].json['scene2']['description'] }} {{ $node['Image
Analysis'].json['scene2']['movement'] }}"
    }
  }
}
]
}

```

Note: Continue this pattern for all images.

Advanced Video Parameters Explained

For more control over video generation:

Parameter	Value Range	Effect
motion_bucket_id	1-255	Higher values = more motion
fps	24-60	Frames per second (24=film, 30=standard)
noise	0.0-1.0	Higher values = more creative motion
duration	2-5	Length in seconds

For specific types of scenes:

- Talking head: motion_bucket_id: 20, noise: 0.1
- Nature scene: motion_bucket_id: 35, noise: 0.3
- Action scene: motion_bucket_id: 50, noise: 0.4

Adding Another Wait Node

1. Add a "Wait" node after the video generation request
2. Set it to wait for at least 3-5 minutes (video generation takes longer)

3. For more reliability, use this formula:

`{{13 * 20000}}`

This waits 20 seconds per video (260 seconds total for 13 videos)

Retrieving Generated Videos

1. Add another "HTTP Request" node
2. Configure it similar to the image retrieval but for videos:
 - Add query parameter: filter with value `{"name": {"$regex": "^video\\d+\\.mp4$"} }`
3. Test to ensure video URLs are properly retrieved

Adding Video Error Handling

Include this code in a Function node to check for video generation errors:

javascript

```
const videos = $input.json.files;
if (!videos || videos.length === 0) {
  throw new Error("No videos were generated. Check API keys and parameters.");
}

// Check for expected number of videos
const expectedVideos = 13;
if (videos.length < expectedVideos) {
  console.log(`Warning: Expected ${expectedVideos} videos but only received ${videos.length}.`);
  // You can implement recovery logic here
}

// Check each video URL is valid
const invalidVideos = videos.filter(v => !v.url || !v.url.includes('mp4'));
if (invalidVideos.length > 0) {
  console.log(`Warning: ${invalidVideos.length} videos have invalid URLs.`);
}

return {json: {videos}};
```

Need help troubleshooting your AI implementations? Get complete support in the [AI Profit Boardroom](#) with weekly Q&A calls and direct access to AI experts who can help resolve any issues.

Stage 5: Generating Sound

Now we'll create appropriate audio for our video.

Creating Sound Prompts

1. Add an "OpenAI" node after video retrieval
2. Configure it to generate sound descriptions based on the scene analysis
3. Use this enhanced prompt:

Based on the video scenes I've created for "`{{ $node["Idea Generator"].json["title"] }}`", generate appropriate sound design instructions.

The video has this storyline: `{{ $node["Idea Generator"].json["storyline"] }}`

Create a comprehensive sound design plan including:

1. Background Music:
 - Style and genre
 - Tempo and mood
 - Key emotional moments for volume/intensity changes
2. Sound Effects:
 - List specific moments needing sound effects
 - Describe each sound effect in detail
 - Timing of each effect (in seconds from start)
3. Voice Over Direction (if needed):
 - Script text
 - Tone and pacing guidance
 - Background music volume during voice over

Format your response as a detailed JSON structure:

```
{
  "backgroundMusic": {
    "style": "style description",
    "mood": "mood description",
    "keyMoments": [
      {"timeInSeconds": X, "description": "description"}
    ]
  }
}
```

```

    },
    "soundEffects": [
      {"timeInSeconds": X, "description": "effect description",
"duration": "duration in seconds"}
    ],
    "voiceOver": {
      "script": "full script text",
      "tone": "tone description",
      "timing": [
        {"timeInSeconds": X, "textSegment": "text segment"}
      ]
    }
  }
}

```

Enhanced Audio Generation

1. Add an "HTTP Request" node for audio generation
2. Configure it to use the F.AI audio API:
 - o Method: POST
 - o URL: <https://api.f.ai/v1/q.fall.run>
 - o Headers: Authorization with your F.AI API key
3. Use this enhanced body structure:

```

json
{
  "files": [
    {
      "name": "background_music.mp3",
      "params": {
        "type": "txt2audio",
        "prompt": "Create {{$node['Sound
Generator'].json['backgroundMusic']['style']}} music with
{{$node['Sound Generator'].json['backgroundMusic']['mood']}} mood.
Professional quality, subtle, appropriate for social media short
video.",
        "model": "bark",
        "additional_params": {
          "duration": 60
        }
      }
    },
    {
      "name": "voiceover.mp3",
      "params": {

```

```

        "type": "txt2speech",
        "text": "{{ $node['Sound
Generator'].json['voiceOver']['script'] }}",
        "model": "eleven_multilingual_v2",
        "voice_id": "pNIInz6obpgDQGcFmaJgB"
    }
}
]
}

```

4. Add specific sound effects as needed:

```

json
{
  "name": "effect1.mp3",
  "params": {
    "type": "txt2audio",
    "prompt": "{{ $node['Sound
Generator'].json['soundEffects'][0]['description'] }}",
    "model": "bark",
    "additional_params": {
      "duration": "{{ $node['Sound
Generator'].json['soundEffects'][0]['duration'] }}"
    }
  }
}

```

Voice Options for Different Niches

Select the appropriate voice_id based on your content niche:

Niche	Voice ID	Voice Style
Educational	"21m00Tcm4TlvDq8ikWAM"	Professional male
Tech	"AZnzlk1XvdvUeBnXmIld"	Energetic female
Inspirational	"IKne3meq5aSn9XLyUdCD"	Warm male
Comedy	"29vD33N1CtxCmqQRPOHJ"	Playful female

Corporate

"pNlnz6obpgDQGcFmaJgB"

Authoritative
male

Retrieving Generated Audio

1. Add a "Wait" node for audio processing (60-90 seconds)
2. Add another "HTTP Request" node to retrieve the audio URLs:
 - o Method: GET
 - o URL: `https://api.f.ai/v1/files/list`
 - o Headers: Authorization with your F.AI API key
 - o Query parameter: filter with value `{"name": {"$regex": "\\.(mp3|wav)$"}}`
3. Test to ensure audio URLs are properly retrieved

Audio Mixing Function

Add a "Function" node to prepare audio mixing instructions:

javascript

```
// Prepare instructions for audio mixing in final video
const backgroundMusic = $input.json.files.find(f => f.name ===
'background_music.mp3');
const voiceover = $input.json.files.find(f => f.name ===
'voiceover.mp3');
const soundEffects = $input.json.files.filter(f =>
f.name.startsWith('effect') && f.name.endsWith('.mp3'));

// Create audio mixing instructions
const audioMixing = {
  backgroundMusic: {
    url: backgroundMusic ? backgroundMusic.url : null,
    volume: 0.3, // 30% volume for background
    fadeIn: 0.5, // 0.5 second fade in
    fadeOut: 1.0 // 1.0 second fade out
  },
  voiceover: voiceover ? {
    url: voiceover.url,
    volume: 1.0, // 100% volume for voice
    startAt: 0.5 // Start 0.5 seconds into the video
  } : null,
  soundEffects: soundEffects.map((effect, index) => {
    // Extract effect number from filename (effect1.mp3 -> 1)
    const effectNum = parseInt(effect.name.replace('effect',
    '').replace('.mp3', ''));
```

```

        // Calculate when to place the effect based on its number
        // This is simplified - you might want to use the timing from the
        Sound Generator
        const startAt = effectNum * 5; // Place each effect 5 seconds
        apart

        return {
            url: effect.url,
            volume: 0.8, // 80% volume
            startAt: startAt
        };
    })
};

return {
    json: {
        audioMixing,
        allAudioFiles: $input.json.files
    }
};

```

Want to learn how to choose the right AI tools for your specific business needs? The [AI Profit Boardroom](#) provides in-depth comparisons and use case analyses for all major AI tools to help you make informed decisions.

Stage 6: Stitching Everything Together

The final stage is combining all elements into a complete video.

Setting Up the Video Stitching

1. Add a "Code" node to prepare URLs for stitching
2. Use this enhanced JavaScript code:

```

javascript
// Get all video files and sort them numerically
const videoFiles = $input.json.videos;
const sortedVideos = [...videoFiles].sort((a, b) => {
    const aNum = parseInt(a.name.replace('video', '').replace('.mp4',
    ''));

```

```

    const bNum = parseInt(b.name.replace('video', '').replace('.mp4',
    ''));
    return aNum - bNum;
  });

  // Get audio files from previous step
  const audioMixing = $node["Audio Preparation"].json.audioMixing;

  // Create inputs array for ffmpeg
  const inputs = sortedVideos.map(video => ({
    file: video.url,
    type: "video"
  }));

  // Add audio inputs
  if (audioMixing.backgroundMusic && audioMixing.backgroundMusic.url) {
    inputs.push({
      file: audioMixing.backgroundMusic.url,
      type: "audio",
      role: "background",
      volume: audioMixing.backgroundMusic.volume
    });
  }

  if (audioMixing.voiceover && audioMixing.voiceover.url) {
    inputs.push({
      file: audioMixing.voiceover.url,
      type: "audio",
      role: "voiceover",
      volume: audioMixing.voiceover.volume,
      startAt: audioMixing.voiceover.startAt
    });
  }

  // Add sound effects
  if (audioMixing.soundEffects && audioMixing.soundEffects.length > 0) {
    audioMixing.soundEffects.forEach(effect => {
      inputs.push({
        file: effect.url,
        type: "audio",
        role: "effect",
        volume: effect.volume,
        startAt: effect.startAt
      });
    });
  }

```

```

    });
}

// Create final ffmpeg command structure
const ffmpegCommand = {
  file: `final_video_${Date.now()}.mp4`,
  params: {
    type: "ffmpeg",
    inputs: inputs,
    options: {
      concat: true,
      format: "mp4",
      videoCodec: "libx264",
      videoBitrate: "2M",
      audioCodec: "aac",
      audioBitrate: "128k",
      resolution: "1080x1920", // Portrait for shorts
      fps: 30
    }
  }
};

return {
  json: {
    ffmpegCommand,
    originalVideos: sortedVideos,
    audioFiles: audioMixing
  }
};

```

Creating the Final Video

1. Add an "HTTP Request" node for the final video creation
2. Configure it to stitch all elements together:
 - Method: POST
 - URL: <https://api.f.ai/v1/q.fall.run>
 - Headers: Authorization with your F.AI API key
 - Body: Raw / JSON (application/json)
3. Use this structure for the body:

```

json
{
  "files": [
    {{ $node["Video Preparation"].json["ffmpegCommand"] }}
  ]
}

```

```
]
}
```

4. Add a "Wait" node for final processing (3-5 minutes)
5. Add a final "HTTP Request" node to retrieve the complete video URL:
 - Method: GET
 - URL: `https://api.f.ai/v1/files/list`
 - Headers: Authorization with your F.AI API key
 - Query parameter: filter with value `{"name": {"$regex": "^final_video_\\d+\\.mp4$"}}}`

Advanced Video Properties

For vertical shorts (TikTok, Reels, YouTube Shorts):

```
json
"options": {
  "resolution": "1080x1920",
  "aspect": "9:16"
}
```

For horizontal videos (YouTube standard):

```
json
"options": {
  "resolution": "1920x1080",
  "aspect": "16:9"
}
```

For square videos (versatile for all platforms):

```
json
"options": {
  "resolution": "1080x1080",
  "aspect": "1:1"
}
```

Adding Captions and Text Overlays

Enhance your videos with text overlays using this additional JSON:

```
json
```

```

"textOverlays": [
  {
    "text": "{{ $node['Idea Generator'].json['title'] }}",
    "position": "bottom",
    "fontSize": 40,
    "color": "white",
    "backgroundColor": "rgba(0,0,0,0.5)",
    "startTime": 0,
    "endTime": 5
  },
  {
    "text": "Follow for more tips!",
    "position": "center",
    "fontSize": 50,
    "color": "white",
    "backgroundColor": "rgba(0,0,0,0.5)",
    "startTime": 55,
    "endTime": 60
  }
]

```

Updating Google Sheets

1. Add a "Google Sheets" node to update your tracking sheet
2. Configure it to update the "Final Output" column with the video URL:
 - Operation: "Update Row"
 - Spreadsheet ID: Your spreadsheet ID
 - Sheet: Your sheet name
 - Key: "ID" (or whatever unique identifier you're using)
 - Key Value: {{ \$node["Idea Generator"].json["ID"] }} (or your tracking ID)
 - Options: Select "Update cell if empty: No"
3. Map the columns to update:
 - Final Output: {{ \$node["Get Final Video"].json["files"][0]["url"] }}
 - Production Status: "Ready"
 - Completion Date: {{ \$today }}
4. Test to ensure the URL is properly saved

Looking for more AI automation strategies? Join our [FREE AI SEO Accelerator](#) where we share the latest tips, tricks, and strategies for using AI to grow your business.

Advanced Google Sheets Integration

Google Sheets serves as the central database for your automated content production system. Here's how to maximize its utility:

Creating an Advanced Production Tracker

Design your Google Sheets with these advanced features:

- 1. Dashboard Tab:**
 - Summary of production stats
 - Videos in queue/in production/completed/posted
 - Success metrics (views, engagement)
 - Production schedule calendar
- 2. Production Queue Tab:**
 - Automated status tracking
 - Color-coded by production stage
 - Deadline tracking and alerts
 - Platform-specific requirements
- 3. Performance Tracking Tab:**
 - Views, likes, comments per video
 - Engagement rate calculation
 - Best performing video types
 - Topic and hashtag performance

Automated Filtering and Sorting

Add these formulas to your Google Sheet for better organization:

1. Ready to Post Filter:

```
=FILTER(A2:F, E2:E="Ready")
```

2. Platform-Specific Content Sorting:

```
=FILTER(A2:F, REGEXMATCH(C2:C, "TikTok|Instagram"))
```

3. Performance Calculation:

```
=ARRAYFORMULA(IF(H2:H<>"", (I2:I+J2:J*3)/H2:H, ""))
```

This calculates engagement rate: (likes + comments*3)/views

Setting Up Two-Way Integration

For more advanced workflows, set up two-way integration:

1. Add a "Google Sheets Trigger" node to monitor for changes
2. Configure it to watch specific columns (e.g., "Manual Approval" column)
3. Create conditional workflows based on sheet updates

Example workflow:

- Sheet updated with "Approved" in column G
- Trigger activates N8N workflow
- Workflow posts content to selected platforms
- Workflow updates sheet with post URLs and timestamp

Conditional Formatting Rules

Add these conditional formatting rules to your Google Sheet:

1. Production Status coloring:
 - Apply to range: E:E
 - Format cells if... text contains "In Queue" → light yellow
 - Format cells if... text contains "In Production" → light orange
 - Format cells if... text contains "Ready" → light green
 - Format cells if... text contains "Posted" → light blue
 - Format cells if... text contains "Failed" → light red
2. Video age highlighting:
 - Apply to range: F:F
 - Custom formula: `=TODAY() - F1 > 7` → light red This highlights videos older than 7 days that haven't been posted

Need help implementing these advanced AI techniques for your business?

Book a [FREE SEO strategy session](#) to discover how AI can boost your traffic, leads, and sales while getting a personalized roadmap for your business.

Automating Social Media Posting

Once you've generated videos, you can extend your automation to post directly to social media platforms.

Setting Up Social Media Integration

1. Add a new "Schedule Trigger" that runs after video generation
2. Add nodes for each platform you want to post to:
 - TikTok (via third-party APIs)

- Instagram (via Creator Studio or third-party tools)
 - YouTube Shorts
- 3. Configure each with appropriate authentication and posting parameters
- 4. Use the Google Sheets database to retrieve videos ready for posting
- 5. Include captions and hashtags from your original idea generation

Platform-Specific Posting Strategies

For each platform, configure optimized posting parameters:

TikTok:

- Caption length: 150 characters max
- Hashtags: 3-5 trending hashtags
- Best posting times: 7-9PM and 11AM-1PM
- Content considerations: Bold hook in first line

Instagram Reels:

- Caption length: 200-300 characters
- Hashtags: 5-10 niche hashtags (in comments)
- Best posting times: 11AM and 7-8PM
- Content considerations: Include call-to-action

YouTube Shorts:

- Title length: 50-60 characters with keywords
- Description: Include links and keyword-rich description
- Best posting times: 3-4PM on weekends
- Content considerations: Include subscribe reminder

Automating Hashtag Research

Add an "OpenAI" node to generate platform-specific hashtags:

Generate 10 trending hashtags for {{platform}} related to this content:

```
{{ $node["Idea Generator"].json["title"] }}
{{ $node["Idea Generator"].json["storyline"] }}
```

Focus on hashtags that:

1. Have high volume but moderate competition
2. Are specifically popular on {{platform}}
3. Include a mix of broad and niche tags
4. Include at least 2 trending hashtags

Format as JSON array of strings.

Creating a Posting Schedule

For maximum engagement, schedule posts at optimal times using this logic in a "Function" node:

javascript

```
// Determine optimal posting time based on platform and day
function getOptimalPostingTime(platform, dayOfWeek) {
  // 0 = Sunday, 1 = Monday, etc.
  const isWeekend = (dayOfWeek === 0 || dayOfWeek === 6);

  switch(platform) {
    case 'tiktok':
      return isWeekend ? '20:00' : '19:30';
    case 'instagram':
      return isWeekend ? '12:00' : '18:00';
    case 'youtube':
      return isWeekend ? '15:00' : '17:00';
    default:
      return '12:00';
  }
}

// Get today's date and day of week
const today = new Date();
const dayOfWeek = today.getDay();

// Calculate posting times for each platform
const postingSchedule = {
  tiktok: {
    platform: 'tiktok',
    scheduledTime: getOptimalPostingTime('tiktok', dayOfWeek),
    caption: $node["Idea Generator"].json["title"] + "\n\n" +
      $node["Idea Generator"].json["hook"] + "\n\n" +
      $node["Idea Generator"].json["hashtags"].join(" ")
  },
  instagram: {
    platform: 'instagram',
    scheduledTime: getOptimalPostingTime('instagram', dayOfWeek),
    caption: $node["Idea Generator"].json["title"] + "\n\n" +
      $node["Idea Generator"].json["storyline"] + "\n\n" +
      "Follow for more content like this! 📌\n\n" +
      $node["Idea Generator"].json["hashtags"].join(" ")
  }
}
```

```

    },
    youtube: {
      platform: 'youtube',
      scheduledTime: getOptimalPostingTime('youtube', dayOfWeek),
      title: $node["Idea Generator"].json["title"],
      description: $node["Idea Generator"].json["storyline"] + "\n\n" +
        "Subscribe for more content like this!\n\n" +
        $node["Idea Generator"].json["hashtags"].join(" ")
    }
  };

return {json: {postingSchedule}};

```

Cross-Platform Posting Sequence

For optimal algorithm performance, stagger your posts across platforms:

1. Post to TikTok first (day 1)
2. Wait 24 hours and analyze performance
3. Post to Instagram Reels (day 2)
4. Wait another 24 hours
5. Post to YouTube Shorts (day 3)
6. After 7 days, evaluate performance across all platforms

This approach allows you to:

- Test content on one platform first
- Make adjustments based on initial performance
- Maximize the lifespan of each piece of content

Want to take your SEO to the next level with AI? Join the [SEO Elite Circle](#) to get expert guidance on implementing these advanced techniques and driving more traffic, leads, and sales to your business.

Performance Optimization

Optimizing your N8N workflow for reliability and efficiency is critical for long-term success.

Workflow Split Strategy

For complex automations, split your workflow into multiple connected workflows:

1. **Idea Generation Workflow:**
 - Runs on schedule
 - Generates ideas
 - Saves to Google Sheets
 - Triggers Production Workflow
2. **Production Workflow:**
 - Triggered by new rows in Google Sheets
 - Handles image and video generation
 - Updates Google Sheets when complete
 - Triggers Posting Workflow
3. **Posting Workflow:**
 - Triggered by completion of Production Workflow
 - Handles social media posting
 - Updates Google Sheets with metrics
 - Sends notification of completion

This approach:

- Reduces complexity of individual workflows
- Minimizes risk of timeouts
- Enables parallel processing
- Makes troubleshooting easier

Resource Conservation

Optimize resource usage with these techniques:

1. **Pinned Data:**
 - Pin outputs of key nodes to avoid regeneration
 - Use cached data when possible
2. **Strategic Wait Nodes:**
 - Adjust wait times based on API response patterns
 - Implement dynamic waiting based on response size
3. **Error Handling:**
 - Add "IF" nodes after critical operations
 - Implement retry logic for transient errors
4. **Execution Batching:**
 - Process items in batches of 5-10
 - Implement pagination for large data sets

Execution Monitoring

Add these monitoring components to your workflow:

1. **Execution Logging Node:**

- Records start/end times
- Tracks resource usage
- Logs key milestones
- 2. **Status Email Notifications:**
 - Configure email notifications for completion/failures
 - Include summary of actions performed
 - Attach links to generated content
- 3. **Health Check Automation:**
 - Create a separate workflow that monitors main workflow
 - Set up alerts for unusual patterns or failures
 - Implement automatic recovery procedures

Get access to 50+ Free AI SEO Tools that can help you implement these techniques and more at [AI SEO with Julian Goldie](#).

Analytics and Success Tracking

Implement comprehensive analytics to understand what's working and continuously improve your content.

Setting Up Performance Tracking

1. Create a "YouTube Analytics" node:
 - Connect to YouTube API
 - Track views, likes, comments, watch time
 - Configure to run daily on your content
2. Create a "TikTok Analytics" node:
 - Connect to TikTok API or use data export
 - Track views, likes, comments, shares, follows
 - Set up weekly performance reports
3. Create an "Instagram Analytics" node:
 - Connect to Instagram Graph API
 - Track impressions, engagement, follows, saves
 - Compare performance to benchmarks

Performance Metrics Dashboard

Build a comprehensive dashboard in Google Sheets with these components:

1. **Content Performance:**
 - Views per video
 - Engagement rate calculation

- Follower growth correlation
- Trending content identification
- 2. **Topic Analysis:**
 - Best performing topics
 - Underperforming content categories
 - Seasonal trend detection
 - Competitor content comparison
- 3. **Post Timing Analysis:**
 - Performance by day of week
 - Performance by time of day
 - Algorithm update impact tracking
 - Hashtag effectiveness scoring

Feedback Loop Implementation

Create an automated feedback loop in your workflow:

1. Add a "Function" node that analyzes performance data

Create performance rules like:

```
javascript
// Example performance analysis
const videos = $input.json.videos;

// Identify top performers
const topPerformers = videos.filter(v =>
  (v.engagementRate > 0.05) || // >5% engagement
  (v.views > 10000) // >10K views
);

// Extract winning characteristics
const winningTopics = topPerformers.map(v => v.topic);
const winningStyles = topPerformers.map(v => v.style);

// Update idea generation prompt
const updatedPrompt = `
  You're an AI designed to generate compelling viral video ideas.
  Focus especially on these high-performing topics:
  ${winningTopics.join(', ')}
  Use these effective styles: ${winningStyles.join(', ')}
  ...rest of prompt...
`;
```

2. `return {json: {updatedPrompt, topPerformers}};`
3. Feed this analysis back into your idea generation process
4. Create a monthly performance review automation

Want to join a community of AI-focused marketers and business owners? Our [FREE AI SEO Accelerator community](#) offers peer support, the latest strategies, and regular updates on tools like the N8N Automated Shorts Generator.

Monetization Strategies

Once your automated content system is running smoothly, implement these monetization strategies.

Monetization Readiness Checklist

Ensure your channels meet these criteria before monetization:

1. **YouTube Partner Program Requirements:**
 - 1,000+ subscribers
 - 4,000+ watch hours in past 12 months
 - Adsense account connected
 - Content compliance verified
2. **TikTok Creator Fund Requirements:**
 - 10,000+ followers
 - 100,000+ video views in last 30 days
 - 18+ years old
 - Regular posting schedule
3. **Instagram Monetization Requirements:**
 - Business/Creator account setup
 - 10,000+ followers recommended
 - Consistent engagement rate
 - Shopping/affiliate capabilities enabled

Product Placement Automation

Create an automated system for product placement:

1. Add a "Product Database" in Google Sheets:
 - Product name, description, link, keywords
 - Commission rates and tracking codes
 - Performance tracking columns

Add a "Product Matching" node to your workflow:

```
javascript
// Match products to content topics
const contentTopic = $node["Idea Generator"].json["title"];
const contentDescription = $node["Idea Generator"].json["storyline"];

// Find relevant products from database
const relevantProducts = products.filter(product =>
  contentTopic.includes(product.keyword) ||
  contentDescription.includes(product.keyword)
);

// Select top 1-2 most relevant products
const selectedProducts = relevantProducts.slice(0, 2);
```

2. return {json: {selectedProducts}};
3. Modify your video generation to include product mentions
4. Add affiliate links to video descriptions

Scaling with Multiple Channels

Set up multiple themed channels with these automated differences:

1. **Channel Differentiation:**
 - Create separate Google Sheets for each channel
 - Modify idea generation prompts for each niche
 - Create unique visual styles per channel
 - Develop channel-specific posting schedules
2. **Cross-Promotion Strategy:**
 - Create automated cross-promotion schedule
 - Reference related channels in content
 - Create compilation videos from top performers
 - Develop niche-specific hashtag strategies
3. **Revenue Tracking:**
 - Set up channel-specific tracking links
 - Implement attribution models
 - Compare channel ROI metrics
 - Automate resource allocation based on performance

Need help troubleshooting your AI implementations? Get complete support in the [AI Profit Boardroom](#) with weekly Q&A calls and direct access to AI experts who can help resolve any issues.

Platform Compliance Guidelines

Staying compliant with platform policies is essential for long-term success and monetization.

Content Policy Compliance

Implement these compliance checks in your workflow:

- 1. AI Disclosure:**
 - Add "#AIGenerated" hashtag to all posts
 - Include disclosure in video descriptions
 - Be transparent about automation in channel bio
- 2. Copyright Compliance:**
 - Use only royalty-free audio sources
 - Verify image generation doesn't copy existing content
 - Implement similarity checking against copyrighted material
- 3. Platform-Specific Rules:**
 - TikTok: No political content in certain regions
 - YouTube: Clear disclosure of commercial content
 - Instagram: Proper hashtag usage (no banned hashtags)

Automated Content Review

Add an "Content Policy Check" node to your workflow:

```
javascript
// Basic content policy compliance check
function checkContentCompliance(content) {
  const issues = [];

  // Check for potentially problematic content
  const sensitiveTopics = ['gambling', 'alcohol', 'medications',
    'politics', 'controversial'];

  sensitiveTopics.forEach(topic => {
    if (content.toLowerCase().includes(topic)) {
      issues.push(`Contains potentially sensitive topic: ${topic}`);
    }
  });

  // Check for proper disclosures
  if (!content.includes('#AIGenerated')) {
```

```

        issues.push('Missing #AIGenerated disclosure');
    }

    return {
        compliant: issues.length === 0,
        issues: issues
    };
}

const caption = $node["Idea Generator"].json["title"] + $node["Idea Generator"].json["storyline"];
const complianceCheck = checkContentCompliance(caption);

if (!complianceCheck.compliant) {
    // Log issues and potentially flag for review
    console.log('Content compliance issues detected:', complianceCheck.issues);
}

return {json: {complianceCheck}};

```

Account Health Monitoring

Set up an automated system to monitor account health:

1. Track key metrics:
 - Strike/warning count
 - Content removal incidents
 - Copyright claims
 - Community guidelines flags
2. Implement automated responses:
 - Pause posting if warning threshold reached
 - Modify content strategy if patterns emerge
 - Create backup channels as contingency
 - Archive content for potential migration

Looking for more AI automation strategies? Join our [FREE AI SEO Accelerator](#) where we share the latest tips, tricks, and strategies for using AI to grow your business.

Troubleshooting

Common Issues and Solutions

Issue	Solution
API rate limiting	Increase wait times between requests, implement exponential backoff
Image generation fails	Simplify prompts, reduce batch size, verify API key has sufficient credits
Video stitching errors	Check file format compatibility, ensure all source files exist
Workflow execution timeout	Break workflow into smaller sub-workflows, implement checkpoint system
Google Sheets integration issues	Verify permissions and credentials, check for formula errors
Missing or corrupted videos	Implement error detection and regeneration logic
Social media posting failures	Verify API tokens, check content policy compliance

Advanced Debugging Techniques

1. Logging System:

- Add "Function" nodes with detailed logging
- Track input/output at each stage
- Record execution times for optimization

javascript

```
// Example debug logging function
function debugLog(nodeName, data, type = 'info') {
  const timestamp = new Date().toISOString();
  const logEntry = {
    timestamp,
    nodeName,
    type,
    data: type === 'error' ? JSON.stringify(data) : '[Data omitted for brevity]'
  };

  console.log(`[DEBUG] ${timestamp} - ${nodeName} - ${type}`);

  // Option to write to external logging system
  // e.g., Google Sheets, database, etc.
```

```

    return logEntry;
}

// Usage in workflow
const inputData = $input.json;
debugLog('Image Generation', inputData, 'info');

// Process data...

if (error) {
    debugLog('Image Generation', error, 'error');
}

```

2. Recovery Strategies:

- Implement checkpoint system
- Create recovery workflows
- Set up automated notifications

3. Testing Framework:

- Create test cases for each component
- Implement A/B testing for prompts
- Maintain test environment separate from production

Tips for Optimization

1. **Pin Outputs:** Right-click nodes and select "Pin" to save outputs during testing
2. **Use Sticky Notes:** Organize your workflow with color-coded notes for each stage
3. **Batch Processing:** Use the "Batching" option for HTTP requests to prevent overloading
4. **Error Handling:** Add error handling nodes to manage failed requests
5. **Regular Monitoring:** Check your workflow execution logs for any issues

Want to learn how to choose the right AI tools for your specific business needs? The [AI Profit Boardroom](#) provides in-depth comparisons and use case analyses for all major AI tools to help you make informed decisions.

Examples of Successful Channels

These case studies demonstrate the potential of automated content creation:

Case Study 1: Animal Facts Channel

Channel Stats:

- 500K+ followers on TikTok
- 100% AI-generated content
- 50+ videos per month
- Average 50K views per video
- \$3,000/month from Creator Fund

Key Success Factors:

- Consistent posting schedule (3/day)
- Highly specific niche (unusual animal facts)
- Emotional storytelling approach
- Strong hook in first 3 seconds
- Custom voice that became channel identity

Case Study 2: History Shorts

Channel Stats:

- 250K YouTube subscribers
- 2 videos daily, all AI-generated
- Average 30K views per video
- \$5,000/month from ad revenue
- Strong merchandise sales

Key Success Factors:

- "This Day in History" format
- Consistent visual style
- Educational value
- Strategic use of keywords in titles
- Cross-platform promotion

Case Study 3: SEO Tips Channel

Channel Stats:

- 50K Instagram followers
- 100K TikTok followers
- 20 videos per month
- Average 15K views
- \$7,000/month from affiliate marketing

Key Success Factors:

- Actionable, specific tips
- Before/after results demonstrations

- Strong calls-to-action
- Strategic affiliate product placement
- Repurposing content across platforms

Need help implementing these advanced AI techniques for your business?

Book a [FREE SEO strategy session](#) to discover how AI can boost your traffic, leads, and sales while getting a personalized roadmap for your business.

Resources and Templates

Free Templates and Resources

All of the following resources are available for free in the AI SEO Success Lab:

1. **Complete N8N Workflow JSON:** Ready to import into N8N
2. **Google Sheets Template:** Pre-formatted for tracking video production
3. **Prompt Templates:** Optimized prompts for each stage of the process
4. **API Connection Guides:** Step-by-step instructions for setting up all API keys
5. **Monetization Guide:** Strategies for turning views into revenue
6. **Troubleshooting Handbook:** Common issues and their solutions

Where to Access Templates

1. Join the [AI SEO Success Lab](#) (Free)
2. Navigate to the Classroom section
3. Go to the AI course modules
4. Find the N8N Automated Shorts section
5. Download all resources and templates

Getting Additional Support

If you need personalized help implementing this system:

1. **Join AI Profit Boardroom:**
 - Get direct access to Julian and his team
 - Weekly Q&A calls (expanding to 3x per week)
 - Private community support
 - DM help for technical issues
 - Advanced training and templates
 - New AI courses monthly
2. **Book a Strategy Session:**
 - Get personalized guidance on implementation

- Custom strategies for your specific niche
- Expert assistance with technical setup
- ROI analysis for your content strategy



Need AI Automation Services? Let experts handle your AI implementation.

[Book a call here](#) to learn how we can help scale your business with cutting-edge AI tools like the N8N Automated Shorts Generator.

Want More Leads, Traffic & Sales with AI?  Automate your marketing, scale your business, and save hundreds of hours with AI! The [AI Profit Boardroom](#) helps you automate, scale, and save time using cutting-edge AI strategies tested by Julian Goldie. Get weekly mastermind calls, direct support, automation templates, case studies, and a new AI course every month.