

# Quiz 1 Submission

Total points 4/4 ?

A score of 3/4 or 4/4 is required to be considered to have "passed" a quiz. Please do not resubmit a quiz if you obtain a score of 3/4. You don't receive a final grade at the end of the course, so it will have no bearing on your certificate!

Your quiz will be graded and returned to you within a few minutes in most cases. However, it may take up to three weeks for your work to be imported into your Gradebook. Do be patient, please!

Quizzes (which are submitted via Google Forms and not submit50) will not show up as submitted in your Gradebook, until the scores have been imported, and even then will only show up if you have received a passing score.

Email \*

diego.azuela@gmail.com

Name \*

Diego Azuela

edX Username \*

diego\_azuela

GitHub Username \*

<https://github.com/DiegoAzuela>



City, State, Country

Queretaro, Queretaro, Mexico

The following question will ask you about the following logical sentences.

1. If Hermione is in the library, then Harry is in the library.
2. Hermione is in the library.
3. Ron is in the library and Ron is not in the library.
4. Harry is in the library.
5. Harry is not in the library or Hermione is in the library.
6. Ron is in the library or Hermione is in the library.

✓ Which of the following logical entailments is true? \*

1/1

- ☐ Sentence 5 entails Sentence 6
- ☐ Sentence 6 entails Sentence 2
- ☐ Sentence 1 entails Sentence 2
- ☒ Sentence 2 entails Sentence 5
- ☐ Sentence 1 entails Sentence 4
- ☐ Sentence 6 entails Sentence 3



✓ There are other logical connectives that exist, other than the ones discussed in lecture. One of the most common is "Exclusive Or" (represented using the symbol  $\oplus$ ). The expression  $A \oplus B$  represents the sentence "A or B, but not both." Which of the following is logically equivalent to  $A \oplus B$ ? \*1/1

☐  $(A \vee B) \wedge \neg (A \vee B)$

☒  $(A \vee B) \wedge \neg (A \wedge B)$  ✓

☐  $(A \wedge B) \vee \neg (A \vee B)$

☐  $(A \vee B) \wedge (A \wedge B)$

✓ Let propositional variable R be that "It is raining," the variable C be that "It is cloudy," and the variable S be that "It is sunny." Which of the following a propositional logic representation of the sentence "If it is raining, then it is cloudy and not sunny."? \*1/1

☐  $(R \rightarrow C) \wedge \neg S$

☐  $R \rightarrow C \rightarrow \neg S$

☐  $R \wedge C \wedge \neg S$

☒  $R \rightarrow (C \wedge \neg S)$  ✓

☐  $(C \vee \neg S) \rightarrow R$



✓ Consider, in first-order logic, the following predicate symbols.  $\text{Student}(x)$  <sup>\*1/1</sup> represents the predicate that "x is a student."  $\text{Course}(x)$  represents the predicate that "x is a course."  $\text{Enrolled}(x, y)$  represents the predicate that "x is enrolled in y." Which of the following is a first-order logic translation of the sentence "There is a course that Harry and Hermione are both enrolled in."?

- ☒  $\exists x. \text{Course}(x) \wedge \text{Enrolled}(\text{Harry}, x) \wedge \text{Enrolled}(\text{Hermione}, x)$  ✓
- ☐  $\exists x. \text{Enrolled}(\text{Harry}, x) \vee \text{Enrolled}(\text{Hermione}, x)$
- ☐  $\forall x. \text{Course}(x) \wedge \text{Enrolled}(\text{Harry}, x) \wedge \text{Enrolled}(\text{Hermione}, x)$
- ☐  $\forall x. \text{Enrolled}(\text{Harry}, x) \wedge \forall y. \text{Enrolled}(\text{Hermione}, y)$
- ☐  $\forall x. \text{Enrolled}(\text{Harry}, x) \vee \text{Enrolled}(\text{Hermione}, x)$
- ☐  $\exists x. \text{Enrolled}(\text{Harry}, x) \wedge \exists y. \text{Enrolled}(\text{Hermione}, y)$

Comments, if any

---

This form was created inside of CS50.

Google Forms

