

The screenshot shows a web browser window with a blue header bar. Below the header, there is a large red 'X' icon, indicating an error or a warning. The text below the icon is partially legible but mostly obscured by the red 'X'. The browser's address bar at the top shows a URL starting with 'http://'. The overall appearance suggests a technical error or a security warning on a website.

Note: Verificar información de apoyo en:
 Note: Verify supporting information in:





[Ayuda a Comprehension](#)
[Ayuda a Comprehension](#)

Criterios de Validación

No. actividad	Observaciones
En caso de 1 o más incongruencias detectadas en los puntos 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20 y 21	Completando total con requerimientos Full compliance with requirements

Acciones a tomar para corregir las deficiencias detectadas (Las acciones son documentadas en Road map para su seguimiento)
Actions to take to correct the deficiencies detected (The actions are documented in Road map for follow-up)

The validation process has been meticulously reviewed to ensure that it meets environmental and health and safety (H&S) criteria.

Apertura de la herramienta		Apertura de la herramienta	
Dimensiones mínimas		Dimensiones mínimas	
	10 mm		12 mm
	0.0 ± 0.04		0.0 ± 0.04
	0.2 ± 0.04		0.2 ± 0.04
	1.0 ± 0.10		0.4 ± 0.05
	2.0 ± 0.15		0.8 ± 0.10
	3.2 ± 0.20		1.3 ± 0.15
	15 mm		18 mm
	0.0 ± 0.04		0.0 ± 0.04
	0.2 ± 0.04		0.2 ± 0.04
	1.0 ± 0.10		0.4 ± 0.05
			
20 mm		25 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20		1.3 ± 0.15	
			
30 mm		35 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20		1.3 ± 0.15	
			
40 mm		45 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20		1.3 ± 0.15	
			
50 mm		60 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20		1.3 ± 0.15	
			
65 mm		75 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20		1.3 ± 0.15	
			
80 mm		90 mm	
0.0 ± 0.04		0.0 ± 0.04	
0.2 ± 0.04		0.2 ± 0.04	
1.0 ± 0.10		0.4 ± 0.05	
2.0 ± 0.15		0.8 ± 0.10	
3.2 ± 0.20			

Tipología de movimiento:	Ejercicio de ejemplo: ML	Observación:
Limitación de movimiento solo hombro y codo	180°	
Rotación completa hasta el cuello	360°	
Rotación completa hasta la muñeca	360°	
Rotación y movimiento completo de todo el miembro	360°	

Punto de apoyo: el cuerpo		Ejercicio de ejemplo: ML											
Ángulo	Ángulo de apoyo	180°	270°	360°	450°	540°	630°	720°	810°	900°	990°	1080°	1170°
180°	180°	180°	270°	360°	450°	540°	630°	720°	810°	900°	990°	1080°	1170°
270°	270°	270°	360°	450°	540°	630°	720°	810°	900°	990°	1080°	1170°	1260°
360°	360°	360°	450°	540°	630°	720°	810°	900°	990°	1080°	1170°	1260°	1350°
450°	450°	450°	540°	630°	720°	810°	900°	990°	1080°	1170°	1260°	1350°	1440°
540°	540°	540°	630°	720°	810°	900°	990°	1080°	1170°	1260°	1350°	1440°	1530°
630°	630°	630°	720°	810°	900°	990°	1080°	1170°	1260°	1350°	1440°	1530°	1620°
720°	720°	720°	810°	900°	990°	1080°	1170°	1260°	1350°	1440°	1530°	1620°	1710°
810°	810°	810°	900°	990°	1080°	1170°	1260°	1350°	1440°	1530°	1620°	1710°	1800°
900°	900°	900°	990°	1080°	1170°	1260°	1350°	1440°	1530°	1620°	1710°	1800°	1890°
990°	990°	990°	1080°	1170°	1260°	1350°	1440°	1530°	1620°	1710°	1800°	1890°	1980°
1080°	1080°	1080°	1170°	1260°	1350°	1440°	1530°	1620°	1710°	1800°	1890°	1980°	2070°
1170°	1170°	1170°	1260°	1350°	1440°	1530°	1620°	1710°	1800°	1890°	1980°	2070°	2160°
1260°	1260°	1260°	1350°	1440°	1530°	1620°	1710°	1800°	1890°	1980°	2070°	2160°	2250°
1350°	1350°	1350°	1440°	1530°	1620°	1710°	1800°	1890°	1980°	2070°	2160°	2250°	2340°
1440°	1440°	1440°	1530°	1620°	1710°	1800°	1890°	1980°	2070°	2160°	2250°	2340°	2430°
1530°	1530°	1530°	1620°	1710°	1800°	1890°	1980°	2070°	2160°	2250°	2340°	2430°	2520°
1620°	1620°	1620°	1710°	1800°	1890°	1980°	2070°	2160°	2250°	2340°	2430°	2520°	2610°
1710°	1710°	1710°	1800°	1890°	1980°	2070°	2160°	2250°	2340°	2430°	2520°	2610°	2700°
1800°	1800°	1800°	1890°	1980°	2070°	2160°	2250°	2340°	2430°	2520°	2610°	2700°	2790°
1890°	1890°	1890°	1980°	2070°	2160°	2250°	2340°	2430°	2520°	2610°	2700°	2790°	2880°
1980°	1980°	1980°	2070°	2160°	2250°	2340°	2430°	2520°	2610°	2700°	2790°	2880°	2970°
2070°	2070°	2070°	2160°	2250°	2340°	2430°	2520°	2610°	2700°	2790°	2880°	2970°	3060°
2160°	2160°	2160°	2250°	2340°	2430								

[illegible]

ACCION / ACTION	PRM / Investment	Estado de cumplimiento completado / partially done
Suma de los 1000 para temas de problemas ecológicos asociados de inversión, para el empoderamiento, educación, servicios de procesamiento, almacenamiento, etc.		