

ZAP by Checkmarx

Scanning Report

Generated with  ZAP on dom. 3 mai. 2026, at 12:23:44

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=Médio, Confidence=Alto \(1\)](#)
 - [Risk=Informativo, Confidence=Médio \(1\)](#)
 - [Risk=Informativo, Confidence=Baixo \(2\)](#)
- [Appendix](#)

- [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <http://localhost:8080>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [Alto](#), [Médio](#), [Baixo](#), [Informativo](#)

Excluded: None

Confidence levels

Included: [User Confirmed](#), [Alto](#), [Médio](#), [Baixo](#)

Excluded: [User Confirmed](#), [Alto](#), [Médio](#), [Baixo](#), [Falso Positivo](#)

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk	User	Confirmed	Alto	Médio	Baixo	Total
	Alto	0 (0,0%)	0 (0,0%)	0 (0,0%)	0 (0,0%)	0 (0,0%)
	Médio	0 (0,0%)	1 (25,0%)	0 (0,0%)	0 (0,0%)	1 (25,0%)
	Baixo	0 (0,0%)	0 (0,0%)	0 (0,0%)	0 (0,0%)	0 (0,0%)
	Informativo	0 (0,0%)	0 (0,0%)	1 (25,0%)	2 (50,0%)	3 (75,0%)
	Total	0 (0,0%)	1 (25,0%)	1 (25,0%)	2 (50,0%)	4 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

		Risk		
		Alto	Médio	Informativo
		(= Alto)	(>= Médio)	Baixo (>= Informativo)

Risk

		Informativo			
		Alto (= Alto)	Médio (>= Médio)	Baixo (>= Baixo)	Informa tivo)
http://localhost:80		0	1	0	3
Site	80	(0)	(1)	(1)	(4)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
CSP: Failure to Define Directive with No Fallback	Médio	5 (125,0%)
Information Disclosure - Sensitive Information in URL	Informativo	5 (125,0%)
Solicitação de autenticação identificada	Informativo	2 (50,0%)
User Controllable HTML Element Attribute (Potential XSS)	Informativo	1514 (37.850,0%)
Total		4

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Motivo	Site	Descrição	Statistic
-------	--------	------	-----------	-----------

Level	Motivo	Site	Descrição	Statistic
Médio	Exceede d Low		Percentage of memory used	88
Baixo	Atenção		ZAP errors logged - see the zap.log file for details	1.596
Baixo	Atenção		ZAP warnings logged - see the zap.log file for details	2.584
Informações	Informa tivo	http://1 00.100. 100.200	Percentage of endpoints with content type text/plain	100 %
Informações	Informa tivo	http://1 00.100. 100.200	Percentage of endpoints with method GET	100 %
Informações	Informa tivo	http://1 00.100. 100.200	Count of total endpoints	1
Informações	Informa tivo	http://1 69.254. 169.254	Percentage of endpoints with content type text/plain	100 %
Informações	Informa tivo	http://1 69.254. 169.254	Percentage of endpoints with method GET	100 %
Informações	Informa tivo	http://1 69.254. 169.254	Count of total endpoints	7
Informações	Informa tivo	http://al ibaba.za	Percentage of endpoints with	100 %

Level	Motivo	Site	Descrição	Statistic
		proxy.org	content type text/plain	
Informações	Informativo	http://alibaba.proxy.org	Percentage of endpoints with method GET	100 %
Informações	Informativo	http://alibaba.proxy.org	Count of total endpoints	1
Informações	Informativo	http://aws.proxy.org	Percentage of endpoints with content type text/plain	100 %
Informações	Informativo	http://aws.proxy.org	Percentage of endpoints with method GET	100 %
Informações	Informativo	http://aws.proxy.org	Count of total endpoints	1
Informações	Informativo	http://localhost:8080	Percentage of responses with status code 2xx	99 %
Informações	Informativo	http://localhost:8080	Percentage of responses with status code 4xx	1 %
Informações	Informativo	http://localhost:8080	Percentage of endpoints with content type text/html	99 %
Informações	Informativo	http://localhost:	Percentage of endpoints with	100 %

Level	Motivo	Site	Descrição	Statistic
		8080	method GET	
Informações	Informativo	http://localhost:8080	Count of total endpoints	1.494
Informações	Informativo	http://metadata.google.internal	Percentage of endpoints with content type text/plain	100 %
Informações	Informativo	http://metadata.google.internal	Percentage of endpoints with method GET	100 %
Informações	Informativo	http://metadata.google.internal	Count of total endpoints	1
Informações	Informativo	http://metadata.oraclecloud.com	Percentage of endpoints with content type text/plain	100 %
Informações	Informativo	http://metadata.oraclecloud.com	Percentage of endpoints with method GET	100 %
Informações	Informativo	http://metadata.oraclecloud.com	Count of total endpoints	2

Alerts

Risk=Médio, Confidence=Alto (1)

<http://localhost:8080> (1)

CSP: Failure to Define Directive with No Fallback (1)

► GET <http://localhost:8080>

Risk=Informativo, Confidence=Médio (1)

<http://localhost:8080> (1)

Information Disclosure - Sensitive Information in URL (1)

► GET

<http://localhost:8080/UI/clientSpider/action/scan/override?apikey=ZAP&browser=ZAP&contextName=ZAP&logoutAvoidance=ZAP&maxCrawlDepth=ZAP&numberOfBrowsers=ZAP&pageLoadTime=ZAP&scopeCheck=ZAP&subtreeOnly=ZAP&url=https%3A%2F%2Fzap.example.com&userName=ZAP>

Risk=Informativo, Confidence=Baixo (2)

<http://localhost:8080> (2)

Solicitação de autenticação identificada (1)

► GET

<http://localhost:8080/UI/network/action/setHttpProxy/override?apikey=ZAP&host=ZAP&password=ZAP&port=ZAP&realm=ZAP&username=ZAP>

User Controllable HTML Element Attribute (Potential XSS) (1)

► GET

<http://localhost:8080/UI/acsrft/view/optionPartialMatchingEnable>

d/override?apikey=ZAP

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

CSP: Failure to Define Directive with No Fallback

Source	raised by a passive scanner (CSP)
CWE ID	693
WASC ID	15
Reference	▪ https://www.w3.org/TR/CSP/ ▪ https://caniuse.com/#search=content+security+policy ▪ https://content-security-policy.com/ ▪ https://github.com/HtmlUnit/htmlunit-csp ▪ https://web.dev/articles/csp#resource-options

Information Disclosure - Sensitive Information in URL

Source	raised by a passive scanner (Information Disclosure - Sensitive Information in URL)
CWE ID	598

WASC ID 13

Solicitação de autenticação identificada

Source raised by a passive scanner ([Solicitação de autenticação identificada](#))

Reference ■ <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/>

User Controllable HTML Element Attribute (Potential XSS)

Source raised by a passive scanner ([User Controllable HTML Element Attribute \(Potential XSS\)](#))

CWE ID [20](#)

WASC ID 20

Reference ■ https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html