


Passo 2: Tornar um metadado possível para Scribe[®] edição

1

A partir do Setup, busque por "Custom Metadata Types" ou "Tipos de Metadados Personalizados"



Search Setup

Setup Home

Service Setup Assistant

Multi-Factor Authentication Assistant

Hyperforce Assistant

Release Updates

Lightning Experience Transition Assistant

Salesforce Mobile App

Lightning Usage

Optimizer

22 items • Sorted by App Name • Filtered by All appmenuitems - TabSet Type

	App Name ↑	Developer Name
1	All Tabs	AllTabSet
2	Analytics Studio	Insights
3	App Launcher	AppLauncher
4	Bolt Solutions	LightningBolt
5	Community	Community
6	Content	Content

2 Click "Custom Metadata Types" ou "Tipos de Metadados Personalizados"

The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Setup' menu is open, and 'Custom Metadata Types' is highlighted with an orange circle. The main content area displays the 'Lightning Experience App Manager' with a table of 22 items. The table has columns for 'App Name' and 'Developer Name'. The first six items are listed below.

	App Name ↑	Developer Name
1	All Tabs	AllTabSet
2	Analytics Studio	Insights
3	App Launcher	AppLauncher
4	Bolt Solutions	LightningBolt
5	Community	Community
6	Content	Content


3 Selecione e copie o Nome de API do metadado que você deseja gerenciar. Nesse caso usei "YoutubeIntegration__mdt"

The screenshot shows the 'Custom Metadata Type' list in Salesforce. The table has columns for 'ix', 'Visibility', 'API Name', and 'Record Size'. Two items are listed, with the second item, 'YoutubeIntegration__mdt', highlighted with an orange circle.

ix	Visibility	API Name	Record Size
	Public	C3C_MDT_control__mdt	141
	Public	YoutubeIntegration__mdt	406


4

Agora ao lado de "C3C_MDT_control" clique em "Manage Records" ou "Gerenciar Registros"



5

Click "New".



6


Coloque o nome de API que você copiou no campo "C3C MDT control Name", retirando o "__mdt" do final



The screenshot shows the 'Custom Metadata Types' interface. The main heading is 'C3C MDT control'. Below it is a sub-heading 'C3C MDT control Edit' with buttons for 'Save', 'Save & New', and 'Cancel'. The 'Information' section contains two fields: 'Label' and 'C3C MDT control Name', both with the value 'YoutubeIntegration'. An orange circle highlights the 'C3C MDT control Name' field.

7

Save



The screenshot shows the 'Custom Metadata Types' interface. The main heading is 'C3C MDT control'. Below it is a sub-heading 'C3C MDT control Edit' with buttons for 'Save', 'Save & New', and 'Cancel'. The 'Information' section contains two fields: 'Label' and 'C3C MDT control Name', both with the value 'YoutubeIntegration'. An orange circle highlights the 'Save' button.