



Technical Memory

Golden Gate for Big Data

Extract & Replicat Unified (Chile & Uruguay)

Version: 1.0

Author: Andrés López Botello, Oracle ACS

Date: 03/Dec/2018.



Índex

Document Control	
Objetive	
Configuration	
Extract - CHILE	
Replicat - CHILE	
Properties File - Chile	
Avro files - Chile	
Extrac - URUGUAY	
Replicat - URUGUAY	
Properties File - Uruguay	
Avro file - Uruguay	



Document Control

History

Versión	Author	Reason for change	Date
1.0	Andres López Botello	Document creation	03/12/2018



Objetive

This document contains the detail of the configuration files, necessary for the unification of 16 tables per country, leaving only one extract and one replicat per country.

The archives for each country are classified as follows:

Avro Map : Contains the files mapping of the destination database Properties Files: Contains the general properties for replication

Param files – Extract : Estractconfiguration files Param files – Replicat : Replicat configuration files

The files mentioned, are located on the server in the following path

Avro Map

/u01/app/ggate_K2V_CS/OGGForBD/avromdp_chi/* /u01/app/ggate_K2V_CS/OGGForBD/avromdp_uru/*

Propertie files

/u01/app/ggate_K2V_CS/OGGForBD/dirprm/cass_chi.props /u01/app/ggate_K2V_CS/OGGForBD/dirprm/cass_uru.props

Param files

#Extract

/u01/app/ggate_K2V_CS/OGG/dirprm/xcchi.prm/u01/app/ggate_K2V_CS/OGG/dirprm/xcuru.prm

Replicat

/u01/app/ggate_K2V_CS/OGGForBD/dirprm/rcchi.prm/u01/app/ggate_K2V_CS/OGGForBD/dirprm/rcuru.prm



Configuratión

In the definition of the replicates, the countries are identified by a number, according to the following table.

For this configuration we are only using Chile and Uruguay

SOURCE_ID	DESCRIPTION
1	IBS ARGENTINA
2	IBS CHILE
3	IBS COLOMBIA
4	IBS PERU
5	IBS VENEZUELA (not installed)
6	IBS PUERTORICO
7	IBS CARIBE
8	IBS ECUADOR
9	IBS URUGUAY

Extract - CHILE

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more xcchi.prm
EXTRACT xcchi
UserIDAlias ggsource
RMTHOST rgmadbu1904, MGRPORT 7808
FUNCTIONSTACKSIZE 5000
RMTFILE /u01/app/ggate_K2V_CS/OGGForBD/dirdat/xc MEGABYTES 100, PURGE
UPDATERECORDFORMAT FULL
Table BUSINESSDATA_CHILE.ADDRESS
FILTER
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(addrcustnr),NULL),0,@BEFORE(addrcustnr)),@IF(@COLTEST(@AFTER(addrcustnr
), NULL), 0, @AFTER(addrcustnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrnr),NULL),0,@BEFORE(addrnr)),@IF(@COLTEST(@AFTER(addrnr),NULL),0,@A
FTER(addrnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addr_entity_id),NULL),0,@BEFORE(addr_entity_id)),@IF(@COLTEST(@AFTER(ad
dr_entity_id),NULL),0,@AFTER(addr_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrbigcity),NULL),0,@BEFORE(addrbigcity)),@IF(@COLTEST(@AFTER(addrbigc
ity), NULL), 0, @AFTER(addrbigcity))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(addrcareofname),NULL),0, @BEFORE(addrcareofname)), @IF(@COLTEST(@AFTER(addrcareofname)), @IF(@AFTER(addrcareofname)), @IF(@AFTE
drcareofname),NULL),0,@AFTER(addrcareofname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(d addrcountry),NULL),0,@BEFORE(d addrcountry)),@IF(@COLTEST(@AFTER(d
 _addrcountry),NULL),0,@AFTER(d__addrcountry))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrdirections),NULL),0,@BEFORE(addrdirections)),@IF(@COLTEST(@AFTER(ad
drdirections), NULL), 0, @AFTER(addrdirections))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addremailaddr),NULL),0,@BEFORE(addremailaddr)),@IF(@COLTEST(@AFTER(addr
emailaddr), NULL), 0, @AFTER(addremailaddr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addreventnr),NULL),0,@BEFORE(addreventnr)),@IF(@COLTEST(@AFTER(addreven
tnr),NULL),0,@AFTER(addreventnr))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(addrextra),NULL),0,@BEFORE(addrextra)),@IF(@COLTEST(@AFTER(addrextra),N
ULL),0,@AFTER(addrextra))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfax1),NULL),0,@BEFORE(addrfax1)),@IF(@COLTEST(@AFTER(addrfax1),NULL
),0,@AFTER(addrfax1))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfax2),NULL),0,@BEFORE(addrfax2)),@IF(@COLTEST(@AFTER(addrfax2),NULL
),0,@AFTER(addrfax2))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfirstname),NULL),0,@BEFORE(addrfirstname)),@IF(@COLTEST(@AFTER(addr
firstname), NULL), 0, @AFTER(addrfirstname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrhousealphanr),NULL),0,@BEFORE(addrhousealphanr)),@IF(@COLTEST(@AFTE
R(addrhousealphanr), NULL), 0, @AFTER(addrhousealphanr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrhousenrnumeric),NULL),0,@BEFORE(addrhousenrnumeric)),@IF(@COLTEST(@
AFTER(addrhousenrnumeric), NULL), 0, @AFTER(addrhousenrnumeric))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrmiddlename),NULL),0,@BEFORE(addrmiddlename)),@IF(@COLTEST(@AFTER(ad
drmiddlename), NULL), 0, @AFTER(addrmiddlename))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(addrphoneh), NULL), 0, @BEFORE(addrphoneh)), @IF(@COLTEST(@AFTER(addrphoneh), NULL), 0, @BEFORE(addrphoneh)), @IF(@COLTEST(BEFORE(addrphoneh), NULL), 0, @BEFORE(addrphoneh)), @IF(BEFORE(BEFORE(addrphoneh), NULL), 0, @BEFORE(addrphoneh)), @IF(BEFORE(BEFORE(addrphoneh), NULL), 0, @BEFORE(addrphoneh)), @IF(BEFORE(BEFORE(addrphoneh), NULL), 0, @BEFORE(BEFORE(BEFORE(BEFORE), BEFORE(BEFORE), BEFORE(BE
), NULL), 0, @AFTER(addrphoneh))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrphonew),NULL),0,@BEFORE(addrphonew)),@IF(@COLTEST(@AFTER(addrphonew
), NULL), 0, @AFTER(addrphonew))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrpostcode),NULL),0,@BEFORE(addrpostcode)),@IF(@COLTEST(@AFTER(addrpo
stcode),NULL),0,@AFTER(addrpostcode))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(addrprovincenumber), NULL), 0, @BEFORE(addrprovincenumber)), @IF(@COLTEST(@BEFORE(addrprovincenumber), NULL), 0, @BEFORE(addrprovincenumber)), @IF(@COLTEST(@BEFORE(addrprovincenumber)), @IF(@COLTEST(@BEFORE(addrpovincenumber)), @IF(@COLTEST(@BEFORE(addrpovincenumber)), @IF(@COLTEST(@BEFORE(addrpovincenumber)), @IF(@COLTEST(@BEFORE(addrpovincenumber)), @IF(@CO
AFTER(addrprovincenumber), NULL), 0, @AFTER(addrprovincenumber))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrsmallcity),NULL),0,@BEFORE(addrsmallcity)),@IF(@COLTEST(@AFTER(addr
smallcity),NULL),0,@AFTER(addrsmallcity))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrstreet),NULL),0,@BEFORE(addrstreet)),@IF(@COLTEST(@AFTER(addrstreet
),NULL),0,@AFTER(addrstreet))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrstreetaddressn),NULL),0,@BEFORE(addrstreetaddressn)),@IF(@COLTEST(@
AFTER(addrstreetaddressn), NULL), 0, @AFTER(addrstreetaddressn))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrsurname),NULL),0,@BEFORE(addrsurname)),@IF(@COLTEST(@AFTER(addrsurn
ame), NULL), 0, @AFTER(addrsurname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(d__addrtitle),NULL),0,@BEFORE(d__addrtitle)),@IF(@COLTEST(@AFTER(d__add
rtitle), NULL), 0, @AFTER(d_addrtitle))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(apartment_number),NULL),0,@BEFORE(apartment_number)),@IF(@COLTEST(@AFTE
R(apartment_number), NULL), 0, @AFTER(apartment_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(fk_geo_code_id),NULL),0,@BEFORE(fk_geo_code_id)),@IF(@COLTEST(@AFTER(fk
 _geo_code_id),NULL),0,@AFTER(fk_geo_code_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(homephoneext),NULL),0,@BEFORE(homephoneext)),@IF(@COLTEST(@AFTER(homeph
oneext),NULL),0,@AFTER(homephoneext))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(marketsegment\_id), NULL), 0, @BEFORE(marketsegment\_id)), @IF(@COLTEST(@AFTE), NULL), 0, (BEFORE(marketsegment\_id)), (BEFORE(marketsegment\_
R(marketsegment_id), NULL), 0, @AFTER(marketsegment_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(workphoneext),NULL),0,@BEFORE(workphoneext)),@IF(@COLTEST(@AFTER(workph
oneext),NULL),0,@AFTER(workphoneext))) &
Table BUSINESSDATA_CHILE.AGREEMENT_DETAIL
 FILTER
```



```
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id),NULL),0,@AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(charge_until_date),NULL),0,@BEFORE(charge_until_date)),@IF(@COLTEST(@AF
TER(charge_until_date),NULL),0,@AFTER(charge_until_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(comm_product_id),NULL),0,@BEFORE(comm_product_id)),@IF(@COLTEST(@AFTER(
comm_product_id),NULL),0,@AFTER(comm_product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_end_date),NULL),0,@BEFORE(contract_end_date)),@IF(@COLTEST(@AF
TER(contract_end_date), NULL), 0, @AFTER(contract_end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_period),NULL),0,@BEFORE(contract_period)),@IF(@COLTEST(@AFTER(
contract_period),NULL),0,@AFTER(contract_period))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_start_date),NULL),0,@BEFORE(contract_start_date)),@IF(@COLTEST
(@AFTER(contract_start_date), NULL), 0, @AFTER(contract_start_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(finance_option_id),NULL),0,@BEFORE(finance_option_id)),@IF(@COLTEST(@AF
TER(finance_option_id),NULL),0,@AFTER(finance_option_id))) OR &
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) &
Table BUSINESSDATA_CHILE.AGREEMENT
FILTER
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer_
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(charge_period_id),NULL),0,@BEFORE(charge_period_id)),@IF(@COLTEST(@AFTE
R(charge_period_id),NULL),0,@AFTER(charge_period_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_end_date),NULL),0,@BEFORE(contract_end_date)),@IF(@COLTEST(@AF
TER(contract_end_date), NULL), 0, @AFTER(contract_end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_number),NULL),0,@BEFORE(contract_number)),@IF(@COLTEST(@AFTER(
contract_number), NULL), 0, @AFTER(contract_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_start_date),NULL),0,@BEFORE(contract_start_date)),@IF(@COLTEST
(@AFTER(contract_start_date),NULL),0,@AFTER(contract_start_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(market_segment_id),NULL),0,@BEFORE(market_segment_id)),@IF(@COLTEST(@AF
TER(market_segment_id), NULL), 0, @AFTER(market_segment_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(name),NULL),0,@BEFORE(name)),@IF(@COLTEST(@AFTER(name),NULL),0,@AFTER(n
ame))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(stock_handler_id),NULL),0,@BEFORE(stock_handler_id)),@IF(@COLTEST(@AFTE
R(stock_handler_id), NULL), 0, @AFTER(stock_handler_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type),NULL),0,@BEFORE(type)),@IF(@COLTEST(@AFTER(type),NULL),0,@AFTER(t
ype))) &
Table BUSINESSDATA_CHILE.CONTACT &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(action_date),NULL),0,@BEFORE(action_date)),@IF(@COLTEST(@AFTER(action_d
ate), NULL), 0, @AFTER(action_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken),NULL),0,@AFTER(action_taken))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(allocated_to_user),NULL),0,@BEFORE(allocated_to_user)),@IF(@COLTEST(@AF
TER(allocated_to_user), NULL), 0, @AFTER(allocated_to_user))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(category),NULL),0,@BEFORE(category)),@IF(@COLTEST(@AFTER(category),NULL
),0,@AFTER(category))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(created_by_user),NULL),0,@BEFORE(created_by_user)),@IF(@COLTEST(@AFTER(
created_by_user), NULL), 0, @AFTER(created_by_user))) OR &
   @STRCMP(@IF(@COLTEST(@BEFORE(created_date ),NULL),0,@BEFORE(created_date
)),@IF(@COLTEST(@AFTER(created_date ),NULL),0,@AFTER(created_date ))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(method),NULL),0,@BEFORE(method)),@IF(@COLTEST(@AFTER(method),NULL),0,@A
FTER(method))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(order_id),NULL),0,@BEFORE(order_id)),@IF(@COLTEST(@AFTER(order_id),NULL)
),0,@AFTER(order_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_desc),NULL),0,@BEFORE(problem_desc)),@IF(@COLTEST(@AFTER(proble
m_desc),NULL),0,@AFTER(problem_desc))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(product_id),NULL),0,@BEFORE(product_id)),@IF(@COLTEST(@AFTER(product_id
), NULL), 0, @AFTER(product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(work_order_id),NULL),0,@BEFORE(work_order_id)),@IF(@COLTEST(@AFTER(work
_order_id),NULL),0,@AFTER(work_order_id))) &
Table BUSINESSDATA_CHILE.CREDIT_CARD, &
    SQLEXEC (ID exec_cred_num, \&
            QUERY "SELECT
SUBSTR(BUSINESSDATA_CHILE.PKG_ENC.DECRYPT_TEXT(CREDIT_CARD.CREDIT_CARD_NUMBER_ENC, &
                   CREDIT_CARD.CREDIT_CARD_NUMBER_IV),1,4)||' XXXX '||  &
                   SUBSTR
(BUSINESSDATA_CHILE.PKG_ENC.DECRYPT_TEXT(CREDIT_CARD.CREDIT_CARD_NUMBER_ENC,
CREDIT_CARD.CREDIT_CARD_NUMBER_IV),-4,4) vcrednum &
                   FROM BUSINESSDATA_CHILE.CREDIT_CARD WHERE ID = :param_cred_id", &
            PARAMS (param_cred_id = ID)), &
```



```
SQLEXEC (ID exec_cred_ci, &
           QUERY "SELECT CUSTOMER_ID vcredcus FROM BUSINESSDATA_CHILE.FINANCIAL_ACCOUNT &
                  WHERE ID = :param_cred_id2", &
           PARAMS (param_cred_id2 = FINANCIAL_ACCOUNT_ID )), &
  TOKENS (TK_CC_NUMBER = @GETVAL(exec_cred_num.vcrednum),
         TK_CC_CUSTOMER = @GETVAL(exec_cred_ci.vcredcus) &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(FINANCIAL_ACCOUNT_ID),NULL),0,@BEFORE(FINANCIAL_ACCOUNT_ID)),@IF(@COLTE
ST(@AFTER(FINANCIAL_ACCOUNT_ID), NULL), 0, @AFTER(FINANCIAL_ACCOUNT_ID))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(CREDIT_CARD_NUMBER_ENC),NULL),0,@BEFORE(CREDIT_CARD_NUMBER_ENC)),@IF(@C
OLTEST(@AFTER(CREDIT_CARD_NUMBER_ENC), NULL), 0, @AFTER(CREDIT_CARD_NUMBER_ENC)))
@STRCMP(@IF(@COLTEST(@BEFORE(CREDIT_CARD_NUMBER_IV),NULL),0,@BEFORE(CREDIT_CARD_NUMBER_IV)),@IF(@COL
TEST(@AFTER(CREDIT_CARD_NUMBER_IV), NULL), 0, @AFTER(CREDIT_CARD_NUMBER_IV))) OR
@STRCMP(@IF(@COLTEST(@BEFORE(IS_PRIMARY),NULL),0,@BEFORE(IS_PRIMARY)),@IF(@COLTEST(@AFTER(IS_PRIMARY)
), NULL), 0, @AFTER(IS_PRIMARY))) ) &
Table BUSINESSDATA_CHILE.CUSTOM_FIELD_VALUE, &
   BUSINESSDATA_CHILE.CUSTOM_FIELD_ENTITY c &
                  WHERE c.ID = :param_vcusfvem", &
          PARAMS (param_vcusfvem = CUSTOM_FIELD_ENTITY_ID )), &
    TOKENS ( &
            TK_DATE_CUSFEM = @GETVAL(exec_cusfv_em.vcusfvem) &
  &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(instance_id),NULL),0,@BEFORE(instance_id)),@IF(@COLTEST(@AFTER(instance
_id),NULL),0,@AFTER(instance_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(custom_field_entity_id),NULL),0,@BEFORE(custom_field_entity_id)),@IF(@C
OLTEST(@AFTER(custom_field_entity_id),NULL),0,@AFTER(custom_field_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(value),NULL),0,@BEFORE(value)),@IF(@COLTEST(@AFTER(value),NULL),0,@AFTE
R(value))) &
);
Table BUSINESSDATA_CHILE.CUSTOMER, &
    SQLEXEC (ID exec_cust_id, &
           QUERY "SELECT BUSINESSDATA_CHILE.PKG_ENC.DECRYPT_text(customer.REFERENCE_NUMBER_ENC,
customer.REFERENCE_NUMBER_IV) vcusid , &
                       TO_CHAR(BUSINESSDATA_CHILE.PKG_ENC.DECRYPT_DATE(customer.BIRTH_DATE_ENC,
customer.BIRTH_DATE_IV ),'YYYY-MM-DD') vcusbirt , &
                       BUSINESSDATA_CHILE.PKG_ENC.DECRYPT_TEXT(customer.INTERNET_PASSWORD_ENC,
customer.INTERNET_PASSWORD_IV) vcuspasse &
                  FROM BUSINESSDATA_CHILE.CUSTOMER WHERE ID = :param_cus_id", &
           PARAMS (param_cus_id = ID)), &
  TOKENS ( &
          TK_IDENTIFICATION_ID = @GETVAL(exec_cust_id.vcusid), &
          TK_BIRTH_DATE = @GETVAL(exec_cust_id.vcusbirt), &
          TK_INTERNET_PASSWORD_ENC = @GETVAL(exec_cust_id.vcuspasse) &
) &
FILTER &
(ON UPDATE, &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(business_unit_id),NULL),0,@BEFORE(business_unit_id)),@IF(@COLTEST(@AFTE
R(business_unit_id),NULL),0,@AFTER(business_unit_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(class_id),NULL),0,@BEFORE(class_id)),@IF(@COLTEST(@AFTER(class_id),NULL
),0,@AFTER(class_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_since),NULL),0,@BEFORE(customer_since)),@IF(@COLTEST(@AFTER(cu
stomer_since),NULL),0,@AFTER(customer_since))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(exemption_code_id),NULL),0,@BEFORE(exemption_code_id)),@IF(@COLTEST(@AF
TER(exemption_code_id), NULL), 0, @AFTER(exemption_code_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(exemption_from),NULL),0,@BEFORE(exemption_from)),@IF(@COLTEST(@AFTER(ex
emption_from),NULL),0,@AFTER(exemption_from))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(exemption_serial_number),NULL),0,@BEFORE(exemption_serial_number)),@IF(
@COLTEST(@AFTER(exemption_serial_number),NULL),0,@AFTER(exemption_serial_number)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(fiscal_number),NULL),0,@BEFORE(fiscal_number)),@IF(@COLTEST(@AFTER(fisc
al_number), NULL), 0, @AFTER(fiscal_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(internet_password_enc),NULL),0,@BEFORE(internet_password_enc)),@IF(@COL
TEST(@AFTER(internet_password_enc),NULL),0,@AFTER(internet_password_enc))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(internet_password_iv),NULL),0,@BEFORE(internet_password_iv)),@IF(@COLTE
ST(@AFTER(internet_password_iv),NULL),0,@AFTER(internet_password_iv))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(internet_user_name),NULL),0,@BEFORE(internet_user_name)),@IF(@COLTEST(@
AFTER(internet_user_name), NULL), 0, @AFTER(internet_user_name))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(language_id),NULL),0,@BEFORE(language_id)),@IF(@COLTEST(@AFTER(language
_id), NULL), 0, @AFTER(language_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(magazines),NULL),0,@BEFORE(magazines)),@IF(@COLTEST(@AFTER(magazines),N
ULL),0,@AFTER(magazines))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(reference_type_id),NULL),0,@BEFORE(reference_type_id)),@IF(@COLTEST(@AF
TER(reference_type_id), NULL), 0, @AFTER(reference_type_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(segmentation_id),NULL),0,@BEFORE(segmentation_id)),@IF(@COLTEST(@AFTER(
segmentation_id), NULL), 0, @AFTER(segmentation_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type_id),NULL),0,@BEFORE(type_id)),@IF(@COLTEST(@AFTER(type_id),NULL),0
,@AFTER(type_id))) &
Table BUSINESSDATA_CHILE.WORK_ORDER_SERVICE, &
   SQLEXEC (ID exec_wos_ci, &
           QUERY "SELECT customer_id vwosci FROM BUSINESSDATA_CHILE.WORK_ORDER WO
                    Where WO.ID = :param_wos_id", &
                        PARAMS (param_wos_id = WORK_ORDER_ID)), &
   SQLEXEC (ID exec_wos_sr, &
           QUERY "SELECT SERIAL_NUMBER vwsr FROM BUSINESSDATA_CHILE.DEVICE D \&
                    Where d.ID = :param_dv", &
                        PARAMS (param_dv = DEVICE_ID)), &
   TOKENS (TK_WOS_CID = @GETVAL(exec_wos_ci.vwosci), &
           TK_WOS_SR = @GETVAL(exec_wos_sr.vwsr) &
) &
FILTER &
```



```
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken),NULL),0,@AFTER(action_taken))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(hardware_model_id),NULL),0,@BEFORE(hardware_model_id)),@IF(@COLTEST(@AF
TER(hardware_model_id), NULL), 0, @AFTER(hardware_model_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_description),NULL),0,@BEFORE(problem_description)),@IF(@COLTEST
(@AFTER(problem_description), NULL), 0, @AFTER(problem_description))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(product_id),NULL),0,@BEFORE(product_id)),@IF(@COLTEST(@AFTER(product_id
), NULL), 0, @AFTER(product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(quantity),NULL),0,@BEFORE(quantity)),@IF(@COLTEST(@AFTER(quantity),NULL
),0,@AFTER(quantity))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_id),NULL),0,@BEFORE(service_id)),@IF(@COLTEST(@AFTER(service_id
), NULL), 0, @AFTER(service_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(work_order_id),NULL),0,@BEFORE(work_order_id)),@IF(@COLTEST(@AFTER(work
_order_id),NULL),0,@AFTER(work_order_id))) &
Table BUSINESSDATA_CHILE.DEVICE_AGREEMENT_DETAIL, &
   SQLEXEC (ID exec_agr_id, &
            QUERY "SELECT CUSTOMER ID vdevagrci &
                   FROM BUSINESSDATA_CHILE.AGREEMENT_DETAIL &
                   WHERE ID =:param_devagrid", &
            PARAMS (param_devagrid = AGREEMENT_DETAIL_ID)), &
   SQLEXEC (ID exec_dev_id, &
            QUERY "SELECT D.SERIAL_NUMBER vdevagrsn, &
                          D.MODEL_ID vdevagrmi, &
                          D.CA_REFERENCE_NUMBER vdevagrrn, &
                          D.MAC_ADDRESS1 vdevagrma &
                   FROM BUSINESSDATA_CHILE.DEVICE D &
                   WHERE D.ID =:param_devagrid2", &
            PARAMS (param_devagrid2 = DEVICE_ID)), &
   TOKENS (TK_DEVAGR_SN = @GETVAL(exec_dev_id.vdevagrsn), &
           TK_DEVAGR_MI = @GETVAL(exec_dev_id.vdevagrmi), &
           TK_DEVAGR_RN = @GETVAL(exec_dev_id.vdevagrrn), &
           TK_DEVAGR_MA = @GETVAL (exec_dev_id.vdevagrma), &
           TK_DEVAGR_CI = @GETVAL(exec_agr_id.vdevagrci)) &
        FILTER &
        (ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_detail_id),NULL),0,@BEFORE(agreement_detail_id)),@IF(@COLTEST
(@AFTER(agreement_detail_id), NULL), 0, @AFTER(agreement_detail_id))) OR
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_link_date),NULL),0,@BEFORE(device_link_date)),@IF(@COLTEST(@AFTE
R(device_link_date),NULL),0,@AFTER(device_link_date))) &
```



```
Table BUSINESSDATA_CHILE.FINANCIAL_ACCOUNT &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id), NULL), 0, @AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(balance),NULL),0,@BEFORE(balance)),@IF(@COLTEST(@AFTER(balance),NULL),0
,@AFTER(balance))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(currency_id),NULL),0,@BEFORE(currency_id)),@IF(@COLTEST(@AFTER(currency_
_id),NULL),0,@AFTER(currency_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(dunning_level_id)),NULL),0,@BEFORE(dunning_level_id)),@IF(@COLTEST(@AFTE
R(dunning_level_id),NULL),0,@AFTER(dunning_level_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice delivery method id), NULL), 0, @BEFORE(invoice delivery method id)
),@IF(@COLTEST(@AFTER(invoice_delivery_method_id),NULL),0,@AFTER(invoice_delivery_m
ethod_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoicing_profile_id),NULL),0,@BEFORE(invoicing_profile_id)),@IF(@COLTE
ST(@AFTER(invoicing_profile_id),NULL),0,@AFTER(invoicing_profile_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(is_default),NULL),0,@BEFORE(is_default)),@IF(@COLTEST(@AFTER(is_default)
),NULL),0,@AFTER(is_default))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(last\_invoiced\_amount)), \\OULL), \\0, @BEFORE(last\_invoiced\_amount)), \\OULL), \\0, @BEFORE(last\_invoiced\_amount)), \\OULL), \\OURDED
ST(@AFTER(last_invoiced_amount), NULL), 0, @AFTER(last_invoiced_amount))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(last_invoiced_date),NULL),0,@BEFORE(last_invoiced_date)),@IF(@COLTEST(@
AFTER(last_invoiced_date), NULL), 0, @AFTER(last_invoiced_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(mop_id),NULL),0,@BEFORE(mop_id)),@IF(@COLTEST(@AFTER(mop_id),NULL),0,@A
FTER(mop_id))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(name),NULL),0,@BEFORE(name)), @IF(@COLTEST(@AFTER(name),NULL),0,@AFTER(name), & (and a context of the context
ame))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(not_yet_applied),NULL),0,@BEFORE(not_yet_applied)),@IF(@COLTEST(@AFTER(
not_yet_applied),NULL),0,@AFTER(not_yet_applied))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(parent_financial_account_id),NULL),0,@BEFORE(parent_financial_account_i
d)),@IF(@COLTEST(@AFTER(parent_financial_account_id),NULL),0,@AFTER(parent_financia
1_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(prepaid_disconnect_date),NULL),0,@BEFORE(prepaid_disconnect_date)),@IF(
@COLTEST(@AFTER(prepaid_disconnect_date),NULL),0,@AFTER(prepaid_disconnect_date)))
@STRCMP(@IF(@COLTEST(@BEFORE(proxy_code_id),NULL),0,@BEFORE(proxy_code_id)),@IF(@COLTEST(@AFTER(prox
y_code_id),NULL),0,@AFTER(proxy_code_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type_id),NULL),0,@BEFORE(type_id)),@IF(@COLTEST(@AFTER(type_id),NULL),0
,@AFTER(type_id))) &
Table BUSINESSDATA_CHILE.INVOICE &
FILTER &
(ON UPDATE, &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer_
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(amount_applied),NULL),0,@BEFORE(amount_applied)),@IF(@COLTEST(@AFTER(am
ount_applied),NULL),0,@AFTER(amount_applied))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(amount_paid),NULL),0,@BEFORE(amount_paid)),@IF(@COLTEST(@AFTER(amount_p
aid),NULL),0,@AFTER(amount_paid))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(balance),NULL),0,@BEFORE(balance)),@IF(@COLTEST(@AFTER(balance),NULL),0
,@AFTER(balance))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(balance_brought_forward),NULL),0,@BEFORE(balance_brought_forward)),@IF(
@COLTEST(@AFTER(balance_brought_forward),NULL),0,@AFTER(balance_brought_forward)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(create_date),NULL),0,@BEFORE(create_date)),@IF(@COLTEST(@AFTER(create_d
ate), NULL), 0, @AFTER(create_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(due_date),NULL),0,@BEFORE(due_date)),@IF(@COLTEST(@AFTER(due_date),NULL
),0,@AFTER(due_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id), NULL), 0, @AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_date),NULL),0,@BEFORE(invoice_date)),@IF(@COLTEST(@AFTER(invoic
e_date), NULL), 0, @AFTER(invoice_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_number),NULL),0,@BEFORE(invoice_number)),@IF(@COLTEST(@AFTER(in
voice_number),NULL),0,@AFTER(invoice_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_text),NULL),0,@BEFORE(invoice_text)),@IF(@COLTEST(@AFTER(invoic
e_text), NULL), 0, @AFTER(invoice_text))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(is\_pending),NULL),\emptyset,@BEFORE(is\_pending)), @IF(@COLTEST(@AFTER(is\_pending),NULL),\emptyset, @REFORE(is\_pending)), @REFORE(is\_pending)) \\
), NULL), 0, @AFTER(is_pending))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(mop_id),NULL),0,@BEFORE(mop_id)),@IF(@COLTEST(@AFTER(mop_id),NULL),0,@A
FTER(mop_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(total_amount),NULL),0,@BEFORE(total_amount)),@IF(@COLTEST(@AFTER(total_
amount),NULL),0,@AFTER(total_amount))) &
Table BUSINESSDATA_CHILE.KEYWORD &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(allowed_keyword_id),NULL),0,@BEFORE(allowed_keyword_id)),@IF(@COLTEST(@
AFTER(allowed_keyword_id), NULL), 0, @AFTER(allowed_keyword_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(attribute),NULL),0,@BEFORE(attribute)),@IF(@COLTEST(@AFTER(attribute),N
ULL),0,@AFTER(attribute))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(count_value),NULL),0,@BEFORE(count_value)),@IF(@COLTEST(@AFTER(count_va
lue),NULL),0,@AFTER(count_value))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(date_value),NULL),0,@BEFORE(date_value)),@IF(@COLTEST(@AFTER(date_value
), NULL), 0, @AFTER(date_value))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(keytypes_id),NULL),0,@BEFORE(keytypes_id)),@IF(@COLTEST(@AFTER(keytypes
_id),NULL),0,@AFTER(keytypes_id))) &
);
Table BUSINESSDATA_CHILE.OFFER &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer_
_id), NULL), 0, @AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(active),NULL),0,@BEFORE(active)),@IF(@COLTEST(@AFTER(active),NULL),0,@A
FTER(active))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_detail_id),NULL),0,@BEFORE(agreement_detail_id)),@IF(@COLTEST
(@AFTER(agreement_detail_id),NULL),0,@AFTER(agreement_detail_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id), NULL), 0, @AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(end_date),NULL),0,@BEFORE(end_date)),@IF(@COLTEST(@AFTER(end_date),NULL
),0,@AFTER(end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial\_account\_id)), NULL), 0, @BEFORE(financial\_account\_id)), @IF(@COLTE), and the property of the property
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(active),NULL),0,@BEFORE(active)),@IF(@COLTEST(@AFTER(active),NULL),0,@A
FTER(active))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(offer_definition_id),NULL),0,@BEFORE(offer_definition_id)),@IF(@COLTEST
(@AFTER(offer_definition_id), NULL), 0, @AFTER(offer_definition_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(start_date),NULL),0,@BEFORE(start_date)),@IF(@COLTEST(@AFTER(start_date
),NULL),0,@AFTER(start_date))) &
Table BUSINESSDATA_CHILE.ORDERED_EVENT, &
     SQLEXEC (ID exec_ordere_od, & QUERY "SELECT &
                                  CHANNEL_ID vchanelid, &
                                  ON_DEMAND vondemand &
                                  FROM &
                                  BUSINESSDATA_CHILE.EVENT_SCHEDULE ES &
                                  Where ES.ID= :param_ordereod", &
                     PARAMS (param_ordereod = EVENT_SCHEDULE_ID )) &
     TOKENS (TK_DATE_ORVENC = @GETVAL(exec_ordere_od.vchanelid), &
                    TK_DATE_ORVEND = @GETVAL(exec_ordere_od.vondemand)) &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer_
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(device_agreement_detail_id),NULL),0,@BEFORE(device_agreement_detail_id)
),@IF(@COLTEST(@AFTER(device_agreement_detail_id),NULL),0,@AFTER(device_agreement_d
etail_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(event_schedule_id),NULL),0,@BEFORE(event_schedule_id)),@IF(@COLTEST(@AF
TER(event_schedule_id), NULL), 0, @AFTER(event_schedule_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(event_start_datetime),NULL),0,@BEFORE(event_start_datetime)),@IF(@COLTE
ST(@AFTER(event_start_datetime),NULL),0,@AFTER(event_start_datetime))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(event_title_id),NULL),0,@BEFORE(event_title_id)),@IF(@COLTEST(@AFTER(ev
ent_title_id),NULL),0,@AFTER(event_title_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(ordered_date),NULL),0,@BEFORE(ordered_date)),@IF(@COLTEST(@AFTER(ordere
d_date),NULL),0,@AFTER(ordered_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(sales_channel_id),NULL),0,@BEFORE(sales_channel_id)),@IF(@COLTEST(@AFTE
R(sales_channel_id),NULL),0,@AFTER(sales_channel_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(slot_number),NULL),0,@BEFORE(slot_number)),@IF(@COLTEST(@AFTER(slot_num
ber),NULL),0,@AFTER(slot_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) &
Table BUSINESSDATA_CHILE.SUHISTOR
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(shsubscribernr),NULL),0,@BEFORE(shsubscribernr)),@IF(@COLTEST(@AFTER(sh
subscribernr),NULL),0,@AFTER(shsubscribernr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shshnr),NULL),0,@BEFORE(shshnr)),@IF(@COLTEST(@AFTER(shshnr),NULL),0,@A
FTER(shshnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(create_datetime),NULL),0,@BEFORE(create_datetime)),@IF(@COLTEST(@AFTER(
create_datetime),NULL),0,@AFTER(create_datetime))) OR &
    @STRCMP(@IF(@COLTEST(@BEFORE(entity_id ),NULL),0,@BEFORE(entity_id
)),@IF(@COLTEST(@AFTER(entity_id ),NULL),0,@AFTER(entity_id ))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(entity_key),NULL),0,@BEFORE(entity_key)),@IF(@COLTEST(@AFTER(entity_key
), NULL), 0, @AFTER(entity_key))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(external_agent_id),NULL),0,@BEFORE(external_agent_id)),@IF(@COLTEST(@AF
TER(external_agent_id), NULL), 0, @AFTER(external_agent_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(real_date),NULL),0,@BEFORE(real_date)),@IF(@COLTEST(@AFTER(real_date),N
ULL),0,@AFTER(real_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(requested_by_entity_id),NULL),0,@BEFORE(requested_by_entity_id)),@IF(@C
OLTEST(@AFTER(requested_by_entity_id),NULL),0,@AFTER(requested_by_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(requested_by_type_id),NULL),0,@BEFORE(requested_by_type_id)),@IF(@COLTE
ST(@AFTER(requested_by_type_id),NULL),0,@AFTER(requested_by_type_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(sheventnr),NULL),0,@BEFORE(sheventnr)),@IF(@COLTEST(@AFTER(sheventnr),N
ULL),0,@AFTER(sheventnr))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(shproductnr),NULL),0,@BEFORE(shproductnr)),@IF(@COLTEST(@AFTER(shproduc
tnr), NULL), 0, @AFTER(shproductnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shreason),NULL),0,@BEFORE(shreason)),@IF(@COLTEST(@AFTER(shreason),NULL
),0,@AFTER(shreason))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shusernr),NULL),0,@BEFORE(shusernr)),@IF(@COLTEST(@AFTER(shusernr),NULL
),0,@AFTER(shusernr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(transaction_id),NULL),0,@BEFORE(transaction_id)),@IF(@COLTEST(@AFTER(tr
ansaction_id),NULL),0,@AFTER(transaction_id))) &
Table BUSINESSDATA_CHILE.SUHISTOR &
FILTER &
(ON UPDATE, ON DELETE, ON INSERT, &
       ((ENTITY_KEY = 2 AND SHEVENTNR = 103) OR &
        (ENTITY_KEY = 2 AND SHEVENTNR = 122) OR &
        (ENTITY_KEY = 2 AND SHEVENTNR = 125) OR &
        (ENTITY_KEY = 14 AND SHEVENTNR = 55 ) OR &
        (ENTITY_KEY = 7 AND SHEVENTNR = 870) &
);
Table BUSINESSDATA_CHILE.WORK_ORDER &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken), NULL), 0, @AFTER(action_taken))) OR &
_hours),NULL),0,@AFTER(actual_hours))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(address_id),NULL),0,@BEFORE(address_id)),@IF(@COLTEST(@AFTER(address_id
), NULL), 0, @AFTER(address_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id),NULL),0,@AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(associate_id),NULL),0,@BEFORE(associate_id)),@IF(@COLTEST(@AFTER(associ
ate_id),NULL),0,@AFTER(associate_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(completed_date_time),NULL),0,@BEFORE(completed_date_time)),@IF(@COLTEST
(@AFTER(completed_date_time), NULL), 0, @AFTER(completed_date_time))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_order_id),NULL),0,@BEFORE(customer_order_id)),@IF(@COLTEST(@AF
TER(customer_order_id), NULL),0,@AFTER(customer_order_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(expiration_date),NULL),0,@BEFORE(expiration_date)),@IF(@COLTEST(@AFTER(
expiration_date),NULL),0,@AFTER(expiration_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_description),NULL),0,@BEFORE(problem_description)),@IF(@COLTEST
(@AFTER(problem_description), NULL),0,@AFTER(problem_description))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(registered_date_time),NULL),0,@BEFORE(registered_date_time)),@IF(@COLTE
ST(@AFTER(registered_date_time),NULL),0,@AFTER(registered_date_time))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_date_time),NULL),0,@BEFORE(service_date_time)),@IF(@COLTEST(@AF
TER(service_date_time), NULL), 0, @AFTER(service_date_time))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(service_provider_id),NULL),0,@BEFORE(service_provider_id)),@IF(@COLTEST
(@AFTER(service_provider_id),NULL),0,@AFTER(service_provider_id))) OR &

@STRCMP(@IF(@COLTEST(@BEFORE(service_type_id),NULL),0,@BEFORE(service_type_id)),@IF(@COLTEST(@AFTER(service_type_id),NULL),0,@AFTER(service_type_id))) OR &

@STRCMP(@IF(@COLTEST(@BEFORE(stockhandler_id),NULL),0,@BEFORE(stockhandler_id)),@IF(@COLTEST(@AFTER(stockhandler_id))) OR &

@STRCMP(@IF(@COLTEST(@BEFORE(work_order_status_id)),0,@BEFORE(work_order_status_id)),@IF(@COLTEST(@AFTER(work_order_status_id)),@IF(@COLTEST(@AFTER(work_order_status_id))) &

STRCMP(@IF(@COLTEST(@BEFORE(work_order_status_id)),0,@BEFORE(work_order_status_id))) &

);
```

Replicat - CHILE

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more rcchi.prm
REPLICAT rcchi
getenv (JAVA_HOME)
getenv (CLASSPATH)
getenv (PATH)
getenv (LD LIBRARY PATH)
--TARGETDB LIBFILE libggjava.so SET property=dirprm/cass.props
TARGETDB LIBFILE libggjava.so SET property=dirprm/cass_chi.props
REPORTCOUNT EVERY 1 MINUTES, RATE
DISCARDFILE ./dirrpt/rcchi.dcs, APPEND, MEGABYTES 512
REPORTROLLOVER AT 17:30 ON SUNDAY
DISCARDROLLOVER AT 18:30 ON SUNDAY
GROUPTRANSOPS 10000
HANDLECOLL TSTONS
INSERTALLRECORDS
MAP BUSINESSDATA_CHILE.ADDRESS, TARGET K2VIEW_CUSTOMER_LU.IBS_ADDRESS,
FILTER (ADDRCUSTNR > 0),
COLMAP (
        ADDRCUSTNR = ADDRCUSTNR,
        SOURCE_ID = '2',
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ADDRNR = ADDRNR,
        ADDRCAREOFNAME = ADDRCAREOFNAME,
        ADDRSTREET = ADDRSTREET,
        ADDREXTRA = ADDREXTRA,
        ADDRPOSTCODE = ADDRPOSTCODE,
        ADDRCOUNTRY = COUNTRY ID,
        ADDRHOUSEALPHANR = ADDRHOUSEALPHANR,
        ADDRSMALLCITY = ADDRSMALLCITY,
        ADDREVENTNR = ADDREVENTNR,
        ADDRBIGCITY = ADDRBIGCITY,
        ADDRSTREETADDRESSN = ADDRSTREETADDRESSN,
        ADDRHOUSENRNUMERIC = ADDRHOUSENRNUMERIC,
        ADDRPROVINCENUMBER = ADDRPROVINCENUMBER,
        ADDRDIRECTIONS = ADDRDIRECTIONS,
        MARKETSEGMENT ID = MARKETSEGMENT ID,
        FK_GEO_CODE_ID = FK_GEO_CODE_ID,
        ADDR_ENTITY_ID = ADDR_ENTITY_ID,
        APARTMENT_NUMBER = APARTMENT_NUMBER,
        ADDRPHONEH = ADDRPHONEH,
        WORKPHONEEXT = WORKPHONEEXT,
        ADDRPHONEW = ADDRPHONEW,
```



```
HOMEPHONEEXT = HOMEPHONEEXT,
        ADDRFAX1 = ADDRFAX1,
        ADDRFAX2 = ADDRFAX2,
        ADDREMAILADDR = ADDREMAILADDR,
        ADDRSURNAME = ADDRSURNAME,
        ADDRFIRSTNAME = ADDRFIRSTNAME,
        ADDRMIDDLENAME = ADDRMIDDLENAME,
        ADDRTITLE = TITLE_ID
MAP BUSINESSDATA_CHILE.ADDRESS, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (ADDRCUSTNR > 0),
COLMAP(
       SOURCE ID = '2'
       ENTITY_ID = @STRCAT(ADDRCUSTNR, '_1_2')
);
MAP BUSINESSDATA_CHILE.AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.IBS_AGREEMENT_DETAIL,
FILTER (AGREEMENT_ID > 0 and CUSTOMER_ID > 0),
COLMAP (
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        COMM_PRODUCT_ID = COMM_PRODUCT_ID,
        STATUS = STATUS,
        AGREEMENT_ID = AGREEMENT_ID,
        FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
        CUSTOMER_ID = CUSTOMER_ID,
        FINANCE OPTION ID = FINANCE OPTION ID,
        CONTRACT_PERIOD = CONTRACT_PERIOD,
        CHARGE_PERIOD_ID = CHARGE_PERIOD_ID,
        CHARGE_UNTIL_DATE = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD:HH:MI:SS', CHARGE_UNTIL_DATE),
        CONTRACT_START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
CONTRACT_START_DATE),
        CONTRACT_END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CONTRACT_END_DATE),
        CHARGE_PERIOD = @CASE (CHARGE_PERIOD_ID, 1, 'Monthly', 3 , 'Quarterly' , 6 , 'HalfYearly',
12 , 'Yearly'),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (AGREEMENT_ID > 0 and CUSTOMER_ID > 0),
COLMAP(
       SOURCE ID = '2',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
MAP BUSINESSDATA_CHILE.AGREEMENT, TARGET K2VIEW_CUSTOMER_LU.IBS_AGREEMENT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER', 'LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        CONTRACT_NUMBER = CONTRACT_NUMBER,
        MARKET_SEGMENT_ID = MARKET_SEGMENT_ID,
        NAME = NAME,
        STATUS = STATUS,
        TYPE = TYPE,
        CUSTOMER_ID = CUSTOMER_ID,
        STOCK_HANDLER_ID = STOCK_HANDLER_ID,
        CHARGE_PERIOD_ID = CHARGE_PERIOD_ID,
        CONTRACT_START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
CONTRACT_START_DATE),
        CONTRACT_END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CONTRACT_END_DATE),
        CHARGE_PERIOD = @CASE (CHARGE_PERIOD_ID, 1, 'Monthly', 3 , 'Quarterly' , 6 , 'HalfYearly',
12 , 'Yearly'),
        SOURCE ID = '2'
```



```
MAP BUSINESSDATA_CHILE.AGREEMENT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
        SOURCE_ID = '2',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.CONTACT, TARGET K2VIEW_CUSTOMER_LU.IBS_CONTACT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
         ID = ID,
         POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
         OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
         PRODUCT_ID = PRODUCT_ID,
         METHOD = METHOD,
         DEVICE_ID = DEVICE_ID,
         ORDER_ID = ORDER_ID,
         WORK ORDER ID = WORK ORDER ID,
         ACTION_TAKEN = ACTION_TAKEN,
         CATEGORY = CATEGORY,
         PROBLEM_DESC = PROBLEM_DESC,
         CREATED_BY_USER = CREATED_BY_USER,
         STATUS = STATUS,
         ALLOCATED_TO_USER = ALLOCATED_TO_USER,
         CUSTOMER_ID = CUSTOMER_ID ,
         CREATED_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATED_DATE),
ACTION_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', ACTION_DATE),
         SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.CONTACT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
SOURCE_ID = '2'
ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
MAP BUSINESSDATA_CHILE.CREDIT_CARD, TARGET K2VIEW_CUSTOMER_LU.IBS_CREDIT_CARD,
FILTER (FINANCIAL_ACCOUNT_ID > 0 and @TOKEN ('TK_CC_CUSTOMER') > 0),
COLMAP (USEDEFAULTS,
         FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
         POS = @GETENV('GGHEADER', 'LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
         CREDIT_CARD_NUMBER = @TOKEN ('TK_CC_NUMBER'),
         CUSTOMER_ID = @TOKEN ('TK_CC_CUSTOMER'),
         SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.CREDIT_CARD, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (FINANCIAL_ACCOUNT_ID > 0 and @TOKEN ('TK_CC_CUSTOMER') > 0),
COLMAP(
SOURCE ID = '2'
ENTITY_ID = @STRCAT(@STRNUM(@TOKEN ('TK_CC_CUSTOMER')), '_1_2')
MAP BUSINESSDATA_CHILE.CUSTOM_FIELD_VALUE, TARGET K2VIEW_CUSTOMER_LU.IBS_CUSTOM_FIELD_VALUE,
FILTER (@TOKEN ('TK_DATE_CUSFEM') =1 and INSTANCE_ID > 0),
COLMAP (
         ID = ID.
         POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
         CUSTOM_FIELD_ENTITY_ID = CUSTOM_FIELD_ENTITY_ID ,
         VALUE = VALUE,
         INSTANCE_ID = INSTANCE_ID
         ENTITY_METADATA_ID = @TOKEN ('TK_DATE_CUSFEM'),
```



```
INSTANCE_ID = INSTANCE_ID,
        SOURCE ID = '2'
MAP BUSINESSDATA_CHILE.CUSTOM_FIELD_VALUE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_DATE_CUSFEM') =1 and INSTANCE_ID > 0),
COLMAP (
SOURCE_ID = '2',
ENTITY_ID = @STRCAT(INSTANCE_ID, '_1_2')
MAP BUSINESSDATA_CHILE.CUSTOMER, TARGET K2VIEW_CUSTOMER_LU.IBS_CUSTOMER,
FILTER (ID > 0),
COLMAP(
        ENTITY_ID = @STRCAT(ID, '_1_2'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE');
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        TYPE_ID = TYPE_ID,
        STATUS_ID = STATUS_ID,
        CLASS ID = CLASS ID,
        SEGMENTATION_ID = SEGMENTATION_ID,
        CUSTOMER_SINCE = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD HH:MI:SS', CUSTOMER_SINCE),
        EXEMPTION_CODE_ID = EXEMPTION_CODE_ID ,
        EXEMPTION SERIAL NUMBER = EXEMPTION SERIAL NUMBER,
        EXEMPTION_FROM = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD HH:MI:SS', EXEMPTION_FROM),
        TD = TD.
        REFERENCE_TYPE_ID = REFERENCE_TYPE_ID,
        IDENTIFICATION_ID = @TOKEN ('TK_IDENTIFICATION_ID'),
        INTERNET_PASSWORD ENC = @TOKEN ('TK_INTERNET_PASSWORD_ENC'),
        INTERNET_PASSWORD_IV = @BINTOHEX (INTERNET_PASSWORD_IV),
        INTERNET_USER_NAME = INTERNET_USER_NAME,
        LANGUAGE_ID = LANGUAGE_ID,
        BIRTH DATE = @TOKEN ('TK BIRTH DATE'),
        BUSINESS_UNIT_ID = BUSINESS_UNIT_ID,
        MAGAZINES = MAGAZINES,
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.CUSTOMER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (ID > 0),
COLMAP(
     SOURCE_ID = '2'
     ENTITY_ID = @STRCAT(ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.DEVICE_AGREEMENT_DETAIL, TARGET
K2VIEW CUSTOMER LU. IBS DEVICE AGREEMENT DETAIL,
FILTER (@TOKEN ('TK_DEVAGR_CI') > 0),
COLMAP (
        ID = ID.
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        AGREEMENT_DETAIL_ID = AGREEMENT_DETAIL_ID,
        DEVICE_ID = DEVICE_ID,
        SERIAL_NUMBER = @TOKEN ('TK_DEVAGR_SN'),
        CUSTOMER_ID = @TOKEN ('TK_DEVAGR_CI'),
        MODEL_ID = @TOKEN ('TK_DEVAGR_MI'),
        CA_REFERENCE_NUMBER = @TOKEN ('TK_DEVAGR_RN'),
        MAC_ADDRESS1 = @TOKEN ('TK_DEVAGR_MA'),
        CUSTOMER_ID = @TOKEN ('TK_DEVAGR_CI'),
        DEVICE_LINK_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DEVICE_LINK_DATE),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.DEVICE_AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_DEVAGR_CI') > 0),
COLMAP(
      SOURCE ID = '2',
```



```
ENTITY_ID = @STRCAT(@TOKEN ('TK_DEVAGR_CI'), '_1_2')
);
MAP BUSINESSDATA_CHILE.DEVICE, TARGET K2VIEW_CUSTOMER_LU.IBS_DEVICE,
COLMAP (
        TD = TD.
        POS = @GETENV('GGHEADER', 'LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        SERIAL_NUMBER = SERIAL_NUMBER,
        MODEL_ID = MODEL_ID,
        CA_REFERENCE_NUMBER = CA_REFERENCE_NUMBER,
        MAC_ADDRESS1 = MAC_ADDRESS1,
        STATUS_ID = STATUS_ID,
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.DEVICE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY,
COLMAP(
SOURCE_ID = '2'
ENTITY_ID = @STRCAT(ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.FINANCIAL_ACCOUNT, TARGET K2VIEW_CUSTOMER_LU.IBS_FINANCIAL_ACCOUNT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER', 'LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE')
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        NAME = NAME
        STATUS_ID = STATUS_ID,
        TYPE_ID = TYPE_ID,
        BALANCE = BALANCE,
        INVOICE_DELIVERY_METHOD_ID = INVOICE_DELIVERY_METHOD_ID,
        CURRENCY_ID = CURRENCY_ID,
        DUNNING_LEVEL_ID = DUNNING_LEVEL_ID,
        INVOICING PROFILE ID = INVOICING PROFILE ID,
        LAST_INVOICED_AMOUNT = LAST_INVOICED_AMOUNT,
        PARENT_FINANCIAL_ACCOUNT_ID = PARENT_FINANCIAL_ACCOUNT_ID,
        MOP_ID = MOP_ID,
        IS_DEFAULT = IS_DEFAULT,
        PROXY CODE ID = PROXY CODE ID,
        NOT_YET_APPLIED = NOT_YET_APPLIED,
        CUSTOMER_ID = CUSTOMER_ID,
        LAST_INVOICED_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
LAST INVOICED DATE),
        PREPAID_DISCONNECT_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
PREPAID_DISCONNECT_DATE),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.FINANCIAL_ACCOUNT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
      SOURCE_ID = '2'
      ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.INVOICE, TARGET K2VIEW_CUSTOMER_LU.IBS_INVOICE,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER', 'COMMITTIMESTAMP'),
        FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
        AMOUNT_PAID = AMOUNT_PAID,
        INVOICE_NUMBER = INVOICE_NUMBER,
```



```
STATUS_ID = STATUS_ID,
          INVOICE_TEXT = INVOICE_TEXT,
          MOP_ID = MOP_ID,
          TOTAL_AMOUNT = TOTAL_AMOUNT,
          CUSTOMER_ID = CUSTOMER_ID,
         BALANCE = BALANCE,
          IS_PENDING = IS_PENDING,
          BALANCE_BROUGHT_FORWARD = BALANCE_BROUGHT_FORWARD,
         DIAS = @DATEDIFF('DD' , DUE_DATE, @DATENOW() ),

CREATE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATE_DATE),

DUE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DUE_DATE),
          INVOICE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', INVOICE_DATE),
          SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.INVOICE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
        SOURCE_ID = '2',
        ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.KEYWORD, TARGET K2VIEW_CUSTOMER_LU.IBS_KEYWORD,
FILTER (CUSTOMER_ID > 0),
COLMAP (
          CUSTOMER_ID = CUSTOMER_ID,
          POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
          ATTRIBUTE = ATTRIBUTE,
          COUNT_VALUE = COUNT_VALUE,
         ID = ID,
          ALLOWED_KEYWORD_ID = ALLOWED_KEYWORD_ID,
          KEYTYPES ID = KEYTYPES ID,
          DATE_VALUE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DATE_VALUE),
         SOURCE ID = '2'
MAP BUSINESSDATA_CHILE.KEYWORD, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
        SOURCE_ID = '2',
        ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.OFFER, TARGET K2VIEW_CUSTOMER_LU.IBS_OFFER,
FILTER (CUSTOMER_ID > 0),
COLMAP (
          ID = ID,
          POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
          ACTIVE = ACTIVE,
          OFFER_DEFINITION_ID = OFFER_DEFINITION_ID,
          CUSTOMER_ID = CUSTOMER_ID,
          FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
          AGREEMENT_ID = AGREEMENT_ID,
          AGREEMENT_DETAIL_ID = AGREEMENT_DETAIL_ID,
         START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', START_DATE),
END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', END_DATE),
IS_ACTIVE = @IF (ACTIVE =1 , 'Active', 'Canceled')
          SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.OFFER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '2',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
```



```
MAP BUSINESSDATA_CHILE.ORDERED_EVENT, TARGET K2VIEW_CUSTOMER_LU.IBS_ORDERED_EVENT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        EVENT_TITLE_ID = EVENT_TITLE_ID,
        CUSTOMER_ID = CUSTOMER_ID,
        DEVICE_ID = DEVICE_ID,
        EVENT_SCHEDULE_ID = EVENT_SCHEDULE_ID,
        SALES_CHANNEL_ID = SALES_CHANNEL_ID,
        DEVICE_AGREEMENT_DETAIL_ID = DEVICE_AGREEMENT_DETAIL_ID,
        FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
        SLOT_NUMBER = SLOT_NUMBER,
        STATUS = STATUS,
        CHANNEL_ID = @TOKEN ('TK_DATE_ORVENC'),
ON_DEMAND = @TOKEN ('TK_DATE_ORVEND'),
        ORDERED DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', ORDERED DATE),
        EVENT_START_DATETIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
EVENT_START_DATETIME),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.ORDERED_EVENT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '2',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.SUHISTOR, TARGET K2VIEW_CUSTOMER_LU.IBS_SUHISTOR,
FILTER (SHSUBSCRIBERNR > 0),
COLMAP (
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ENTITY_KEY = ENTITY_KEY,
        SHEVENTNR = SHEVENTNR,
        ENTITY_ID = ENTITY_ID,
        SHUSERNR = SHUSERNR,
        EXTERNAL_AGENT_ID = EXTERNAL_AGENT_ID,
        SHSUBSCRIBERNR = SHSUBSCRIBERNR,
        SHSHNR = SHSHNR,
        SHREASON = SHREASON,
        SHPRODUCTNR = SHPRODUCTNR,
        REQUESTED_BY_TYPE_ID = REQUESTED_BY_TYPE_ID,
        REQUESTED_BY_ENTITY_ID = REQUESTED_BY_ENTITY_ID,
        TRANSACTION_ID = TRANSACTION_ID,
        CREATE_DATETIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATE_DATETIME),
        REAL_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', REAL_DATE),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.SUHISTOR, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (SHSUBSCRIBERNR > 0),
COLMAP(
       SOURCE ID = '2'
       ENTITY_ID = @STRCAT(SHSUBSCRIBERNR, '_1_2')
MAP BUSINESSDATA_CHILE.WORK_ORDER, TARGET K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
```



```
ACTION_TAKEN = ACTION_TAKEN,
        PROBLEM DESCRIPTION = PROBLEM DESCRIPTION,
        ADDRESS_ID = ADDRESS_ID,
        WORK_ORDER_STATUS_ID = WORK_ORDER_STATUS_ID,
        AGREEMENT_ID = AGREEMENT_ID,
        SERVICE_TYPE_ID = SERVICE_TYPE_ID,
        SERVICE_PROVIDER_ID = SERVICE_PROVIDER_ID,
        CUSTOMER_ORDER_ID = CUSTOMER_ORDER_ID,
        STOCKHANDLER_ID = STOCKHANDLER_ID,
        ACTUAL_HOURS = ACTUAL_HOURS,
        CUSTOMER_ID = CUSTOMER_ID,
        REGISTERED_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
REGISTERED_DATE_TIME),
        SERVICE_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
SERVICE_DATE_TIME),
        COMPLETED_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
COMPLETED_DATE_TIME),
        EXPIRATION_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', EXPIRATION_DATE),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.WORK_ORDER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE ID = '2',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_2')
);
MAP BUSINESSDATA_CHILE.WORK_ORDER_SERVICE, TARGET K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER_SERVICE,
FILTER (@TOKEN ('TK_WOS_CID') > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        WORK_ORDER_ID = WORK_ORDER_ID,
        SERVICE_ID = SERVICE_ID,
        DEVICE ID = DEVICE ID,
        PRODUCT_ID = PRODUCT_ID,
        HARDWARE_MODEL_ID = HARDWARE_MODEL_ID,
        ACTION_TAKEN = ACTION_TAKEN,
        PROBLEM_DESCRIPTION = PROBLEM_DESCRIPTION,
        QUANTITY = QUANTITY,
        SERIAL_NUMBER = @TOKEN ('TK_WOS_SR'),
        CUSTOMER_ID = @TOKEN ('TK_WOS_CID'),
        SOURCE_ID = '2'
MAP BUSINESSDATA_CHILE.WORK_ORDER_SERVICE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_WOS_CID') > 0),
COLMAP(
       SOURCE_ID = '2',
       ENTITY_ID = @STRCAT(@TOKEN ('TK_WOS_CID'), '_1_2')
[ggatek2vCS@rgmadbu1903 dirprm]$
```

Properties File - Chile

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more cass_chi.props
gg.handlerlist=cassandra
## AVRO -----
gg.mdp.type = avro
gg.mdp.schemaFilesPath =/u01/app/ggate_K2V_CS/OGGForBD/avromdp_chi
gg.mdp.charset = UTF-8
```



```
#The handler properties
gg.handler.cassandra.type=cassandra
gg.handler.cassandra.mode=op
#### Connection data to cassandra
gg.handler.cassandra.contactPoints=172.22.126.182,172.22.126.184,172.22.126.196
gg.handler.cassandra.username=admin
gg.handler.cassandra.password=admin
#gg.handler.cassandra.ddlHandling=CREATE,ADD
#set compressedUpdates to false in case of full image
gg.handler.cassandra.compressedUpdates=true
gg.handler.cassandra.cassandraMode=sync
gg.handler.cassandra.consistencyLevel=LOCAL_ONE
goldengate.userexit.timestamp=utc
goldengate.userexit.writers=javawriter
javawriter.stats.display=TRUE
javawriter.stats.full=TRUE
gg.log=log4j
gg.log.level=info
#gg.log.level=debug
gg.report.time=30sec
auto.create.topics.enable =TRUE
gg.classpath=/u01/app/ggate_K2V_CS/OGGForBD/cassandradrv/cassandra-java-driver-
3.1.4/*:/u01/app/ggate K2V CS/OGGForBD/cassandradrv/cassandra-java-driver-
3.1.4/lib/*:/u01/app/ggate_K2V_CS
/OGGForBD/dirprm/
javawriter.bootoptions=-Xmx512m -Xms32m -Djava.class.path=.:ggjava/ggjava.jar:./dirprm
#gg.handler.cassandra.filter=oracle.goldengate.datasource.NoOpUpdateFilter
[ggatek2vCS@rgmadbu1903 dirprm]$
```

Avro files - Chile

```
[ggatek2vCS@rgmadbu1903 avromdp_chi]$ ls -1
total 68
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 2156 Nov 16 13:46 K2VIEW CUSTOMER LU.IBS ADDRESS.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1142 Nov 16 13:46
K2VIEW_CUSTOMER_LU.IBS_AGREEMENT_DETAIL.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1054 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_AGREEMENT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1205 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_CONTACT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 586 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_CREDIT_CARD.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1474 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_CUSTOMER.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 658 Nov 16 13:46
K2VIEW_CUSTOMER_LU.IBS_CUSTOM_FIELD_VALUE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 893 Nov 16 13:46
K2VIEW_CUSTOMER_LU.IBS_DEVICE_AGREEMENT_DETAIL.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1651 Nov 16 13:46
K2VIEW_CUSTOMER_LU.IBS_FINANCIAL_ACCOUNT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1276 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_INVOICE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 745 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_KEYWORD.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 935 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_OFFER.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1187 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_ORDERED_EVENT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1161 Nov 16 13:46 K2VIEW_CUSTOMER_LU.IBS_SUHISTOR.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1345 Nov 16 13:46 K2VIEW CUSTOMER LU.IBS WORK ORDER.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 991 Nov 16 13:46
K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER_SERVICE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 390 Nov 16 13:46 K2VIEW_CUSTOMER_LU.SYNC_ON_FLY.mdp.avsc
[ggatek2vCS@rgmadbu1903 avromdp_chi]$
```

```
[ggatek2vCS@rgmadbu1903 avromdp_chi]$ more K2VIEW_CUSTOMER_LU.IBS_ADDRESS.mdp.avsc
{"namespace": "K2VIEW_CUSTOMER_LU",
"type": "record",
```















Extrac - URUGUAY

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more xcuru.prm
EXTRACT xcuru
UserIDAlias ggsource
RMTHOST rgmadbu1904, MGRPORT 7808
FUNCTIONSTACKSIZE 5000
RMTFILE /u01/app/ggate_K2v_CS/OGGForBD/dirdat/xu MEGABYTES 100, PURGE
UPDATERECORDFORMAT FULL

Table BUSINESSDATA_URUGUAY.ADDRESS &
FILTER &
(ON UPDATE, &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(addrcustnr),NULL),0,@BEFORE(addrcustnr)),@IF(@COLTEST(@AFTER(addrcustnr
), NULL), 0, @AFTER(addrcustnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrnr),NULL),0,@BEFORE(addrnr)),@IF(@COLTEST(@AFTER(addrnr),NULL),0,@A
FTER(addrnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addr_entity_id),NULL),0,@BEFORE(addr_entity_id)),@IF(@COLTEST(@AFTER(ad
dr_entity_id),NULL),0,@AFTER(addr_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrbigcity),NULL),0,@BEFORE(addrbigcity)),@IF(@COLTEST(@AFTER(addrbigc
ity),NULL),0,@AFTER(addrbigcity))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrcareofname),NULL),0,@BEFORE(addrcareofname)),@IF(@COLTEST(@AFTER(ad
drcareofname),NULL),0,@AFTER(addrcareofname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrdirections),NULL),0,@BEFORE(addrdirections)),@IF(@COLTEST(@AFTER(ad
drdirections),NULL),0,@AFTER(addrdirections))) OR &
emailaddr), NULL), 0, @AFTER(addremailaddr))) OR &
tnr), NULL), 0, @AFTER(addreventnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrextra),NULL),0,@BEFORE(addrextra)),@IF(@COLTEST(@AFTER(addrextra),N
ULL),0,@AFTER(addrextra))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfax1),NULL),0,@BEFORE(addrfax1)),@IF(@COLTEST(@AFTER(addrfax1),NULL)
),0,@AFTER(addrfax1))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfax2),NULL),0,@BEFORE(addrfax2)),@IF(@COLTEST(@AFTER(addrfax2),NULL)
),0,@AFTER(addrfax2))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrfirstname),NULL),0,@BEFORE(addrfirstname)),@IF(@COLTEST(@AFTER(addr
firstname), NULL), 0, @AFTER(addrfirstname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrhousealphanr),NULL),0,@BEFORE(addrhousealphanr)),@IF(@COLTEST(@AFTE
R(addrhousealphanr), NULL), 0, @AFTER(addrhousealphanr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrhousenrnumeric),NULL),0,@BEFORE(addrhousenrnumeric)),@IF(@COLTEST(@
AFTER(addrhousenrnumeric), NULL), 0, @AFTER(addrhousenrnumeric))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrmiddlename),NULL),0,@BEFORE(addrmiddlename)),@IF(@COLTEST(@AFTER(ad
drmiddlename),NULL),0,@AFTER(addrmiddlename))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrphoneh),NULL),0,@BEFORE(addrphoneh)),@IF(@COLTEST(@AFTER(addrphoneh
), NULL), 0, @AFTER(addrphoneh))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrphonew),NULL),0,@BEFORE(addrphonew)),@IF(@COLTEST(@AFTER(addrphonew
), NULL), 0, @AFTER(addrphonew))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrpostcode),NULL),0,@BEFORE(addrpostcode)),@IF(@COLTEST(@AFTER(addrpo
stcode),NULL),0,@AFTER(addrpostcode))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrprovincenumber),NULL),0,@BEFORE(addrprovincenumber)),@IF(@COLTEST(@
AFTER(addrprovincenumber), NULL), 0, @AFTER(addrprovincenumber))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrsmallcity),NULL),0,@BEFORE(addrsmallcity)),@IF(@COLTEST(@AFTER(addr
smallcity),NULL),0,@AFTER(addrsmallcity))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrstreet),NULL),0,@BEFORE(addrstreet)),@IF(@COLTEST(@AFTER(addrstreet
), NULL), 0, @AFTER(addrstreet))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(addrstreetaddressn),NULL),0,@BEFORE(addrstreetaddressn)),@IF(@COLTEST(@
AFTER(addrstreetaddressn), NULL), 0, @AFTER(addrstreetaddressn))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(addrsurname),NULL),0,@BEFORE(addrsurname)),@IF(@COLTEST(@AFTER(addrsurn
ame),NULL),0,@AFTER(addrsurname))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(D__ADDRTITLE),NULL),0,@BEFORE(D__ADDRTITLE)),@IF(@COLTEST(@AFTER(D__ADD
RTITLE), NULL), 0, @AFTER(D_ADDRTITLE))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(apartment_number),NULL),0,@BEFORE(apartment_number)),@IF(@COLTEST(@AFTE
R(apartment_number), NULL), 0, @AFTER(apartment_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(fk_geo_code_id),NULL),0,@BEFORE(fk_geo_code_id)),@IF(@COLTEST(@AFTER(fk
 _geo_code_id),NULL),0,@AFTER(fk_geo_code_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(homephoneext),NULL),0,@BEFORE(homephoneext)),@IF(@COLTEST(@AFTER(homeph
oneext),NULL),0,@AFTER(homephoneext))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(marketsegment_id),NULL),0,@BEFORE(marketsegment_id)),@IF(@COLTEST(@AFTE
R(marketsegment_id), NULL), 0, @AFTER(marketsegment_id))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(workphoneext)), @IF(@COLTEST(@AFTER(workphoneext)), @IF(@COLTEST(@AFTE
oneext),NULL),0,@AFTER(workphoneext))) &
Table BUSINESSDATA_URUGUAY.AGREEMENT_DETAIL &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer_id))
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id),NULL),0,@AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(charge_until_date),NULL),0,@BEFORE(charge_until_date)),@IF(@COLTEST(@AF
TER(charge_until_date),NULL),0,@AFTER(charge_until_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(comm_product_id),NULL),0,@BEFORE(comm_product_id)),@IF(@COLTEST(@AFTER(
comm_product_id),NULL),0,@AFTER(comm_product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_end_date),NULL),0,@BEFORE(contract_end_date)),@IF(@COLTEST(@AF
TER(contract_end_date), NULL), 0, @AFTER(contract_end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_period),NULL),0,@BEFORE(contract_period)),@IF(@COLTEST(@AFTER(
contract_period), NULL), 0, @AFTER(contract_period))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_start_date),NULL),0,@BEFORE(contract_start_date)),@IF(@COLTEST
(@AFTER(contract_start_date), NULL), 0, @AFTER(contract_start_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(finance_option_id),NULL),0,@BEFORE(finance_option_id)),@IF(@COLTEST(@AF
TER(finance_option_id), NULL), 0, @AFTER(finance_option_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) &
Table BUSINESSDATA_URUGUAY.AGREEMENT &
FILTER &
```



```
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(charge_period_id),NULL),0,@BEFORE(charge_period_id)),@IF(@COLTEST(@AFTE
R(charge_period_id),NULL),0,@AFTER(charge_period_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_end_date),NULL),0,@BEFORE(contract_end_date)),@IF(@COLTEST(@AF
TER(contract_end_date), NULL), 0, @AFTER(contract_end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_number),NULL),0,@BEFORE(contract_number)),@IF(@COLTEST(@AFTER(
contract_number), NULL), 0, @AFTER(contract_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(contract_start_date),NULL),0,@BEFORE(contract_start_date)),@IF(@COLTEST
(@AFTER(contract_start_date),NULL),0,@AFTER(contract_start_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(market_segment_id),NULL),0,@BEFORE(market_segment_id)),@IF(@COLTEST(@AF
TER(market_segment_id),NULL),0,@AFTER(market_segment_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(name),NULL),0,@BEFORE(name)),@IF(@COLTEST(@AFTER(name),NULL),0,@AFTER(n
ame))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(stock_handler_id),NULL),0,@BEFORE(stock_handler_id)),@IF(@COLTEST(@AFTE
R(stock_handler_id),NULL),0,@AFTER(stock_handler_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type),NULL),0,@BEFORE(type)),@IF(@COLTEST(@AFTER(type),NULL),0,@AFTER(t
ype))) &
Table BUSINESSDATA_URUGUAY.CONTACT &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(action_date),NULL),0,@BEFORE(action_date)),@IF(@COLTEST(@AFTER(action_d
ate), NULL), 0, @AFTER(action_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken),NULL),0,@AFTER(action_taken))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(allocated_to_user),NULL),0,@BEFORE(allocated_to_user)),@IF(@COLTEST(@AF
TER(allocated_to_user),NULL),0,@AFTER(allocated_to_user))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(category),NULL),0,@BEFORE(category)),@IF(@COLTEST(@AFTER(category),NULL
),0,@AFTER(category))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(created_by_user),NULL),0,@BEFORE(created_by_user)),@IF(@COLTEST(@AFTER(
created_by_user),NULL),0,@AFTER(created_by_user))) OR &
   @STRCMP(@IF(@COLTEST(@BEFORE(created_date ),NULL),0,@BEFORE(created_date
)),@IF(@COLTEST(@AFTER(created_date ),NULL),0,@AFTER(created_date ))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(method),NULL),0,@BEFORE(method)),@IF(@COLTEST(@AFTER(method),NULL),0,@A
FTER(method))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(order_id),NULL),0,@BEFORE(order_id)),@IF(@COLTEST(@AFTER(order_id),NULL
),0,@AFTER(order_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_desc),NULL),0,@BEFORE(problem_desc)),@IF(@COLTEST(@AFTER(proble
m_desc),NULL),0,@AFTER(problem_desc))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(product_id),NULL),0,@BEFORE(product_id)),@IF(@COLTEST(@AFTER(product_id
), NULL), 0, @AFTER(product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(work_order_id),NULL),0,@BEFORE(work_order_id)),@IF(@COLTEST(@AFTER(work
_order_id),NULL),0,@AFTER(work_order_id))) &
Table BUSINESSDATA_URUGUAY.CREDIT_CARD,
    SQLEXEC (ID exec_cred_num,
            QUERY "SELECT
SUBSTR(BUSINESSDATA URUGUAY.PKG ENC.DECRYPT TEXT(CREDIT CARD.CREDIT CARD NUMBER ENC, &
                   CREDIT_CARD.CREDIT_CARD_NUMBER_IV),1,4)||' XXXX '||' XXXX '|| &
                   SUBSTR
(BUSINESSDATA URUGUAY.PKG ENC.DECRYPT_TEXT(CREDIT_CARD.CREDIT_CARD_NUMBER_ENC,
CREDIT_CARD.CREDIT_CARD_NUMBER_IV),-4,4) vcrednum
                   FROM BUSINESSDATA_URUGUAY.CREDIT_CARD_WHERE ID = :param_cred_id",
            PARAMS (param_cred_id = ID)),
   SQLEXEC (ID exec_cred_ci,
            QUERY "SELECT CUSTOMER_ID vcredcus FROM BUSINESSDATA_URUGUAY.FINANCIAL_ACCOUNT &
                   WHERE ID = :param_cred_id2",
            PARAMS (param_cred_id2 = FINANCIAL_ACCOUNT_ID )),
  TOKENS (TK_CC_NUMBER = @GETVAL(exec_cred_num.vcrednum),
          TK_CC_CUSTOMER = @GETVAL(exec_cred_ci.vcredcus)
) &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(FINANCIAL_ACCOUNT_ID),NULL),0,@BEFORE(FINANCIAL_ACCOUNT_ID)),@IF(@COLTE
ST(@AFTER(FINANCIAL_ACCOUNT_ID), NULL), 0, @AFTER(FINANCIAL_ACCOUNT_ID))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(CREDIT_CARD_NUMBER_ENC),NULL),0,@BEFORE(CREDIT_CARD_NUMBER_ENC)),@IF(@C
OLTEST(@AFTER(CREDIT_CARD_NUMBER_ENC), NULL), 0, @AFTER(CREDIT_CARD_NUMBER_ENC)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(CREDIT_CARD_NUMBER_IV),NULL),0,@BEFORE(CREDIT_CARD_NUMBER_IV)),@IF(@COL
TEST(@AFTER(CREDIT_CARD_NUMBER_IV), NULL), 0, @AFTER(CREDIT_CARD_NUMBER_IV))) OR
@STRCMP(@IF(@COLTEST(@BEFORE(IS_PRIMARY),NULL),0,@BEFORE(IS_PRIMARY)),@IF(@COLTEST(@AFTER(IS_PRIMARY)
),NULL),0,@AFTER(IS_PRIMARY))) ) &
Table BUSINESSDATA_URUGUAY.CUSTOM_FIELD_VALUE,
   SQLEXEC (ID exec_cusfv_em,
            QUERY "SELECT ENTITY_METADATA_ID vcusfvem
                                                         , ENTITY_METADATA_ID vcusfvem1
                                                                                             FROM
                   BUSINESSDATA_URUGUAY.CUSTOM_FIELD_ENTITY c
                   WHERE c.ID = :param_vcusfvem"
           PARAMS (param_vcusfvem = CUSTOM_FIELD_ENTITY_ID )),
    TOKENS (
            TK_DATE_CUSFEM = @GETVAL(exec_cusfv_em.vcusfvem)
) &
FILTER &
(ON UPDATE, &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(instance_id),NULL),0,@BEFORE(instance_id)),@IF(@COLTEST(@AFTER(instance
  _id),NULL),0,@AFTER(instance_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(custom_field_entity_id),NULL),0,@BEFORE(custom_field_entity_id)),@IF(@C
OLTEST(@AFTER(custom_field_entity_id),NULL),0,@AFTER(custom_field_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(value),NULL),0,@BEFORE(value)),@IF(@COLTEST(@AFTER(value),NULL),0,@AFTE
R(value))) &
);
 Table BUSINESSDATA_URUGUAY.CUSTOMER,
             SQLEXEC (ID exec_cust_id,
                                     QUERY "SELECT BUSINESSDATA_URUGUAY.PKG_ENC.DECRYPT_text(customer.REFERENCE_NUMBER_ENC,
 customer.REFERENCE_NUMBER_IV) vcusid
                                                                         TO_CHAR(BUSINESSDATA_URUGUAY.PKG_ENC.DECRYPT_DATE(customer.BIRTH_DATE_ENC,
 customer.BIRTH_DATE_IV ),'YYYY-MM-DD') vcusbirt
                                                                         BUSINESSDATA_URUGUAY.PKG_ENC.DECRYPT_TEXT(customer.INTERNET_PASSWORD_ENC,
 PARAMS (param_cus_id = ID)),
         TOKENS (
                                  TK_IDENTIFICATION_ID = @GETVAL(exec_cust_id.vcusid),
                                  TK_BIRTH_DATE = @GETVAL(exec_cust_id.vcusbirt),
                                  TK_INTERNET_PASSWORD_ENC = @GETVAL(exec_cust_id.vcuspasse)
 ) &
 FILTER &
 (ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(business_unit_id),NULL),0,@BEFORE(business_unit_id)),@IF(@COLTEST(@AFTE
R(business_unit_id),NULL),0,@AFTER(business_unit_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(class_id),NULL),0,@BEFORE(class_id)),@IF(@COLTEST(@AFTER(class_id),NULL)
),0,@AFTER(class_id))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(customer\_since), NULL), 0, @BEFORE(customer\_since)), @IF(@COLTEST(@AFTER(customer\_since)), @IF(@AFTER(customer\_since)), @IF(
 stomer_since),NULL),0,@AFTER(customer_since))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(exemption_code_id),NULL),0,@BEFORE(exemption_code_id)),@IF(@COLTEST(@AF
TER(exemption_code_id), NULL), 0, @AFTER(exemption_code_id))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(exemption_from),NULL),0,@BEFORE(exemption_from)),@IF(@COLTEST(@AFTER(ex
emption_from),NULL),0,@AFTER(exemption_from))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(exemption\_serial\_number), NULL), 0, @BEFORE(exemption\_serial\_number)), @IF(@COLTEST(@BEFORE(exemption\_serial\_number)), @IF(@COLTEST(@BEFORE(exemption\_serial\_number))), @IF(@COLTEST(@BEFORE(exemption\_serial\_numbe
 @COLTEST(@AFTER(exemption_serial_number),NULL),0,@AFTER(exemption_serial_number)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(fiscal\_number),NULL),0,\\ @BEFORE(fiscal\_number)),\\ @IF(@COLTEST(@AFTER(fiscal\_number),NULL),\\ @STRCMP(@IF(@COLTEST(BETORDER),NULL),\\ @STRCMP(BIF(BIFORE),REST(BIFORE),REST(BIFORE),\\ @STRCMP(BIFORE),\\ @STRCMP(BIFORE),
al_number), NULL), 0, @AFTER(fiscal_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
 @STRCMP(@IF(@COLTEST(@BEFORE(internet_password_enc),NULL),0,@BEFORE(internet_password_enc)),@IF(@COL
 TEST(@AFTER(internet_password_enc),NULL),0,@AFTER(internet_password_enc))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(internet_password_iv),NULL),0,@BEFORE(internet_password_iv)),@IF(@COLTE
ST(@AFTER(internet_password_iv),NULL),0,@AFTER(internet_password_iv))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(internet_user_name),NULL),0,@BEFORE(internet_user_name)),@IF(@COLTEST(@
 AFTER(internet_user_name), NULL), 0, @AFTER(internet_user_name))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(language_id),NULL),0,@BEFORE(language_id)),@IF(@COLTEST(@AFTER(language
_id),NULL),0,@AFTER(language_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(magazines),NULL),0,@BEFORE(magazines)),@IF(@COLTEST(@AFTER(magazines),N
ULL),0,@AFTER(magazines))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(reference_type_id),NULL),0,@BEFORE(reference_type_id)),@IF(@COLTEST(@AF
TER(reference_type_id), NULL), 0, @AFTER(reference_type_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(segmentation_id),NULL),0,@BEFORE(segmentation_id)),@IF(@COLTEST(@AFTER(
segmentation_id),NULL),0,@AFTER(segmentation_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type_id),NULL),0,@BEFORE(type_id)),@IF(@COLTEST(@AFTER(type_id),NULL),0
,@AFTER(type_id))) &
Table BUSINESSDATA_URUGUAY.DEVICE_AGREEMENT_DETAIL,
   SQLEXEC (ID exec_agr_id, QUERY "SELECT CUSTOMER_ID vdevagrci
                   FROM BUSINESSDATA_URUGUAY.AGREEMENT_DETAIL
                   WHERE ID =:param_devagrid"
            PARAMS (param_devagrid = AGREEMENT_DETAIL_ID)),
   SQLEXEC (ID exec_dev_id,
            QUERY "SELECT D.SERIAL_NUMBER vdevagrsn,
                           D.MODEL_ID vdevagrmi,
                           D.CA_REFERENCE_NUMBER vdevagrrn,
                           D.MAC_ADDRESS1 vdevagrma
                   FROM BUSINESSDATA_URUGUAY.DEVICE D
                   WHERE D.ID =:param_devagrid2",
            PARAMS (param_devagrid2 = DEVICE_ID)),
   TOKENS (TK_DEVAGR_SN = @GETVAL(exec_dev_id.vdevagrsn),
           TK_DEVAGR_MI = @GETVAL(exec_dev_id.vdevagrmi),
TK_DEVAGR_RN = @GETVAL(exec_dev_id.vdevagrrn),
           TK_DEVAGR_MA = @GETVAL (exec_dev_id.vdevagrma),
           TK_DEVAGR_CI = @GETVAL(exec_agr_id.vdevagrci)) &
        FILTER &
        (ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_detail_id),NULL),0,@BEFORE(agreement_detail_id)),@IF(@COLTEST
(@AFTER(agreement_detail_id), NULL), 0, @AFTER(agreement_detail_id))) OR
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_link_date),NULL),0,@BEFORE(device_link_date)),@IF(@COLTEST(@AFTE
R(device_link_date),NULL),0,@AFTER(device_link_date))) &
Table BUSINESSDATA_URUGUAY.FINANCIAL_ACCOUNT &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(balance),NULL),0,@BEFORE(balance)),@IF(@COLTEST(@AFTER(balance),NULL),0
,@AFTER(balance))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(currency_id),NULL),0,@BEFORE(currency_id)),@IF(@COLTEST(@AFTER(currency
_id),NULL),0,@AFTER(currency_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(dunning_level_id),NULL),0,@BEFORE(dunning_level_id)),@IF(@COLTEST(@AFTE
R(dunning_level_id), NULL), 0, @AFTER(dunning_level_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_delivery_method_id),NULL),0,@BEFORE(invoice_delivery_method_id)
),@IF(@COLTEST(@AFTER(invoice_delivery_method_id),NULL),0,@AFTER(invoice_delivery_m
ethod_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoicing_profile_id),NULL),0,@BEFORE(invoicing_profile_id)),@IF(@COLTE
ST(@AFTER(invoicing_profile_id),NULL),0,@AFTER(invoicing_profile_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(is_default),NULL),0,@BEFORE(is_default)),@IF(@COLTEST(@AFTER(is_default
), NULL), 0, @AFTER(is_default))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(last_invoiced_amount),NULL),0,@BEFORE(last_invoiced_amount)),@IF(@COLTE
ST(@AFTER(last_invoiced_amount),NULL),0,@AFTER(last_invoiced_amount))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(last_invoiced_date),NULL),0,@BEFORE(last_invoiced_date)),@IF(@COLTEST(@
AFTER(last_invoiced_date), NULL), 0, @AFTER(last_invoiced_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(mop_id),NULL),0,@BEFORE(mop_id)),@IF(@COLTEST(@AFTER(mop_id),NULL),0,@A
FTER(mop_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(name),NULL),0,@BEFORE(name)),@IF(@COLTEST(@AFTER(name),NULL),0,@AFTER(n
ame))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(not_yet_applied),NULL),0,@BEFORE(not_yet_applied)),@IF(@COLTEST(@AFTER(
not_yet_applied),NULL),0,@AFTER(not_yet_applied))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(parent_financial_account_id),NULL),0,@BEFORE(parent_financial_account_i
d)),@IF(@COLTEST(@AFTER(parent_financial_account_id),NULL),0,@AFTER(parent_financia
1_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(prepaid_disconnect_date),NULL),0,@BEFORE(prepaid_disconnect_date)),@IF(
@COLTEST(@AFTER(prepaid_disconnect_date),NULL),0,@AFTER(prepaid_disconnect_date)))
@STRCMP(@IF(@COLTEST(@BEFORE(proxy_code_id),NULL),0,@BEFORE(proxy_code_id)),@IF(@COLTEST(@AFTER(prox
y_code_id),NULL),0,@AFTER(proxy_code_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(type_id),NULL),0,@BEFORE(type_id)),@IF(@COLTEST(@AFTER(type_id),NULL),0
,@AFTER(type_id))) &
Table BUSINESSDATA_URUGUAY.INVOICE &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(amount_applied),NULL),0,@BEFORE(amount_applied)),@IF(@COLTEST(@AFTER(am
ount_applied),NULL),0,@AFTER(amount_applied))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(amount_paid),NULL),0,@BEFORE(amount_paid)),@IF(@COLTEST(@AFTER(amount_p
aid),NULL),0,@AFTER(amount_paid))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(balance),NULL),0,@BEFORE(balance)),@IF(@COLTEST(@AFTER(balance),NULL),0
 ,@AFTER(balance))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(balance_brought_forward),NULL),0,@BEFORE(balance_brought_forward)),@IF(
@COLTEST(@AFTER(balance_brought_forward),NULL),0,@AFTER(balance_brought_forward)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(create_date),NULL),0,@BEFORE(create_date)),@IF(@COLTEST(@AFTER(create_d
ate),NULL),0,@AFTER(create_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(due_date),NULL),0,@BEFORE(due_date)),@IF(@COLTEST(@AFTER(due_date),NULL)
),0,@AFTER(due_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id), NULL), 0, @AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_date),NULL),0,@BEFORE(invoice_date)),@IF(@COLTEST(@AFTER(invoic
e_date), NULL),0,@AFTER(invoice_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_number),NULL),0,@BEFORE(invoice_number)),@IF(@COLTEST(@AFTER(in
voice_number), NULL), 0, @AFTER(invoice_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(invoice_text),NULL),0,@BEFORE(invoice_text)),@IF(@COLTEST(@AFTER(invoic
e_text),NULL),0,@AFTER(invoice_text))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(is_pending),NULL),0,@BEFORE(is_pending)),@IF(@COLTEST(@AFTER(is_pending
), NULL), 0, @AFTER(is_pending))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(mop id),NULL),0,@BEFORE(mop id)),@IF(@COLTEST(@AFTER(mop id),NULL),0,@A
FTER(mop_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status_id),NULL),0,@BEFORE(status_id)),@IF(@COLTEST(@AFTER(status_id),N
ULL),0,@AFTER(status_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(total_amount),NULL),0,@BEFORE(total_amount)),@IF(@COLTEST(@AFTER(total_
amount),NULL),0,@AFTER(total_amount))) &
Table BUSINESSDATA_URUGUAY.KEYWORD &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(allowed_keyword_id),NULL),0,@BEFORE(allowed_keyword_id)),@IF(@COLTEST(@
AFTER(allowed_keyword_id), NULL), 0, @AFTER(allowed_keyword_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(attribute),NULL),0,@BEFORE(attribute)),@IF(@COLTEST(@AFTER(attribute),N
ULL),0,@AFTER(attribute))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(count\_value), NULL), 0, @BEFORE(count\_value)), @IF(@COLTEST(@AFTER(count\_value), NULL), 0, @BEFORE(count\_value), 0, @BEFORE(count\_val
lue),NULL),0,@AFTER(count_value))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(date_value),NULL),0,@BEFORE(date_value)),@IF(@COLTEST(@AFTER(date_value
), NULL), 0, @AFTER(date_value))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(keytypes_id),NULL),0,@BEFORE(keytypes_id)),@IF(@COLTEST(@AFTER(keytypes
 _id),NULL),0,@AFTER(keytypes_id))) &
```



```
Table BUSINESSDATA_URUGUAY.OFFER &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(active),NULL),0,@BEFORE(active)),@IF(@COLTEST(@AFTER(active),NULL),0,@A
FTER(active))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_detail_id),NULL),0,@BEFORE(agreement_detail_id)),@IF(@COLTEST
(@AFTER(agreement_detail_id), NULL), 0, @AFTER(agreement_detail_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id),NULL),0,@AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(end_date),NULL),0,@BEFORE(end_date)),@IF(@COLTEST(@AFTER(end_date),NULL
),0,@AFTER(end_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(active),NULL),0,@BEFORE(active)),@IF(@COLTEST(@AFTER(active),NULL),0,@A
FTER(active))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(offer_definition_id),NULL),0,@BEFORE(offer_definition_id)),@IF(@COLTEST
(@AFTER(offer_definition_id), NULL), 0, @AFTER(offer_definition_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(start_date),NULL),0,@BEFORE(start_date)),@IF(@COLTEST(@AFTER(start_date
), NULL), 0, @AFTER(start_date))) &
Table BUSINESSDATA_URUGUAY.ORDERED_EVENT,
   SQLEXEC (ID exec_ordere_od,
            QUERY "SELECT
                   CHANNEL_ID vchanelid,
                   ON_DEMAND vondemand
                   BUSINESSDATA_URUGUAY.EVENT_SCHEDULE ES
                   Where ES.ID= :param_ordereod",
            PARAMS (param_ordereod = EVENT_SCHEDULE_ID ))
   TOKENS (TK_DATE_ORVENC = @GETVAL(exec_ordere_od.vchanelid),
           TK_DATE_ORVEND = @GETVAL(exec_ordere_od.vondemand)) &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(device\_agreement\_detail\_id), NULL), 0, @BEFORE(device\_agreement\_detail\_id) \\
),@IF(@COLTEST(@AFTER(device_agreement_detail_id),NULL),0,@AFTER(device_agreement_d
etail_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(event_schedule_id),NULL),0,@BEFORE(event_schedule_id)),@IF(@COLTEST(@AF
TER(event_schedule_id), NULL), 0, @AFTER(event_schedule_id))) OR &
```



```
@STRCMP(@IF(@COLTEST(@BEFORE(event\_start\_datetime), NULL), 0, @BEFORE(event\_start\_datetime)), @IF(@COLTE(event\_start\_datetime)), @IF(@COLTE(event\_start\_da
ST(@AFTER(event_start_datetime), NULL),0,@AFTER(event_start_datetime))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(event_title_id),NULL),0,@BEFORE(event_title_id)),@IF(@COLTEST(@AFTER(ev
ent_title_id),NULL),0,@AFTER(event_title_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(financial_account_id),NULL),0,@BEFORE(financial_account_id)),@IF(@COLTE
ST(@AFTER(financial_account_id),NULL),0,@AFTER(financial_account_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(ordered_date),NULL),0,@BEFORE(ordered_date)),@IF(@COLTEST(@AFTER(ordere
d_date),NULL),0,@AFTER(ordered_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(sales_channel_id)), NULL), 0, @BEFORE(sales_channel_id)), @IF(@COLTEST(@AFTE
R(sales_channel_id), NULL), 0, @AFTER(sales_channel_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(slot_number),NULL),0,@BEFORE(slot_number)),@IF(@COLTEST(@AFTER(slot_num
ber),NULL),0,@AFTER(slot_number))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(status),NULL),0,@BEFORE(status)),@IF(@COLTEST(@AFTER(status),NULL),0,@A
FTER(status))) &
);
Table BUSINESSDATA_URUGUAY.SUHISTOR &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(shsubscribernr),NULL),0,@BEFORE(shsubscribernr)),@IF(@COLTEST(@AFTER(sh
subscribernr),NULL),0,@AFTER(shsubscribernr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shshnr),NULL),0,@BEFORE(shshnr)),@IF(@COLTEST(@AFTER(shshnr),NULL),0,@A
FTER(shshnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(create_datetime),NULL),0,@BEFORE(create_datetime)),@IF(@COLTEST(@AFTER(
create_datetime),NULL),0,@AFTER(create_datetime))) OR &
         @STRCMP(@IF(@COLTEST(@BEFORE(entity_id ),NULL),0,@BEFORE(entity_id
)),@IF(@COLTEST(@AFTER(entity_id ),NULL),0,@AFTER(entity_id ))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(entity_key),NULL),0,@BEFORE(entity_key)),@IF(@COLTEST(@AFTER(entity_key
), NULL), 0, @AFTER(entity_key))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(external_agent_id),NULL),0,@BEFORE(external_agent_id)),@IF(@COLTEST(@AF
TER(external_agent_id), NULL), 0, @AFTER(external_agent_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(real_date),NULL),0,@BEFORE(real_date)),@IF(@COLTEST(@AFTER(real_date),N
ULL),0,@AFTER(real_date))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(requested\_by\_entity\_id), NULL), 0, @BEFORE(requested\_by\_entity\_id)), @IF(@Coltest(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(Before(
OLTEST(@AFTER(requested_by_entity_id)), OLL), 0, @AFTER(requested_by_entity_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(requested_by_type_id),NULL),0,@BEFORE(requested_by_type_id)),@IF(@COLTE
ST(@AFTER(requested_by_type_id), NULL), 0, @AFTER(requested_by_type_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(sheventnr),NULL),0,@BEFORE(sheventnr)),@IF(@COLTEST(@AFTER(sheventnr),N
ULL),0,@AFTER(sheventnr))) OR &
 @STRCMP(@IF(@COLTEST(@BEFORE(shproductnr), NULL), 0, @BEFORE(shproductnr)), @IF(@COLTEST(@AFTER(shproductnr), NULL), 0, @BEFORE(shproductnr)), @IF(@AFTER(shproductnr), NULL), 0, @IF(@AFTER(shproductnr), NULL), 0, @IF(@AFTER(shproductnr), 0, @IF(@AFTER(shproductnr), 0, @BEFORE(shproductnr), 0, @IF(@AFTER(shproductnr), 0, @IF(@A
tnr),NULL),0,@AFTER(shproductnr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shreason),NULL),0,@BEFORE(shreason)),@IF(@COLTEST(@AFTER(shreason),NULL
),0,@AFTER(shreason))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(shusernr),NULL),0,@BEFORE(shusernr)),@IF(@COLTEST(@AFTER(shusernr),NULL
),0,@AFTER(shusernr))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(transaction_id),NULL),0,@BEFORE(transaction_id)),@IF(@COLTEST(@AFTER(tr
 ansaction_id),NULL),0,@AFTER(transaction_id))) &
```



```
Table BUSINESSDATA URUGUAY.SUHISTOR &
FILTER &
(ON UPDATE, ON DELETE, ON INSERT, &
       ((ENTITY_KEY = 2 AND SHEVENTNR = 103) OR &
        (ENTITY KEY = 2 AND SHEVENTNR = 122) OR &
        (ENTITY_KEY = 2 AND SHEVENTNR = 125) OR &
        (ENTITY_KEY = 14 AND SHEVENTNR = 55 ) OR &
        (ENTITY_KEY = 7 AND SHEVENTNR = 870) &
);
Table BUSINESSDATA_URUGUAY.WORK_ORDER &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_id),NULL),0,@BEFORE(customer_id)),@IF(@COLTEST(@AFTER(customer
_id),NULL),0,@AFTER(customer_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
OR &
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken), NULL), 0, @AFTER(action_taken))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(actual_hours),NULL),0,@BEFORE(actual_hours)),@IF(@COLTEST(@AFTER(actual
_hours),NULL),0,@AFTER(actual_hours))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(address_id),NULL),0,@BEFORE(address_id)),@IF(@COLTEST(@AFTER(address_id
), NULL), 0, @AFTER(address_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(agreement_id),NULL),0,@BEFORE(agreement_id)),@IF(@COLTEST(@AFTER(agreem
ent_id),NULL),0,@AFTER(agreement_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(associate_id),NULL),0,@BEFORE(associate_id)),@IF(@COLTEST(@AFTER(associ
ate_id),NULL),0,@AFTER(associate_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(completed_date_time),NULL),0,@BEFORE(completed_date_time)),@IF(@COLTEST
(@AFTER(completed_date_time), NULL), 0, @AFTER(completed_date_time))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(customer_order_id),NULL),0,@BEFORE(customer_order_id)),@IF(@COLTEST(@AF
TER(customer_order_id), NULL),0,@AFTER(customer_order_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(expiration_date),NULL),0,@BEFORE(expiration_date)),@IF(@COLTEST(@AFTER(
expiration_date),NULL),0,@AFTER(expiration_date))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_description),NULL),0,@BEFORE(problem_description)),@IF(@COLTEST
(@AFTER(problem_description), NULL), 0, @AFTER(problem_description))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(registered_date_time),NULL),0,@BEFORE(registered_date_time)),@IF(@COLTE
ST(@AFTER(registered_date_time),NULL),0,@AFTER(registered_date_time))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_date_time),NULL),0,@BEFORE(service_date_time)),@IF(@COLTEST(@AF
TER(service_date_time), NULL), 0, @AFTER(service_date_time))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_provider_id),NULL),0,@BEFORE(service_provider_id)),@IF(@COLTEST
(@AFTER(service_provider_id),NULL),0,@AFTER(service_provider_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_type_id),NULL),0,@BEFORE(service_type_id)),@IF(@COLTEST(@AFTER(
service_type_id),NULL),0,@AFTER(service_type_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(stockhandler_id),NULL),0,@BEFORE(stockhandler_id)),@IF(@COLTEST(@AFTER(
stockhandler_id),NULL),0,@AFTER(stockhandler_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(work_order_status_id),NULL),0,@BEFORE(work_order_status_id)),@IF(@COLTE
ST(@AFTER(work_order_status_id),NULL),0,@AFTER(work_order_status_id))) &
```



```
Table BUSINESSDATA_URUGUAY.WORK_ORDER_SERVICE,
   SQLEXEC (ID exec_wos_ci,
           QUERY "SELECT customer_id vwosci FROM BUSINESSDATA_URUGUAY.WORK_ORDER WO
                    Where WO.ID = :param_wos_id",
                        PARAMS (param_wos_id = WORK_ORDER_ID)),
   SQLEXEC (ID exec_wos_sr,
           QUERY "SELECT SERIAL_NUMBER vwsr FROM BUSINESSDATA_URUGUAY.DEVICE D
                    Where d.ID = :param_dv"
                        PARAMS (param_dv = DEVICE_ID)),
   TOKENS (TK_WOS_CID = @GETVAL(exec_wos_ci.vwosci),
           TK_WOS_SR = @GETVAL(exec_wos_sr.vwsr)
) &
FILTER &
(ON UPDATE, &
@STRCMP(@IF(@COLTEST(@BEFORE(id),NULL),0,@BEFORE(id)),@IF(@COLTEST(@AFTER(id),NULL),0,@AFTER(id)))
@STRCMP(@IF(@COLTEST(@BEFORE(action_taken),NULL),0,@BEFORE(action_taken)),@IF(@COLTEST(@AFTER(action
_taken), NULL), 0, @AFTER(action_taken))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(device_id),NULL),0,@BEFORE(device_id)),@IF(@COLTEST(@AFTER(device_id),N
ULL),0,@AFTER(device_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(hardware_model_id),NULL),0,@BEFORE(hardware_model_id)),@IF(@COLTEST(@AF
TER(hardware_model_id), NULL), 0, @AFTER(hardware_model_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(problem_description),NULL),0,@BEFORE(problem_description)),@IF(@COLTEST
(@AFTER(problem_description), NULL), 0, @AFTER(problem_description))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(product_id),NULL),0,@BEFORE(product_id)),@IF(@COLTEST(@AFTER(product_id
), NULL), 0, @AFTER(product_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(quantity),NULL),0,@BEFORE(quantity)),@IF(@COLTEST(@AFTER(quantity),NULL
),0,@AFTER(quantity))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(service_id),NULL),0,@BEFORE(service_id)),@IF(@COLTEST(@AFTER(service_id
),NULL),0,@AFTER(service_id))) OR &
@STRCMP(@IF(@COLTEST(@BEFORE(work_order_id),NULL),0,@BEFORE(work_order_id)),@IF(@COLTEST(@AFTER(work
_order_id),NULL),0,@AFTER(work_order_id))) &
);
[ggatek2vCS@rgmadbu1903 dirprm]$
```

Replicat – URUGUAY

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more rcuru.prm

REPLICAT rcuru

getenv (JAVA_HOME)

getenv (CLASSPATH)

getenv (PATH)

getenv (LD_LIBRARY_PATH)

TARGETDB LIBFILE libggjava.so SET property=dirprm/cass_uru.props

REPORTCOUNT EVERY 1 MINUTES, RATE

DISCARDFILE ./dirrpt/rcuru.dcs, APPEND, MEGABYTES 512

REPORTROLLOVER AT 17:30 ON SUNDAY

DISCARDROLLOVER AT 18:30 ON SUNDAY
```



```
GROUPTRANSOPS 10000
HANDLECOLLISIONS
INSERTALLRECORDS
MAP BUSINESSDATA_URUGUAY.ADDRESS, TARGET K2VIEW_CUSTOMER_LU.IBS_ADDRESS,
FILTER (ADDRCUSTNR > 0),
        ADDRCUSTNR = ADDRCUSTNR,
        SOURCE_ID = '9',
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ADDRNR = ADDRNR,
        ADDRCAREOFNAME = ADDRCAREOFNAME,
        ADDRSTREET = ADDRSTREET,
        ADDREXTRA = ADDREXTRA,
        ADDRPOSTCODE = ADDRPOSTCODE,
        ADDRCOUNTRY = D__ADDRCOUNTRY
        ADDRHOUSEALPHANR = ADDRHOUSEALPHANR,
        ADDRSMALLCITY = ADDRSMALLCITY,
        ADDREVENTNR = ADDREVENTNR,
        ADDRBIGCITY = ADDRBIGCITY,
        ADDRSTREETADDRESSN = ADDRSTREETADDRESSN,
        ADDRHOUSENRNUMERIC = ADDRHOUSENRNUMERIC,
        ADDRPROVINCENUMBER = ADDRPROVINCENUMBER,
        ADDRDIRECTIONS = ADDRDIRECTIONS
        MARKETSEGMENT_ID = MARKETSEGMENT_ID,
        FK_GEO_CODE_ID = FK_GEO_CODE_ID,
        ADDR ENTITY ID = ADDR ENTITY ID,
        APARTMENT_NUMBER = APARTMENT_NUMBER,
        ADDRPHONEH = ADDRPHONEH,
        WORKPHONEEXT = WORKPHONEEXT,
        ADDRPHONEW = ADDRPHONEW,
        HOMEPHONEEXT = HOMEPHONEEXT,
        ADDRFAX1 = ADDRFAX1,
        ADDRFAX2 = ADDRFAX2,
        ADDREMAILADDR = ADDREMAILADDR,
        ADDRSURNAME = ADDRSURNAME,
        ADDRFIRSTNAME = ADDRFIRSTNAME,
        ADDRMIDDLENAME = ADDRMIDDLENAME,
        ADDRTITLE = D__ADDRTITLE
MAP BUSINESSDATA_URUGUAY.ADDRESS, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (ADDRCUSTNR > 0),
COLMAP(
       SOURCE ID = '9',
       ENTITY_ID = @STRCAT(ADDRCUSTNR, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.IBS_AGREEMENT_DETAIL,
FILTER (AGREEMENT_ID > 0 and CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER', 'LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        COMM_PRODUCT_ID = COMM_PRODUCT_ID,
        STATUS = STATUS,
        AGREEMENT_ID = AGREEMENT_ID,
        FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
        CUSTOMER_ID = CUSTOMER_ID,
        FINANCE_OPTION_ID = FINANCE_OPTION_ID,
        CONTRACT_PERIOD = CONTRACT_PERIOD,
        CHARGE_PERIOD_ID = CHARGE_PERIOD_ID,
        CHARGE_UNTIL_DATE = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD:HH:MI:SS', CHARGE_UNTIL_DATE),
        CONTRACT_START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
CONTRACT START DATE),
```



```
CONTRACT_END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CONTRACT_END_DATE),
        CHARGE_PERIOD = @CASE (CHARGE_PERIOD_ID, 1, 'Monthly', 3 , 'Quarterly' , 6 , 'HalfYearly',
12 , 'Yearly'),
        SOURCE ID = '9'
MAP BUSINESSDATA_URUGUAY.AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (AGREEMENT_ID > 0 and CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.AGREEMENT, TARGET K2VIEW_CUSTOMER_LU.IBS_AGREEMENT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        CONTRACT NUMBER = CONTRACT NUMBER,
        MARKET_SEGMENT_ID = MARKET_SEGMENT_ID,
        NAME = NAME,
        STATUS = STATUS,
        TYPE = TYPE,
        CUSTOMER_ID = CUSTOMER_ID,
        STOCK_HANDLER_ID = STOCK_HANDLER_ID,
        CHARGE_PERIOD_ID = CHARGE_PERIOD_ID,
        CONTRACT_START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
CONTRACT_START_DATE),
        CONTRACT_END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CONTRACT_END_DATE),
        CHARGE_PERIOD = @CASE (CHARGE_PERIOD_ID, 1, 'Monthly', 3 , 'Quarterly' , 6 , 'HalfYearly',
12 , 'Yearly'),
        SOURCE ID = '9'
MAP BUSINESSDATA_URUGUAY.AGREEMENT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.CONTACT, TARGET K2VIEW_CUSTOMER_LU.IBS_CONTACT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        PRODUCT_ID = PRODUCT_ID,
        METHOD = METHOD,
        DEVICE_ID = DEVICE_ID,
        ORDER_ID = ORDER_ID,
        WORK_ORDER_ID = WORK_ORDER_ID,
        ACTION_TAKEN = ACTION_TAKEN,
        CATEGORY = CATEGORY,
        PROBLEM_DESC = PROBLEM_DESC,
        CREATED_BY_USER = CREATED_BY_USER,
        STATUS = STATUS,
        ALLOCATED_TO_USER = ALLOCATED_TO_USER,
        CUSTOMER_ID = CUSTOMER_ID ,
        CREATED_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATED_DATE),
ACTION_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', ACTION_DATE),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.CONTACT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
```



```
SOURCE_ID = '9'
ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
MAP BUSINESSDATA_URUGUAY.CREDIT_CARD, TARGET K2VIEW_CUSTOMER_LU.IBS_CREDIT_CARD,
FILTER (FINANCIAL_ACCOUNT_ID > 0 and @TOKEN ('TK_CC_CUSTOMER') > 0),
COLMAP (USEDEFAULTS,
         FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
         POS = @GETENV('GGHEADER', 'LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE');
         OP_TS = @GETENV('GGHEADER', 'COMMITTIMESTAMP'),
         CREDIT_CARD_NUMBER = @TOKEN ('TK_CC_NUMBER'),
         CUSTOMER_ID = @TOKEN ('TK_CC_CUSTOMER'),
SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.CREDIT_CARD, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (FINANCIAL_ACCOUNT_ID > 0 and @TOKEN ('TK_CC_CUSTOMER') > 0),
SOURCE_ID = '9'
ENTITY_ID = @STRCAT(@STRNUM(@TOKEN ('TK_CC_CUSTOMER')), '_1_9')
MAP BUSINESSDATA_URUGUAY.CUSTOM_FIELD_VALUE, TARGET K2VIEW_CUSTOMER_LU.IBS_CUSTOM_FIELD_VALUE,
FILTER (@TOKEN ('TK_DATE_CUSFEM') =1 and INSTANCE_ID > 0),
         ID = ID.
         POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE')
         OP_TS = @GETENV('GGHEADER', 'COMMITTIMESTAMP');
         CUSTOM_FIELD_ENTITY_ID = CUSTOM_FIELD_ENTITY_ID ,
         VALUE = VALUE ,
         INSTANCE_ID = INSTANCE_ID
         ENTITY_METADATA_ID = @TOKEN ('TK_DATE_CUSFEM'),
         INSTANCE_ID = INSTANCE_ID,
         SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.CUSTOM_FIELD_VALUE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_DATE_CUSFEM') =1 and INSTANCE_ID > 0),
COLMAP(
SOURCE_ID = '9'
ENTITY_ID = @STRCAT(INSTANCE_ID, '_1_9')
MAP BUSINESSDATA_URUGUAY.CUSTOMER, TARGET K2VIEW_CUSTOMER_LU.IBS_CUSTOMER,
FILTER (ID > 0),
COLMAP(
         ENTITY_ID = @STRCAT(ID, '_1_9'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
POS = @GETENV('GGHEADER','LOGPOSITION'),
         TYPE_ID = TYPE_ID,
         STATUS_ID = STATUS_ID,
         CLASS_ID = CLASS_ID,
         SEGMENTATION_ID = SEGMENTATION_ID,
         CUSTOMER_SINCE = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD HH:MI:SS', CUSTOMER_SINCE),
         EXEMPTION_CODE_ID = EXEMPTION_CODE_ID
         EXEMPTION_SERIAL_NUMBER = EXEMPTION_SERIAL_NUMBER,

EXEMPTION_FROM = @DATE ('YYYY-MM-DD', 'YYYY-MM-DD HH:MI:SS', EXEMPTION_FROM),
         ID = ID,
         REFERENCE_TYPE_ID = REFERENCE_TYPE_ID,
         IDENTIFICATION_ID = @TOKEN ('TK_IDENTIFICATION_ID'),
         INTERNET_PASSWORD_ENC = @TOKEN ('TK_INTERNET_PASSWORD_ENC'),
INTERNET_PASSWORD_IV = @BINTOHEX (INTERNET_PASSWORD_IV),
         INTERNET_USER_NAME = INTERNET_USER_NAME,
         LANGUAGE_ID = LANGUAGE_ID,
         BIRTH_DATE = @TOKEN ('TK_BIRTH_DATE'),
         BUSINESS_UNIT_ID = BUSINESS_UNIT_ID,
```



```
MAGAZINES = MAGAZINES,
        SOURCE ID = '9'
MAP BUSINESSDATA_URUGUAY.CUSTOMER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (ID > 0),
COLMAP(
     SOURCE_ID = '9',
     ENTITY_ID = @STRCAT(ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.DEVICE_AGREEMENT_DETAIL, TARGET
K2VIEW_CUSTOMER_LU.IBS_DEVICE_AGREEMENT_DETAIL,
FILTER (@TOKEN ('TK_DEVAGR_CI') > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        AGREEMENT_DETAIL_ID = AGREEMENT_DETAIL_ID,
        DEVICE ID = DEVICE ID,
        SERIAL_NUMBER = @TOKEN ('TK_DEVAGR_SN'),
        CUSTOMER_ID = @TOKEN ('TK_DEVAGR_CI'),
        MODEL_ID = @TOKEN ('TK_DEVAGR_MI'),
        CA REFERENCE NUMBER = @TOKEN ('TK DEVAGR RN'),
        MAC_ADDRESS1 = @TOKEN ('TK_DEVAGR_MA'),
        CUSTOMER_ID = @TOKEN ('TK_DEVAGR_CI');
        DEVICE_LINK_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DEVICE_LINK_DATE),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.DEVICE_AGREEMENT_DETAIL, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_DEVAGR_CI') > 0),
COLMAP(
      SOURCE_ID = '9',
      ENTITY_ID = @STRCAT(@TOKEN ('TK_DEVAGR_CI'), '_1_9')
);
MAP BUSINESSDATA_URUGUAY.FINANCIAL_ACCOUNT, TARGET K2VIEW_CUSTOMER_LU.IBS_FINANCIAL_ACCOUNT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        NAME = NAME,
        STATUS_ID = STATUS_ID,
        TYPE_ID = TYPE_ID,
        BALANCE = BALANCE,
        INVOICE_DELIVERY_METHOD_ID = INVOICE_DELIVERY_METHOD_ID,
        CURRENCY_ID = CURRENCY_ID,
        DUNNING_LEVEL_ID = DUNNING_LEVEL_ID,
        INVOICING_PROFILE_ID = INVOICING_PROFILE_ID,
        LAST_INVOICED_AMOUNT = LAST_INVOICED_AMOUNT,
        PARENT_FINANCIAL_ACCOUNT_ID = PARENT_FINANCIAL_ACCOUNT_ID,
        MOP_ID = MOP_ID,
        IS_DEFAULT = IS_DEFAULT,
        PROXY_CODE_ID = PROXY_CODE_ID,
        NOT_YET_APPLIED = NOT_YET_APPLIED,
        CUSTOMER_ID = CUSTOMER_ID,
        LAST_INVOICED_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
LAST_INVOICED_DATE),
        PREPAID_DISCONNECT_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
PREPAID_DISCONNECT_DATE),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.FINANCIAL_ACCOUNT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP (
```



```
SOURCE_ID = '9'
      ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.INVOICE, TARGET K2VIEW_CUSTOMER_LU.IBS_INVOICE,
FILTER (CUSTOMER_ID > 0),
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE')
        OP_TS = @GETENV('GGHEADER', 'COMMITTIMESTAMP'),
        FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
        AMOUNT_PAID = AMOUNT_PAID,
        INVOICE_NUMBER = INVOICE_NUMBER,
        STATUS_ID = STATUS_ID,
        INVOICE_TEXT = INVOICE_TEXT,
        MOP_ID = MOP_ID,
        TOTAL_AMOUNT = TOTAL_AMOUNT,
        CUSTOMER_ID = CUSTOMER_ID,
        BALANCE = BALANCE,
        IS_PENDING = IS_PENDING,
        BALANCE_BROUGHT_FORWARD = BALANCE_BROUGHT_FORWARD,
        DIAS = @DATEDIFF('DD' , DUE_DATE, @DATENOW() ),
        CREATE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATE_DATE),
        DUE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DUE_DATE),
        INVOICE_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', INVOICE_DATE),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.INVOICE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9'
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.KEYWORD, TARGET K2VIEW_CUSTOMER_LU.IBS_KEYWORD,
FILTER (CUSTOMER ID > 0),
COLMAP (
        CUSTOMER_ID = CUSTOMER_ID,
        POS = @GETENV('GGHEADER', 'LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE');
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ATTRIBUTE = ATTRIBUTE,
        COUNT_VALUE = COUNT_VALUE,
        ID = ID,
        ALLOWED_KEYWORD_ID = ALLOWED_KEYWORD_ID,
        KEYTYPES_ID = KEYTYPES_ID,
        DATE_VALUE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', DATE_VALUE),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.KEYWORD, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
MAP BUSINESSDATA_URUGUAY.OFFER, TARGET K2VIEW_CUSTOMER_LU.IBS_OFFER,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE');
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ACTIVE = ACTIVE,
        OFFER_DEFINITION_ID = OFFER_DEFINITION_ID,
        CUSTOMER_ID = CUSTOMER_ID,
```



```
FINANCIAL_ACCOUNT_ID = FINANCIAL_ACCOUNT_ID,
         AGREEMENT ID = AGREEMENT ID,
         AGREEMENT_DETAIL_ID = AGREEMENT_DETAIL_ID,
        START_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', START_DATE),
END_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', END_DATE),
IS_ACTIVE = @IF (ACTIVE =1 , 'Active', 'Canceled')
         SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.OFFER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
      SOURCE_ID = '9'
      ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.ORDERED_EVENT, TARGET K2VIEW_CUSTOMER_LU.IBS_ORDERED_EVENT,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
         POS = @GETENV('GGHEADER', 'LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
         OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
         EVENT_TITLE_ID = EVENT_TITLE_ID,
         CUSTOMER_ID = CUSTOMER_ID,
         DEVICE_ID = DEVICE_ID,
         EVENT_SCHEDULE_ID = EVENT_SCHEDULE_ID,
         SALES_CHANNEL_ID = SALES_CHANNEL_ID,
         DEVICE_AGREEMENT_DETAIL_ID = DEVICE_AGREEMENT_DETAIL_ID,
         FINANCIAL ACCOUNT ID = FINANCIAL ACCOUNT ID,
         SLOT_NUMBER = SLOT_NUMBER,
         STATUS = STATUS,
         CHANNEL_ID = @TOKEN ('TK_DATE_ORVENC'),
         ON_DEMAND = @TOKEN ('TK_DATE_ORVEND'),
         ORDERED_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', ORDERED_DATE),
         EVENT_START_DATETIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
EVENT_START_DATETIME),
         SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.ORDERED_EVENT, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA URUGUAY.SUHISTOR, TARGET K2VIEW CUSTOMER LU.IBS SUHISTOR,
FILTER (SHSUBSCRIBERNR > 0),
COLMAP (
         POS = @GETENV('GGHEADER','LOGPOSITION'),
         OP_TYPE = @GETENV('GGHEADER','OPTYPE')
         OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
         ENTITY_KEY = ENTITY_KEY,
         SHEVENTNR = SHEVENTNR,
         ENTITY_ID = ENTITY_ID,
         SHUSERNR = SHUSERNR,
         EXTERNAL_AGENT_ID = EXTERNAL_AGENT_ID,
         SHSUBSCRIBERNR = SHSUBSCRIBERNR,
         SHSHNR = SHSHNR,
         SHREASON = SHREASON,
         SHPRODUCTNR = SHPRODUCTNR,
         REQUESTED_BY_TYPE_ID = REQUESTED_BY_TYPE_ID,
         REQUESTED_BY_ENTITY_ID = REQUESTED_BY_ENTITY_ID,
        TRANSACTION_ID = TRANSACTION_ID,
         CREATE_DATETIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', CREATE_DATETIME),
         REAL_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', REAL_DATE),
        SOURCE_ID = '9'
```



```
MAP BUSINESSDATA_URUGUAY.SUHISTOR, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (SHSUBSCRIBERNR > 0),
COLMAP(
       SOURCE ID = '9'
       ENTITY_ID = @STRCAT(SHSUBSCRIBERNR, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.WORK_ORDER, TARGET K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER,
FILTER (CUSTOMER_ID > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        ACTION_TAKEN = ACTION_TAKEN,
        PROBLEM_DESCRIPTION = PROBLEM_DESCRIPTION,
        ADDRESS_ID = ADDRESS_ID,
        WORK_ORDER_STATUS_ID = WORK_ORDER_STATUS_ID,
        AGREEMENT_ID = AGREEMENT_ID,
        SERVICE TYPE ID = SERVICE TYPE ID,
        SERVICE_PROVIDER_ID = SERVICE_PROVIDER_ID,
        CUSTOMER_ORDER_ID = CUSTOMER_ORDER_ID,
        STOCKHANDLER_ID = STOCKHANDLER_ID,
        ACTUAL_HOURS = ACTUAL_HOURS,
        CUSTOMER_ID = CUSTOMER_ID,
        REGISTERED_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
REGISTERED_DATE_TIME),
        SERVICE_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
SERVICE_DATE_TIME),
        COMPLETED_DATE_TIME = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS',
COMPLETED_DATE_TIME),
        EXPIRATION_DATE = @DATE ('YYYY-MM-DD HH:MI:SS', 'YYYY-MM-DD HH:MI:SS', EXPIRATION_DATE),
        SOURCE ID = '9'
MAP BUSINESSDATA_URUGUAY.WORK_ORDER, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (CUSTOMER_ID > 0),
COLMAP(
       SOURCE_ID = '9',
       ENTITY_ID = @STRCAT(CUSTOMER_ID, '_1_9')
);
MAP BUSINESSDATA_URUGUAY.WORK_ORDER_SERVICE, TARGET K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER_SERVICE,
FILTER (@TOKEN ('TK_WOS_CID') > 0),
COLMAP (
        ID = ID,
        POS = @GETENV('GGHEADER','LOGPOSITION'),
        OP_TYPE = @GETENV('GGHEADER','OPTYPE'),
        OP_TS = @GETENV('GGHEADER','COMMITTIMESTAMP'),
        WORK_ORDER_ID = WORK_ORDER_ID,
        SERVICE_ID = SERVICE_ID,
        DEVICE_ID = DEVICE_ID,
        PRODUCT_ID = PRODUCT_ID,
        HARDWARE_MODEL_ID = HARDWARE_MODEL_ID,
        ACTION_TAKEN = ACTION_TAKEN,
        PROBLEM_DESCRIPTION = PROBLEM_DESCRIPTION,
        QUANTITY = QUANTITY,
        SERIAL_NUMBER = @TOKEN ('TK_WOS_SR'),
        CUSTOMER_ID = @TOKEN ('TK_WOS_CID'),
        SOURCE_ID = '9'
MAP BUSINESSDATA_URUGUAY.WORK_ORDER_SERVICE, TARGET K2VIEW_CUSTOMER_LU.SYNC_ON_FLY (
FILTER (@TOKEN ('TK_WOS_CID') > 0),
COLMAP(
       SOURCE ID = '9',
       ENTITY_ID = @STRCAT(@TOKEN ('TK_WOS_CID'), '_1_9')
[ggatek2vCS@rgmadbu1903 dirprm]$
```



Properties File - Uruguay

```
[ggatek2vCS@rgmadbu1903 dirprm]$ more cass_uru.props
gg.handlerlist=cassandra
## AVRO ----
gg.mdp.type = avro
gg.mdp.schemaFilesPath =/u01/app/ggate_K2V_CS/OGGForBD/avromdp_uru
gg.mdp.charset = UTF-8
#The handler properties
gg.handler.cassandra.type=cassandra
gg.handler.cassandra.mode=op
#### Connection data to cassandra
gg.handler.cassandra.contactPoints=172.22.126.182,172.22.126.184,172.22.126.196
gg.handler.cassandra.username=admin
gg.handler.cassandra.password=admin
#gg.handler.cassandra.ddlHandling=CREATE,ADD
#set compressedUpdates to false in case of full image
gg.handler.cassandra.compressedUpdates=true
gg.handler.cassandra.cassandraMode=sync
gg.handler.cassandra.consistencyLevel=LOCAL_ONE
goldengate.userexit.timestamp=utc
goldengate.userexit.writers=javawriter
javawriter.stats.display=TRUE
javawriter.stats.full=TRUE
gg.log=log4j
gg.log.level=info
#gg.log.level=debug
gg.report.time=30sec
auto.create.topics.enable =TRUE
gg.classpath=/u01/app/ggate_K2V_CS/OGGForBD/cassandradrv/cassandra-java-driver-
3.1.4/*:/u01/app/ggate_K2V_CS/OGGForBD/cassandradrv/cassandra-java-driver-
3.1.4/lib/*:/u01/app/ggate_K2V_CS
/OGGForBD/dirprm/
javawriter.bootoptions=-Xmx512m -Xms32m -Djava.class.path=.:ggjava/ggjava.jar:./dirprm
#gg.handler.cassandra.filter=oracle.goldengate.datasource.NoOpUpdateFilter
[ggatek2vCS@rgmadbu1903 dirprm]$
```

Avro file - Uruguay

```
[ggatek2vCS@rgmadbu1903 avromdp_uru]$ ls -1
total 68
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 2156 Nov 16 13:47 K2VIEW CUSTOMER LU.IBS ADDRESS.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1142 Nov 16 13:47
K2VIEW_CUSTOMER_LU.IBS_AGREEMENT_DETAIL.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1054 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_AGREEMENT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1205 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_CONTACT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 586 Nov 16 13:47 K2VIEW CUSTOMER_LU.IBS_CREDIT_CARD.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1474 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_CUSTOMER.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 658 Nov 16 13:47
K2VIEW_CUSTOMER_LU.IBS_CUSTOM_FIELD_VALUE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 893 Nov 16 13:47
K2VIEW CUSTOMER LU.IBS DEVICE AGREEMENT DETAIL.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1651 Nov 16 13:47
K2VIEW_CUSTOMER_LU.IBS_FINANCIAL_ACCOUNT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1276 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_INVOICE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 745 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_KEYWORD.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 935 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_OFFER.mdp.avsc
```



```
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1187 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_ORDERED_EVENT.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1161 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_SUHISTOR.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 1345 Nov 16 13:47 K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 991 Nov 16 13:47
K2VIEW_CUSTOMER_LU.IBS_WORK_ORDER_SERVICE.mdp.avsc
-rwxrwxr-x 1 ggatek2vCS ggatek2vCS 390 Nov 16 13:47 K2VIEW_CUSTOMER_LU.SYNC_ON_FLY.mdp.avsc
[ggatek2vCS@rgmadbu1903 avromdp_uru]$
```

```
[ggatek2vCS@rgmadbu1903 avromdp_uru]$ more K2VIEW_CUSTOMER_LU.IBS_ADDRESS.mdp.avsc
{"namespace": "K2VIEW_CUSTOMER_LU",
"type": "record",
"name": "IBS_ADDRESS",
"fields": [
                     "Tomme": "ADDRCUSTNR", "type": "int", "primary_key":true},
{"name": "SOURCE_ID", "type": "int", "primary_key":true},
{"name": "POS", "type": "int", "primary_key":true},
                     {"name": "POS", "type": "int", "primary_key :true},
{"name": "OP_TYPE", "type": ["string", "null"]},
{"name": "OP_TS", "type": ["string", "null"]},
{"name": "ADDRNR", "type": ["int", "null"]},
{"name": "ADDRCAREOFNAME", "type": ["string", "null"]},
{"name": "ADDRSTREET", "type": ["string", "null"]},
{"name": "ADDREXTRA", "type": ["string", "null"]},
{"name": "ADDREXTRA", "type": ["string", "null"]},
                      {"name": "ADDRPOSTCODE", "type": ["string","null"]},
{"name": "ADDRCOUNTRY", "type": ["string","null"]},
                     {"name": "ADDRCOUNTRY", "type": ["string", null"]},
{"name": "ADDRHOUSEALPHANR", "type": ["string","null"]},
{"name": "ADDRSMALLCITY", "type": ["string","null"]},
{"name": "ADDREVENTNR", "type": ["int","null"]},
{"name": "ADDRSTREETADDRESSN", "type": ["int","null"]},
{"name": "ADDRHOUSENRNUMERIC", "type": ["int","null"]},
{"name": "ADDRPROVINCENUMBER", "type": ["int","null"]},
{"name": "ADDRPROVINCENUMBER", "type": ["int","null"]},
                     {"name": "ADDRINGTINETING, "type": ["string", "null"]},
{"name": "MARKETSEGMENT_ID", "type": ["int", "null"]},
{"name": "FK_GEO_CODE_ID", "type": ["int", "null"]},
{"name": "ADDR_ENTITY_ID", "type": ["int", "null"]},
                     {"name": "APARTMENT_NUMBER", "type": ["string", "null"]},
{"name": "ADDRPHONEH", "type": ["string", "null"]},
{"name": "WORKPHONEEXT", "type": ["string", "null"]},
{"name": "ADDRPHONEW", "type": ["string", "null"]},
                      {"name": "HOMEPHONEEXT", "type": ["string", "null"]},
                      {"name": "ADDRFAX1", "type": ["string", "null"]}, 
{"name": "ADDRFAX2", "type": ["string", "null"]},
                      {"name": "ADDREMAILADDR", "type": ["string","null"]},
{"name": "ADDRSURNAME", "type": ["string","null"]},
                      {"name": "ADDRFIRSTNAME", "type": ["string","null"]},
{"name": "ADDRMIDDLENAME", "type": ["string","null"]},
                      {"name": "ADDRTITLE", "type": ["string", "null"]}
1
[ggatek2vCS@rgmadbu1903 avromdp_uru]$
```







```
{"name": "ENTITY_METADATA_ID", "type": ["float","null"]}
]
}
[ggatek2vCS@rgmadbu1903 avromdp_uru]$
```

```
[ggatek2vCS@rgmadbu1903 avromdp_uru]$ more K2VIEW_CUSTOMER_LU.IBS_INVOICE.mdp.avsc
{"namespace": "K2VIEW_CUSTOMER_LU",
```





```
{"name": "IS_ACTIVE", "type": ["string","null"]}
]
}
```

