

UNIVERSIDAD AUTÓNOMA DE AGUASCALIENTES


Alumno: Diego Alberto Lopez Montes

Profesor: Frank Elgar Delgado Arianza


Materia: Programación de Sistemas Web

Centro de Ciencias Básicas


Fecha de entrega: 8 de octubre de 2026


tarea-api-productos
THUNDER CLIENT
New Request
Activity
Collections
Env
filter activity
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getAll
50 mins ago
GET localhost:3000/api/v1/products.
51 mins ago
dbConnection.ts
app.ts
server.ts
products.controller.ts
Release Notes
New Request
.env.example
localhost:3000/api/v1/pro..
POST
http://localhost:3000/api/v1/products/create
Send
Query
Headers 2
Auth
Body 1
Tests
Pre Run
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{
"name": "Laptop Gamer Asus",
"price": 25000.50,
"stock": 5,
"description": "Laptop con mucha RAM",
"brand": "Asus",
"img": "laptop.jpg"
}
Status: 201 Created
Size: 49 Bytes
Time: 89 ms
Response
Headers 6
Cookies
Results
Docs
{
"message": "Producto creado exitosamente",
"id": 2
}
Response
Chart
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
diegoalbertolopezmontes@MacBook-Air-de-Diego-4 tarea-api-productos % npm run dev
[nodemon] watching extensions: ts
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
Launchpad
Finish Setup
Go Live
Claude Code
Continue (NE)


POST


tarea-api-productos
THUNDER CLIENT
New Request
Activity
Collections
Env
filter activity
GET localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getAll
50 mins ago
GET localhost:3000/api/v1/products.
51 mins ago
dbConnection.ts
app.ts
server.ts
products.controller.ts
Release Notes
New Request
.env.example
localhost:3000/api/v1/pro..
GET
http://localhost:3000/api/v1/products/getAll
Send
Query
Headers 2
Auth
Body 1
Tests
Pre Run
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{
"name": "Laptop Gamer Asus",
"price": 25000.50,
"stock": 5,
"description": "Laptop con mucha RAM",
"brand": "Asus",
"img": "laptop.jpg"
}
Status: 200 OK
Size: 295 Bytes
Time: 81 ms
Response
Headers 6
Cookies
Results
Docs
[
{
"id": 1,
"name": "Laptop Gamer Asus",
"price": "25000.50",
"stock": 5,
"description": "Laptop con mucha RAM",
"brand": "Asus",
"img": "laptop.jpg",
"active": 1
},
{
"id": 2,
"name": "Laptop Gamer Asus",
"price": "25000.50",
"stock": 5,
"description": "Laptop con mucha RAM",
"brand": "Asus",
"img": "laptop.jpg",
"active": 1
}
]
Response
Chart
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
diegoalbertolopezmontes@MacBook-Air-de-Diego-4 tarea-api-productos % npm run dev
[nodemon] watching extensions: ts
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
Launchpad
Finish Setup
Go Live
Claude Code
Continue (NE)


GET


tarea-api-productos
THUNDER CLIENT
New Request
Activity
Collections
Env
filter activity
PUT localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getAll
50 mins ago
GET localhost:3000/api/v1/products.
51 mins ago
dbConnection.ts
app.ts
server.ts
products.controller.ts
Release Notes
New Request
.env.example
localhost:3000/api/v1/pro..
PUT
http://localhost:3000/api/v1/products/update/1
Send
Query
Headers 2
Auth
Body 1
Tests
Pre Run
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{
"name": "Laptop Gamer Asus Pro",
"price": 28000.00,
"stock": 3,
"description": "Actualizamos el modelo a versión Pro",
"brand": "Asus",
"img": "laptop-pro.jpg"
}
Status: 200 OK
Size: 48 Bytes
Time: 82 ms
Response
Headers 6
Cookies
Results
Docs
{
"message": "Producto actualizado correctamente"
}
Copy
Response
Chart
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
diegoalbertolopezmontes@MacBook-Air-de-Diego-4 tarea-api-productos % npm run dev
[nodemon] watching extensions: ts
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
Launchpad
Finish Setup
Go Live
Claude Code
Continue (NE)

PUT



tarea-api-productos
THUNDER CLIENT
New Request
Activity
Collections
Env
filter activity
PATCH localhost:3000/api/v1/products/cre...
just now
GET localhost:3000/api/v1/products/getAll
50 mins ago
GET localhost:3000/api/v1/products.
51 mins ago
dbConnection.ts
app.ts
server.ts
products.controller.ts
Release Notes
New Request
.env.example
localhost:3000/api/v1/pro..
PATCH
http://localhost:3000/api/v1/products/change-price/1
Send
Query
Headers 2
Auth
Body 1
Tests
Pre Run
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{
"price": 26500.99
}
Status: 200 OK
Size: 45 Bytes
Time: 29 ms
Response
Headers 6
Cookies
Results
Docs
{
"message": "Precio modificado correctamente"
}
Response
Chart
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
diegoalbertolopezmontes@MacBook-Air-de-Diego-4 tarea-api-productos % npm run dev
[nodemon] watching extensions: ts
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
injected env (6) from .env
injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
Launchpad
Finish Setup
Go Live
Claude Code
Continue (NE)

PATCH




ID INEXISTENTE

NO SE PUEDEN PONER NUMEROS NEGATIVOS



DELETE


tarea-api-productos
THUNDER CLIENT
New Request
Activity
Collections
Env
filter activity
DEL localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getAll
50 mins ago
GET localhost:3000/api/v1/products.
51 mins ago
dbConnection.ts
app.ts
server.ts
products.controller.ts
Release Notes
New Request
.env.example
localhost:3000/api/v1/pro..
DELETE
http://localhost:3000/api/v1/products/delete/1
Send
Query
Headers 2
Auth
Body
Tests
Pre Run
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
Status: 200 OK
Size: 49 Bytes
Time: 65 ms
Response
Headers 6
Cookies
Results
Docs
{
"message": "Baja lógica aplicada correctamente"
}
Copy
Response
Chart
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
node
diegoalbertolopezmontes@MacBook-Air-de-Diego-4 tarea-api-productos % npm run dev
[nodemon] starting `tsx src/app.ts`
◇ injected env (6) from .env
◇ injected env (0) from .env
Servidor TypeScript corriendo en http://localhost:3000
TypeError: Cannot destructure property 'price' of 'req.body' as it is undefined.
at changePrice (/Users/diegoalbertolopezmontes/tarea-api-productos/src/controllers/products.controller.ts:111:11)
at Layer.handleRequest (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/lib/layer.js:152:17)
at next (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/lib/route.js:157:13)
at Route.dispatch (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/lib/route.js:117:3)
at handle (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/index.js:435:11)
at Layer.handleRequest (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/lib/layer.js:152:17)
at /Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/index.js:295:15
at param (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/index.js:600:14)
at param (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/index.js:610:14)
at processParams (/Users/diegoalbertolopezmontes/tarea-api-productos/node_modules/router/index.js:664:3)
Launchpad
Finish Setup
Go Live
Claude Code
Continue (NE)