- [1] G. Jungman, M. Kamionkowski, and K. Griest, Supersymmetric dark matter, Phys. Rep. 267 (1996) 195-373, [arXiv:hep-ph/9506380].
- [2] L. Bergström, Non-baryonic dark matter: observational evidence and detection methods, Rep. Prog. Phys. 63 (2000) 793-841, [arXiv:hep-ph/0002126].
- [3] G. Bertone, D. Hooper, and J. Silk, Particle dark matter: evidence, candidates and constraints, Phys. Rep. 405 (2005) 279–390, [arXiv:hep-ph/0404175].
- [4] R. Bernabei, P. Belli, et al., First results from DAMA/LIBRA and the combined results with DAMA/NaI, Eur. Phys. J. C (2008) 167, [arXiv:0804.2741].
- [5] C. E. Aalseth, P. S. Barbeau, et al., Search for an Annual Modulation in a P-type Point Contact Germanium Dark Matter Detector, arXiv:1106.0650.
- [6] G. Angloher, M. Bauer, et al., Results from 730 kg days of the CRESST-II Dark Matter Search, arXiv:1109.0702.
- [7] D. Hooper and L. Goodenough, Dark matter annihilation in the Galactic Center as seen by the Fermi Gamma Ray Space Telescope, Phys. Lett. B 697 (2011) 412–428, [arXiv:1010.2752].
- [8] O. Adriani, G. C. Barbarino, et al., An anomalous positron abundance in cosmic rays with energies 1.5-100GeV, Nature 458 (2009) 607-609, [arXiv:0810.4995].
- [9] ATLAS Collaboration, Search for the Standard Model Higgs boson in the two photon decay channel with ATLAS detector at the LHC, arXiv:1108.5895.
- [10] CDF Collaboration, Invariant Mass Distribution of Jet Pairs Produced in Association with a W Boson in pp̄ Collisions at s=1.96TeV, Phys. Rev. Lett. 106 (2011) 171801, [arXiv:1104.0699].
- [11] CDF Collaboration, Evidence for a mass dependent forward-backward asymmetry in top quark pair production, Phys. Rev. D 83 (2011) 112003, [arXiv:1101.0034].

- [12] CDF Collaboration, Search for  $B_s \to \mu^+ \mu^-$  and  $B_d \to \mu^+ \mu^-$  Decays with CDF II, arXiv:1107.2304.
- [13] E. Akhmedov and T. Schwetz, MiniBooNE and LSND data: non-standard neutrino interactions in a (3+1) scheme versus (3+2) oscillations, JHEP 10 (2010) 115, [arXiv:1007.4171].
- [14] J. Hamann, S. Hannestad, G. G. Raffelt, I. Tamborra, and Y. Y. Y. Wong, Cosmology Favoring Extra Radiation and Sub-eV Mass Sterile Neutrinos as an Option, Phys. Rev. Lett. 105 (2010) 181301, [arXiv:1006.5276].
- [15] E. A. Baltz and P. Gondolo, Markov Chain Monte Carlo Exploration of Minimal Supergravity with Implications for Dark Matter, JHEP 10 (2004) 52, [arXiv:hep-ph/0407039].
- [16] R. Lafaye, T. Plehn, and D. Zerwas, SFITTER: SUSY Parameter Analysis at LHC and LC, arXiv:hep-ph/0404282.
- [17] P. Bechtle, K. Desch, M. Uhlenbrock, and P. Wienemann, Constraining SUSY models with Fittino using measurements before, with and beyond the LHC, Eur. Phys. J. C 66 (2010) 215–259, [arXiv:0907.2589].
- [18] R. Ruiz de Austri, R. Trotta, and L. Roszkowski, A Markov chain Monte Carlo analysis of CMSSM, JHEP 5 (2006) 2, [arXiv:hep-ph/0602028].
- [19] B. C. Allanach and C. G. Lester, Multidimensional mSUGRA likelihood maps, Phys. Rev. D 73 (2006) 015013, [arXiv:hep-ph/0507283].
- [20] R. Trotta, F. Feroz, M. Hobson, L. Roszkowski, and R. Ruiz de Austri, The impact of priors and observables on parameter inferences in the constrained MSSM, JHEP 12 (2008) 24, [arXiv:0809.3792].
- [21] P. Scott, J. Conrad, et al., Direct constraints on minimal supersymmetry from Fermi-LAT observations of the dwarf galaxy Segue 1, JCAP 1 (2010) 31, [arXiv:0909.3300].

- [22] O. Buchmueller, R. Cavanaugh, et al., Likelihood Functions for Supersymmetric Observables in Frequentist Analyses of CMSSM and NUHM1, arXiv:0907.5568.
- [23] Y. Akrami, P. Scott, J. Edsjö, J. Conrad, and L. Bergström, A profile likelihood analysis of the Constrained MSSM with genetic algorithms, JHEP 4 (2010) 57, [arXiv:0910.3950].
- [24] S. S. Abdussalam, B. C. Allanach, F. Quevedo, F. Feroz, and M. Hobson, Fitting the phenomenological MSSM, Phys. Rev. D 81 (2010) 095012, [arXiv:0904.2548].
- [25] S. S. Abdussalam, B. C. Allanach, M. J. Dolan, F. Feroz, and M. P. Hobson, Selecting a model of supersymmetry breaking mediation, Phys. Rev. D 80 (2009) 035017, [arXiv:0906.0957].
- [26] J. Ripken, J. Conrad, and P. Scott, Implications for constrained supersymmetry of combined H.E.S.S. observations of dwarf galaxies, the Galactic halo and the Galactic centre, JCAP (2011) accepted, [arXiv:1012.3939].
- [27] B. C. Allanach, T. J. Khoo, C. G. Lester, and S. L. Williams, The impact of ATLAS zero-lepton, jets and missing momentum search on a CMSSM fit, JHEP 6 (2011) 35, [arXiv:1103.0969].
- [28] B. C. Allanach, Impact of CMS Multi-jets and Missing Energy Search on CMSSM Fits, Phys. Rev. D 83 (2011) 095019, [arXiv:1102.3149].
- [29] O. Buchmueller, R. Cavanaugh, et al., Implications of initial LHC searches for supersymmetry, Eur. Phys. J. C 71 (2011) 1634, [arXiv:1102.4585].
- [30] O. Buchmueller, R. Cavanaugh, et al., Supersymmetry and Dark Matter in Light of LHC 2010 and Xenon100 Data, arXiv:1106.2529.
- [31] G. Bertone, D. G. Cerdeno, et al., Global fits of the CMSSM including the first LHC and XENON100 data, arXiv:1107.1715.

- [32] C. Arina, J. Hamann, and Y. Y. Y. Wong, A Bayesian view of the current status of dark matter direct searches, arXiv:1105.5121.
- [33] M. Pato, L. Baudis, et al., Complementarity of dark matter direct detection targets, Phys. Rev. D 83 (2011) 083505, [arXiv:1012.3458].
- [34] F. Feroz, K. Cranmer, M. Hobson, R. Ruiz de Austri, and R. Trotta, Challenges of profile likelihood evaluation in multi-dimensional SUSY scans, JHEP 6 (2011) 42, [arXiv:1101.3296].
- [35] Y. Akrami, C. Savage, P. Scott, J. Conrad, and J. Edsjö, Statistical coverage for supersymmetric parameter estimation: a case study with direct detection of dark matter, JCAP 7 (2011) 2, [arXiv:1011.4297].
- [36] M. Bridges, K. Cranmer, et al., A coverage study of CMSSM based on ATLAS sensitivity using fast neural networks techniques, JHEP 3 (2011) 12, [arXiv:1011.4306].
- [37] O. Buchmueller, R. Cavanaugh, et al., Predictions for supersymmetric particle masses using indirect experimental and cosmological constraints, JHEP 9 (2008) 117, [arXiv:0808.4128].
- [38] L. Roszkowski, R. Ruiz de Austri, R. Trotta, Y.-L. S. Tsai, and T. A. Varley, Global fits of the nonuniversal Higgs model, Phys. Rev. D 83 (2011) 015014, [arXiv:0903.1279].
- [39] C. Balázs and D. Carter, Discovery potential of the next-to-minimal supergravity-motivated model, Phys. Rev. D 78 (2008) 055001, [arXiv:0808.0770].
- [40] C. J. Hailey, An indirect search for dark matter using antideuterons: the GAPS experiment, New J. Phys. 11 (2009) 105022.
- [41] V. Choutko and F. Giovacchini, Cosmic Rays Antideuteron Sensitivity for AMS-02 Experiment, in Proceedings of the 30<sup>th</sup> ICRC, Mérida, Mexico (2008) 765-768.
- [42] A. W. Strong and I. V. Moskalenko, Propagation of Cosmic-Ray Nucleons in the Galaxy, ApJ 509 (1998) 212–228, [arXiv:astro-ph/9807150].

- [43] I. V. Moskalenko and A. W. Strong, Production and Propagation of Cosmic-Ray Positrons and Electrons, ApJ 493 (1998) 694, [arXiv:astro-ph/9710124].
- [44] Y. Akrami, C. Savage, P. Scott, J. Conrad, and J. Edsjö, How well will ton-scale dark matter direct detection experiments constrain minimal supersymmetry?, JCAP 4 (2011) 12, [arXiv:1011.4318].
- [45] G. Bertone, D. G. Cerdeño, M. Fornasa, R. Ruiz de Austri, and R. Trotta, Identification of dark matter particles with LHC and direct detection data, Phys. Rev. D 82 (2010) 055008, [arXiv:1005.4280].
- [46] ATLAS Collaboration, Search for Supersymmetry Using Final States with One Lepton, Jets, and Missing Transverse Momentum with ATLAS Detector in s=7TeV pp Collisions, Phys. Rev. Lett. 106 (2011) 131802, [arXiv:1102.2357].
- [47] CMS Collaboration, Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy, Phys. Lett. B 698 (2011) 196–218, [arXiv:1101.1628].
- [48] CMS Collaboration, Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy, arXiv:1109.2352.
- [49] ATLAS Collaboration, Search for new phenomena with the monojet and missing transverse momentum signature using ATLAS detector in sqrt(s) = 7 TeV proton-proton collisions, arXiv:1106.5327.
- [50] Heavy Flavor Averaging Group, Averages of b-hadron properties at the end of 2006, Rep. FERMILAB-FN-0815-E (2007) [arXiv:0704.3575].
- [51] CDF Collaboration, Measurement of the  $B_s^0 \bar{B}_s^0$  Oscillation Frequency, Phys. Rev. Lett. **97** (2006) 062003, [arXiv:hep-ex/0606027].
- [52] CDF Collaboration, Observation of  $B_s^0 \bar{B}_s^0$ Oscillations, Phys. Rev. Lett. **97** (2006) 242003, [arXiv:hep-ex/0609040].

- [53] G. W. Bennett, B. Bousquet, et al., Final report of the E821 muon anomalous magnetic moment measurement at BNL, Phys. Rev. D 73 (2006) 072003, [arXiv:hep-ex/0602035].
- [54] B. Batell, M. Pospelov, and A. Ritz, Exploring portals to a hidden sector through fixed targets, Phys. Rev. D 80 (2009) 095024, [arXiv:0906.5614].
- [55] J. D. Bjorken, R. Essig, P. Schuster, and N. Toro, New fixed-target experiments to search for dark gauge forces, Phys. Rev. D 80 (2009) 075018, [arXiv:0906.0580].
- [56] C. Amsler, M. Doser, et al., Review of Particle Physics, Phys. Lett. B 667 (2008) 1–6.
- [57] Z. Ahmed, D. S. Akerib, et al., Dark Matter Search Results from the CDMS II Experiment, Science 327 (2010) 1619, [arXiv:0912.3592].
- [58] Z. Ahmed, D. S. Akerib, et al., Results from a Low-Energy Analysis of the CDMS II Germanium Data, Phys. Rev. Lett. 106 (2011) 131302, [arXiv:1011.2482].
- [59] E. Aprile, K. Arisaka, et al., Dark Matter Results from 100 Live Days of XENON100 Data, arXiv:1104.2549.
- [60] M. Felizardo, T. Girard, et al., Final Analysis and Results of the Phase II SIMPLE Dark Matter Search, arXiv:1106.3014.
- [61] O. Adriani, G. C. Barbarino, et al., PAMELA Results on the Cosmic-Ray Antiproton Flux from 60 MeV to 180 GeV in Kinetic Energy, Phys. Rev. Lett. 105 (2010) 121101, [arXiv:1007.0821].
- [62] V. Choutko, Cosmic antiproton spectrum measurement modelling with the AMS-02 detector at ISS, Nuc. Phys. B Proc. Supp. 113 (2002) 170-176.
- [63] O. Adriani, G. C. Barbarino, et al., Cosmic-Ray Electron Flux Measured by the PAMELA Experiment between 1 and 625 GeV, Phys. Rev. Lett. 106 (2011) 201101, [arXiv:1103.2880].

- [64] B. Beischer, P. von Doetinchem, H. Gast, T. Kirn, and S. Schael, Perspectives for indirect dark matter search with AMS-02 using cosmic-ray electrons and positrons, New J. Phys. 11 (2009) 105021.
- [65] Y. S. Yoon, H. S. Ahn, et al., Cosmic-ray Proton and Helium Spectra from the First CREAM Flight, ApJ 728 (2011) 122, [arXiv:1102.2575].
- [66] M. Regis and P. Ullio, Multiwavelength signals of dark matter annihilations at the Galactic center, Phys. Rev. D 78 (2008) 043505, [arXiv:0802.0234].
- [67] L. Bergström, G. Bertone, T. Bringmann, J. Edsjö, and M. Taoso, Gamma-ray and radio constraints of high positron rate dark matter models annihilating into new light particles, Phys. Rev. D 79 (2009) 081303, [arXiv:0812.3895].
- [68] A. Natarajan and D. J. Schwarz, Distinguishing standard reionization from dark matter models, Phys. Rev. D 81 (2010) 123510, [arXiv:1002.4405].
- [69] M. Cirelli, F. Iocco, and P. Panci, Constraints on Dark Matter annihilations from reionization and heating of the intergalactic gas, JCAP 10 (2009) 9, [arXiv:0907.0719].
- [70] T. R. Slatyer, N. Padmanabhan, and D. P. Finkbeiner, CMB constraints on WIMP annihilation: Energy absorption during the recombination epoch, Phys. Rev. D 80 (2009) 043526, [arXiv:0906.1197].
- [71] S. Galli, F. Iocco, G. Bertone, and A. Melchiorri, CMB constraints on dark matter models with large annihilation cross section, Phys. Rev. D 80 (2009) 023505, [arXiv:0905.0003].
- [72] M. Taoso, F. Iocco, G. Meynet, G. Bertone, and P. Eggenberger, Effect of low mass dark matter particles on the Sun, Phys. Rev. D 82 (2010) 083509, [arXiv:1005.5711].
- [73] E. Komatsu, K. M. Smith, et al., Seven-year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Cosmological

- Interpretation, ApJS **192** (2011) 18, [arXiv:1001.4538].
- [74] T. Schwetz, M. Tórtola, and J. W. F. Valle, Global neutrino data and recent reactor fluxes: the status of three-flavour oscillation parameters, New J. Phys. 13 (2011) 063004, [arXiv:1103.0734].
- [75] R. Abbasi, Y. Abdou, et al., Limits on a Muon Flux from Neutralino Annihilations in the Sun with the IceCube 22-String Detector, Phys. Rev. Lett. 102 (2009) 201302, [arXiv:0902.2460].
- [76] A. A. Abdo, M. Ackermann, et al., Constraints on cosmological dark matter annihilation from the Fermi-LAT isotropic diffuse gamma-ray measurement, JCAP 4 (2010) 14, [arXiv:1002.4415].
- [77] M. Ackermann, M. Ajello, et al., Constraining dark matter models from a combined analysis of Milky Way satellites with the Fermi-LAT, arXiv:1108.3546.
- [78] HESS Collaboration, A. Abramowski, et al., H.E.S.S. constraints on Dark Matter annihilations towards the Sculptor and Carina Dwarf Galaxies, Astropart. Phys. 34 (2011) 608-616, [arXiv:1012.5602].
- [79] J. Aleksić, E. A. Alvarez, et al., Searches for dark matter annihilation signatures in the Segue 1 satellite galaxy with the MAGIC-I telescope, JCAP 6 (2011) 35, [arXiv:1103.0477].
- [80] V. A. Acciari, T. Arlen, et al., VERITAS Search for VHE Gamma-ray Emission from Dwarf Spheroidal Galaxies, ApJ 720 (2010) 1174–1180, [arXiv:1006.5955].
- [81] R. Ruiz de Austri, R. Trotta, and F. Feroz, SuperBayeS. http://www.superbayes.org.
- [82] P. Gondolo, J. Edsjö, et al., DarkSUSY: computing supersymmetric dark matter properties numerically, JCAP 7 (2004) 8, [arXiv:astro-ph/0406204].
- [83] A. Lewis and S. Bridle, Cosmological parameters from CMB and other data: A Monte Carlo approach, Phys. Rev. D 66 (2002) 103511, [arXiv:astro-ph/0205436].

- [84] A. Putze, L. Derome, and D. Maurin, A Markov Chain Monte Carlo technique to sample transport and source parameters of Galactic cosmic rays. II. Results for the diffusion model combining B/C and radioactive nuclei, A&A 516 (2010) A66, [arXiv:1001.0551].
- [85] P. Scott and S. Sivertsson, Gamma rays from ultracompact primordial dark matter minihalos, Phys. Rev. Lett. 103 (2009) 211301, [arXiv:0908.4082].
- [86] A. S. Josan and A. M. Green, Gamma rays from ultracompact minihalos: Potential constraints on the primordial curvature perturbation, Phys. Rev. D 82 (2010) 083527, [arXiv:1006.4970].
- [87] T. Bringmann, P. Scott, and Y. Akrami, Improved constraints on the primordial power spectrum at small scales from ultracompact minihalos, Phys. Rev. D (2011) submitted, [arXiv:1110.2484].
- [88] L. Roszkowski, R. Ruiz de Austri, and R. Trotta, Efficient reconstruction of constrained MSSM parameters from LHC data: A case study, Phys. Rev. D 82 (2010) 055003, [arXiv:0907.0594].
- [89] P. Scott, M. Asplund, N. Grevesse, and A. J. Sauval, Line formation in solar granulation. VII. CO lines and the solar C and O isotopic abundances, A&A 456 (2006) 675–688, [arXiv:astro-ph/0605116].
- [90] P. Scott, M. Asplund, N. Grevesse, and A. J. Sauval, On the Solar Nickel and Oxygen Abundances, ApJ 691 (2009) L119–L122, [arXiv:0811.0815].
- [91] M. Asplund, N. Grevesse, A. J. Sauval, and P. Scott, *The chemical composition of the Sun*, *ARA&A* 47 (2009) 481–522, [arXiv:0909.0948].
- [92] D. Spolyar, K. Freese, and P. Gondolo, Dark Matter and the First Stars: A New Phase of Stellar Evolution, Phys. Rev. Lett. 100 (2008) 051101, [arXiv:0705.0521].
- [93] F. Iocco, Dark Matter Capture and Annihilation on the First Stars: Preliminary

- Estimates, ApJ **677** (2008) L1–L4, [arXiv:0802.0941].
- [94] M. Fairbairn, P. Scott, and J. Edsjö, The zero age main sequence of WIMP burners, Phys. Rev. D 77 (2008) 047301, [arXiv:0710.3396].
- [95] P. Scott, M. Fairbairn, and J. Edsjö, Dark stars at the Galactic Centre the main sequence, MNRAS 394 (2009) 82–104, [arXiv:0809.1871].
- [96] E. Zackrisson, P. Scott, et al., Finding High-redshift Dark Stars with the James Webb Space Telescope, ApJ 717 (2010) 257–267, [arXiv:1002.3368].
- [97] P. Scott, A. Venkatesan, et al., Impacts of Dark Stars on Reionization and Signatures in the Cosmic Microwave Background, ApJ (2011) in press (accepted Aug 22), [arXiv:1107.1714].
- [98] G. Gabadadze and R. A. Rosen, Charged Condensate and Helium Dwarf Stars, JCAP 10 (2008) 030, [arXiv:0806.3692].
- [99] R. A. Rosen, Phase transitions of charged scalars at finite temperature and chemical potential, JHEP 12 (2010) 24, [arXiv:1009.0752].