

# **Release Notes V5.1**

2014 02 04

### Copyright SSAB Oxelösund AB 2014

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

## **Table of Contents**

Upgrading to Proview V5.1.0	4
New functions	4
Supervision in component objects	4
ABB ACS880 with PPO7 Profinet communication	5
Ubuntu package for cross compilation of Raspberry projects	5
Export of Xtt fast curve	
Xtt command to close the current graph and multiwindow	6
Xtt logging modifications	6
New Classes	6
DSupComp	6
DSupCompFo	6
ASupComp	6
ASupCompFo	6
Modified Classes	6
Upgrade procedure	6
Make a copy of the project	7
Dump the databases	7
Linux release upgrade	8
Change version	8
upgrade.sh	8
classvolumes	8
renamedb	8
cnvdump	
loaddb	9
cnvobjects	9
compile	9
createload	9
createboot	9
List example	9

# **Upgrading to Proview V5.1.0**

This document describes new functions i Proview V5.1.0, and how to upgrade a project from V5.0.0 to V5.1.0.


## **New functions**

## Supervision in component objects

DSupComp and ASupComp is a new type of supervision objects for components. The function is identical to DSup and Asup, but they are separated in a main object, containing the data for the object, and a function object used in the plc code. For DSupComp the function object is DSupCompFo and for ASupComp the function object is ASupCompFo.

Previously when ordinary DSup and ASup object where use in components, these objects were placed in the plc code and the only property that normally could be modified was the event text. With the new objects, all the supervision attributes are available for modification, such as MoreText, EventPriority, EventFlags, TimerTime etc.

All supervision objects in the base components are replaced by DSupComp and ASupComp objects. The figure below shows the DSupComp object for high high limit in a BaseSensor object.



### ABB ACS880 with PPO7 Profinet communication

A set of object for communication and control of frequency converter ABB ACS880 with Profinet communication is added. The set contains a profinet device object with predefined gsdm file, a profinet module with IO module for the PPO7 communication. Note that the PPO7 message for profinet differs from PPO7 for profibus, and a specific IO module is required. Also objects for the frequency converter, and aggregates for motor, pump and fan control are added.

## Ubuntu package for cross compilation of Raspberry projects

The new package that can be installed on Ubuntu, contains cross compiled runtime actives for Rasberry PI, thus making it possible to develop RPI projects on Ubuntu, without having to build a cross compiled Proview release from sources. The name of the package is pwrrpi51 and it requires that the development package pwr51 first is installed.

Also the cross compiler rpi-tools for rasbian has to be installed on the developmen node.

## Export of Xtt fast curve

An export function is added to the Xtt fast curve window to export the curve to text file. The text file can later be opened in a curve window with the xtt command "open fast /file='filename'".

## Xtt command to close the current graph and multiwindow

These close commands are used for command buttons to close the current graph or multiwindow. When using multiwindows and window objects the name of the graph can be unknown when editing, and the name \$current can be used to point out the current multiwindow or graph.

```
xtt> close graph $current
xtt> close multiwindow $current
```

## Xtt logging modifications

Some changes are made in the xtt logging utility. The default filename is changed and is individual for the different entries. An entry is cleared before a restore is done.

## **New Classes**

### **DSupComp**

Digital supervision object for components. Basically a DSup object that is divided into a main object in the plant hierarchy, and a function object in the plc, DSupCompFo.

### **DSupCompFo**

Function object to DSupComp.

## **ASupComp**

Analog supervision object for components. Basically an ASup object that is divided into a main object in the plant hierarchy, and a function object in the plc, ASupCompFo.

## **ASupCompFo**

Function object to ASupComp.

## **Modified Classes**

# **Upgrade procedure**

The upgrading has to be done from any version in the interval V4.7.0. If the project has a lower version, the upgrade has to be performed stepwise following the schema

```
V2.1 -> V2.7b -> V3.3 -> V3.4b -> V4.0.0 -> V4.1.3 -> V4.2.0-> V4.5.0-> V4.6.0-> V4.7.0-> V4.8.6-> (V5.0.0)-> V5.1.0
```

When upgradeing from lower versions than V5.0.0, upgradeing from V4.8.x can be done directly to

V5.1.0.

The upgrade procedure is to dump the database with reload.sh, change the version of the project in the projectlist, and then execute the script upgrade.sh.

#### NOTE!!

Do not activate Update Classes.

If the previous version should be kept, first make a copy of the project.

## Make a copy of the project

Do sdf to the project and start the administrator

```
> pwra
```

Now the Projectlist is opened. Enter edit mode, login as administrator if you lack access. Find the current project and select Copy Project from the popup menu of the ProjectReg object. Open the copy and assign a suitable project name and path. Save and close the administrator.

## Dump the databases

Execute the first pass, *dumpdb*, in the script *reload.sh*.

> reload.sh

```
reload.sh Dump and reload of database.
```

Arguments Database or databases to reload.

I no arguments is supplied, all databases will be

reloaded.

Pass

```
dumpdb Dump database to textfile $pwrp_db/'volume'.wb_dmp classvolumes Create structfiles and loadfiles for classvolumes renamedb Rename the old database dirvolume Load directory volume loaddb Load the dump into the new database compile Compile all plcprograms in the database
```

createload Create new loadfiles.

createboot Create bootfiles for all nodes in the project.

```
-- Reloading volume directory volopg2
```

Pass: dumpdb classvolumes renamedb dirvolume loaddb compile createload createboot

```
Enter start pass [dumpdb] >
```

-----

```
Pass dump database
```

\_\_\_\_\_\_

```
Do you want to continue ? [y/n/go] y
```

ls: cannot access /data0/pwrp/opg2/common/db/\*.wb dmp: No such file or

```
directory
Dumping volume directory in /data0/pwrp/opg2/common/db/directory.wb_dmp
...
I Database opened /data0/pwrp/opg2/common/db/volopg2.db
ls: cannot access /data0/pwrp/opg2/common/db/*.wb_load: No such file or directory
```

```
Pass create structfiles and loadfiles for classvolumes

Do you want to continue ? [y/n/go] n setdb is obsolete
```

Check that the one dumpfile is created for every rootvolume

```
> cd $pwrp_db
> ls -l *.wb_dmp
-rw-rw-r-- 1 cs pwrp 7467 2010-03-26 16:32 volopg2.wb dmp
```

## Linux release upgrade

If you are using an older Ubuntu version to upgrade the linux release and install the pwr51 package.

## Change version

Enter the administrator and change the version of the project to V5.1.0. Save and close the administrator.

## upgrade.sh

Do sdf to the project.

upgrade.sh is a script that is divided into a number of passes. After each pass you you have to answere whether to continue with the next pass or not.

Start the script with

```
> upgrade.sh
```

Start from the classvolumes pass.

```
Enter start pass [classvolumes] >
```

#### classvolumes

Create loadfiles and structfiles for the class volumes.

#### renamedb

Store the old databases under the name \$pwrp db/'volumename'.db.1.

#### cnvdump

Converts DSup and ASup to DSupComp and ASupComp for base component objects.

#### loaddb

Create databases and load the dumpfiles into them.

#### cnvobjects

Convert objects in loaded database.

#### compile

Compile all the plc programs.

#### createload

Create loadfiles for the root volumes.

#### createboot

Create bootfiles for all nodes in the project.

If the project contains any application programs, these has to be built manually.

Delete files from the upgrading procedure:

```
$pwrp_db/*.wb_dmp.*
$pwrp_db/*.db.1 (old databases, directories which content also should be removed)
```

### List example

```
-- Upgrade opg2
```

```
Enter start pass [classvolumes] >
Pass create structfiles and loadfiles for classvolumes
Do you want to continue ? [y/n/qo] y
ls: cannot access /data0/pwrp/opg2/src/db/*.wb load: No such file or
directory
Pass rename old databases
______
Do you want to continue ? [y/n/go] y
-- Saving file /data0/pwrp/opg2/src/db/volopg.db ->
/data0/pwrp/opg2/src/db/volopg.db.1
Pass cnvdump
______
Do you want to continue ? [y/n/go] y
/data0/pwrp/opg4/src/db/volopg2.wb dmp
Pass load database
Do you want to continue ? [y/n/go] y
-- Loading volume volopg
-- Processing line: 57
-- Building volume directory
I Volume directory loaded
I Database opened /data0/pwrp/opg2/src/db/directory.wb load
-- Processing line: 200
-- Building volume VolOpg
I Volume VolOpg loaded
Berkeley DB 4.6.21: (September 27, 2007)
info put: 0
Berkeley DB 4.6.21: (September 27, 2007)
info get: 0
int rc = m_txn->abort(): 0
Pass convert objects in loaded database
______
Do you want to continue ? [y/n/go] y
Proview is free software; covered by the GNU General Public License.
You can redistribute it and/or modify it under the terms of this
license.
```

Proview is distributed in the hope that it will be useful but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

-- Processing line: 21

```
-- Building volume localWb
I Volume localWb loaded
-- Set H5-V1.Actuator.Mode.AlarmLocalMode.Attribute = H5-
V1.Actuator.Mode
-- Set H5-V1.Actuator.DiffAlarm.Attribute = H5-V1.Actuator
-- Set H5-V1.Actuator.SwitchAlarm.Attribute = H5-V1.Actuator
-- Set H19-M1.TempSwitch.Alarm.Attribute = H19-M1.TempSwitch
-- Set H19-M1.TempSensor.LimitHH.Alarm.Attribute = H19-M1.TempSensor
-- Set H19-M1.TempSensor.LimitH.Alarm.Attribute = H19-M1.TempSensor
-- Set H19-M1.TempSensor.LimitL.Alarm.Attribute = H19-M1.TempSensor
-- Set H19-M1.TempSensor.LimitLL.Alarm.Attribute = H19-M1.TempSensor
%WNAV-E-MSG, Session saved
______
Pass compile plcprograms
-----
Do you want to continue ? [y/n/go] y
Berkeley DB 4.6.21: (September 27, 2007)
info get: 0
I Database opened /data0/pwrp/opg2/src/db/volopg.db
-- Plc window generated
                              F1-Z1-Plc-W
-- Plc window compiled for x86 linux optimized -O3 F1-Z1-Plc-W
-- Plc plcpgm compiled for x86 linux optimized -O3 F1-Z1-Plc
-- Plc window generated
                              F1-Z2-Plc-W
-- Plc window compiled for x86_linux optimized -O3 F1-Z2-Plc-W
-- Plc plcpgm compiled for x86 linux optimized -O3 F1-Z2-Plc
------
Pass create loadfiles
______
Do you want to continue ? [y/n/go] y
-- Removing old loadfiles
rm: cannot remove `/data0/pwrp/opg2/bld/common/load/ld vol*.dat': No
such file or directory
Berkeley DB 4.6.21: (September 27, 2007)
info get: 0
I Database opened /data0/pwrp/opg2/src/db/volopg.db
-- Building archive for volume: 000 001 001 012
-- Archive built for volume: 000_001_001_012
-- Working with load file volume 'VolOpg'...
-- Open file...
-- Successfully created load file for volume 'VolOpg'
-- 26 objects with a total body size of 21976 bytes were written to new
file.
Before this pass you should compile the modules included by ra plc user.
Pass create bootfiles
______
Do you want to continue ? [y/n/qo] y
```

-- Creating bootfiles for all nodes

Proview is free software; covered by the GNU General Public License. You can redistribute it and/or modify it under the terms of this license.

Proview is distributed in the hope that it will be useful but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

- -- Creating bootfile for node opg
   plc\_opg\_0507\_00011
  -- Plc thread generated priority 0, scantime 0.10000 s, 2 plcpgm's
  -- Plc process compiled for x86\_linux optimized -03 Dummy
  -- Plc program linked for x86\_linux node plc\_opg\_0507
  -- Creating bootfile for node aristotle
   plc\_aristotle\_0517\_00011
  -- Plc thread generated priority 0, scantime 0.10000 s, 2 plcpgm's
  -- Plc process compiled for x86\_linux optimized -03 Dummy
  -- Plc program linked for x86 linux node plc aristotle 0517
- -- The upgrade procedure is now accomplished.

setdb is obsolete
>
>