



Elektronik Devreler 2021 Bahar – LAB 0

Yükleme için:

<https://www.labcenter.com/downloads/>

Tutorial için:

<https://labcenter.s3.amazonaws.com/downloads/Tutorials.pdf>



The Limitations of the demonstration version are as follows:

- ✓ Not time limited!
- ✓ Extensive set of sample designs included to help you evaluate all aspects of the software.
- ✓ You **can** write your own software to run on existing sample designs for evaluation purposes.
- ✗ You can only print Schematics and Layouts from the sample designs.
- ✗ You cannot save your work.
- ✗ You cannot simulate your own microcontroller designs.

Please note using a download manager or accelerator may corrupt the file.

[Download the Demonstration version here.](#)

Download Proteus Professional Demonstration



I would like to be contacted by a member of the sales team - ☐

The reCAPTCHA field is required before the download can start.



Ben robot değilim



reCAPTCHA
Gizlilik - Şartlar

Download



prodemo.exe



Welcome to Proteus 8 Demonstration Setup Wizard

The Setup Wizard will install Proteus 8 Demonstration on your computer. Click Next to continue or close the window to exit the Setup Wizard.

Next >

Read the Labcenter Electronics Licence Terms

To continue you must read and accept the terms of this agreement. If you do not want to accept the Labcenter Electronics Licence Terms, close this window to cancel the installation.



PROTEUS PROFESSIONAL LICENCE AGREEMENT

This End-User License Agreement ("EULA") is a legal agreement between you (either an individual or a single entity) and Labcenter Electronics Ltd ("Labcenter"). The SOFTWARE(s) identified above, which includes the Documentation, any associated SOFTWARE components, any media, any printed materials, is referred to as "Software". By installing, copying, or otherwise using the Software, you agree to be bound by the terms of this EULA. If you do not agree to the terms of this EULA, do not install or use the Software.

1. LICENCING

☒ I accept the terms of this agreement.

< Back

Next >

Choose the installation you want



Typical

Installs the most common program features. Recommended for most users.



Custom

Allows users to choose which program features will be installed and where they will be installed. Recommended for advanced users.


< Back

Installation Progress

Installing Proteus 8 Demonstration...

Downloading installation media


Copying new files



Proteus 8 Demonstration has been successfully installed.

Run Proteus 8
Demonstration

Close



PROTEUS DESIGN SUITE 8.12

Getting Started

- [Schematic and PCB \(Basic\)](#)
- [Schematic and PCB \(Advanced\)](#)
- [Simulation](#)
- [What's New](#)

Start

[Open Project](#) [New Project](#) [New Flowchart](#) [Open Sample](#)

Recent Projects



Help

- [Help Home](#)
- [Schematic Capture](#)
- [PCB Layout](#)
- [Simulation](#)
- [Visual Designer](#)
- [IoT Builder](#)

News

Demonstration version of Proteus Design Suite

- You have been evaluating Proteus. Please contact [Labcenter Electronics](#) for more information.
- Software is up to date. Last checked 0 days ago. [Manual Update Check](#).

New in Version 8.12

- [Multi Board Support](#)
- [Non-Functional Pads](#)
- [SnapEDA Library Integration](#)
- [Diff Pair Pass Through](#)
- [File Auto Save \(Updated\)](#)

New in Versions 8.7 to 8.11

- [DXF Importing](#)
- [Pick and Place Configurator](#)
- [Length Matching \(Updated\)](#)
- [Component Placement Report](#)
- [EDIF2 File Importer](#)
- [Gerber X2 File Output \(Updated\)](#)
- [PCB Panelization \(Updated\)](#)
- [Auto Complete Routing](#)
- [Samacsys Library Import](#)
- [Direct Library Part Importer](#)
- [UltraLibrarian Import](#)
- [Miscellaneous Updates V8.10](#)

[more guides](#)

Getting Started Movies

- [Installation and Filing](#)
- [New Project \(PCB\)](#)
- [Import Project \(PCB\)](#)

About

© Labcenter Electronics 1989-2021

Release 8.12 SP0 (Build 30713) with Advanced Simulation

www.labcenter.com

Demonstration Version

Free Memory: 10.331 MB

Windows 10 (x64) v10.00, Build 18363

File System Help

- New Project Ctrl+N
- Open Project Ctrl+O
- Open Sample Project
- Import Legacy Project
- Import ECAD Files
- Save Project Ctrl+S
- Save Project As
- Close Project
- Explore Project Folder
- Edit Project Description
- Exit Application Alt+F4

PROTEUS DESIGN SUITE 8.12

Start

[Open Project](#)
[New Project](#)
[New Flowchart](#)
[Open Sample](#)

Recent Projects

Help

- [Help Home](#)
- [Schematic Capture](#)
- [PCB Layout](#)
- [Simulation](#)
- [Visual Designer](#)
- [IoT Builder](#)

About

© Labcenter Electronics 1989-2021
 Release 8.12 SP0 (Build 30713) with Advanced Simulation
www.labcenter.com
 Demonstration Version
 Free Memory: 10.331 MB
 Windows 10 (x64) v10.00, Build 18363

News

Demonstration version of Proteus Design Suite

- You have been evaluating Proteus . Please contact [Labcenter Electronics](#) for more information.
- Software is up to date. Last checked 0 days ago. [Manual Update Check](#).

New in Version 8.12

- [Multi Board Support](#)
- [Non-Functional Pads](#)
- [SnapEDA Library Integration](#)
- [Diff Pair Pass Through](#)
- [File Auto Save \(Updated\)](#)

New in Versions 8.7 to 8.11


- [DXF Importing](#)
- [Pick and Place Configurator](#)
- [Length Matching \(Updated\)](#)
- [EDIF2 File Importer](#)
- [Gerber X2 File Output \(Updated\)](#)
- [PCB Panelization \(Updated\)](#)
- [Component Placement Report](#)
- [Samacsys Library Import](#)
- [Direct Library Part Importer](#)
- [UltraLibrarian Import](#)
- [Auto Complete Routing](#)
- [Miscellaneous Updates V8.10](#)

[more guides](#)

Getting Started Movies

- [Update check completed](#)
- [New Project \(PCB\)](#)
- [Import Project \(PCB\)](#)

Start a new project



 New Project Wizard



- ☐ Do not create a schematic.
- ☒ Create a schematic from the selected template.

Design Templates

DEFAULT

Landscape A0

Landscape A1

Landscape A2

Landscape A3

Landscape A4

Landscape US A

Landscape US B

Landscape US C

Portrait A0

Portrait A1

Portrait A2

Portrait A3

Portrait A4

Portrait US A

Portrait US B

Portrait US C

Sample Design

C:\ProgramData\Labcenter Electronics\Proteus 8 Demonstration\Templates\DEFAULT.DTF

Back

Next

Cancel

Help

New Project Wizard



- ☒ Do not create a PCB layout.
☐ Create a PCB layout from the selected template.

Layout Templates

Arduino MEGA 2560 rev3
Arduino UNO rev3
DEFAULT
Double Eurocard (2 Layer)
Double Eurocard (4 Layer)
Extended Double Eurocard (2 Layer)
Extended Double Eurocard (4 Layer)
Generic Eight Layer 1.6mm (5 x Signal, 3 x Plane)
Generic Four Layer 1.6mm (2 x Signal, 2 x Plane)
Generic Single Layer
Generic Six Layer 1.6mm (4 x Signal, 2 x Plane)
PANEL
Single Eurocard (2 Layer)
Single Eurocard (4 Layer)
Single Eurocard with Connector

C:\ProgramData\Labcenter Electronics\Proteus 8 Demonstration\Templates\DEFAULT.LTF

Back

Next

Cancel

Help

New Project Wizard



- ☒ No Firmware Project
- ☐ Create Firmware Project
- ☐ Create Flowchart Project

Family

Controller

Compiler

Compilers...

Create Quick Start Files ☐

Create Peripherals ☐

Back

Next

Cancel

Help

New Project Wizard



Summary

Saving As: C:\Users\BAP_DR\Documents\lab0.pdsprj

☒ Schematic

☐ Layout

☐ Firmware

Details

Schematic template: C:\ProgramData\Labcenter Electronics\Proteus 8 Demonstration\Templates\DEFAULT.DTF

No PCB layout


No Firmware Project


Back

Finish

Cancel

Help





lab0 - Proteus 8 Demonstration - Schematic Capture

File Edit View Tool Design Graph Debug Library Template System Help

Base Design ROOT

Schematic Capture

Pick Devices

Keywords: diod

Match whole words? ☐ Show only parts with models? ☐

Category:

- (All Categories)
- Analog ICs
- Diodes
- Modelling Primitives
- Operational Amplifiers
- Optoelectronics
- Switching Devices
- Thermionic Valves
- Transistors

Sub-category:

- (All Sub-categories)
- Analog (SPICE)
- Bridge Rectifiers
- DIACs
- Digital (Miscellaneous)
- Diodes
- Dual
- Generic
- IGBT
- LEDs

Manufacturer:


- (All Manufacturers)
- (Unspecified)
- Diodes Inc.
- Fairchild
- General Instruments
- General Semiconductor
- Infineon Technologies
- International Rectifier
- Littelfuse
- Littelfuse Inc.

Showing local results: 2836


Device	Library	Description
10A01	DIODESINC	Si; 50.0V 10.0A 3.00us
10A02	DIODESINC	Si; 100V 10.0A 3.00us
10A03	DIODESINC	Part Name : 10A01
10A04	DIODESINC	Disk Library : C:\ProgramData\Labcenter Electronics\Proteus 8 Demonstration\Library\DIODESINC.LIB
10A05	DIODESINC	Created On : 5 Kasım 2019 Salı at 18:26:17
10A06	DIODESINC	Category : Diodes
10A07	DIODESINC	Sub-category : Rectifiers
10B10TR	DIODESINC	Manufacturer : Diodes Inc.
10B10TR	DIODESINC	Description : Si; 50.0V 10.0A 3.00us
10BQ015	DIOIPC7351	DIODE SCHOTTKY 15V 1A SMB
10BQ015	IRDIODE	15V 1A Schottky Discrete Diode in a SMB package
10BQ015TR	DIOIPC7351	DIODE SCHOTTKY 15V 1A SMB
10BQ030	DIOIPC7351	DIODE SCHOTTKY 30V 1A DO-214AA
10BQ030TR	DIOIPC7351	DIODE SCHOTTKY 30V 1A SMB
10BQ040	DIOIPC7351	DIODE SCHOTTKY 40V 1A SMB
10BQ040	IRDIODE	40V 1A Schottky Discrete Diode in a SMB package
10BQ040TR	DIOIPC7351	DIODE SCHOTTKY 40V 1A SMB
10BQ060	DIOIPC7351	DIODE SCHOTTKY 60V 1A SMB
10BQ060TR	DIOIPC7351	DIODE SCHOTTKY 60V 1A SMB
10BQ100	DIOIPC7351	DIODE SCHOTTKY 100V 1A SMB
10BQ100	IRDIODE	100V 1A Schottky Discrete Diode in a SMB package
10BQ100TR	DIOIPC7351	DIODE SCHOTTKY 100V 1A SMB
10CTQ150	IRDIODE	150V 10A Schottky Common Cathode Diode in a TO-220AB package
10CTQ150-1	IRDIODE	150V 10A Schottky Common Cathode Diode in a TO-262 package
10CTQ150-1	DIOIPC7351	DIODE SCHOTTKY 150V 10A TO-262
10CTQ150S	IRDIODE	150V 10A Schottky Common Cathode Diode in a D2PAK package
10MQ060N	IRDIODE	60V 1.5A Schottky Discrete Diode in a SMA package
10MQ060NTR	IRDIODE	60V 1.5A Schottky Discrete Diode in a SMA package
10MQ100N	IRDIODE	100V 1.5A Schottky Discrete Diode in a SMA package
10MQ100NTR	IRDIODE	100V 1.5A Schottky Discrete Diode in a SMA package
10TQ045	IRDIODE	45V 10A Schottky Discrete Diode in a TO-220AC package
10TQ045S	IRDIODE	45V 10A Schottky Discrete Diode in a D2PAK package
10WQ045FN	DIOIPC7351	DIODE SCHOTTKY 45V 10A D-PAK
12CGQ150	IRDIODE	35A 150V Hi-Rel Schottky Common Cathode Diode in a TO-254AA package

Preview

SPICE Model [10A01]



PCB Preview





R-6


OK Cancel

StepEDA Found more results, press to view SamacSys Found more results, press to view











 Edit Component ? X


Part Reference:	R1	Hidden:	☐
Resistance:	0R1	Hidden:	☐
Element:	New		
Model Type:	ANALOG	Hide All	v
Stock Code:	(Default)	Hide All	v
PCB Package:	RES180 	Hide All	v

Other Properties:

☐ Exclude from Simulation	☐ Attach hierarchy module
☐ Exclude from PCB Layout	☐ Hide common pins
☐ Exclude from Current Variant	☐ Edit all properties as text







Simulation Log

Message

Source

 PROSPICE 8.08.00 (Build 29194) (C) Labcenter Electronics 1993-2021.

 Loaded netlist 'C:\Users\BAP_DR\AppData\Local\Temp\LISA1371.SDF' for design 'lab0.pdsprj'



 2 Message(s)


Shows the currently loaded components.


INSTRUMENTS


- OSCILLOSCOPE
- LOGIC ANALYSER
- COUNTER TIMER
- VIRTUAL TERMINAL
- SPI DEBUGGER
- I2C DEBUGGER
- SIGNAL GENERATOR
- PATTERN GENERATOR
- DC VOLT METER
- DC AMMETER
- AC VOLT METER
- AC AMMETER
- WATT METER

0°

< >







VSM Debugger




Fatal simulation error(s) encountered

View the simulation log?

Yes

No





Message


-  ISIS Release 8.12.00 (Build 30713) (C) Labcenter Electronics 1990- 2021.
-  Compiling design 'C:\Users\BAP_DR\Documents\lab0.pdsprj'.
-  Netlist compilation completed OK.
-  Netlist linking completed OK.
-  Partition analysis completed OK.
-  Simulating partition 1
-  PROSPICE 8.08.00 (Build 29194) (C) Labcenter Electronics 1993-2021.
-  Loaded netlist 'C:\Users\BAP_DR\AppData\Local\Temp\LISA4777.SDF' for design 'lab0.pdsprj'
-  [SPICE] singular matrix: check node [#IDC AMMETER#0004 IP1#branch](#).
-  [SPICE] singular matrix: check node [#IDC AMMETER#0004 IP1#branch](#).
-  [SPICE] Gmin stepping failed
-  [SPICE] singular matrix: check node [#IDC AMMETER#0004 IP1#branch](#).
-  [SPICE] Source step [0 of 120] failed: source factor = 0.0000
-  [SPICE] (null).
-  Real Time Simulation failed to start.





1 Error(s)






























GENERATORS


- DC
- SINE
- PULSE
- EXP
- SFFM
- PWLIN
- FILE
- AUDIO
- DSTATE
- DEDGE
- DPULSE
- DCLOCK
- DPATTERN
- SCRIPTABLE

















opamp

A vertical sidebar of logos for various organizations, including Seed, Bristol, P4, and CON TRIB.

Denetleyici [illegible][illegible]

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

100

1000

► www.pearsoncmg.com
