


Calculation Report

Naphthalene

Excited States (Singlet, Triplet)



Summary of Results

Metadata

Username: oliver
Date: 07/06/2022 16:48:19
Duration: 4 m, 21 s
Success: True
Computational package: Gaussian (2016+C.01)
Methods: DFT
Functional: PBE1PBE
Basis set: 6-31G(d,p)
Calculations: Excited States
Orbital spin: restricted
Multiplicity: 1 (singlet)

SCF Energies

No. of steps: 1
Final energy: -10488.9903 eV
Final energy: -1,012,034 kJmol⁻¹

Geometry

Formula: C₁₀H₈
Exact mass: 128.0626 gmol⁻¹
Molar mass: 128.1705 gmol⁻¹
Alignment method: Minimal
X extension: 6.74 Å
Y extension: 4.97 Å
Z extension: 0.00 Å
Linearity ratio: 0.26
Planarity ratio: 1.00

HOMO & LUMO

E_{HOMO,LUMO}: 5.21 eV
E_{HOMO}: -6.13 eV
E_{LUMO}: -0.92 eV



Permanent Dipole Moment

Total: 0.00 D
X axis angle: 0.00 °
XY plane angle: 0.00 °


Transition (S₁) Dipole Moment

Total: 0.07 D
X axis angle: 0.00 °
XY plane angle: 0.00 °

Excited States


ΔE_{ST}: 1.62 eV
S₁ energy: 4.65 eV
S₁ wavelength: 266 nm
S₁ colour: Ultraviolet 
S₁ CIE (x,y): (0.00, 0.00)
S₁ oscillator strength: 0.00
T₁ energy: 3.03 eV
T₁ wavelength: 409 nm
T₁ colour: Violet 
T₁ CIE (x,y): (0.17, 0.00)
T₁ oscillator strength: 0.00
No. of singlets: 10
No. of triplets: 10

Geometry




X/Y plane

X/Z plane



Z/Y plane




45° to axes

Aligned structure


Geometry

Formula:	$C_{10}H_8$
Exact mass:	128.0626 $g\text{mol}^{-1}$
Molar mass:	128.1705 $g\text{mol}^{-1}$
Alignment method:	Minimal
X extension:	6.74 Å
Y extension:	4.97 Å
Z extension:	0.00 Å
Linearity ratio:	0.26
Planarity ratio:	1.00


SCF Density




X/Y plane



X/Z plane




Z/Y plane



45° to axes


SCF density (isovalue: 0.0004)

Permanent Dipole Moment




X/Y plane

X/Z plane



Z/Y plane




45° to axes

Aligned structure (dipole moment in red)

Dipole Moment


Origin X:	0.00 D
Origin Y:	0.00 D
Origin Z:	0.00 D
Vector X:	0.00 D
Vector Y:	0.00 D
Vector Z:	0.00 D
Total:	0.00 D
X axis angle:	0.00 °
XY plane angle:	0.00 °

Transition (S_1) Dipole Moment




X/Y plane

X/Z plane



Z/Y plane




45° to axes

Aligned structure (dipole moment in red)


Dipole Moment

Origin X:	0.00 D
Origin Y:	0.00 D
Origin Z:	0.00 D
Vector X:	0.07 D
Vector Y:	-0.00 D
Vector Z:	-0.00 D
Total:	0.07 D
X axis angle:	0.00 °
XY plane angle:	0.00 °


HOMO-5, HOMO-4, HOMO-3, HOMO-2




X/Y plane




X/Z plane




X/Y plane



X/Z plane




Z/Y plane




45° to axes

HOMO-5 density (isovalue: 0.02)




Z/Y plane




45° to axes


HOMO-4 density (isovalue: 0.02)




X/Y plane




X/Z plane




X/Y plane



X/Z plane




Z/Y plane




45° to axes

HOMO-3 density (isovalue: 0.02)




Z/Y plane



45° to axes


HOMO-2 density (isovalue: 0.02)

HOMO-1




X/Y plane

X/Z plane






Z/Y plane




45° to axes

HOMO-1 density (isovalue: 0.02)


HOMO & LUMO




LUMO+1, LUMO+2, LUMO+4




X/Y plane




X/Z plane




X/Y plane



X/Z plane




Z/Y plane




45° to axes

LUMO+1 density (isovalue: 0.02)




Z/Y plane




45° to axes


LUMO+2 density (isovalue: 0.02)




X/Y plane



X/Z plane




Z/Y plane



45° to axes

LUMO+4 density (isovalue: 0.02)


Excited States



Excited States

ΔE_{ST} :	1.62 eV
S_1 energy:	4.65 eV
S_1 wavelength:	266 nm
S_1 colour:	Ultraviolet XXXXXXXXXX
S_1 CIE (x,y):	(0.00, 0.00)
S_1 oscillator strength:	0.00
T_1 energy:	3.03 eV
T_1 wavelength:	409 nm
T_1 colour:	Violet XXXXXXXXXX
T_1 CIE (x,y):	(0.17, 0.00)
T_1 oscillator strength:	0.00
No. of singlets:	10
No. of triplets:	10
















Absorptions



Absorption spectrum (simulated Gaussian functions with FWHM: 0.4 eV).
Peaks /nm: 194, 261.

Note: high energy absorption peaks are not simulated.
For a complete absorption spectrum, use more excited states.

Table of Excited States

Level	Symbol	Symmetry	Energy /eV	Wavelength /nm	Colour, CIE (x,y)	Oscillator Strength	Transitions (probability)
1	T ₁	Triplet-B1U	3.0294	409.27	Violet  (0.17, 0.00)	0.0000	HOMO → LUMO (0.92) HOMO-2 → LUMO+2 (0.03) HOMO-1 → LUMO+1 (0.03)
2	T ₂	Triplet-B2U	4.1078	301.83	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-1 → LUMO (0.58) HOMO → LUMO+1 (0.40)
3	T ₃	Triplet-B2U	4.4060	281.40	Ultraviolet  (0.00, 0.00)	0.0000	HOMO → LUMO+1 (0.59) HOMO-1 → LUMO (0.41)
4	T ₄	Triplet-B3G	4.4608	277.94	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-2 → LUMO (0.51) HOMO → LUMO+2 (0.46)
5	T ₅	Triplet-B1U	4.6180	268.48	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-1 → LUMO+1 (0.94) HOMO → LUMO (0.04)
6	S ₁	Singlet-B2U	4.6525	266.49	Ultraviolet  (0.00, 0.00)	0.0001	HOMO-1 → LUMO (0.50) HOMO → LUMO+1 (0.49)
7	S ₂	Singlet-B1U	4.7387	261.64	Ultraviolet  (0.00, 0.00)	0.1168	HOMO → LUMO (0.90) HOMO-1 → LUMO+1 (0.07)
8	T ₆	Triplet-AG	5.5459	223.56	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-1 → LUMO+2 (0.31) HOMO-4 → LUMO (0.30) HOMO-2 → LUMO+1 (0.26) HOMO → LUMO+4 (0.13)
9	T ₇	Triplet-B3G	5.9643	207.88	Ultraviolet  (0.00, 0.00)	0.0000	HOMO → LUMO+2 (0.53) HOMO-2 → LUMO (0.47)
10	S ₃	Singlet-B3G	6.0185	206.01	Ultraviolet  (0.00, 0.00)	0.0000	HOMO → LUMO+2 (0.51) HOMO-2 → LUMO (0.49)
11	T ₈	Triplet-AG	6.2558	198.19	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-2 → LUMO+1 (0.62) HOMO-1 → LUMO+2 (0.30) HOMO-4 → LUMO (0.06)
12	S ₄	Singlet-B2U	6.3419	195.50	Ultraviolet  (0.00, 0.00)	2.1780	HOMO → LUMO+1 (0.48) HOMO-1 → LUMO (0.47)
13	T ₉	Triplet-AG	6.4283	192.87	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-4 → LUMO (0.38) HOMO-1 → LUMO+2 (0.36) HOMO → LUMO+4 (0.12) HOMO-2 → LUMO+1 (0.07) HOMO-7 → LUMO+2 (0.04)
14	S ₅	Singlet-AG	6.5463	189.40	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-2 → LUMO+1 (0.49) HOMO-1 → LUMO+2 (0.46) HOMO-4 → LUMO (0.04)
15	T ₁₀	Triplet-B1G	6.5767	188.52	Ultraviolet  (0.00, 0.00)	0.0000	HOMO-3 → LUMO (0.98)
							HOMO-1 → LUMO+1 (0.86)

Naphthalene - Excited States (Singlet, Triplet)

16	S ₆	Singlet-B1U	6.6348	186.87	Ultraviolet [REDACTED] (0.00, 0.00)	0.3684	HOMO-2 → LUMO+2 (0.07) HOMO → LUMO (0.04)
17	S ₇	Singlet-B1G	6.7955	182.45	Ultraviolet [REDACTED] (0.00, 0.00)	0.0000	HOMO-3 → LUMO (0.99)
18	S ₈	Singlet-B2G	6.9759	177.73	Ultraviolet [REDACTED] (0.00, 0.00)	0.0000	HOMO-5 → LUMO (0.98)
19	S ₉	Singlet-B3G	7.0061	176.97	Ultraviolet [REDACTED] (0.00, 0.00)	0.0000	HOMO-2 → LUMO (0.48) HOMO → LUMO+2 (0.45)
20	S ₁₀	Singlet-AG	7.3438	168.83	Ultraviolet [REDACTED] (0.00, 0.00)	0.0000	HOMO-4 → LUMO (0.63) HOMO-1 → LUMO+2 (0.27) HOMO-2 → LUMO+1 (0.07)

Table of Selected Molecular Orbitals

Level	Label	Symmetry	Energy /eV
50	LUMO+15	B1u	8.6396
49	LUMO+14	Ag	7.9114
48	LUMO+13	B1u	6.9150
47	LUMO+12	B3g	6.0692
46	LUMO+11	B2g	5.7949
45	LUMO+10	B2u	5.3487
44	LUMO+9	B1u	5.1506
43	LUMO+8	B3g	5.0031
42	LUMO+7	Ag	4.9519
41	LUMO+6	B1u	3.6912
40	LUMO+5	B2u	3.4207
39	LUMO+4	Au	2.9674
38	LUMO+3	Ag	2.9127
37	LUMO+2	B3u	1.0612
36	LUMO+1	B2g	-0.1010
35	LUMO	B1g	-0.9244
34	HOMO	Au	-6.1307
33	HOMO-1	B3u	-6.9084
32	HOMO-2	B2g	-8.0747
31	HOMO-3	Ag	-9.1879
30	HOMO-4	B1g	-9.2562
29	HOMO-5	B3g	-9.4032
28	HOMO-6	B2u	-10.2679
27	HOMO-7	B3u	-11.0274
26	HOMO-8	B1u	-11.1363
25	HOMO-9	B2u	-11.5961
24	HOMO-10	B3g	-11.6187
23	HOMO-11	Ag	-12.3015
22	HOMO-12	B1u	-12.4753
21	HOMO-13	Ag	-13.7777
20	HOMO-14	B3g	-14.2411
19	HOMO-15	B2u	-14.3709

Table of Atoms

Element	X Coord	Y Coord	Z Coord
C	-1.2404600	-1.3991400	0.0000000
C	-2.4260000	-0.7066400	0.0000000
C	-2.4260000	0.7066400	0.0000000
C	-1.2404600	1.3991400	-0.0000000
C	-0.0000000	0.7142300	-0.0000000
C	-0.0000000	-0.7142300	0.0000000
C	1.2404600	-1.3991400	0.0000000
C	1.2404600	1.3991400	-0.0000000
C	2.4260000	0.7066400	-0.0000000
C	2.4260000	-0.7066400	-0.0000000
H	-1.2367000	-2.4862000	0.0000000
H	-3.3697000	-1.2439700	0.0000000
H	-3.3697000	1.2439700	0.0000000
H	-1.2367000	2.4862000	-0.0000000
H	1.2367000	-2.4862000	0.0000000
H	1.2367000	2.4862000	-0.0000000
H	3.3697000	1.2439700	-0.0000000
H	3.3697000	-1.2439700	-0.0000000

Silico Calculation Report

Part of the silico software package

Version 1.0.0-pre.31

11 February 2022

Silico makes use of a number of 3rd party libraries and programs; please cite these appropriately in your works:

Extraction and processing of results: **cclib**^[1]

Rendering of 3D images: **VMD**^[2], **Tachyon**^[3]

Rendering of graphs: **Matplotlib**^[4]

Calculation of CIE colour coordinates: **Colour Science**^[5]

Generation of reports: **Mako**^[6], **Weasyprint**^[7]

Scientific constants: **SciPy**^[8]

Conversion of file formats: **Pybel**^[9], **Openbabel**^[10]

Calculation of spin-orbit coupling: **PySOC**^[11]

Rendering of 2D structures: **RDKit**^[12]

Saving of state during submission: **Dill**^[13,14]

Bibliography

- [1] N. M. O'boyle, A. L. Tenderholt and K. M. Langner, *Journal of Computational Chemistry*, 2008, **29**, 839--845
- [2] W. Humphrey, A. Dalke and K. Schulten, *Journal of Molecular Graphics*, 1996, **14**, 33--38
- [3] J. Stone, Masters Thesis, Computer Science Department, University of Missouri-Rolla, 1998
- [4] J. D. Hunter, *Computing in Science & Engineering*, 2007, **9**, 90--95
- [5] T. Mansencal, M. Mauderer, M. Parsons, N. Shaw, K. Wheatley, S. Cooper, J. D. Vandenberg, L. Canavan, K. Crowson, O. Lev, K. Leinweber, S. Sharma, T. J. Sobotka, D. Moritz, M. Pppp, C. Rane, P. Eswaramoorthy, J. Mertic, B. Pearlstine, M. Leonhardt, O. Niemitalo, M. Szymanski and M. Schambach, Colour 0.3.15, Zenodo, 2020
- [6] M. Bayer, <https://www.makotemplates.org>, (accessed May 2020)
- [7] K. Community, <https://weasyprint.org>, (accessed May 2020)
- [8] P. Virtanen, R. Gommers, T. E. Oliphant, M. Haberland, T. Reddy, D. Cournapeau, E. Burovski, P. Peterson, W. Weckesser, J. Bright, S. J. van der Walt, M. Brett, J. Wilson, K. Jarrod Millman, N. Mayorov, A. R. J. Nelson, E. Jones, R. Kern, E. Larson, C. Carey, Í. Polat, Y. Feng, E. W. Moore, J. Vand erPlas, D. Laxalde, J. Perktold, R. Cimrman, I. Henriksen, E. A. Quintero, C. R. Harris, A. M. Archibald, A. H. Ribeiro, F. Pedregosa, P. van Mulbregt and S. 1. O. Contributors, *Nature Methods*, 2020, **17**, 261--272
- [9] N. M. O'Boyle, C. Morley and G. R. Hutchison, *Chemistry Central Journal*, 2008, **2**, 5
- [10] N. M. O'Boyle, M. Banck, C. A. James, C. Morley, T. Vandermeersch and G. R. Hutchison, *Journal of Cheminformatics*, 2011, **3**, 33
- [11] X. Gao, S. Bai, D. Fazzi, T. Niehaus, M. Barbatti and W. Thiel, *Journal of Chemical Theory and Computation*, 2017, **13**, 515--524
- [12] G. Landrum, <https://www.rdkit.org/>, (accessed February 2022)
- [13] M. McKerns, L. Strand, T. Sullivan, A. Fang and M. Aivazis, *Proceedings of the 10th Python in Science Conference*, 2011,
- [14] M. McKerns and M. Aivazis, <https://uqfoundation.github.io/project/pathos>, (accessed February 2022)
- [15] K. Shizu and H. Kaji, *The Journal of Physical Chemistry A*, 2021, **125**, 9000--9010