TurboCASH/osFinancials KnowledgeDesk

Copyright © <Dates> by <Authors>. All Rights Reserved.


Table of contents

Installing KnowledgeDesk & AI 3
Firewall Configuration & Port Troubleshooting Guide 8
Managing the Server Process & Window 9
Silent Background Execution (Hiding the Command Prompt Window) 11
Uninstalling KnowledgeDesk & AI 11
Identifying KnowledgeDesk in Windows Task Manager 14
Future Architectural Roadmap: Centralized AI Vault & Engine Expansion 15
KnowledgeDesk v1.0 - Overview 18
Full Release Notes: KnowledgeDesk v1 21
Developer Workflow: Updating Help Content 27
TurboCASH / osFinancials KnowledgeDesk interface 28
Running the KnowledgeDesk Server 29
KnowledgeDesk - Deployment Options 31
Known Issues & ToDo Roadmap (Version 1.0) 32
Getting Started: Configuring API & Search Keys 33
The KnowledgeDesk Interface 35
The KnowledgeDesk - Default 36
The KnowledgeDesk - Dark Mode 38
The KnowledgeDesk - Search - Help Docs 39
The KnowledgeDesk - Search - Google Web 41
The KnowledgeDesk - Contents tab 43
The KnowledgeDesk - Index tab 43
The KnowledgeDesk - Favorites tab 44
The KnowledgeDesk - Topics - Features 46
The KnowledgeDesk - Topics - Read Topic 47
The KnowledgeDesk - Topics - Print Topic 54
AI Assistant and Click me 55
DeepSeek "INSUFFICIENT BALANCE" Explained 61
Copilot integration Roadmap 65
Integrate context-aware Copilot capabilities into your Help Viewer 65
Copilot AI integration into KnowledgeDesk 69
AI-Responses 70


Installing KnowledgeDesk & AI

Installing KnowledgeDesk & AI


1.Welcome Screen:Step 1.
Launch the installer (Setup-KnowledgeDesk.exe). On the welcome screen, close any running applications and click Next to proceed.



2.License Agreement:Step 2.
Review the GNU General Public License details. Select I accept the agreement and click Next.




3.Select Destination Location:Step 3.
Choose the installation folder.




Click Next once the path is set.


4.Select Additional Tasks:Step 4.
Check Create a desktop shortcut if you want quick access from your desktop, then click Next.




5.Ready to Install:Step 5.
Verify your installation settings summary (destination path C:\KnowledgeDesk and desktop shortcut setting). Click Install to copy files to your system.



6.Completing Setup:Step 6.
Once file copying is complete, leave Launch KnowledgeDesk & AI checked and click Finish. The background Go server (server.exe) will start, and the help viewer interface will open in your default browser at



Launching KnowledgeDesk

- **Desktop Shortcut:** Double-click the KnowledgeDesk 

icon on your desktop.
- **Start Menu:** Click the KnowledgeDesk tile in your Start menu's pinned apps section.
- **Taskbar:** Click the KnowledgeDesk icon pinned to your taskbar.
- **File Explorer:** Navigate to the installation folder and double-click `server.exe` to start the web server. This will automatically launch KnowledgeDesk & AI in your default browser.

Created with the Standard Edition of HelpNDoc: Effortlessly Create Professional Documentation with HelpNDoc's Clean UI

Firewall Configuration & Port Troubleshooting Guide

Firewall Configuration & Port Troubleshooting Guide

1.Configure Windows Firewall (Optional Local Network Access):Network Setup.
If you need other computers on your local network to access KnowledgeDesk, create an inbound firewall rule for port 39820:

1. Open Windows Defender Firewall with Advanced Security (search for wf.msc in the Windows Start menu).

2. Click Inbound Rules in the left sidebar, then click New Rule... on the right.
3. Select Port and click Next.
4. Choose TCP and enter 39820 in the Specific local ports field. Click Next.
5. Select Allow the connection and click Next.
6. Select the network profiles (Domain, Private, and/or Public) where access should be allowed, then click Next.
7. Name the rule KnowledgeDesk AI Server (Port 39820) and click Finish.

2.Troubleshoot 'Port Already in Use' Errors:Port 39820 Conflict.
If launching server.exe fails because port 39820 is occupied by a orphaned instance or another service:

1. Open Task Manager (Ctrl + Shift + Esc).
2. Go to the Details tab or search for server.exe under Processes.
3. Select any running instances of server.exe and click End task.
4. Relaunch server.exe or click the KnowledgeDesk desktop shortcut.

Alternatively, release the port via Command Prompt (Administrator):

DOS
netstat -ano | findstr :39820
taskkill /PID <PID_NUMBER> /F
(Replace <PID_NUMBER> with the process ID number shown in the netstat command output).

3.Run Server with an Alternate Port:Command Line Override.
If port 39820 cannot be freed, run server.exe on a different port using an environment variable without rebuilding the binary:

- Command Prompt:

DOS
set PORT=8080
C:\KnowledgeDesk\server.exe

- PowerShell:

PowerShell
$env:PORT="8080"
C:\KnowledgeDesk\server.exe
Then open your browser and navigate to http://127.0.0.1:8080/index.html.

Created with the Standard Edition of HelpNDoc: Free EPub and documentation generator

Managing the Server Process & Window

Managing the Server Process & Window


1.Understanding the Server Command Window:Console Window Lifecycle.
When KnowledgeDesk launches, it runs C:\KnowledgeDesk\server.exe inside a Command Prompt window

displaying:

KnowledgeDesk active on http://127.0.0.1:39820/index.html

Command Console Lifecycle Warning

Critical Server Warning



Closing this command console window will close and terminate your server.exe process immediately.

The KnowledgeDesk application will no longer be functional, and any active browser window attempting to load the page will fail due to connection problems, returning an ERR_CONNECTION_REFUSED error.

- To Keep KnowledgeDesk Running: Keep the command prompt window open or minimized to your taskbar while working.
- If Closed Accidental Shutdown: Relaunch server.exe from C:\KnowledgeDesk\ or double-click the KnowledgeDesk & AI desktop shortcut, then refresh your browser page at http://127.0.0.1:39820/index.html.

2.Restarting KnowledgeDesk After Window Closure:Recovery Steps.
If the server window is closed by mistake:

1. Go to your Desktop and double-click the KnowledgeDesk & AI shortcut, or navigate to C:\KnowledgeDesk\ and launch server.exe.
2. Leave the opened command prompt window minimized in your taskbar while using the application.
3. Return to your web browser and refresh the page (F5 or Ctrl + R) at http://127.0.0.1:39820/index.html.

3.Alternative: Hide the Command Prompt Window:Silent Background Execution.
To prevent accidental closures, you can launch server.exe in the background using a VBScript wrapper inside C:\KnowledgeDesk\:

1. Create a text file named run_silent.vbs in C:\KnowledgeDesk\.
2. Add the following line:

VBScript
CreateObject("Wscript.Shell").Run "C:\KnowledgeDesk\server.exe", 0, False

3. Double-clicking run_silent.vbs will launch server.exe without opening a command prompt window. To stop it later, terminate server.exe from Task Manager.

Created with the Standard Edition of HelpNDoc: Experience the power of a responsive website for your documentation

Silent Background Execution (Hiding the Command Prompt Window)

Silent Background Execution (Hiding the Command Prompt Window)

To prevent accidental closures, you can launch server.exe completely hidden in the background using a VBScript wrapper inside C:\KnowledgeDesk\:

1. Create a text file named run_silent.vbs in C:\KnowledgeDesk\.
2. Add the following line:

   VBScript
   CreateObject("Wscript.Shell").Run "C:\KnowledgeDesk\server.exe", 0, False
3. Double-clicking run_silent.vbs will launch the KnowledgeDesk server silently.

Task Manager Behavior in Silent Mode
When launched silently via VBScript, server.exe runs as a background process and will not be listed under the standard Apps tab in Windows Task Manager.

To view or stop server.exe while it is running silently:

1. Open Task Manager (Ctrl + Shift + Esc).
2. Switch to the Details tab (or Background processes under the Processes tab).
3. Look for server.exe in the process list and click End task to stop the server.

Created with the Standard Edition of HelpNDoc: Effortlessly upgrade your WinHelp HLP help files to CHM with HelpNDoc


Uninstalling KnowledgeDesk & AI

Uninstalling KnowledgeDesk & AI

Uninstalling KnowledgeDesk & AI

1.Option A: Launch Uninstall from Windows Start Menu:Method 1.

1. Open the Windows Start menu.
2. Right-click on the KnowledgeDesk & AI app icon or entry.
3. Select Uninstall from the context menu.




2.Option B: Launch Uninstall from Windows Settings: Method 2.


1. Open Windows Settings (Win + I) and navigate to Apps > Installed apps.

2. Scroll down or search for KnowledgeDesk & AI version 1.0.0.


3. Click the three-dot menu (...) next to the entry and select Uninstall.




3.Option C: Direct Executable in Installation Folder:Method 3.
Navigate directly to your installation directory (e.g., C:\KnowledgeDesk\) and double-click unins000.exe (or Uninstall.exe).



4.Confirm Complete Removal:Confirmation.
When the prompt appears asking "Are you sure you want to completely remove KnowledgeDesk & AI and all of its components?", click Yes.



5.Automatic Cleanup & Completion:Cleanup.
The wizard will show the progress bar while stopping active services and removing all application files, shortcuts, registry entries, and the entire C:\KnowledgeDesk installation directory.



Once finished, a confirmation dialog stating "KnowledgeDesk & AI was successfully removed from your computer" will appear. Click OK to complete the process.

Created with the Standard Edition of HelpNDoc: Transform Your CHM Help File Creation Process with HelpNDoc

Identifying KnowledgeDesk in Windows Task Manager


Identifying KnowledgeDesk in Windows Task Manager

Process Identification Note

To easily distinguish the KnowledgeDesk server from other running server.exe or background executable processes in Windows Task Manager, look for the official KnowledgeDesk icon (the book with the question mark) displayed directly alongside the server.exe entry.

Locating the Process


1. Press Ctrl + Shift + Esc to open Task Manager.
2. Under the Processes tab (or Details tab):
    - Active Command Window Mode: Look under Apps or Background processes for server.exe featuring the KnowledgeDesk icon.
    - Silent/Background Mode: Switch to the Details tab and filter by name for server.exe —the KnowledgeDesk icon will be displayed next to the filename and description to distinguish it from other server applications.



Created with the Standard Edition of HelpNDoc: Easily create iPhone documentation

Future Architectural Roadmap: Centralized AI Vault & Engine Expansion


Future Architectural Roadmap: Centralized AI Vault & Engine Expansion



Release strategy. Staging tests with selected developers while Gemini works well gives you real-world feedback on the multi-model architecture without blocking progress.

For the next major milestone, refactoring scattered API calls into a unified **Centralized AI Vault & Gateway** will simplify maintenance, improve security, and streamline adding new providers.

Proposed Architecture: Centralized Vault & Provider Module



Draft Release Note for Developer Review

Release Title: KnowledgeDesk AI Assistant & Dual-Mode Integration (Preview) (Version1.0)

Target Audience: Selected Tester / Developer Group

Overview

This update introduces multi-provider AI capability to KnowledgeDesk alongside localized document summarization and interactive topic chat. The release establishes client-side API configuration for major providers while keeping model execution fast and responsive via local fallbacks and automated error handling.

Key Features & Highlights

- Multi-Provider API Support: Infrastructure and configuration inputs prepared for Google Gemini, DeepSeek, OpenAI, and Groq.
- Gemini Primary Focus: Active testing and initial generation pipelines are optimized using Gemini Flash endpoints with built-in automatic failover for high-demand spikes (503 handling).
- Automatic Topic Summarization: One-click executive summary generation for the active context topic, auto-launching output across floating modals and sidebar panels.
- Dual-Mode Chat & Web Grounding: Flexible query engine supporting local documentation lookup, web search integration, and direct generative responses.
- Cleaned Control Actions: Clear distinction between clearing .ai-summary-block elements vs. general AI chat message history.

Feedback Focus for Testers

1. API Key Setup: Test entering keys via UI vs. loading through ai-config.json.
2. Summary Rendering: Verify formatted summaries populate simultaneously in both the floating popup and the right-hand AI Assistant pane.
3. 503 Resilience: Observe how gracefully the system handles temporary API capacity limits when generating responses.

Future Architectural Roadmap: Centralized AI Vault & Engine Expansion

For the next major milestone, refactoring scattered API calls into a unified Centralized AI Vault & Gateway will simplify maintenance, improve security, and streamline adding new providers.

Proposed Architecture: Centralized Vault & Provider Module

Key Objectives for Next Release

1. Centralized Key & Endpoint Vault (AIVault.js)
    - Consolidate all API key retrieval, token validation, and endpoint routing into a single dedicated module.
    - Eliminate scattered localStorage.getItem(...) and endpoint fetch loops from viewer.js.
2. Standardized Provider Interface
    - Implement a unified request/response wrapper interface (e.g., AIVault.query({ prompt, context, model })).
    - Support any OpenAI-compatible API protocol out of the box, simplifying integration for alternative providers like Anthropic or Mistral.
3. Local LLM & Offline AI Integration
    - Add support for locally hosted LLMs running on developer machines via Ollama, LM Studio, or local HTTP endpoints (http://localhost:11434).
    - Enable 100% offline topic summarization and query capabilities for air-gapped or privacy-conscious accounting environments.
4. Dynamic Provider & Model Selector
    - Allow developers and end users to select their preferred active provider (e.g., Gemini vs. Local Ollama vs. Groq) directly from the settings panel.

Implementation of an AI Agent

The "Click me" popup is not a standalone AI agent—it is currently acting as a user interface window (modal viewer) that displays responses from AI models.

Difference Between the UI Component and an AI Agent

- The "Click me" Popup (UI Container): It is a JavaScript-driven modal window in viewer.js designed to open automatically, present formatted output, and hold your input controls (text input, voice button, send button).

- The Underlying Logic (API Orchestrator): The intelligence comes from processAIQuery() and summarizeActiveTopic(), which route prompts via REST calls to external LLMs (like Google Gemini Flash).

Why Refactoring to an "AI Agent" in the Next Release Makes Sense

In your current codebase, the popup simply receives text and renders it. In your upcoming Centralized Vault release, you can transform it into a true Autonomous AI Agent by giving it:

1. Tool & Action Execution: Allowing the agent to trigger local software actions (e.g., navigating to specific TurboCASH/osFinancials menus, loading documentation topics, or opening settings dialogs).


2. Contextual Memory & History: Storing conversation state and user session variables in the central manager rather than scattering queries across UI inputs.

3. Multi-Step Reasoning: Deciding when to perform a local help index lookup vs. calling a cloud LLM vs. querying a local Ollama instance before returning an answer.

Created with the Standard Edition of HelpNDoc: Keep Your Sensitive PDFs Safe with These Easy Security Measures

KnowledgeDesk v1.0 - Overview

KnowledgeDesk v1.0 - Overview



Interactive Documentation Viewer & Intelligent Knowledge Engine

A) Introduction

KnowledgeDesk is a modern, open-source documentation workspace designed to bridge the gap between traditional offline user manuals and next-generation AI assistance.

Built to run seamlessly in any browser or local software environment, KnowledgeDesk transforms static topic pages into an interactive reference desk—combining fast offline HelpNDoc content navigation with in-page topic favoriting, one-click topic printing, multi-dialect Text-to-Speech audio playback (supporting up to 327 voice variants), dynamic dark/light themes, real-time search, integrated multi-provider AI, and targeted online web search for osFinancials and TurboCASH domains.

Whether deployed as a zero-dependency offline help viewer or connected to live online intelligence APIs, KnowledgeDesk gives users complete control over how they explore, bookmark, listen to, print, and query application documentation.

B) Features Overview

□□Hybrid Knowledge & Search Architecture

- 100% Offline Core: Operates completely offline for local HelpNDoc topic content, tables of contents (TOC), and indexed search.
- Targeted Web Search: Configured to perform live web queries scoped strictly to official osFinancials and TurboCASH websites, forums, and online documentation resources.
- Online AI Integration: Seamlessly connects to external AI providers (Google Gemini, OpenAI, Groq, DeepSeek) when an internet connection is available.

□□Advanced Read Topic Engine (Multi-Dialect TTS)

- 327 Speech Dialects & Tones: Supports up to 327 distinct voice options covering regional accents, dialects, and male/female tonal selections for natural audio narration.
- Full Reader Controls: Play, pause, resume, or stop reading active documentation topics on demand.

□□□Quick Print & Export Controls

- Clean Print Mode: Dedicated Print Topic feature formats active topic pages for high-clarity paper printing or PDF export, bypassing sidebars and UI controls.

□Integrated Favorites System

- In-Page Quick Bookmark: Dedicated favorite buttons injected directly into topic frames and search headers allow users to star important topics in one click.
- Centralized Favorites Manager: A persistent side panel lists all saved topics, making high-value reference pages accessible instantly across sessions.
- Search Integration: Replaces default frame search controls with custom favorite triggers for a

streamlined workflow.

Modern UI & Accessibility

- Dynamic Theme Switcher: Instant, zero-reload toggling between crisp Light Mode and custom-styled Dark Mode across the main application workspace.
- Responsive Multi-Pane Layout: Resizable sidebars for Contents, Index, Search, and Favorites with clean panel-splitter controls.


Smart Topic Navigation & Customization

- Context-Aware Link Interception: Smooth intra-doc topic switching without losing state or UI theme styling.
- Keyword Highlighting: Automatically highlights query terms within the active topic pane upon search selection.

Multi-Provider AI Assistant Panel

- Topic Summarization: Instant AI-generated executive summaries of long, complex documentation pages.
- Interactive Q&A Chat: Ask context-aware questions directly alongside the documentation.
- Model Flexibility: Dynamic UI controls for switching models, tuning prompt parameters, and validating API configuration keys on the fly.

C) User Workflow



1. Locate & Discover
    - Browse the structured Contents tree, lookup terms in the Index, or type keywords into the Search Panel.

- Selected topics load dynamically inside the central workspace with query terms pre-highlighted.

2. Absorb, Listen & Print
    - Toggle between Light and Dark Mode depending on workspace lighting.
    - Click Read Topic and select from up to 327 regional voice dialects (male and female tones) to listen hands-free.
    - Click the Star / Favorite icon on any topic to store it in your personal Favorites Panel for instant future access.
    - Click Print Topic to quickly generate a clean, unformatted paper document or save to PDF.
3. Query & Expand (AI & Web Tools)
    - Open the Assistant Panel to request a quick bulleted summary of the currently loaded document.
    - Ask follow-up questions to clarify complex workflow rules.
    - Perform live web queries scoped exclusively to osFinancials and TurboCASH online sources to retrieve online updates, forum solutions, or updated accounting templates without leaving KnowledgeDesk.

Created with the Standard Edition of HelpNDoc: Free iPhone documentation generator

Full Release Notes: KnowledgeDesk v1

Full Release Notes: KnowledgeDesk v1

Release Version: KnowledgeDesk v1.0 (Preview / Developer Review Build)

Target Platforms: TurboCASH5 & osFinancials5 Help Ecosystem

Associated Video & Audio Resources:

- Video Deep-Dive: TurboCASH/osFinancials KnowledgeDesk v1 Overview & Roadmap
- Audio Overview: KnowledgeDesk v1 Overview & Roadmap - Audio

Executive Summary

KnowledgeDesk v1 introduces a modernized interactive viewer, dynamic topic summarization, dual-mode web and help index search, and multi-provider AI engine integration designed for TurboCASH and osFinancials accounting platforms.

This release transforms traditional context-sensitive offline help into an intelligent support ecosystem—combining fast local index lookup with client-side AI integration across Google Gemini, OpenAI, DeepSeek, and Groq.

What's New in KnowledgeDesk v1

1. Dual AI Assistant & Floating "Click me" Overlay

- **Floating "Click me" Modal:** Located at the bottom of active topic pages, providing one-click access to dynamic AI tools and contextual search.
- **Synchronized Output:** Responses and summaries automatically populate both the floating popup overlay and the right-hand AI Assistant sidebar panel simultaneously.
- **Dedicated History Controls:**
  - **Summarize Active Topic:** Generates executive bulleted summaries and logical next-step hints for the currently active help page.
  - **Clear Summaries:** Target-clears generated topic summary blocks (`.ai-summary-block`) without wiping general chat history.
  - **Clear AI Chat:** Clears conversational Q&A threads while keeping active summary blocks intact.
  - **Pinned Input Footer:** Input prompt controls (Ask AI or search the web...), speech controls, and submission buttons remain securely pinned at the bottom of the popup interface.

2. One-Click Topic Summarization

- **Top Navigation Bar Integration:** Click **Summarize Page** on the top toolbar to auto-launch the "Click me" window and instantly generate a concise breakdown of main workflows, menu navigation paths, and required user actions.
- **Auto-Lock Clearing:** Built-in lock management automatically recovers from stuck execution states to ensure instant response generation.
- **Resilient API Handling:** Implements client-side exponential backoff and failover across multiple models to handle temporary service unavailability and rate-limiting gracefully.

3. Text-to-Speech (Read Topic)

The KnowledgeDesk viewer includes a fully integrated**Text-to-Speech (TTS)** engine that reads any active help topic aloud, making documentation more accessible and hands-free.

- **Voice Selection & Browser Compatibility:**

Browser	Voice Support	
Microsoft Edge	**Full Support (337+ Voices)**	Edge provides access to the full Windows/ma around the world. Users can select from a wid
Google Chrome	**Limited Support**	Chrome uses its own built-in TTS engine with may vary significantly between Windows, mac
Firefox	**Not Supported**	Firefox does **not** support the Speech Synthes for the best TTS experience.
Safari	**Limited Support**	Safari offers TTS support but with a more rest macOS version and installed system voices.

- **Playback Controls:**
  - **Read Topic:** Initiates speech playback from the current cursor position or from the beginning of the active topic.
  - **Pause:** Temporarily pauses speech without losing your place.
  - **Resume:** Continues speech from where it was paused.
  - **Stop:** Ends speech playback and clears the current highlighting.
- **Live Highlighting:** As the text is read, the corresponding sentences and paragraphs are highlighted

with a **soft yellow background** and a left border indicator, making it easy to follow along visually.

- **International Dialect Support (Edge):** The extensive voice library includes regional English variants:
  - United States (various regional accents)
  - United Kingdom (RP, regional, and multicultural accents)
  - Australia
  - Canada
  - India
  - South Africa
  - New Zealand
  - Ireland
  - And many more international variants
- **Use Cases:** Ideal for users who prefer auditory learning, multitasking while listening to documentation, accessibility needs, or users with visual impairments.

4. Print Topic

The **Print Topic** feature allows users to generate a clean, printer-friendly version of any active help topic.

- **One-Click Printing:** Located on the top Navigation bar, click **Print Topic** to send the current topic to your printer or save as PDF.
- **Print-Optimized Layout:** Automatically removes navigation menus, sidebars, headers, and footers, ensuring only the core topic content is printed.
- **Professional Formatting:**
  - Includes automatic page numbering (`Page X of Y`)
  - Adds a footer with: *"Printed from TurboCASH / osFinancials KnowledgeDesk & AI —Local Client Edition"*
  - Preserves tables, images, and code blocks for complete documentation exports
- **Use Cases:** Ideal for creating physical reference materials, sharing printed documentation with team members, or archiving important topics.

5. Multi-Provider AI Credentials & Configuration

- **Flexible Provider Configuration:** Support for loading keys dynamically through `ai-config.json` or via the interactive **AI & Web Search Keys** configuration UI.
- **Supported AI Engines:** Configured for Google Gemini, OpenAI, DeepSeek, and Groq.
- **Grounding & Web Search:** Dual-mode functionality supporting local help database lookup and live REST web grounding via Google Custom Search / Bing integration.

6. Direct Clipboard Integration

- **One-Click Export:** Every generated summary and AI chat response includes a dedicated **Copy** button to copy formatted output directly to external applications (e.g., Notepad, Microsoft Word, email clients, or presentation tools).

KnowledgeDesk Documentation Topic: AI Assistant and "Click me" Option

The KnowledgeDesk viewer features an integrated AI Assistant that allows you to summarize topic contents, ask questions, or search for relevant web resources directly while navigating help files.

1. Launching via the "Click me" Option

At the bottom of every active topic, you will find the **Click me** launch point.

- Click **Click me** at the bottom of the page content to open the AI overlay window.
- Use the **Ask AI or search the web...** input field to enter custom prompts, ask questions about accounting workflows, or perform a general web search.
- Within the window, use the following dedicated controls:
  - **Summarize Active Topic:** Instantly triggers an AI analysis and executive summary of the currently loaded help page.
  - **Clear Summaries:** Removes generated topic summary blocks while preserving your general chat history.
  - **Clear AI Chat:** Clears past conversational questions and answers without removing your saved topic summaries.

2. Automatic Summarization via the Navigation Bar

You can generate a fast executive summary of any active topic using the top control bar:

1. Navigate to and select your desired topic in the help tree.
2. Click the **Summarize Page** button located on the top Navigation bar.
3. The **Click me** screen launches automatically and performs the following actions:
   - Generates a concise summary of the topic context along with practical hints or next steps.
   - Simultaneously populates the response in both the floating window and the right-hand AI Assistant tab.

3. Copying and Using Responses

Once the AI Assistant delivers the response or topic summary:

- Click the **Copy** button attached to the response block.
- Paste the copied text directly into your favorite external programs (such as Notepad, Microsoft Word, email clients, or presentation tools).

4. Using Text-to-Speech (Read Topic)

1. Navigate to the topic you wish to hear.
2. **For Microsoft Edge users:** Select your preferred voice from the **Voice Selection** dropdown. The dropdown displays **over 337 English voices and dialects** from around the world, including regional variants from the US, UK, Australia, India, South Africa, and more.
3. **For Chrome/Safari users:** A more limited selection of voices will be available, depending on your operating system.
4. Click **Read Topic** to begin listening.
5. Use **Pause**, **Resume**, or **Stop** controls as needed.
6. Follow the highlighted text in the topic pane as the voice reads along.

5. Printing Topics

1. Navigate to the topic you wish to print.
2. Click the **Print Topic** button on the top Navigation bar.
3. Use your browser's print dialog to print or save as PDF.

◫ *Testing & Deployment Notes*

Current Testing Environment

Important Testing Notes:

- ***Primary AI Provider:*** *This release has been extensively tested with* ***Google Gemini*** *(`gemini-3.6-flash`, `gemini-3.7-flash`) across all core features including summarization, Q&A, and contextual grounding.*
- ***Rate Limiting:*** *During testing, the Gemini free tier quota (20 requests/day) may be exceeded. The system provides clear cooldown messages with retry timers and automatically falls back to local search mode when quotas are exhausted.*
- ***Cross-Provider Compatibility:*** *While the UI supports configuration for OpenAI, DeepSeek, and Groq, these providers have* ***not been fully validated*** *in this preview release. We welcome community feedback and testing results for these alternative AI engines.*
- ***Web Search Grounding:*** *Google Custom Search and Bing API integration is currently in* ***experimental phase*** *- local documentation search remains the primary reliable search mode.*
- ***Text-to-Speech:*** *Full voice support (337+ voices) is available in* ***Microsoft Edge****. Firefox does not support this feature. Other browsers may have limited voice options. For the best TTS experience, we recommend using Microsoft Edge.*

◫ *Architectural Roadmap (Upcoming Major Release)*

1. Centralized Key & Vault Manager (AIVault.js)

Consolidate scattered API calls, key checks, and endpoint retries into a single manager module. This will:

- Centralize all API credential storage and retrieval
- Standardize error handling across all AI providers
- Provide unified logging and monitoring

2. Local LLM / Offline Engine Support

Integrate local HTTP endpoints (e.g., Ollama, LM Studio at `http://localhost:11434`) for **air-gapped, privacy-focused offline summarization**. This will enable:

- Full offline operation without external API dependencies
- Enhanced privacy for sensitive financial data
- Reduced latency for local deployments

3. Autonomous AI Agent Refactoring

Transition the "Click me" popup from a basic modal viewer into a **full AI Agent** capable of:

- Multi-step reasoning across documentation contexts

- Triggering local software menu actions
- Automated workflow guidance based on user queries

4. Enhanced Multi-Provider Validation

Full cross-provider validation and performance benchmarking across Gemini, OpenAI, DeepSeek, and Groq, including:

- Response quality comparisons
- Cost analysis and optimization
- Automatic provider failover

□□ *Feedback & Contributions*


We welcome feedback, bug reports, and testing results from the community. Please direct your input to the development team, particularly regarding:

- Cross-provider AI engine testing (OpenAI, DeepSeek, Groq)
- Web search grounding performance
- Feature requests for v2.0 roadmap items
- Local LLM integration preferences
- Text-to-Speech voice quality and browser compatibility feedback

---

KnowledgeDesk v1.0 — Built for TurboCASH & osFinancials.

Architectural Roadmap (Upcoming Major Release)



1. Centralized Key & Vault Manager (AIVault.js): Consolidate scattered API calls, key checks, and endpoint retries into a single manager module.
2. Local LLM / Offline Engine Support: Integrate local HTTP endpoints (e.g., Ollama, LM Studio at

http://localhost:11434) for air-gapped, privacy-focused offline summarization.

3. Autonomous AI Agent Refactoring: Transition the "Click me" popup from a basic modal viewer into a full AI Agent capable of multi-step reasoning and triggering local software menu actions.

Created with the Standard Edition of HelpNDoc: Maximize Your Productivity with HelpNDoc's CHM Help File Creation Features


Developer Workflow: Updating Help Content

Here is a dedicated Developer Workflow section formatted specifically to capture your exact compilation, testing, and update process.

You can add this directly to your developer documentation or CONTRIBUTING.md file:

□□□Developer Workflow: Updating Help Content

When updating localized HelpNDoc documentation for new build releases (e.g., updating from build 5.1.0.300 to 5.1.0.309), follow this standard compilation and deployment sequence:



Step-by-Step Update Process

1. Compile in HelpNDoc:
    - Open your master HelpNDoc project (e.g., osFinancials / TurboCASH Business Class - Online Help).
    - Perform a full HTML build target compilation to the local HelpNDoc output directory: ...\output\html\.
2. Local Preview & QA:
    - Test the compiled build locally using HelpNDoc's built-in web server to verify that new topic headers, updated build numbers (e.g., 5.1.0.309), navigation anchors, and media assets render correctly.
3. Deploy to KnowledgeDesk Workspace:
    - Copy the entire contents of the compiled HelpNDoc \output\html\ folder.

- Paste and overwrite the existing \output\html\ directory inside your active KnowledgeDesk workspace:

  Plaintext
  [KnowledgeDesk Root]
  └── output/
  └── html/ <-- (Overwrite entire directory contents here)

4. Verify in KnowledgeDesk:

   - With your local HTTP server running (e.g., http://localhost:8000), open KnowledgeDesk in your web browser.

   - Press CTRL + F5 (or CMD + Shift + R on macOS) to perform a hard refresh and force the browser to clear cached HTML topic frames and JavaScript state.

   - Verify that the updated project title (e.g., osFinancials 5.1.0.309 / TurboCASH 5-4 - Business Class - Online Help), search index, dynamic dark mode styling, and favorites manager load cleanly.

Created with the Standard Edition of HelpNDoc: Create help files for the Qt Help Framework

TurboCASH / osFinancials KnowledgeDesk interface

TurboCASH / osFinancials KnowledgeDesk interface

Overview of the Page

The page displays the **TurboCASH / osFinancials Local Help Viewer interface**, showing its header controls, search panel, and available search options. It appears to be the main landing page for the local documentation system.

Header & Interface Controls

The top section provides quick-access tools for navigating and interacting with the Help Viewer:

- **Reload**, **Dark Mode**, **Home**, **Search**
- **AI Assistant** and **AI & Web Search Keys**
- **Pause**, **Stop**, **Print Topic**, **Summarize Page**
- Developer credit: **© Dan van Zyl – 2026, Version 1.0**

These controls indicate a hybrid help system combining traditional documentation with AI-assisted features.

Search Panel

The search area includes:

- A search input field (“ Enter search text…”)
- A **Clear** button
- A result indicator (“ Found 0 topic(s)”)

This suggests no search query has been entered yet.

Search Options

The page lists several configurable search filters:

- **Match exact phrase**
- **Match similar words**
- **Search titles only**
- **Search previous results**

These options allow fine-tuning how the Help Viewer locates topics.

Search Mode & Scope

The interface identifies the active documentation set as: **TurboCASH / osFinancials Help Viewer — Local Client Edition**

This confirms you' re viewing the local (offline) version of the help system.

Concise Takeaway

The page is the **main dashboard** of the TurboCASH/osFinancials Local Help Viewer, showing navigation tools, AI-assisted features, and a configurable search interface—currently with no active search results.

If you want, I can also:

- Rewrite this summary for end-user documentation
- Generate a " What' s on this screen?" help topic
- Suggest UI improvements for clarity and consistency

Created with the Standard Edition of HelpNDoc: Make Documentation a Breeze with a Help Authoring Tool

Running the KnowledgeDesk Server

Running the KnowledgeDesk Server

Follow these simple steps to launch your local KnowledgeDesk instance using your choice of web server.

Important Directory Note:

The paths shown in the examples below (e.g., `C:\help-viewer-html-ai-local`) are placeholders. ***Be sure to navigate to the exact directory on your computer where your KnowledgeDesk / Help Viewer files exist.***

Method 1: Python HTTP Server (Recommended)

1. Open Command Prompt (`cmd`) or Terminal.
2. Navigate to the directory where your Help Viewer files exist:
   DOS
   ```
   cd "C:\help-viewer-html-ai-local"
   ```

3. Start the server on port 8000:
    - **Python 3 (Standard):**
      DOS
      ```
      python -m http.server 8000
      ```
    - **Python Launcher (Alternative):**
      DOS
      ```
      py -m http.server 8000
      ```

Method 2: Node.js / npx `serve`

If you have Node.js installed, you can launch a lightweight static server without writing any code:

1. Open Command Prompt or Terminal.
2. Navigate to your project directory:
   DOS
   ```
   cd "C:\help-viewer-html-ai-local"
   ```
3. Run the zero-configuration `serve` package:
   DOS
   ```
   npx serve -l 8000
   ```

Method 3: PHP Built-in Web Server

If you use PHP for osFinancials/TurboCASH tools or local web development:

1. Open Command Prompt or Terminal.
2. Navigate to your project directory:
   DOS
   ```
   cd "C:\help-viewer-html-ai-local"
   ```
3. Start the PHP development server:
   DOS
   ```
   php -S localhost:8000
   ```

Method 4: VS Code "Live Server" Extension (GUI Option)

If you use Visual Studio Code:

1. Open VS Code and select **File → Open Folder...**
2. Choose the directory where your Help Viewer exists (e.g., `C:\help-viewer-html-ai-local`).
3. Install the **Live Server** extension (by Ritwick Dey) if you haven't already.
4. Right-click `index.html` in the file explorer and click **"Open with Live Server"**.

Step 4: Open KnowledgeDesk in Your Browser

Once your chosen server is running, open any web browser and navigate to:

🖱️ http://localhost:8000

*(or explicitly **`http://localhost:8000/index.html`**)*

🖱️ *Why use a local web server?*

Serving KnowledgeDesk over HTTP (`http://localhost:8000`) instead of opening local files directly (`file:///C:/...`) ensures full browser permission for cross-frame DOM interactions, Text-to-Speech playback, and active web API connectors.

Created with the Standard Edition of HelpNDoc: Effortlessly upgrade your WinHelp HLP help files to CHM with HelpNDoc

KnowledgeDesk - Deployment Options

When bundling KnowledgeDesk with an installer (like **Inno Setup** for TurboCASH/osFinancials), you don't want your users having to open a Command Prompt and type Python or Node commands.

You can silently launch a tiny, lightweight background web server during the installation or when launching the application shortcut, so `index.html` opens automatically in their default browser at `http://localhost:[PORT]` without any extra steps or visible DOS windows.

Here are the **3 best ways** to achieve silent server launching for Windows installers:

Solution 1: Portable Python / Tiny HTTP Executable (Recommended)

Instead of relying on Python being pre-installed on the user's Windows machine, you can bundle a**single, zero-dependency lightweight HTTP server executable** (like a 1MB C/Go binary such as `mongoose`, `caddy`, or a compiled Python script) inside your TurboCASH installation directory.

How it works:

1. Include `mini-server.exe` inside your TurboCASH `\Help` directory.
2. Create a silent launch script (`launch-help.vbs` or a hidden `.bat`) or let your Delphi application execute it directly.

Solution 2: Launching Silently via Windows VBScript

If you use a small batch script or executable to serve the directory, Windows will normally open a black console window. You can hide that window completely using a simple 3-line **VBScript wrapper** (`start_server.vbs`):

VBScript
```
Set WshShell = CreateObject("WScript.Shell")
' 0 hides the window, False tells Windows not to wait for exit before proceeding
WshShell.Run "python -m http.server 8000 --directory ""C:\Program Files (x86)\TurboCASH\H
WScript.Sleep 1000
WshShell.Run "http://localhost:8000/index.html"
```

Solution 3: Direct Integration via Inno Setup Script

If you build your Windows installers with **Inno Setup**, you can register a background service or setup a desktop/start menu shortcut that silently initializes the server before launching the browser.

Here is an example snippet for your `.iss` Inno Setup script:

Delphi
```
[Tasks]
Name: "desktopicon"; Description: "{cm:CreateDesktopIcon}"; GroupDescription: "{cm:Addit

[Files]
```

```
; Include your localized Help Viewer files and silent runner
Source: "C:\help-viewer-html-ai-local\*"; DestDir: "{app}\Help\KnowledgeDesk"; Flags: rec

[Icons]
; Shortcut that runs the silent launcher VBS script instead of opening raw file
Name: "{autoprograms}\TurboCASH 5\KnowledgeDesk Help"; Filename: "wscript.exe"; Paramete
Name: "{autodesktop}\KnowledgeDesk Help"; Filename: "wscript.exe"; Parameters: """{app}\
```

Created with the Standard Edition of HelpNDoc: Effortlessly Create High-Quality Documentation with a Help Authoring Tool

Known Issues & ToDo Roadmap (Version 1.0)

Known Issues & ToDo Roadmap (Version 1.0)

UI & Theme Highlights

- Dark Mode Integration: The primary user interface shell, header controls, navigation panels, tabs, search, and AI assistant components seamlessly adapt to Dark Mode dynamically.

Known Issues & Planned Enhancements (Upcoming Releases)

□□AI Architecture & Model Management (High Priority)

- Centralized API Key Vault:
  - Issue: API key configurations for Google Gemini, OpenAI, Groq, and DeepSeek are currently handled across viewer.js and related script files.
  - Status: Scheduled to be refactored into a single, secure API Key Vault module for unified key management, validation, and storage across all AI providers.
- Local Open-Source AI Model Support:
  - Feature Request: Enable integration with locally hosted, open-source AI models (e.g., via Ollama or LM Studio endpoints).
  - Status: Planned for an upcoming release to support 100% offline, privacy-first AI summarization and Q&A without requiring external API keys.

□□Interface & UI Styling

- Contents & Index Navigation Icons:
  - Issue: Certain tree-view navigation icons in the Contents (TOC) and Index panels retain light-theme asset backgrounds.
  - Status: Scheduled for update in an upcoming release to support dynamic dark/light vector icon switching.

- Embedded Topic Content Icons:
  - Issue: Select embedded inline icons and graphical elements within HelpNDoc topic pages remain hardcoded in dark navy blue, which reduces contrast against dark backgrounds.
  - Status: Content-level icon styling and palette overrides will be refined in the next release cycle.

Context-Sensitive Help & F1 Integration

- Legacy CHM vs. KnowledgeDesk F1 Routing:
  - Status: Pressing F1 inside the application currently routes to the legacy .chm file. Native Delphi shell integration mapping direct screen context IDs to KnowledgeDesk URLs is queued for a future release cycle.

Created with the Standard Edition of HelpNDoc: Revolutionize Your Documentation Review with HelpNDoc's Project Analyzer

Getting Started: Configuring API & Search Keys

Getting Started: Configuring API & Search Keys

Assistant: No direct local topic matches found for "backup".
Tip: Enter an API key in AI Settings to enable AI text generation.
Deployment & Security Notice:

All personal AI model keys and custom search API keys are cleared by default upon deployment. However, KnowledgeDesk includes a pre-configured Google Search Engine ID (CX) out of the box, which is safely restricted to search official TurboCASH and osFinancials web domains.

Pre-Configured Web Search Key (Included)

- Google Custom Search Engine ID (cx): 4753ce97761ac4f9d
  - Status: Pre-Configured / Ready to Use
  - Scope: Securely scoped exclusively to search official TurboCASH and osFinancials websites, forums, and online help repositories.
  - Note: You only need to provide your own Google API Key (see below) to activate live web queries using this search engine ID.

1. Web Search Keys Setup

Google Custom Search API (API Key + Included CX ID)

Google provides 100 free search queries per day.

1. Get your Google API Key:
    - Go to the Google Cloud Console.
    - Create a project (or select an existing one).
    - Enable the Custom Search API from the API Library.
    - Navigate to Credentials -> Create Credentials -> API Key. Copy this key into the KnowledgeDesk settings panel.
2. Search Engine ID (cx):
    - Pre-filled with 4753ce97761ac4f9d. (If you wish to create your own custom search engine, you can generate a new CX ID at the Programmable Search Engine Dashboard).

Bing Web Search API (Optional Alternative)

Microsoft provides 1,000 free transactions per month on the Azure free tier.

1. Go to the Azure Portal.
2. Search for Bing Search or Bing Custom Search in the marketplace.
3. Create a resource selecting the F0 (Free) pricing tier.
4. Navigate to Keys and Endpoint under your new resource and copy Key 1.

2. AI Model Keys Setup

Below is a breakdown of where to register for free (or generous free-tier) keys across each supported AI provider:

Provider	Free Tier Available?	Access Portal
Google Gemini	Yes (Generous rate limits for personal/testing use)	Google AI Studio
Groq	Yes (Ultra-fast inference on Llama 3 models)	Groq Console
DeepSeek	Trial Credits (Free initial trial credits, then low pay-as-you-go)	DeepSeek Platform
OpenAI	Pay-as-you-go (Trial credits may apply per promotion)	OpenAI Platform

How to Obtain Each Key:

- Google Gemini API Key:
    1. Log in to Google AI Studio with your Google Account.

2. Click Get API Key in the top navigation.
3. Click Create API Key and copy it into KnowledgeDesk.

- Groq API Key:
  1. Sign up or log in at the Groq Console.
  2. Navigate to API Keys in the sidebar.
  3. Click Create API Key and copy your token.
- DeepSeek API Key:
  1. Register an account on the DeepSeek Platform.
  2. Navigate to API Keys.
  3. Click Create API Key and copy the generated token.
- OpenAI API Key:
  1. Log in to the OpenAI Platform.
  2. Navigate to API Keys in the left menu.
  3. Click Create new secret key and copy it immediately.

Quick Tip for Zero-Cost Testing:

If you want to test KnowledgeDesk's AI features immediately without entering payment details, Google Gemini and Groq provide the fastest instant-access free tiers!

Created with the Standard Edition of HelpNDoc: Make Documentation a Breeze with HelpNDoc's Clean and Efficient User Interface

The KnowledgeDesk Interface

The KnowledgeDesk Interface

Hybrid Knowledge & Search Architecture

- 100% Offline Core: Operates completely offline for local HelpNDoc topic content, tables of contents (TOC), and indexed search.
- Targeted Web Search: Configured to perform live web queries scoped strictly to official osFinancials and TurboCASH websites, forums, and online documentation resources.
- Online AI Integration: Seamlessly connects to external AI providers (Google Gemini, OpenAI, Groq, DeepSeek) when an internet connection is available.

Created with the Standard Edition of HelpNDoc: Maximize Your Documentation Efficiency with a Help

The KnowledgeDesk - Default

The KnowledgeDesk - Default

Default View & Welcome Screen

When launching KnowledgeDesk, the Default Welcome topic opens automatically in the Contents tab, followed by the Advanced Search panel positioned after the topic content.

Global Title Bar Controls

- Product Branding Links:
  - TurboCASH: Opens the official TurboCASH portal (https://www.turbocash.net/).
  - osFinancials: Opens the official osFinancials site in English (https://www.osfinancials.org/en/home).
- Version Info & Developer Credentials: Displays developer copyright and current build details, metadata.
- Reload: Refreshes active help viewer topics and resets view buffers.
- Dark Mode: Toggles the user interface theme between Light and Dark visual modes.

KnowledgeDesk Documentation

Global Navigation Bar & Topic Tools

The top navigation structure of KnowledgeDesk is split into application-wide controls and contextual topic tools to streamline documentation retrieval, narration, and AI support.

Global Navigation Bar Controls

Primary view selection controls are hosted on the main navigation panel:

- Home: Resets the interface to the Default Welcome topic and restores the root Contents tree view.
- Search: Directs focus to the Advanced Search panel for indexed keyword, topic header, and cross-reference queries.
- AI Assistant: Opens the interactive artificial intelligence side panel for conversational help, query resolution, and contextual documentation guidance.
- AI & Web Search Keys: Configures local API credentials, endpoint connections, and model

parameters for integrated AI providers (e.g., Google Gemini, OpenAI, Groq, DeepSeek).

Contextual Topic Tools

Action controls located above the active topic frame operate directly on the currently rendered document:

- Read Topic: Launches the Text-to-Speech (TTS) engine to narrate topic content aloud using the configured default voice, language dialect, and synchronized yellow text highlighting.
- Print Topic: Generates a clean, print-ready document view by stripping out sidebars and navigation framing for physical printing or PDF export.
- Summarize Page: Generates an instant concise summary of the active topic using the configured AI engine, extracting core procedures and key takeaways.

Topic Navigation Panes

The left side navigation bar provides structured access methods to explore, search, and bookmark documentation across the entire accounting suite.

Core Navigation Tabs

Contents Tab

Displays the complete, hierarchical topic tree for the documentation set.

- Expand and collapse category folders to locate specific accounting procedures, setup guides, and module workflows.
- Selecting any topic node immediately loads its full content into the main viewing frame.

Index Tab

Lists key terms, module parameters, and technical keywords in alphabetical order.

- Use the quick-filter search box to narrow down indexed terms instantly.
- Click any index item to launch the corresponding topic or jump directly to its relevant section.

The **Index Tab** provides an alphabetical directory of key terms, module parameters, operational functions, and technical keywords across the application suite.

Core Index Features

- **Quick-Filter Search:** Type into the index filter box to narrow down the indexed keyword list instantly as you type.
- **Direct Topic Launch:** Click any primary index item to load its corresponding topic directly into the main viewing frame.
- **Related Topics Support:** When an index keyword is associated with multiple topics or modules, clicking the term opens a **"Related Topics..."** selection list. This allows you to select the exact contextual guide or topic variation you wish to view.

Favorites Tab

Maintains a personalized list of bookmarked topics stored locally within the KnowledgeDesk engine.


- Pin high-frequency reference guides, tax setup tables, or end-of-year routines for one-click retrieval.
- Persists automatically across application sessions, server restarts, and system reboots.

Version & Edition Indicator

osFinancials 5.1.0.309 / TurboCASH 5-4 —Business Class (Online Help)

Located at the top of the navigation hierarchy, this header identifies the active documentation library and system build:

- Target Version: Displays compatibility for osFinancials Build 5.1.0.309 and TurboCASH Version 5-4.
- Edition Context: Tailored specifically to the Business Class accounting suite, featuring rules, report structures, and module configurations unique to this tier.
- Online Help Integration: Indicates that topic nodes seamlessly resolve both local offline cached topics and live web-updated documentation repositories.



Created with the Standard Edition of HelpNDoc: Don't be left in the past: convert your WinHelp HLP help files to CHM with HelpNDoc

The KnowledgeDesk - Dark Mode


The KnowledgeDesk - Dark Mode

Modern UI & Accessibility

- Dynamic Theme Switcher: Instant, zero-reload toggling between crisp Light Mode and custom-

styled Dark Mode across the main application workspace.

- Responsive Multi-Pane Layout: Resizable sidebars for Contents, Index, Search, and Favorites with clean panel-splitter controls.



Created with the Standard Edition of HelpNDoc: Generate Kindle eBooks with ease

The KnowledgeDesk - Search - Help Docs

Hybrid Knowledge & Search Architecture

Hybrid Knowledge & Search Architecture

- 100% Offline Core: Operates completely offline for local HelpNDoc topic content, tables of contents (TOC), and indexed search.

- Targeted Web Search: Configured to perform live web queries scoped strictly to official osFinancials and TurboCASH websites, forums, and online documentation resources.

- Online AI Integration: Seamlessly connects to external AI providers (Google Gemini, OpenAI, Groq, DeepSeek) when an internet connection is available.

Search - Help Docs

The Help Docs search engine provides localized, high-speed indexing across all documentation topics, section titles, and index terms. This serves as the primary search view when launching KnowledgeDesk or when selecting the Search button from the global navigation bar.

Advanced Search Controls

The search bar features tabbed engine selection, instant query execution, and clear filters:

- Engine Selection Tabs: Toggle between Help Docs (local offline documentation index) and Google Web (official online web search).

- Action Buttons:
  - Search: Executes the query against the configured search modes and scopes.
  - Clear: Resets the input field, clears result filters, and restores the default view.
- Results Table: Displays matched documentation topics sorted by relevance rank:
  - Title: Name of the matching topic.
  - Rank: Relevance score indicating match accuracy (e.g., 1, 2, 3).

Search Options & Filters

Fine-tune query matching using the following precision checkboxes:

- Match exact phrase: Restricts results to topics containing the exact word sequence entered.
- Match similar words: Enables fuzzy matching and stem variations to capture related word forms.
- Search titles only: Filters the search scope strictly to topic headings and document titles.
- Search previous results: Applies new query filters within the existing result set for multi-stage refinement.

Search Mode & Scope Settings

By default, the Search Mode and Search Scope configuration panels are collapsed. Click either panel header to expand its options.

Search Mode


Determines the indexing logic and processing model used for queries:

- Current Topic: Limits search execution strictly within the boundaries of the currently opened document.
- Help Titles: Scans only topic titles and chapter headers across the help repository.
- Help Content: Performs a complete scan across the entire body text of all help topics.
- AI Search: Leverages the active AI model to perform natural language and semantic understanding queries.
- Hybrid Search: Combines statistical full-text keyword matching with semantic AI processing for optimal result ranking.

Search Scope

Defines which document structures are included in the search pass:

- Full-text Content: Indexes the entire body text, bullet points, and instructional steps of all topics.
- Index Keywords: Restricts the scan to metadata tags, module parameters, and terms listed in the Index Tab.
- Combined (Full-text + Index): Performs a comprehensive dual-pass scan covering both complete body content and indexed metadata.



Created with the Standard Edition of HelpNDoc: Easily Add Encryption and Password Protection to Your PDFs

The KnowledgeDesk - Search - Google Web

The KnowledgeDesk - Search - Google Web

Search – Google Web Integration

The Google Web search feature allows users to query official TurboCASH and osFinancials online web resources directly from within KnowledgeDesk. Search results display inside a modal overlay to keep your current documentation workflow intact.

API Configuration & Credentials

Google Web search requires a valid API key and Search Engine ID to retrieve live web results. Google provides 100 free search queries per day.


1. Obtain a Google API Key:

- Go to the Google Cloud Console and create a new project or select an existing one.
- Enable the Custom Search API from the API Library.
- Navigate to Credentials → Create Credentials → API Key.
- Copy and paste this key into the KnowledgeDesk AI & Web Search Keys configuration panel.

2. Search Engine ID (cx):
   - Pre-configured default: 4753ce97761ac4f9d
   - (Optional) To direct searches to your own custom web domains, generate a new Search Engine ID via the Google Programmable Search Engine Dashboard .

Google Web Search Modal Features

- Targeted Web Results: Returns matching web pages and documentation articles indexed exclusively from official TurboCASH and osFinancials web portals.
- Legacy Version Coverage: Results may include support pages, guides, and documentation for legacy TurboCASH and osFinancials releases.
- Modal Dialog Behavior: Search results load inside a temporary overlay window above the main help interface:
  - While the search popup is open, background interaction with KnowledgeDesk is paused.
  - Click any result entry to navigate directly to the official web page.
  - Dismissing the Popup: Click the X icon in the upper-right corner or click anywhere outside the popup overlay to close it and resume using KnowledgeDesk.



Created with the Standard Edition of HelpNDoc: Easily create EPub books

The KnowledgeDesk - Contents tab

The KnowledgeDesk - Contents tab

Contextual Topic Tools

Action controls located above the active topic frame operate directly on the currently rendered document:

- Read Topic: Launches the Text-to-Speech (TTS) engine to narrate topic content aloud using the configured default voice, language dialect, and synchronized yellow text highlighting.
- Print Topic: Generates a clean, print-ready document view by stripping out sidebars and navigation framing for physical printing or PDF export.
- Summarize Page: Generates an instant concise summary of the active topic using the configured AI engine, extracting core procedures and key takeaways.

Created with the Standard Edition of HelpNDoc: Free iPhone documentation generator

The KnowledgeDesk - Index tab

The KnowledgeDesk - Index tab

Lists key terms, module parameters, and technical keywords in alphabetical order.


- Use the quick-filter search box to narrow down indexed terms instantly.

- Click any index item to launch the corresponding topic or jump directly to its relevant section.

The **Index Tab** provides an alphabetical directory of key terms, module parameters, operational functions, and technical keywords across the application suite.

Core Index Features

- **Quick-Filter Search:** Type into the index filter box to narrow down the indexed keyword list instantly as you type.
- **Direct Topic Launch:** Click any primary index item to load its corresponding topic directly into the main viewing frame.
- **Related Topics Support:** When an index keyword is associated with multiple topics or modules, clicking the term opens a **"Related Topics..."** selection list. This allows you to select the exact contextual guide or topic variation you wish to view.



Created with the Standard Edition of HelpNDoc: Ensure High-Quality Documentation with HelpNDoc's Hyperlink and Library Item Reports

The KnowledgeDesk - Favorites tab

The KnowledgeDesk - Favorites tab

Favorites Tab

Integrated Favorites System

- In-Page Quick Bookmarking: Dedicated favorite buttons located in topic frame headers and search panels allow users to bookmark key topics with a single click.
- Centralized Favorites Manager: A side panel maintains your saved topics, keeping essential reference pages accessible across working sessions.
- Persistent Local Storage: Bookmarks are stored locally in the KnowledgeDesk engine and remain

saved when restarting or restoring the application.

- Streamlined Controls: Integrates bookmark actions directly into top-level topic and index navigation frames.

Managing Favorites & Bookmarks

Adding a Favorite


- In Topic View: Click the [+ Favorites] button at the top of the topic frame.
(Note: If the topic is already saved, the system displays a confirmation message: "[Topic Name]" is already in your Favorites.)

- In Index View: Select the Bookmark Active Topic button on the Index tab.

Removing Favorites

- Delete Single Item: Click the X icon next to any specific entry in the Favorites list to remove only that topic.

- Delete All Items: Click Clear All at the top of the panel to wipe all saved bookmarks from local storage.



The KnowledgeDesk - Topics - Features

The KnowledgeDesk - Topics - Features

Topics – Features & Controls

Topics form the core documentation content in KnowledgeDesk and can be loaded from the Contents, Index, or Favorites tabs, as well as directly from Search results.

On-Page Topic Tools & Navigation

Every displayed topic includes interactive header controls to help navigate, store, and process the active document:

- In-Page Headings Menu (... Ellipsis): Click the ... button located at the top of the topic frame to open the "In this page..." navigation menu. This lists all major section headers contained within the topic, allowing you to jump directly to any specific section with a single click.
- < Back & Next > Navigation: Sequential navigation buttons that allow you to step backward or forward through your previously visited topics, or move sequentially to the next and previous topics in the Contents tree hierarchy.
- [+ Favorites] Button: Quickly pins the active topic to your Favorites tab for easy access in future sessions.


Contextual Topic Action Bar

Action controls positioned above the topic frame operate directly on the currently rendered document:

- Read Topic: Launches the Text-to-Speech (TTS) engine to narrate topic content aloud using the configured default voice and language dialect, featuring synchronized yellow text highlighting for easy visual tracking.

- Print Topic: Formats the page into a clean, print-ready document by stripping out navigation sidebars and framing. Supports paper printing and saving directly to PDF.

- Summarize Page: Calls the configured AI engine to analyze the page and produce an instant, concise overview extracting key procedures and core takeaways.




Created with the Standard Edition of HelpNDoc: Streamline Your Documentation Process with HelpNDoc's Intuitive Interface

The KnowledgeDesk - Topics - Read Topic

The KnowledgeDesk - Topics - Read Topic

Advanced Read Topic Engine (Multi-Dialect TTS)

- 327 Speech Dialects & Tones: Supports up to 327 distinct voice options, including regional accents, dialects, and male/female tonal selections for natural audio narration.
- Full Reader Controls: Play, pause, resume, or stop reading active documentation topics on demand.
- Synchronized Text Highlighting: Highlights the active text in yellow as it is read aloud to allow visual tracking.
- Scope of Narration: Begins reading at the topic header and expands through hidden content within ellipses (...). Document footers are excluded from reading.



Available Speech Dialects & Tones

1. Microsoft David - English (United States) (en-US) —Default
2. Microsoft Hazel - English (United Kingdom) (en-GB)
3. Microsoft Susan - English (United Kingdom) (en-GB)
4. Microsoft George - English (United Kingdom) (en-GB)
5. Microsoft Mark - English (United States) (en-US)
6. Microsoft Zira - English (United States) (en-US)
7. Microsoft Adam - Polish (Poland) (pl-PL)
8. Microsoft Paulina - Polish (Poland) (pl-PL)
9. Microsoft Adri Online (Natural) - Afrikaans (South Africa) (af-ZA)
10. Microsoft Willem Online (Natural) - Afrikaans (South Africa) (af-ZA)
11. Microsoft □□□□Online (Natural) - Amharic (Ethiopia) (am-ET)
12. Microsoft □□□Online (Natural) - Amharic (Ethiopia) (am-ET)
13. Microsoft فطهةOnline (Natural) - Arabic (United Arab Emirates) (ar-AE)
14. Microsoft حهانOnline (Natural) - Arabic (United Arab Emirates) (ar-AE)
15. Microsoft ليلىOnline (Natural) - Arabic (Bahrain) (ar-BH)
16. Microsoft علىOnline (Natural) - Arabic (Bahrain) (ar-BH)
17. Microsoft أمينةOnline (Natural) - Arabic (Algeria) (ar-DZ)
18. Microsoft إسماعيلOnline (Natural) - Arabic (Algeria) (ar-DZ)
19. Microsoft سلمىOnline (Natural) - Arabic (Egypt) (ar-EG)
20. Microsoft شاكرOnline (Natural) - Arabic (Egypt) (ar-EG)
21. Microsoft رنا Online (Natural) - Arabic (Iraq) (ar-IQ)
22. Microsoft باسلOnline (Natural) - Arabic (Iraq) (ar-IQ)
23. Microsoft سارة Online (Natural) - Arabic (Jordan) (ar-JO)
24. Microsoft تيمOnline (Natural) - Arabic (Jordan) (ar-JO)
25. Microsoft نورا Online (Natural) - Arabic (Kuwait) (ar-KW)
26. Microsoft فهد Online (Natural) - Arabic (Kuwait) (ar-KW)
27. Microsoft ليلىOnline (Natural) - Arabic (Lebanon) (ar-LB)
28. Microsoft رامي Online (Natural) - Arabic (Lebanon) (ar-LB)
29. Microsoft إيمانOnline (Natural) - Arabic (Libya) (ar-LY)
30. Microsoft أمجد Online (Natural) - Arabic (Libya) (ar-LY)
31. Microsoft منى Online (Natural) - Arabic (Morocco) (ar-MA)
32. Microsoft جمالOnline (Natural) - Arabic (Morocco) (ar-MA)
33. Microsoft عائشةOnline (Natural) - Arabic (Oman) (ar-OM)
34. Microsoft عبداللهOnline (Natural) - Arabic (Oman) (ar-OM)

35. Microsoft لمأOnline (Natural) - Arabic (Qatar) (ar-QA)
36. Microsoft ذاعم Online (Natural) - Arabic (Qatar) (ar-QA)
37. Microsoft ةيرازOnline (Natural) - Arabic (Saudi Arabia) (ar-SA)
38. Microsoft حامOnline (Natural) - Arabic (Saudi Arabia) (ar-SA)
39. Microsoft أملين Online (Natural) - Arabic (Syria) (ar-SY)
40. Microsoft ليثOnline (Natural) - Arabic (Syria) (ar-SY)
41. Microsoft رميOnline (Natural) - Arabic (Tunisia) (ar-TN)
42. Microsoft هلدي Online (Natural) - Arabic (Tunisia) (ar-TN)
43. Microsoft ميرمOnline (Natural) - Arabic (Yemen) (ar-YE)
44. Microsoft صاحل Online (Natural) - Arabic (Yemen) (ar-YE)
45. Microsoft Banu Online (Natural) - Azerbaijani (Latin, Azerbaijan) (az-AZ)
46. Microsoft Babək Online (Natural) - Azerbaijani (Latin, Azerbaijan) (az-AZ)
47. Microsoft Калина Online (Natural) - Bulgarian (Bulgaria) (bg-BG)
48. Microsoft Борислав Online (Natural) - Bulgarian (Bulgaria) (bg-BG)
49. Microsoft □□□□□□□Online (Natural) - Bangla (Bangladesh) (bn-BD)
50. Microsoft □□□□□□□□Online (Natural) - Bangla (Bangladesh) (bn-BD)
51. Microsoft □□□□□□Online (Natural) - Bengali (India) (bn-IN)
52. Microsoft □□□□□□Online (Natural) - Bengali (India) (bn-IN)
53. Microsoft Vesna Online (Natural) - Bosnian (Bosnia and Herzegovina) (bs-BA)
54. Microsoft Goran Online (Natural) - Bosnian (Bosnia and Herzegovina) (bs-BA)
55. Microsoft Joana Online (Natural) - Catalan (ca-ES)
56. Microsoft Enric Online (Natural) - Catalan (ca-ES)
57. Microsoft Vlasta Online (Natural) - Czech (Czechia) (cs-CZ)
58. Microsoft Antoní n Online (Natural) - Czech (Czechia) (cs-CZ)
59. Microsoft Nia Online (Natural) - Welsh (United Kingdom) (cy-GB)
60. Microsoft Aled Online (Natural) - Welsh (United Kingdom) (cy-GB)
61. Microsoft Christel Online (Natural) - Danish (Denmark) (da-DK)
62. Microsoft Jeppe Online (Natural) - Danish (Denmark) (da-DK)
63. Microsoft Ingrid Online (Natural) - German (Austria) (de-AT)
64. Microsoft Jonas Online (Natural) - German (Austria) (de-AT)
65. Microsoft Leni Online (Natural) - German (Switzerland) (de-CH)
66. Microsoft Jan Online (Natural) - German (Switzerland) (de-CH)
67. Microsoft Seraphina Mehrsprachig Online (Natural) - German (Germany) (de-DE)
68. Microsoft Florian Mehrsprachig Online (Natural) - German (Germany) (de-DE)
69. Microsoft Katja Online (Natural) - German (Germany) (de-DE)
70. Microsoft Conrad Online (Natural) - German (Germany) (de-DE)
71. Microsoft Amala Online (Natural) - German (Germany) (de-DE)
72. Microsoft Killian Online (Natural) - German (Germany) (de-DE)
73. Microsoft Αθηνά Online (Natural) - Greek (Greece) (el-GR)
74. Microsoft Νέστορας Online (Natural) - Greek (Greece) (el-GR)
75. Microsoft William Multilingual Online (Natural) - English (Australia) (en-AU)
76. Microsoft Natasha Online (Natural) - English (Australia) (en-AU)
77. Microsoft Clara Online (Natural) - English (Canada) (en-CA)
78. Microsoft Liam Online (Natural) - English (Canada) (en-CA)
79. Microsoft Sonia Online (Natural) - English (United Kingdom) (en-GB)
80. Microsoft Ryan Online (Natural) - English (United Kingdom) (en-GB)
81. Microsoft Libby Online (Natural) - English (United Kingdom) (en-GB)
82. Microsoft Maisie Online (Natural) - English (United Kingdom) (en-GB)
83. Microsoft Thomas Online (Natural) - English (United Kingdom) (en-GB)
84. Microsoft Yan Online (Natural) - English (Hong Kong SAR) (en-HK)
85. Microsoft Sam Online (Natural) - English (Hong Kong SAR) (en-HK)
86. Microsoft Emily Online (Natural) - English (Ireland) (en-IE)
87. Microsoft Connor Online (Natural) - English (Ireland) (en-IE)
88. Microsoft Neerja Online (Natural) - English (India) (en-IN)
89. Microsoft Prabhat Online (Natural) - English (India) (en-IN)
90. Microsoft Asilia Online (Natural) - English (Kenya) (en-KE)
91. Microsoft Chilemba Online (Natural) - English (Kenya) (en-KE)
92. Microsoft Ezinne Online (Natural) - English (Nigeria) (en-NG)
93. Microsoft Abeo Online (Natural) - English (Nigeria) (en-NG)
94. Microsoft Molly Online (Natural) - English (New Zealand) (en-NZ)

95. Microsoft Mitchell Online (Natural) - English (New Zealand) (en-NZ)
96. Microsoft Rosa Online (Natural) - English (Philippines) (en-PH)
97. Microsoft James Online (Natural) - English (Philippines) (en-PH)
98. Microsoft Luna Online (Natural) - English (Singapore) (en-SG)
99. Microsoft Wayne Online (Natural) - English (Singapore) (en-SG)
100. Microsoft Imani Online (Natural) - English (Tanzania) (en-TZ)
101. Microsoft Elimu Online (Natural) - English (Tanzania) (en-TZ)
102. Microsoft Ava Multilingual Online (Natural) - English (United States) (en-US)
103. Microsoft Andrew Multilingual Online (Natural) - English (United States) (en-US)
104. Microsoft Emma Multilingual Online (Natural) - English (United States) (en-US)
105. Microsoft Brian Multilingual Online (Natural) - English (United States) (en-US)
106. Microsoft Ava Online (Natural) - English (United States) (en-US)
107. Microsoft Andrew Online (Natural) - English (United States) (en-US)
108. Microsoft Emma Online (Natural) - English (United States) (en-US)
109. Microsoft Brian Online (Natural) - English (United States) (en-US)
110. Microsoft Jenny Online (Natural) - English (United States) (en-US)
111. Microsoft Guy Online (Natural) - English (United States) (en-US)
112. Microsoft Aria Online (Natural) - English (United States) (en-US)
113. Microsoft Ana Online (Natural) - English (United States) (en-US)
114. Microsoft Christopher Online (Natural) - English (United States) (en-US)
115. Microsoft Eric Online (Natural) - English (United States) (en-US)
116. Microsoft Michelle Online (Natural) - English (United States) (en-US)
117. Microsoft Roger Online (Natural) - English (United States) (en-US)
118. Microsoft Steffan Online (Natural) - English (United States) (en-US)
119. Microsoft Leah Online (Natural) - English (South Africa) (en-ZA)
120. Microsoft Luke Online (Natural) - English (South Africa) (en-ZA)
121. Microsoft Elena Online (Natural) - Spanish (Argentina) (es-AR)
122. Microsoft Tomas Online (Natural) - Spanish (Argentina) (es-AR)
123. Microsoft Sofia Online (Natural) - Spanish (Bolivia) (es-BO)
124. Microsoft Marcelo Online (Natural) - Spanish (Bolivia) (es-BO)
125. Microsoft Catalina Online (Natural) - Spanish (Chile) (es-CL)
126. Microsoft Lorenzo Online (Natural) - Spanish (Chile) (es-CL)
127. Microsoft Salome Online (Natural) - Spanish (Colombia) (es-CO)
128. Microsoft Gonzalo Online (Natural) - Spanish (Colombia) (es-CO)
129. Microsoft Marí a Online (Natural) - Spanish (Costa Rica) (es-CR)
130. Microsoft Juan Online (Natural) - Spanish (Costa Rica) (es-CR)
131. Microsoft Belkys Online (Natural) - Spanish (Cuba) (es-CU)
132. Microsoft Manuel Online (Natural) - Spanish (Cuba) (es-CU)
133. Microsoft Ramona Online (Natural) - Spanish (Dominican Republic) (es-DO)
134. Microsoft Emilio Online (Natural) - Spanish (Dominican Republic) (es-DO)
135. Microsoft Andrea Online (Natural) - Spanish (Ecuador) (es-EC)
136. Microsoft Luis Online (Natural) - Spanish (Ecuador) (es-EC)
137. Microsoft Elvira Online (Natural) - Spanish (Spain) (es-ES)
138. Microsoft Álvaro Online (Natural) - Spanish (Spain) (es-ES)
139. Microsoft Ximena Online (Natural) - Spanish (Spain) (es-ES)
140. Microsoft Teresa Online (Natural) - Spanish (Equatorial Guinea) (es-GQ)
141. Microsoft Javier Online (Natural) - Spanish (Equatorial Guinea) (es-GQ)
142. Microsoft Marta Online (Natural) - Spanish (Guatemala) (es-GT)
143. Microsoft André s Online (Natural) - Spanish (Guatemala) (es-GT)
144. Microsoft Karla Online (Natural) - Spanish (Honduras) (es-HN)
145. Microsoft Carlos Online (Natural) - Spanish (Honduras) (es-HN)
146. Microsoft Dalia Online (Natural) - Spanish (Mexico) (es-MX)
147. Microsoft Jorge Online (Natural) - Spanish (Mexico) (es-MX)
148. Microsoft Yolanda Online (Natural) - Spanish (Nicaragua) (es-NI)
149. Microsoft Federico Online (Natural) - Spanish (Nicaragua) (es-NI)
150. Microsoft Margarita Online (Natural) - Spanish (Panama) (es-PA)
151. Microsoft Roberto Online (Natural) - Spanish (Panama) (es-PA)
152. Microsoft Camila Online (Natural) - Spanish (Peru) (es-PE)
153. Microsoft Alex Online (Natural) - Spanish (Peru) (es-PE)
154. Microsoft Karina Online (Natural) - Spanish (Puerto Rico) (es-PR)

155.Microsoft Ví ctor Online (Natural) - Spanish (Puerto Rico) (es-PR)
156.Microsoft Tania Online (Natural) - Spanish (Paraguay) (es-PY)
157.Microsoft Mario Online (Natural) - Spanish (Paraguay) (es-PY)
158.Microsoft Lorena Online (Natural) - Spanish (El Salvador) (es-SV)
159.Microsoft Rodrigo Online (Natural) - Spanish (El Salvador) (es-SV)
160.Microsoft Paloma Online (Natural) - Spanish (United States) (es-US)
161.Microsoft Alonso Online (Natural) - Spanish (United States) (es-US)
162.Microsoft Valentina Online (Natural) - Spanish (Uruguay) (es-UY)
163.Microsoft Mateo Online (Natural) - Spanish (Uruguay) (es-UY)
164.Microsoft Paola Online (Natural) - Spanish (Venezuela) (es-VE)
165.Microsoft Sebastiá n Online (Natural) - Spanish (Venezuela) (es-VE)
166.Microsoft Anu Online (Natural) - Estonian (Estonia) (et-EE)
167.Microsoft Kert Online (Natural) - Estonian (Estonia) (et-EE)
168.Microsoft دلرا Online (Natural) - Persian (Iran) (fa-IR)
169.Microsoft یرف Online (Natural) - Persian (Iran) (fa-IR)
170.Microsoft Harri Online (Natural) - Finnish (Finland) (fi-FI)
171.Microsoft Noora Online (Natural) - Finnish (Finland) (fi-FI)
172.Microsoft Blessica Online (Natural) - Filipino (Philippines) (fil-PH)
173.Microsoft Angelo Online (Natural) - Filipino (Philippines) (fil-PH)
174.Microsoft Charline Online (Natural) - French (Belgium) (fr-BE)
175.Microsoft Gerard Online (Natural) - French (Belgium) (fr-BE)
176.Microsoft Sylvie Online (Natural) - French (Canada) (fr-CA)
177.Microsoft Jean Online (Natural) - French (Canada) (fr-CA)
178.Microsoft Antoine Online (Natural) - French (Canada) (fr-CA)
179.Microsoft Thierry Online (Natural) - French (Canada) (fr-CA)
180.Microsoft Ariane Online (Natural) - French (Switzerland) (fr-CH)
181.Microsoft Fabrice Online (Natural) - French (Switzerland) (fr-CH)
182.Microsoft Denise Online (Natural) - French (France) (fr-FR)
183.Microsoft Henri Online (Natural) - French (France) (fr-FR)
184.Microsoft Vivienne Multilingue Online (Natural) - French (France) (fr-FR)
185.Microsoft Ré my Multilingue Online (Natural) - French (France) (fr-FR)
186.Microsoft Eloise Online (Natural) - French (France) (fr-FR)
187.Microsoft Orla Online (Natural) - Irish (Ireland) (ga-IE)
188.Microsoft Colm Online (Natural) - Irish (Ireland) (ga-IE)
189.Microsoft Sabela Online (Natural) - Galician (gl-ES)
190.Microsoft Roi Online (Natural) - Galician (gl-ES)
191.Microsoft □□□□□Online (Natural) - Gujarati (India) (gu-IN)
192.Microsoft □□□□□Online (Natural) - Gujarati (India) (gu-IN)
193.Microsoft הליה Online (Natural) - Hebrew (Israel) (he-IL)
194.Microsoft ירבא Online (Natural) - Hebrew (Israel) (he-IL)
195.Microsoft □□□□□Online (Natural) - Hindi (India) (hi-IN)
196.Microsoft □□□□Online (Natural) - Hindi (India) (hi-IN)
197.Microsoft Gabrijela Online (Natural) - Croatian (Croatia) (hr-HR)
198.Microsoft Srećko Online (Natural) - Croatian (Croatia) (hr-HR)
199.Microsoft Noé mi Online (Natural) - Hungarian (Hungary) (hu-HU)
200.Microsoft Tamá s Online (Natural) - Hungarian (Hungary) (hu-HU)
201.Microsoft Gadis Online (Natural) - Indonesian (Indonesia) (id-ID)
202.Microsoft Ardi Online (Natural) - Indonesian (Indonesia) (id-ID)
203.Microsoft Guð rú n Online (Natural) - Icelandic (Iceland) (is-IS)
204.Microsoft Gunnar Online (Natural) - Icelandic (Iceland) (is-IS)
205.Microsoft Elsa Online (Natural) - Italian (Italy) (it-IT)
206.Microsoft Isabella Online (Natural) - Italian (Italy) (it-IT)
207.Microsoft Diego Online (Natural) - Italian (Italy) (it-IT)
208.Microsoft Giuseppe Multilingual Online (Natural) - Italian (Italy) (it-IT)
209.Microsoft □□□□Online (Natural) - Inuktitut (Syllabics, Canada) (iu-Cans-CA)
210.Microsoft □□□□Online (Natural) - Inuktitut (Syllabics, Canada) (iu-Cans-CA)
211.Microsoft □□□□Online (Natural) - Inuktitut (Latin, Canada) (iu-Latn-CA)
212.Microsoft □□□□Online (Natural) - Inuktitut (Latin, Canada) (iu-Latn-CA)
213.Microsoft □□Online (Natural) - Japanese (Japan) (ja-JP)
214.Microsoft □□Online (Natural) - Japanese (Japan) (ja-JP)

215.Microsoft Siti Online (Natural) - Javanese (Latin, Indonesia) (jv-ID)
216.Microsoft Dimas Online (Natural) - Javanese (Latin, Indonesia) (jv-ID)
217.Microsoft □□□Online (Natural) - Georgian (Georgia) (ka-GE)
218.Microsoft □□□□□□□Online (Natural) - Georgian (Georgia) (ka-GE)
219.Microsoft Айгүл Online (Natural) - Kazakh (Kazakhstan) (kk-KZ)
220.Microsoft Дәулет Online (Natural) - Kazakh (Kazakhstan) (kk-KZ)
221.Microsoft □□□□□□□Online (Natural) - Khmer (Cambodia) (km-KH)
222.Microsoft □□□□□□□Online (Natural) - Khmer (Cambodia) (km-KH)
223.Microsoft □□□□□Online (Natural) - Kannada (India) (kn-IN)
224.Microsoft □□□□Online (Natural) - Kannada (India) (kn-IN)
225.Microsoft □□Online (Natural) - Korean (Korea) (ko-KR)
226.Microsoft □□Online (Natural) - Korean (Korea) (ko-KR)
227.Microsoft Hyunsu Multilingual Online (Natural) - Korean (Korea) (ko-KR)
228.Microsoft □□□□□□□□Online (Natural) - Lao (Laos) (lo-LA)
229.Microsoft □□□□□□□□Online (Natural) - Lao (Laos) (lo-LA)
230.Microsoft Ona Online (Natural) - Lithuanian (Lithuania) (lt-LT)
231.Microsoft Leonas Online (Natural) - Lithuanian (Lithuania) (lt-LT)
232.Microsoft Everita Online (Natural) - Latvian (Latvia) (lv-LV)
233.Microsoft Nils Online (Natural) - Latvian (Latvia) (lv-LV)
234.Microsoft Марија Online (Natural) - Macedonian (North Macedonia) (mk-MK)
235.Microsoft Александар Online (Natural) - Macedonian (North Macedonia) (mk-MK)
236.Microsoft □□□□Online (Natural) - Malayalam (India) (ml-IN)
237.Microsoft □□□□□Online (Natural) - Malayalam (India) (ml-IN)
238.Microsoft Есүй Online (Natural) - Mongolian (Mongolia) (mn-MN)
239.Microsoft Батаа Online (Natural) - Mongolian (Mongolia) (mn-MN)
240.Microsoft □□□□□Online (Natural) - Marathi (India) (mr-IN)
241.Microsoft □□□□□Online (Natural) - Marathi (India) (mr-IN)
242.Microsoft Yasmin Online (Natural) - Malay (Malaysia) (ms-MY)
243.Microsoft Osman Online (Natural) - Malay (Malaysia) (ms-MY)
244.Microsoft Grace Online (Natural) - Maltese (Malta) (mt-MT)
245.Microsoft Joseph Online (Natural) - Maltese (Malta) (mt-MT)
246.Microsoft □□□□Online (Natural) - Burmese (Myanmar) (my-MM)
247.Microsoft □□□Online (Natural) - Burmese (Myanmar) (my-MM)
248.Microsoft Pernille Online (Natural) - Norwegian Bokmå l (Norway) (nb-NO)
249.Microsoft Finn Online (Natural) - Norwegian Bokmå l (Norway) (nb-NO)
250.Microsoft □□□□□□□Online (Natural) - Nepali (Nepal) (ne-NP)
251.Microsoft □□□□Online (Natural) - Nepali (Nepal) (ne-NP)
252.Microsoft Dena Online (Natural) - Dutch (Belgium) (nl-BE)
253.Microsoft Arnaud Online (Natural) - Dutch (Belgium) (nl-BE)
254.Microsoft Fenna Online (Natural) - Dutch (Netherlands) (nl-NL)
255.Microsoft Maarten Online (Natural) - Dutch (Netherlands) (nl-NL)
256.Microsoft Colette Online (Natural) - Dutch (Netherlands) (nl-NL)
257.Microsoft Marek Online (Natural) - Polish (Poland) (pl-PL)
258.Microsoft Zofia Online (Natural) - Polish (Poland) (pl-PL)
259.Microsoft هڅچطل Online (Natural) - Pashto (Afghanistan) (ps-AF)
260.Microsoft زاون ل گ Online (Natural) - Pashto (Afghanistan) (ps-AF)
261.Microsoft Francisca Online (Natural) - Portuguese (Brazil) (pt-BR)
262.Microsoft Antô nio Online (Natural) - Portuguese (Brazil) (pt-BR)
263.Microsoft Thalita multilí ngue Online (Natural) - Portuguese (Brazil) (pt-BR)
264.Microsoft Raquel Online (Natural) - Portuguese (Portugal) (pt-PT)
265.Microsoft Duarte Online (Natural) - Portuguese (Portugal) (pt-PT)
266.Microsoft Alina Online (Natural) - Romanian (Romania) (ro-RO)
267.Microsoft Emil Online (Natural) - Romanian (Romania) (ro-RO)
268.Microsoft Светлана Online (Natural) - Russian (Russia) (ru-RU)
269.Microsoft Дмитрий Online (Natural) - Russian (Russia) (ru-RU)
270.Microsoft □□□□□□Online (Natural) - Sinhala (Sri Lanka) (si-LK)
271.Microsoft □□□□Online (Natural) - Sinhala (Sri Lanka) (si-LK)
272.Microsoft Viktó ria Online (Natural) - Slovak (Slovakia) (sk-SK)
273.Microsoft Luká š Online (Natural) - Slovak (Slovakia) (sk-SK)
274.Microsoft Petra Online (Natural) - Slovenian (Slovenia) (sl-SI)

275.Microsoft Rok Online (Natural) - Slovenian (Slovenia) (sl-SI)
276.Microsoft Ubax Online (Natural) - Somali (Somalia) (so-SO)
277.Microsoft Muuse Online (Natural) - Somali (Somalia) (so-SO)
278.Microsoft Anila Online (Natural) - Albanian (Albania) (sq-AL)
279.Microsoft Ilir Online (Natural) - Albanian (Albania) (sq-AL)
280.Microsoft Софија Online (Natural) - Serbian (Cyrillic, Serbia) (sr-RS)
281.Microsoft Никола Online (Natural) - Serbian (Cyrillic, Serbia) (sr-RS)
282.Microsoft Tuti Online (Natural) - Sundanese (Indonesia) (su-ID)
283.Microsoft Jajang Online (Natural) - Sundanese (Indonesia) (su-ID)
284.Microsoft Sofie Online (Natural) - Swedish (Sweden) (sv-SE)
285.Microsoft Mattias Online (Natural) - Swedish (Sweden) (sv-SE)
286.Microsoft Zuri Online (Natural) - Swahili (Kenya) (sw-KE)
287.Microsoft Rafiki Online (Natural) - Swahili (Kenya) (sw-KE)
288.Microsoft Rehema Online (Natural) - Swahili (Tanzania) (sw-TZ)
289.Microsoft Daudi Online (Natural) - Swahili (Tanzania) (sw-TZ)
290.Microsoft □□□□□□□Online (Natural) - Tamil (India) (ta-IN)
291.Microsoft □□□□□□□□Online (Natural) - Tamil (India) (ta-IN)
292.Microsoft □□□□□□□Online (Natural) - Tamil (Sri Lanka) (ta-LK)
293.Microsoft □□□□□□□Online (Natural) - Tamil (Sri Lanka) (ta-LK)
294.Microsoft □□□Online (Natural) - Tamil (Malaysia) (ta-MY)
295.Microsoft □□□□□□□Online (Natural) - Tamil (Malaysia) (ta-MY)
296.Microsoft □□□□□□□Online (Natural) - Tamil (Singapore) (ta-SG)
297.Microsoft □□□□□□Online (Natural) - Tamil (Singapore) (ta-SG)
298.Microsoft □□□□□□□Online (Natural) - Telugu (India) (te-IN)
299.Microsoft □□□□□□Online (Natural) - Telugu (India) (te-IN)
300.Microsoft □□□□□□□□Online (Natural) - Thai (Thailand) (th-TH)
301.Microsoft □□□□□□□□Online (Natural) - Thai (Thailand) (th-TH)
302.Microsoft Emel Online (Natural) - Turkish (Tü rkiye) (tr-TR)
303.Microsoft Ahmet Online (Natural) - Turkish (Tü rkiye) (tr-TR)
304.Microsoft Поліна Online (Natural) - Ukrainian (Ukraine) (uk-UA)
305.Microsoft Остап Online (Natural) - Ukrainian (Ukraine) (uk-UA)
306.Microsoft لگOnline (Natural) - Urdu (India) (ur-IN)
307.Microsoft سلمیٰOnline (Natural) - Urdu (India) (ur-IN)
308.Microsoft عظمیٰOnline (Natural) - Urdu (Pakistan) (ur-PK)
309.Microsoft اسد Online (Natural) - Urdu (Pakistan) (ur-PK)
310.Microsoft Madina Online (Natural) - Uzbek (Latin, Uzbekistan) (uz-UZ)
311.Microsoft Sardor Online (Natural) - Uzbek (Latin, Uzbekistan) (uz-UZ)
312.Microsoft Hoà i My Online (Natural) - Vietnamese (Vietnam) (vi-VN)
313.Microsoft Nam Minh Online (Natural) - Vietnamese (Vietnam) (vi-VN)
314.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
315.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
316.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
317.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
318.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
319.Microsoft □□Online (Natural) - Chinese (Mandarin, Simplified) (zh-CN)
320.Microsoft □□Online (Natural) - Chinese (Cantonese, Traditional) (zh-HK)
321.Microsoft □□Online (Natural) - Chinese (Cantonese, Traditional) (zh-HK)
322.Microsoft □□Online (Natural) - Chinese (Cantonese, Traditional) (zh-HK)
323.Microsoft □□Online (Natural) - Chinese (Taiwanese Mandarin, Traditional) (zh-TW)
324.Microsoft □□Online (Natural) - Chinese (Taiwanese Mandarin, Traditional) (zh-TW)
325.Microsoft □□Online (Natural) - Chinese (Taiwanese Mandarin, Traditional) (zh-TW)
326.Microsoft Thando Online (Natural) - Zulu (South Africa) (zu-ZA)
327.Microsoft Themba Online (Natural) - Zulu (South Africa) (zu-ZA)

Created with the Standard Edition of HelpNDoc: Easy to use tool to create HTML Help files and Help web sites

The KnowledgeDesk - Topics - Print Topic

The KnowledgeDesk - Topics - Print Topic


Once you have selected a Topic, click the Print Topic button to format and export the selected topic.

Quick Print & Export Controls


- Clean Print Mode: Automatically strips away sidebars, navigation controls, and user interface elements to ensure high-clarity paper printing and PDF generation.

- Standardized Headers & Footers: Printed pages include source metadata and continuous pagination in the footer:

  Printed from TurboCASH / osFinancials Client Edition —Page X of Y



PDF Export Option: When selecting a PDF printer driver via the print dialog, you can choose a destination directory on your system to save the exported topic file.



Created with the Standard Edition of HelpNDoc: Revolutionize Your CHM Help File Output with HelpNDoc

AI Assistant and Click me

AI Assistant and "Click me" Option

The KnowledgeDesk viewer features an integrated AI Assistant that allows you to summarize topic contents, ask questions, or search for relevant web resources directly while navigating help files.

1. Launching via the "Click me" Option

At the bottom of every active topic, you will find the **Click me** launch point.

- Click on **Click me** at the bottom of the page content to open the AI overlay window.
- Use the **Ask AI or search the web...** input field to enter custom prompts, ask questions about accounting workflows, or perform a general web search.
- Within the window, you can use the following dedicated controls:
  - **Summarize Active Topic:** Instantly triggers an AI analysis and executive summary of the currently loaded help page.
  - **Clear Summaries:** Removes generated topic summary blocks while preserving your general chat history.
  - **Clear AI Chat:** Clears past conversational questions and answers without removing your saved topic summaries.

2. Automatic Summarization via the Navigation Bar


You can generate a fast executive summary of any active topic using the top control bar:

1. Navigate to and select your desired topic in the help tree.
2. Click the Summarize Page button located on the top Navigation bar.
3. The Click me screen launches automatically and performs the following actions:
   - Generates a concise summary of the topic context along with practical hints or next steps.
   - Simultaneously populates the response in both the floating window and the right-hand AI Assistant tab.

3. Copying and Using Responses

Once the AI Assistant delivers the response or topic summary:

- Click the Copy button attached to the response block.
- Paste the copied text directly into your external application (such as Notepad, Microsoft Word, email clients, or presentation tools).



TurboCASH / osFinancials Assistant□

Hello! Ask me anything about this topic or search the web.

You: Summarize the topic "Fixed Assets Depreciation"

□□Topic Summary: Fixed Assets Depreciation

Here is an executive summary for the Fixed Assets Depreciation topic in osFinancials5 / TurboCASH5:

- Main Purpose: Explain the accounting standards (IFRS/accrual-based) governing non-cash tangible asset depreciation and detail how the optional Activa plugin automates the multi-year write-off process, ensuring accurate reporting of depreciation expenses in the income statement and net asset values on the balance sheet.
- Key Menu Navigation & Tools: Access Depreciation under the main program menu to utilize the Activa plugin features, including transaction notifications, custom filtering grids, integrated pivot tables, Central Search, the Ledger Analyser (for exporting balance sheets and income statements), and the T-Account Viewer.
- Setup & Ongoing User Actions: Add fixed asset accounts in the Activa plugin setup, register tangible assets requiring write-off, and respond to periodic notification screens to process recurring depreciation transactions directly into the accounts.
- End-of-Life User Actions: Run the end-of-life process when a fixed asset reaches the end of

its lifespan to clear the total write-off from the balance write-off account and the initial asset account, leaving only remaining totals and clearing contra accounts.

Need Next Steps? Would you like step-by-step instructions on how to configure the Activa plugin setup for your fixed asset ledger accounts?

Copy

You: Summarize the topic "Fixed Assets Depreciation"

Topic Summary: Fixed Assets Depreciation

Here is the executive summary for the Fixed Assets Depreciation topic:

- Main Purpose: Automates the allocation of tangible asset costs over their useful lives in compliance with IFRS and accrual accounting standards, ensuring accurate net asset values on the Balance Sheet and correct expense recognition on the Income Statement.
- Navigation Path: Access asset management features via the Activa plugin setup, linked through the Accounts (Ledger) module, with additional reporting accessible via Central Search, Ledger Analyser, and the T-Account viewer.
- Required User Actions: Link fixed asset accounts in the Activa plugin setup, process automated periodic depreciation prompts when notifications appear, and review updated financial statements and end-of-life write-offs.

Need Next Steps? Would you like step-by-step instructions on configuring asset accounts and calculation methods within the Activa plugin setup?

Copy

You: Yes please

Assistant (AI Mode):
Here is the technical guide to managing Depreciation and using the Activa plugin in osFinancials5 / TurboCASH5.

Overview of Depreciation

Depreciation is a non-cash accounting method used to allocate the cost of a tangible fixed asset over its useful life. It reflects the gradual decrease in the asset's value caused by wear and tear, obsolescence, or time passage.

Accounting Standards and Methods

1. IFRS Compliance:

- Applicable to both Small and Medium Entities (SMEs) and larger entities adhering to IFRS (full) and IFRS for SMEs.
- Requires entities to account for tangible asset depreciation to accurately reflect financial position and performance by matching asset costs to their useful lives.

2. Accrual-Based Accounting:
   - Depreciation is primarily recorded using the accrual method.
   - Expenses are recognized when incurred (spread over the asset's useful life), regardless of when the cash outflow for purchasing the asset occurred.
3. Cash-Based Accounting:
   - Cash-based accounting does not typically recognize depreciation because it only records transactions when cash is paid or received.
   - Note: Entities on cash-based systems may still need to compute depreciation separately for tax or statutory reporting requirements.

Managing Fixed Assets with the Activa Plugin

The Activa plugin automates fixed asset management and depreciation calculations across multiple financial years.

Key Features and Setup:

1. Asset Registration & Setup:
   - Configure Activa Fixed asset accounts in the plugin setup to link your asset registers directly to your Set of Books.
   - Register new tangible fixed assets and specify their write-off periods/lifespans.
2. Automated Reminders & Processing:
   - Notifications: Periodically, the system prompts you with a notification screen displaying scheduled depreciation amounts.
   - Direct Processing: You can process and post depreciation transactions directly from the notification screen.
   - Triggers: Automated reminders appear whenever new transactions are posted to ledger accounts linked to Activa or when pending Activa transactions need processing.

Financial Statement Impact

- Income Statement:
  - Recorded depreciation expenses are automatically posted to reduce net profit for the financial period.
- Balance Sheet:
  - Fixed assets are reflected at their net value:
    $$\text{Net Asset Value} = \text{Fixed Asset Cost} - \text{Accumulated Depreciation}$$

Asset End-of-Life Process

When a fixed asset reaches the end of its lifespan:

1. The plugin automates an end-of-life process to clear total write-offs.
2. It offsets and clears the total write-off balance between the balance write-off account and the initial asset cost account.
3. The contra account is cleared of this total, leaving only active asset balances in your general ledger.

Analysis and Reporting Tools

The Activa plugin and main program provide several search, filtering, and reporting features:

- Powerful Grid & Pivot Tables: Use custom filtering and built-in pivot tables to analyze active assets, pending write-offs, and historical transaction details.
- Ledger Analyser:
  - Access via the reporting module to view, print, and export financial statements:
    - Trial balance
    - Income statement
    - Balance sheet
- T-Account Viewer:
  - View ledger details by T-Account format and export raw transaction data directly to external spreadsheets.
- Central Search Feature:
  - Use the global Central search within TurboCASH/osFinancials to query and find specific fixed asset transactions across the entire Set of Books.

Copy

You: Summarize the topic "Calendar Planner"

Topic Summary: Calendar Planner

Here is the executive summary for the Calendar Planner topic:

- Main Purpose: Serves as a centralized management hub within a Set of Books to organize agendas, appointments, tasks, and contacts, complete with automated event reminders, color-coded tracking, and direct integration for generating quotes and invoices.
- Key Navigation Paths:
  - Open Calendar: Select Calendar on the Default ribbon.
  - Set as Default View: Navigate to Setup → System parameters and select the Show calendar option to automatically display the Calendar when opening a Set of Books.

- Required User Actions:
  - Schedule Events & Billing: Create custom or recurring events (daily, weekly, monthly, yearly) for general meetings, creditor/debtor appointments, repeating invoices, or hourly service tracking that can be directly converted into quotes and invoices.
  - Task & Contact Management: Maintain an active to-do list (e.g., bank reconciliations, printing debtor statements) with completion dates, search/manage contact lists, and utilize Bulk time entry to log billable hours across salespersons, debtors, and stock items.

Need Next Steps? Would you like step-by-step instructions on configuring bulk time entries or converting scheduled hourly appointments into sales invoices?

Copy

You: Summarize the topic "Calendar Planner"

Topic Summary: Calendar Planner

Here is an executive summary of the Calendar Planner topic for osFinancials5 and TurboCASH5:

- Core Purpose: The Calendar Planner acts as a centralized operational hub within a Set of Books to schedule appointments (general, debtor, and creditor), track tasks, manage contacts, and set automated reminders with custom recurrence rules and visual color coding.
- Key Invoicing & Billing Workflows: Users can automate recurring financial actions directly from scheduled events, including processing repeating invoices, tracking billable hours to generate quotes and invoices, and utilizing bulk time entry by salesperson, debtor, and stock item.
- Navigation & Startup Setup: Access the feature via Default ribbon → Calendar. To set the Calendar as the default view upon opening a Set of Books, navigate to Setup → System parameters and check the "Show calendar" option.

Need Next Steps? Would you like step-by-step instructions on setting up repeating invoices or logging bulk time entries directly within the Calendar Planner?

Created with the Standard Edition of HelpNDoc: Maximize Your Reach: Convert Your Word Document to an ePub or Kindle eBook

DeepSeek "INSUFFICIENT BALANCE" Explained

DeepSeek "INSUFFICIENT BALANCE" Explained

Here is what is happening with both DeepSeek and your overall AI provider setup, along with how to clear

that error:

1. DeepSeek "INSUFFICIENT BALANCE" Explained

Unlike Google Gemini (which offers a generous free tier for API keys), DeepSeek API is strictly pay-as-you-go.

When DeepSeek returns INSUFFICIENT BALANCE or HTTP 402 / 429, it means:

- The account balance on platform.deepseek.com has reached $0.00.
- DeepSeek does not provide free tier query allocations for API keys once the initial small trial credit expires.

To resolve DeepSeek:

1. Log in to platform.deepseek.com.
2. Go to Top Up / Billing and add credits (minimum is usually $2- $5).
3. Or, if you don't want to pay for DeepSeek, simply switch your Default AI Model Provider dropdown in AI Settings to Google Gemini or Groq.

2. Provider Quick Reference Guide

To keep your TurboCASH / osFinancials Help Viewer assistant working smoothly without API errors, here is how the 4 providers compare:

Provider	Cost / Tier	Recommended Model String in viewer.js
Google Gemini (Recommended)	Free Tier Available	gemini-2.5-flash
Groq	Free Tier Available	llama-3.1-8b-instant
OpenAI	Pay-as-you-go (Prepaid credit required)	gpt-4o-mini
DeepSeek	Pay-as-you-go (Prepaid credit required)	deepseek-chat

3. Updated processAIQuery Function (Clean & Safe)

Here is the updated, robust processAIQuery code for viewer.js that cleanly handles DeepSeek balance errors, Groq 8B instant routing, and Gemini 2.5 Flash:

JavaScript

```
/**
 * Handles routing to Gemini, DeepSeek, Groq, or OpenAI based on user selection
 */
async function processAIQuery(userQuery) {
    // Check model selection from UI dropdown or fallback selector
    const dropdownVal = document.getElementById("select-default-model")?.value || document.getElementById("aiModelSe
    const modelChoice = dropdownVal || localStorage.getItem("ai_default_model") || "auto";

    // Read stored API Keys
```

```
    const keys = {
        gemini: (localStorage.getItem("gemini_api_key") || document.getElementById("key-gemini")?.value || "").trim(),
        deepseek: (localStorage.getItem("deepseek_api_key") || document.getElementById("key-deepseek")?.value || "").trim(
        groq: (localStorage.getItem("groq_api_key") || document.getElementById("key-groq")?.value || "").trim(),
        openai: (localStorage.getItem("openai_api_key") || document.getElementById("key-openai")?.value || "").trim()
    };

    // Determine target provider
    let selectedProvider = modelChoice.toLowerCase();
    if (selectedProvider === "auto") {
        if (keys.gemini) selectedProvider = "gemini";
        else if (keys.groq) selectedProvider = "groq";
        else if (keys.deepseek) selectedProvider = "deepseek";
        else if (keys.openai) selectedProvider = "openai";
    }

    // Check if key exists for selected provider
    if (!keys[selectedProvider]) {
        const availableKeys = Object.keys(keys).filter(k => !!keys[k]);
        if (availableKeys.length === 0) {
            return `No active AI API key found.\n\nTip: Enter an API key for Gemini or Groq in AI Settings to enable live respons
        }
        return `No API key found for ${selectedProvider.toUpperCase()}.\n\nCurrently active key(s): ${availableKeys.join(", ").to
    }

    // Extract active page context from topicFrame iframe if available
    let contextText = "";
    try {
        const topicFrame = document.getElementById('topicFrame');
        if (topicFrame) {
            const frameDoc = topicFrame.contentDocument || topicFrame.contentWindow.document;
            if (frameDoc && frameDoc.body) {
                contextText = frameDoc.body.innerText || "";
            }
        }
    } catch (e) {
        console.warn("Could not extract iframe context:", e);
    }

    // Fetch Web Search Context if Google Search Key is set
    let searchContext = "";
    if (typeof fetchGoogleWebSearchJSON === "function") {
        const webResults = await fetchGoogleWebSearchJSON(userQuery);
        if (webResults && webResults.length &gt; 0) {
            searchContext = "\n\n[Live Web Search Context]:\n" +
                webResults.slice(0, 3).map(r => `- ${r.title}: ${r.snippet}`).join("\n");
        }
    }

    const fullPrompt = `System: You are the TurboCASH / osFinancials Help Assistant.
Topic Context:
${contextText.slice(0, 4000)}
${searchContext}

User Query: ${userQuery}

Provide a clear, precise response based on the topic context. Use bold text for key software commands or menu paths.`;

    // Route to Provider API
    try {
```

```
// --- GROQ PROVIDER ---
if (selectedProvider === "groq") {
   const res = await fetch("https://api.groq.com/openai/v1/chat/completions", {
       method: "POST",
       headers: {
          "Content-Type": "application/json",
          "Authorization": `Bearer ${keys.groq}`
       },
       body: JSON.stringify({
          model: "llama-3.1-8b-instant", // Supported on all free Groq tiers
          messages: [{ role: "user", content: fullPrompt }],
          temperature: 0.5
       })
   });

   const data = await res.json().catch(() => ({}));
   if (!res.ok || data.error) {
      return `Groq Error: ${data.error?.message || res.status}`;
   }
   if (data.choices && data.choices[0]?.message) {
      return data.choices[0].message.content;
   }
   return "Groq returned an unexpected response structure.";
}

// --- GEMINI PROVIDER ---
if (selectedProvider === "gemini") {
   const res = await fetch(`https://generativelanguage.googleapis.com/v1beta/models/gemini-2.5-flash:generateConte
       method: "POST",
      headers: { "Content-Type": "application/json" },
      body: JSON.stringify({ contents: [{ parts: [{ text: fullPrompt }] }] })
   });

   const data = await res.json().catch(() => ({}));
   if (!res.ok || data.error) {
      return `Gemini Error: ${data.error?.message || res.status}`;
   }
   return data.candidates[0].content.parts[0].text;
}

// --- DEEPSEEK PROVIDER ---
if (selectedProvider === "deepseek") {
   const res = await fetch("https://api.deepseek.com/chat/completions", {
       method: "POST",
       headers: {
          "Content-Type": "application/json",
          "Authorization": `Bearer ${keys.deepseek}`
       },
       body: JSON.stringify({
          model: "deepseek-chat",
          messages: [{ role: "user", content: fullPrompt }]
       })
   });

   const data = await res.json().catch(() => ({}));
   if (!res.ok || data.error) {
      if (res.status === 402 || data.error?.message?.toLowerCase().includes("balance")) {
         return "DeepSeek Error: Insufficient Account Balance. Please top up your balance at platform.deepseek.com c
       }
      return `DeepSeek Error: ${data.error?.message || res.status}`;
```

```
            }
            return data.choices[0].message.content;
        }

        // --- OPENAI PROVIDER ---
        if (selectedProvider === "openai") {
            const res = await fetch("https://api.openai.com/v1/chat/completions", {
                method: "POST",
                headers: {
                    "Content-Type": "application/json",
                    "Authorization": `Bearer ${keys.openai}`
                },
                body: JSON.stringify({
                    model: "gpt-4o-mini",
                    messages: [{ role: "user", content: fullPrompt }]
                })
            });

            const data = await res.json().catch(() => ({}));
            if (!res.ok || data.error) {
                return `OpenAI Error: ${data.error?.message || res.status}`;
            }
            return data.choices[0].message.content;
        }

    } catch (err) {
        console.error(`[AI Request Error - ${selectedProvider}]:`, err);
        return `Error connecting to ${selectedProvider.toUpperCase()} API. Please check network connectivity and API key vali
    }
}
```

Created with the Standard Edition of HelpNDoc: Elevate Your Documentation Process with HelpNDoc's Advanced Features

Copilot integration Roadmap

Created with the Standard Edition of HelpNDoc: Revolutionize Your CHM Help File Output with HelpNDoc

Integrate context-aware Copilot capabilities into your Help Viewer

Integrate context-aware Copilot capabilities into your Help Viewer

Because standard consumer Copilot (`copilot.microsoft.com`) blocks raw iframe embedding due to `X-Frame-Options` security policies, the cleanest approach is to extract the active topic data and stream it directly to Copilot or run it through your modal assistant.

Here are the top feature integrations you can add:

Feature 1: Dynamic "Copilot Actions" Dropdown Menu in the Header

Instead of just a single Copilot button, convert it into a **Quick Actions Dropdown** right next to Search in `index.html`:

- **Summarize Active Topic:** Extracts text from `topicFrame` and generates an instant outline.
- **Key Accounting Takeaways:** Prompts Copilot to extract specific compliance, debit/credit, or system rules from the current page.

- **Explain as Beginner:** Simplifies technical accounting topics (e.g., Year-End Adjustments, Tax Setup) into plain language.

Feature 2: In-Page Floating "Ask Copilot" Context Menu

When a user highlights text inside a help article, show a small floating action button near their cursor:

- **"Explain Selected Text"**
- **"Translate Selection"**
- **"Find Related Features in osFinancials/TurboCASH"**

Implementation Code

Here is how you can update `viewer.js` and `index.html` to bring these features to life:

1. Add Copilot Actions Dropdown to `index.html`

Replace your existing `#btn-copilot` in `index.html` with a dropdown menu:

HTML
```
<!-- COPILOT FEATURE DROPDOWN -->
<div class="copilot-dropdown-container" style="position: relative; display: inline-block;
     <button id="btn-copilot-menu" class="nav-btn btn-copilot" title="Copilot Quick Actior
          □ Copilot AI ▾
    </button>
     <div id="copilot-menu" class="copilot-menu-content hidden">
          <button class="copilot-action-item" data-action="summarize">□□ Summarize Active T
          <button class="copilot-action-item" data-action="takeaways">□□ Key Takeaways & Ru
          <button class="copilot-action-item" data-action="explain">□□ Explain to a Beginne
          <hr style="border: 0; border-top: 1px solid rgba(255,255,255,0.1); margin: 4px 0;
          <button class="copilot-action-item" data-action="web">□□ Open External Copilot Cha
    </div>
</div>
```

2. Add Logic to `viewer.js`

Add this handler to manage topic extraction, menu toggles, and seamless prompt creation:

JavaScript
```
/*   ============================================================
    COPILOT ADVANCED FEATURE INTEGRATION
============================================================   */

/**
 * Safely extracts text and title from the currently active topic inside topicFrame
 */
function getActiveTopicContent() {
     const topicFrame = document.getElementById("topicFrame");
    if (!topicFrame) return { title: "Help Topic", text: "" };

    try {
         const doc = topicFrame.contentDocument || topicFrame.contentWindow.document;
        const title = doc.title || "Help Topic";

        // Clone body text and remove UI junk or code snippets if necessary
        let bodyText = doc.body ? doc.body.innerText.trim() : "";
```

```
        return { title, text: bodyText };
    } catch (e) {
        console.warn("Could not access iframe content:", e);
        return { title: "Help Topic", text: "" };
    }
}

/**
 * Initializes Copilot Dropdown and Quick Actions
 */
function initCopilotFeatures() {
     const menuBtn = document.getElementById("btn-copilot-menu");
     const menuContent = document.getElementById("copilot-menu");

     if (!menuBtn || !menuContent) return;

     // Toggle Dropdown Visibility
     menuBtn.addEventListener("click", (e) => {
         e.stopPropagation();
          menuContent.classList.toggle("hidden");
     });

     // Close menu when clicking outside
     document.addEventListener("click", () => {
          if (!menuContent.classList.contains("hidden")) {
             menuContent.classList.add("hidden");
         }
     });

     // Handle Quick Actions
      const actionButtons = menuContent.querySelectorAll(".copilot-action-item");
     actionButtons.forEach(btn => {
         btn.addEventListener("click", () => {
             const action = btn.getAttribute("data-action");
             const topic = getActiveTopicContent();

             if (!topic.text && action !== "web") {
                 alert("No active topic content found to analyze.");
                 return;
             }

             let prompt = "";

             switch (action) {
                 case "summarize":
                     prompt = `Please summarize the following Help Topic titled "${topic.t
                     break;
                 case "takeaways":
                     prompt = `Extract the key accounting steps, guidelines, and takeaways
                     break;
                 case "explain":
                     prompt = `Explain the concepts in this article ("${topic.title}") in
                     break;
                 case "web":
                       window.open("https://copilot.microsoft.com/", "CopilotWindow", "widt
                     return;
             }

             // Copy structured prompt to clipboard and inform user
```

```
            navigator.clipboard.writeText(prompt).then(() => {
                alert(`Copilot Prompt Ready!\n\n"${btn.innerText}" prompt copied to clipb
                  window.open("https://copilot.microsoft.com/", "CopilotWindow", "width=48
            });
        });
    });
}
```

Then call `initCopilotFeatures();` inside your main `DOMContentLoaded` listener in `viewer.js`.

3. Add Dropdown Styles to `viewer.css`

CSS

```
/* Copilot Dropdown Menu Container & Item Styling */
.copilot-menu-content  {
    position: absolute;
    top: 100%;
    left: 0;
    margin-top: 6px;
    background: #1e293b;
    border: 1px solid rgba(255, 255, 255, 0.15);
    border-radius: 8px;
    box-shadow: 0 10px 25px rgba(0, 0, 0, 0.5);
    padding: 6px;
    z-index: 10000;
    min-width: 220px;
    display: flex;
    flex-direction: column;
    gap: 4px;
}

.copilot-menu-content.hidden  {
    display: none !important;
}

.copilot-action-item  {
    background: transparent;
    color: #e2e8f0;
    border: none;
    text-align: left;
    padding: 8px 12px;
    font-size: 13px;
    font-weight: 500;
    border-radius: 5px;
    cursor: pointer;
    transition: background 0.2s ease, color 0.2s ease;
}

.copilot-action-item:hover  {
    background: #334155;
    color: #facc15;
}
```

Why this approach works best

1. **Targeted Summaries:** Solves the issue where Copilot attempts to summarize the outer UI header/sidebar instead of the actual help document.
2. **Contextual Action Presets:** Users get instant, pre-engineered prompts specifically tailored for documentation, user manuals, and accounting topics.

3. **No Auth/API Key Restrictions:** Leverages Copilot's standard free web interface without requiring complex backend OAuth or server setup.

Created with the Standard Edition of HelpNDoc: Effortlessly Convert Your Word Doc to an eBook: A Step-by-Step Guide

Copilot AI integration into KnowledgeDesk

Copilot AI integration into KnowledgeDesk

That is the core beauty of this design: **it bridges your topic text straight into the floating Copilot window automatically.**

You don't need to manually press `Ctrl+C`, open Copilot, type a prompt, and press `Ctrl+V`. The floating menu handles the extraction, formatting, and pasting in a single step.

Here is the exact mechanical breakdown of how it works behind the scenes when you select text in your current topic:

How the Automatic Paste & Format Process Works

```
[ 1. Highlight Text in Topic ]
                │
                ▼
[ 2. Selection Bar Appears Above Text ]
   ├── Dropdown: Select "□□ Rules & Key Takeaways"
   └── Click: [ Run ]
                │
                ▼
[ 3. JavaScript Executes Automatically ]
   ├── Extracts highlighted text: activeSelectedText
   ├── Fetches page title: e.g., "General Ledger Setup"
   └── Combines intro template + topic title + highlighted text
                │
                ▼
[ 4. Floating Copilot Window Opens ]
   └── Pre-pastes full structured prompt into <textarea id="copilot-input">
```

What Appears in Copilot's Input Box

When you pick an option from the dropdown and hit **Run**, the script automatically populates your Copilot text box like this:

Extract key accounting rules, steps, and main takeaways from "General Ledger Setup":

"Every general ledger account must be linked to a valid reporting group before posting. When setting up tax accounts, ensure the linked tax rate matches the jurisdiction's active VAT/GST rate..."

Key Advantages of this Approach

- **Zero Manual Copy-Pasting:** The script captures the exact selection from the active topic or `iframe` frame and inserts it right after the template intro.
- **Review Before Sending:** Because the prompt lands inside the `<textarea>`, you can review, edit, or add an extra specific question at the bottom before hitting **Send Context to AI**.
- **Clean Topic Pages:** Since nothing is injected into the topic's HTML itself, your topic viewer remains

100% clean, stable, and free from DOM rendering conflicts.

Extract key accounting rules, steps, and main takeaways from "Welcome": Looks like the prompt is populated correctly with the Copilot option

Created with the Standard Edition of HelpNDoc: Converting Word Documents to eBooks: A Step-by-Step Guide with HelpNDoc

AI-Responses

Summarize Active Topic 2X = Hello! Ask me anything about this topic or search the web.
You: Summarize the topic "Contacts"
You: Summarize the topic "Contacts"

Responses Summarize Topic = Contacts

Executive Summary

- **Purpose:** The Contacts feature allows you to maintain detailed contact records linked to debtor (customer) and creditor (supplier) accounts, automatically populating primary contact information on sales and purchase documents and printing them on document layouts.
- **Navigation Paths:** Access contact management via **Default ribbon → Contacts**, **Debtors → Contacts tab**, **Creditors → Contacts tab**, or the **Calendar** feature. Generate reports via **Reports ribbon → Contacts** (or under **Reports → Debtors / Creditors → Listing - Contacts**).
- **User Actions:** Users can add, edit, delete, and print contact details, ensuring synchronized updates across the Set of Books, Calendar, and generated reports for both customers and suppliers.

Need Next Steps? Would you like step-by-step instructions on how to set a default contact for automated selection on sales invoices and purchase orders?

Responses Summarize Topic = Contacts

Here is an executive summary based on the provided topic content:

Executive Summary

- **Purpose & Framework:** The Chart of Accounts provides a standardized, systematic structure for recording financial transactions—mapping general ledger, bank, and tax accounts to account groups and standard financial categories (Assets, Liabilities, Equity, Revenue, Expenses) in compliance with accounting frameworks like GAAP or IFRS.
- **Template Selection & Setup:** Users select and download a localized Set of Books template matching their country, language, and industry (or choose from the local `...\bin\Repository` folder), then use **Start → Save as** to rename and customize the Set of Books database.
- **Navigation & Account Analysis:** Review and print existing accounts to verify their structure using **Reports → Ledger → Listing** or through **Ledger analyser 1 / 2** (Trial Balance with "Ignore zero balances" unselected and grouped by Reporting Group 1 or 2).
- **Required User Actions:** Analyze and edit the default account list, ensure every ledger account is correctly linked to Account Groups 1/2 and mapped to the proper financial categories to accurately

generate budgets, Trial Balances, Income Statements, and Balance Sheets.

Need Next Steps? Would you like step-by-step instructions on creating a new ledger account and mapping it to specific account groups and financial categories?

AI Assistant Response = Changing Tax Rates

Overview: Changing Tax Rates in osFinancials5 / TurboCASH5

When tax authorities (such as SARS or GST bodies) implement a tax rate adjustment (for example, increasing VAT from 14% to 15%), osFinancials5 / TurboCASH5 must be configured to accommodate both the old and new tax rates simultaneously. This handles transition periods where invoices or transactions may reflect different rates depending on whether goods or services were supplied before or after the effective change date.

Setup Strategies

To configure your Chart of Accounts for a new tax rate, you can use one of two methods:

1. **New Structure Method (Recommended):** Replicate a complete new structure of Tax accounts—including new Ledger Main accounts for **VAT - Control** and **VAT - Payment**—configured specifically for the new percentage (e.g., 15%). This simplifies reporting, management, and audit trailing.
2. **Existing Structure Integration Method:** Add new tax ledger accounts directly within your existing VAT structure.
    - *Example:*
        - **T850050** – Output VAT – 15%
        - **T850060** – Input VAT – Standard rate - 15%
        - **T850070** – Input VAT – Capital goods – 15%

Step-by-Step Configuration Guide

Step 1: Update Descriptions of Existing Tax Accounts to Reflect the Old Rate

Before creating new tax accounts, update the descriptions of all existing active tax accounts to clearly reflect the historical rate (e.g., 14%).

1. Navigate to the **Setup** ribbon.
2. Select **Setup → Accounts**.
3. Locate and select the existing Tax account from the list.
4. In the **Description** field, edit the text to append the old rate percentage (e.g., change "Output VAT" to **Output VAT - 14%**).
5. Click the **Save** button to apply changes.
6. Repeat these steps for all relevant tax accounts (Output VAT, Input VAT, Tax Control, Tax Payment accounts) until all old accounts explicitly display the old rate (e.g., **- 14%**).

Step 2: Add a New VAT - Control Account (Main Ledger Account) for the New Rate

If using the recommended full structure replication method, create a new Ledger Main account for the new

tax rate (e.g., 15%). This account serves as the parent account under which sub-accounts for payments and tax codes will be grouped.

1. Navigate to the **Setup** ribbon.
2. Select **Setup → Accounts**.
3. In the tree view, select **REPORTING GROUP ROOT**.
4. Click the **Add:Account** icon (or right-click and select **Add** on the context menu). A new placeholder account entry will display on the Account list as `G000 000 Account name`.
5. Fill in or select the following field configurations:
   - **Account type**: Select **Ledger**.
   - **Account no.**: Edit the sub-account sequence field of the **Account no.** field (e.g., change `100` to `860`).
   - **Description**: Enter **VAT Control – 15%**.
   - **Account group 1**: Select your primary account group (e.g., **Current liabilities**).
   - **Account group 2**: Select your secondary account group if configured (e.g., **Current liabilities2**).
   - **Type**: Ensure **Balance sheet** is displayed.
   - **Sub accounts**: Select (tick) this checkbox option. *(This enables the account to act as a parent main account for sub-accounts).*
   - **Status**: Select **Enabled** (Default).
   - **Open item account**: Select **No** (Default).
   - **Link tax**: Leave **Empty** (Default).
6. Click the **Save** button. The new **VAT - Control - 15%** main ledger account will now appear in your list following the existing tax accounts.

Step 3: Add New VAT Payment Account (Ledger Sub-Account)

After establishing the new **VAT Control – 15%** main account, proceed to add the corresponding **VAT Payment** sub-account under this new main account structure to process tax settlement entries for the new rate.

Created with the Standard Edition of HelpNDoc: Easily create CHM Help documents