FIRST ROBOTICS PROJECT

ROBOTICS



THE PROBLEM



Odometry of an autonomous vehicle

experimental autonomous shuttle EasyMile EZ10

wheel speed and steering angle

only front steering

distance between front and rear wheels: 2.8m



DATA



Format: ROS Bag file play the bag with the command: rosbag play --clock first.bag

Data:

- speed_steer topic
- type geometry_msgs::Quaternion
- x = speed (m/s)
- y = steering angle (rad. negative value to the right)



- Create a ROS package called first_project
- Create a ROS node to compute the odometry:
 - write a node called *odom_node* which publish:
 - odometry message:
 - type: nav_msgs/Odometry
 - topic name: *odometry*
 - custom message:
 - type: first_project/Odom
 - topic name: custom_odometry



- custom message fields:
 - float x
 - float y
 - float th
 - string timestamp




- odom_node should also have a service:
 - called /reset_odom
 - reset the odometry to zero when called
 - filed:
 - only a boolean return value called *resetted* set to true when the odometry is resetted
 - no input



- odom_node should also publish a tf, with the same values as odom:
 - the tf is published using the tf_broadcaster
 - the tf is between odom and base_link

- final tf tree should look like this image





- The node has to start from a launch file, where:

 - set some node parameters:
 - starting_x
 - starting_y
 - starting_th
 - the node parameters in the launch file should be set to zero
 - the odometry node reads these parameters when starts, and use them as starting value for the odometry comptuation
 - the launch file also has four static tf for the single plane lasers of the shuttle (data provided in next slides)



https://goo.gl/GonArW Project folder

Deadlines and requested files



- -Send only a tar.gz file
- -Send via e-mail both to Simone Mentasti and Matteo Matteucci
- -name the e-mail "FIRST ROBOTICS PROJECT 2023"
- -Inside the archive:
 - info.txt file (details next slide)
 - folders of the nodes you created (with inside CmakeLists.txt, package.xml, etc...)
 - do not send the entire environment (with build and devel folders)
 - do not send the bag files



Deadlines and requested files

File txt must contain only the group names with this structure codice persona;name;surname

You can add another file called readme.txt with additional info. I will not always look for it. But if something goes wrong I'll check for explanations.



Some more requests

Name the archive with your codice persona

Don't use absolute path

The project need to be written using c/c++

Docker check



I provide a sample docker image with a script that perform a simple check, does the node compile, is the info.txt properly structured, is the publisher working?

You can use to make sure you are sending something I'll be able to correct

I also provide a sample package with some code and info.txt set, so you can build your package from this, and make sure everything works

docker run -v /home/simone/first_project/src/first_project:/home/evaluator/first_project/src/first_project -v /home/simone/first_project/bags:/home/evaluator/bags -u 0 smentasti/first_project

This is the only part you have to change

This is the folder containing first.bag and second.bag

If the docker image do not work I also provide the Dockerfile to built it again





In the bag you will also find the topic of the four single plane laser scanners.

You can use them to get an idea if your code is working properly.

visualize the laser scanner in rviz, and check if the odometry is working properly, if you set the correct reference systems the lidar data should create a map of the environment (the odometry will drift, so don't expect a perfect map)







1.85 0.93 0.0 0.81 0.0 3.14 vehicle_centre sick_front_left
1.85 -0.93 0.0 -0.76 0.0 3.14 vehicle_centre sick_front_right
-1.85 0.93 0.0 2.38 0.0 3.14 vehicle_centre sick_rear_left
-1.75 -0.8 0.0 -2.30 0.0 3.14 vehicle_centre sick_rear_right






Expected output in rviz

If odometry and tf are properly configured you should be able to see the data in rviz:

- set fixed frame odom
- if odometry is computed properly you should see the base_link tf frame moving, and the static features of the world around the vehicle (e.g., walls) remain still (minor movement due to odometry drift)
- output should be similar to the figure on the right







Deadline: 30 April (1 month)

Max 3 student for team

Questions:

- -write to me via mail (simone.mentasti@polimi.it)
- do not write only to Prof. Matteucci