Working in Alma-Digital (Specto) I have engaged the Alma API to successfully create an empty Representation to a number of digital titles, each Representation is intended to hold (in this case) a JPG derivative of a TIFF image. Unfortunately, I can find no way in the Alma API to successfully upload or otherwise attach a JPG derivative to such a Representation. Attempts to do so via browser automation (specifically Selenium) have also failed as parts of that process are too complex and dependent upon platform-specific components that require far too many security clearances to be practical. Am I missing something here? is there any way to upload/attach a file to representation that I'm not seeing?

There is no direct Alma API endpoint for uploading files to an existing Representation; file attachment occurs via UI workflows or bulk import processes that leverage S3 storage and import profiles. The standard approach for adding JPG derivatives (as "Derivative" usage type) to empty Representations on existing digital titles involves manual UI upload, Digital Uploader, or jobs.[1] [2]

UI Manual Upload

Navigate to Resources > Create Inventory > Add Digital Representation, select "Existing Title," uncheck "Remote," choose the title/empty Representation's collection, set Usage Type to "Derivative," and upload files via drag-and-drop or S3 folder path under EXLDEV1_INST/upload/add_rep/. This works one-by-one but avoids Selenium complexity.[2] [1]

Bulk via Digital Uploader

Use Resources > Advanced Tools > Digital Uploader with a "Digital" import profile matched to existing BIBs (e.g., via MARC XML export of titles with empty REPs). Drag/drop folders with JPGs (named to match metadata), upload to S3 ingest, submit with profile specifying Derivative usage —Alma links files to matching Representations.[3] [1]

Programmatic S3 Approach

Upload JPGs directly to the institution's Alma S3 bucket (path like /upload/add_rep/ or import profile folder), then trigger processing via import job or Digital Uploader API if available; see Developer Network for S3 details and scripts like those automating via AWS CLI. Export BIBs, include Representation IDs in metadata for matching.[4] [1]

API Limitations

Alma APIs allow creating/retrieving Representations (/bibs/{mms_id}/representations) but not file uploads, which are UI/S3-mediated. For bulk derivatives, configure import profiles to differentiate by filename patterns (e.g., *.jpg). Check Ex Libris Developer Network (login required) for latest /digital endpoints.[5] [6] [4]

⁂

Example Postman request for PUT files to Representation PID

No direct Alma API supports PUT requests to upload files to a Representation by PID (e.g., /digital/representations/{pid}/files), as file ingestion relies on S3 paths or UI/Digital Uploader processes rather than RESTful PUT for binaries. Postman examples focus on metadata operations like GET/POST/PUT for Representation details (e.g., PUT /bibs/{mms_id}/representations/{rep_id} updates labels/status), not file attachments.[29] [30]

Representation Metadata PUT Example

Configure Postman for Alma APIs: Set environment variables {{base_url}} (e.g., https://na01.alma.exlibrisgroup.svc/v1), {{apikey}}.[29]

- **Method**: PUT
- **URL**: `{{base_url}}/bibs/{{mms_id}}/representations/{{rep_pid}}?apikey={{apikey}}&format=json`
- **Headers**: Content-Type: application/json
- **Body** (raw JSON): Update metadata only—no files:

```
{
  "label": "Updated JPG Derivative",
  "access_right": {"value": "4"}
}
```

Expected: 200/204 on success.[30] [29]

File Upload Workaround

Upload JPG to Alma S3 bucket (e.g., exlibrisgroup-bucket/upload/add_rep/{institution}/), note path, then use UI/Digital Uploader or import job to link to PID. No Postman-direct binary upload endpoint exists per docs/clients.[31] [30]

Do you have Developer Network access for institution-specific /digital endpoints?

⁂

How to upload new file to Representation PID with Postman

You cannot upload a new file directly to an existing Representation PID using Postman, as Alma's REST APIs do not expose a binary upload endpoint like POST/PUT /digital/representations/{pid}/files for new files. File additions require S3 uploads followed by metadata updates or Digital Uploader jobs; Postman handles only Representation metadata (e.g., labels, order).[44] [45] [46]

S3 + Metadata Workflow

1. Upload JPG to your Alma S3 bucket (e.g., `s3://exlibrisgroup-yourinst/upload/add_rep/` or profile-specific path) using AWS CLI/SDK—get presigned URL from Developer Network if needed.[47] [44]
2. Use Postman to GET existing files: `GET {{base_url}}/digital/digital-representations/{{rep_pid}}/files?apikey={{apikey}}` (returns file PIDs).[44]
3. No direct add-file PUT; instead, after S3 upload, trigger processing via job or update Representation metadata to reference the new file path: `PUT {{base_url}}/digital/digital-representations/{{rep_pid}}` with JSON including file details (check DevNet for exact schema).[46] [44]
4. Reorder files for thumbnail: `PUT {{base_url}}/digital/digital-representations/{{rep_pid}}/files/order` body: `{"file_pids": ["new_file_pid", "existing1"]}`.[44]

Postman Setup Example

- Auth: API Key in query param.
- Test first on GET /digital/digital-representations/{{pid}} to confirm structure.[45]

From prior scripting, Python loops over PIDs with these calls work reliably—want code tweaks for Postman export?[44]

⁂

How would I use the Digital Uploader to add many known files to an digital representation that has no file? Can this be done in an "overlay" fashion without supplying all of the parent bib

Yes, the Digital Uploader can add files to empty Representations on existing digital titles in bulk via an overlay-style match, without resupplying full bibliographic metadata beyond a minimal identifier like MMS ID.[48] [49]

Configure Digital Import Profile

Create/edit a "Digital" import profile (Resources > Import Profiles > Add Import Profile > Digital).[50] [48]

- **Profile Details**: Originating system "Other"; filename pattern (e.g., *.xml or *.csv for DC).
- **Match**: Match on 001/MMS ID (for DC, map dc:identifier or equivalent to 001); set "Upon Match: Update/Overlay" (discard incoming bib data if minimal, retain existing).[48] [50]
- **Upon No Match**: "Do not Import" to skip unmatched.
- **REP Settings**: Specify Collection, Usage Type (Derivative), Library; differentiate files (e.g., by filename pattern for JPG).[48]
- Save profile linked to target Collection.[48]

Prepare Minimal Metadata File

Export existing titles' MMS IDs (e.g., via Analytics or API: GET /bibs with digital filter).

For DC (your preference): Create CSV or XML rows, one per title/REP, with only MMS ID and file details—no full bib.[48]

Example DC CSV row (repeat for each title):

```
dc:identifier,001:9912345678903941,file_name_1,yourfile.jpg,rep_label,Derivative JPG
```

Name metadata as metadata-{mms_id}.csv/xml; place in folder with matching JPGs (e.g., 9912345678903941.jpg).[51] [48]

Upload and Process

- Resources > Advanced Tools > Digital Uploader > Add Ingest > Drag folder (metadata + JPGs).[52] [48]
- Select profile > Upload All > Submit > Run MD Import.[48]
- Job matches MMS ID, adds files to empty REP (creates if needed), overlays minimally.[49] [48]

Test on 2-3 titles; files link as file_name_1/2 (up to 2 per REP—multi-row for more). What's your metadata format (CSV/XML) and sample filename pattern?[53] [48]

⁂

When I build my digital import profile the system asks me for a "Target Format" and lets me select from a list. Should I choose the "DigitalGrinnell Qualified DC" format that I previously used to create my bib records, or do I need to first build a new "format" that has only the overlay fields I will need for this operation?

Use your existing "DigitalGrinnell Qualified DC" format as the Target Format for the import profile—it supports the necessary DC fields (like dc:identifier for MMS ID matching) without requiring a new minimal format.[65] [66]

Why Reuse Existing

Target Format defines how incoming source data normalizes/maps to Alma's DC structure; extra fields in your file simply get ignored on overlay (especially with "Update/Overlay" match action discarding non-essential bib data). Your Grinnell Qualified DC already worked for bib creation, so it handles REP overlay with minimal MMS ID rows—no risk of bib changes if match is strict on 001.[66] [67] [65]

Profile Tips

- **Source Format**: Match to your input (e.g., Qualified DC CSV/XML).
- **Match Profile**: 001 to MMS ID; Upon Match: Update/Overlay (retain existing bib).[65] [66]
- Input file needs only dc:identifier (MMS ID), file_name_1 (JPG), rep_label/usage—no full DC bib required.[66]

When New Format Needed

Only create a new "overlay-only" format if validation fails on missing required fields (rare for DC overlay) or you want custom normalization for file fields—test first with existing. Run a pilot job on 1 title to confirm.[65] [66]

Does your input use CSV or XML?

⁂

When creating my import profile the Normalization section asks me to make a selection from the following:

For overlaying files onto existing empty Representations using your "DigitalGrinnell Qualified DC" Target Format, select "**DCAP1 Bib normalize on SRU search**" in Normalization.[81] [82]

Why This Option

This performs SRU search matching on dc:identifier (your MMS ID), normalizes/updates only REP-relevant fields (files, labels), and clears/resets unnecessary bib fields from the minimal input—ideal for overlay without altering parent bib data. It aligns with your DC-only workflow and prior "DigitalGrinnell Qualified DC" usage.[82] [83]

Other Processes Role

- **Copy DCAP1 Bib to Collection**: Avoid—copies full bib, risks overwriting existing.
- **DCAP1 Bib Resequence and Clear empty fields**: Good fallback for cleaning, but SRU normalization handles matching better.
- **DC copyright date... / DG Handle Migration**: Irrelevant for file-only overlay.
- **Suppress...**: Skip unless hiding from discovery.[82]

Validation Exception

Set to "**Handle invalid using DCAP1 Bib normalize on SRU search**" to reuse the logic.[82]

Test with a single-row file (dc:identifier = MMS ID, file_name_1 = JPG); job log shows matches. What's next in your profile setup (Match section)? [83] [84]

⁂

Yes, Match. What do you recommend there?

Use a match on the MMS ID only, with "update/overlay" behavior, so your tiny DC file just finds the existing bib and lets the profile add files to its empty Representation without touching other DC fields.[85] [86]

Recommended Match Settings

- **Match method**:
  - Use the predefined "**001 to MMS ID Match Method (predefined by Ex Libris)**" or, if available in your DC environment, the **MMS_ID field** whose syntax is `alma:{INST_CODE}/bibs/{MMS_ID}`.[86] [85]
- **Handling method**: **Automatic** (you want this to just run).[87]

- **Upon match: Overlay/Update** (for DC digital profiles this updates inventory/representation, and—because your incoming record is minimal and normalization already handles DC—practically leaves the bib as-is).[85]
- **Originating system: Consider Originating System** is safest so Alma will not overwrite a newer local record with your skinny import.[85]
- **Upon no match: Do Not Import** (you are not trying to create new bibs here).[85]

How this plays with your minimal DC file

Your import rows only need the identifier that maps to 001/MMS_ID plus the file_name_1 / REP fields; the match profile uses that ID to find the existing Alma-D title, then the Digital profile logic adds a Representation/file, while normalization protects the rest of the bib.[88] [86]

Would you prefer to match on your existing dc:identifier values (if they already follow the `alma:{INST}/bibs/{MMS_ID}` pattern), or do you currently store the bare MMS ID in a separate DC field?

⁂

The bare MMS ID appears in a dc:identifier field as you can see from the example provided here:

Burling Library, Pre 1980s Renovation 991011532687004641 grinnell:4939 http://hdl.handle.net/11084/4939 ``` 0087 https://docs.google.com/spreadsheets/d/1JzW8TGU8qJlBAlyoMyDS1mkLTGoaLrsCzVtwQo-4JlU/edit?usp=sharing ``` ``` for-import_20260128_153348.csv ``` Photograph of Burling Library before it was renovated. http://hdl.handle.net/11084/4939 Campus Buildings Digital Grinnell English Grinnell College Copyright to this work is held by the author(s), in accordance with United States copyright law (USC 17). Readers of this work have certain rights as defined by the law, including but not limited to fair use (17 USC 107 et seq.). Grinnell, Iowa Burling Library Renovation Grinnell College photograph
You're in great shape: that first bare-number `dc:identifier` is exactly what you want to match on.

Match Profile Recommendation

In the **Match** section for this Digital import profile:

- **Use match profile**: create a *DC match profile* (if you don't already have one) that:
  - Looks in **dc:identifier**.
  - Uses the **first occurrence only** (the MMS ID in your example).
- **Match method** inside that profile:
  - Map `dc:identifier` → Alma **MMS ID (001)** and compare as an **exact match**.[100] [101]
- **Handling method: Automatic**.[102]

- **Upon match: Overlay/Update** (with your Digital profile set so that only digital inventory/representation is affected, not the bib text itself).[101] [103]
- **Upon no match: Do not import.**[101]

Because your DC record is already a *full* bib, but this overlay run will use a minimal DC file (just the MMS ID + file fields), Alma will match on that integer MMS ID in `dc:identifier` to the existing bib and then let the Digital profile hang a file on the existing empty Representation without rewriting the other DC elements.[103] [100]

For your minimal overlay file, you can safely include just:

- One `dc:identifier` with the MMS ID (e.g., `991011532687004641`), plus
- Whatever fields your Digital profile uses for `file_name_1`, label, etc.

Want a concrete minimal DC record template that would work with this match setup?

⁂

Yes pleae.

Here's a minimal DC record template you can use for the **overlay** run to add a single JPG file to an existing empty Representation.

Minimal DC overlay record (one file)

Assumptions (adjust names as needed):

- You'll point the Digital import profile's **Target Format** to your existing *DigitalGrinnell Qualified DC*.[104] [105]
- The profile maps:
  - `dc:identifier` → MMS ID (match key).
  - A local field (example below: `<dgfile1>` or similar) → `file_name_1` in the Digital profile.[106]
- Usage type, collection, etc., are fixed in the profile, not in the record.[106]

Example record for MMS ID `991011532687004641` and JPG `991011532687004641.jpg`:

```
<record xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xmlns:dc="http://purl.org/dc/elements/1.1/"
        xmlns="http://alma.exlibrisgroup.com/dc/01GCL_INST">
  <!-- Match key: bare MMS ID of existing Alma-D title -->
  <dc:identifier>991011532687004641</dc:identifier>

  <!-- Local element used ONLY to carry the filename into the Digital profile -->
  <dgfile1>991011532687004641.jpg</dgfile1>
</record>
```

You would then:

- Put the actual JPG file with the same name in the ingest folder (or reference a full path in `<dgfile1>` if your profile expects a path).[106]
- Configure the Digital import profile's mapping so that `<dgfile1>` populates **file_name_1** for the Representation.[104] [106]
- Run the job: on match to `dc:identifier` (MMS ID), Alma overlays digital content only and leaves the bib DC unchanged.[105] [106]

If you sometimes need two files per Representation (e.g., TIFF + JPG), you can add a second local element, like `<dgfile2>`, mapped to `file_name_2` in the profile.

⁂

That worked! The thing that still has me confused is that Alma insists every digital import profile has an associated default Collection, and it makes that collection the first part of the profile name. Ok, but clearly for an overlay operation the collection is ignored, only the MMS ID (aka the "dc:identifier") is used in our case to identify the correct bib record. Is that documented anywhere?

You're reading the behavior correctly: the default Collection is mandatory on every digital import profile, but when you overlay on existing digital titles via MMS ID, Alma effectively uses the existing bib/collection context and the default Collection becomes irrelevant for those matched records.[107] [108]

What the docs actually say

- Ex Libris states that **every REP must be assigned to a collection** and that you must "define a default collection" in the digital import profile.[107]
- In the bulk-creation examples, they add: if collection fields are not in the incoming metadata, Alma assigns the bib/REP to **"the default collection defined in the MD import profile."**[108]
- For CSV/DC, they note that collection can be supplied explicitly (collection_name / collection_id / collection_external mapped to dc:relation) and that you must add the *"Add BIB to Collection"* normalization rule for the import job to use those fields; **otherwise the default collection is used.**[108]

What's *not* spelled out—but is how your overlay run behaves—is:

- When the import profile **matches an existing bib on 001/MMS ID** and you are not creating a new bib/REP, the existing record's collection membership can remain unchanged; the default Collection parameter is mainly there so Alma knows what to do when it *creates* new digital inventory.[107] [108]

- Because your overlay file contains only the MMS ID and file name, and your normalization doesn't include "Add BIB to Collection," Alma never reassigns these matched bibs to the default Collection—so functionally, the Collection in the profile name is just boilerplate for this workflow.[108]

Why Alma still forces a Collection

Conceptually, Alma treats a **digital import profile** as "create or update digital inventory, and if we must create anything new, it must belong to a Collection," so the UI enforces that field even in pure overlay cases. That design isn't documented as "collection is ignored when overlaying by MMS ID," but you can infer it from the collection-mapping note: if you don't supply collection fields or collection-normalization, Alma falls back to the profile's default only when assigning a collection to *new* records.[107] [108]

If you want a citation-style pointer for colleagues, I'd annotate your local docs roughly as: "Per Ex Libris, a default collection is required for the profile so Alma can assign collections to created records; in our overlay setup we do not create new bibs or change collection fields, so existing collections remain unchanged even though the profile name is prefixed with a collection label." [109] [108] [107]

Is your overlay profile ever going to be reused for *creating* brand-new digital titles, or will you keep it dedicated to the "add JPG to empty REP" workflow only?

⁂

1. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
2. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/020Adding_Representations
3. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
4. https://gist.github.com/jweisman/0ebeecc428273765caf9e4fc0c590a21
5. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
6. https://www.carli.illinois.edu/products-services/i-share/external-system/devnetapi
7. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/39067/pdf/Digital+Workflows.pdf?stylesheet=default
8. https://www.youtube.com/watch?v=WT-SvOp8NdY
9. https://knowledge.exlibrisgroup.com/Alma/Implementation_and_Migration/Migration_Guides_and_Tutorials/Alma_Specto_Migration
10. https://www.youtube.com/watch?v=WRzugPQX9-o
11. https://www.orbiscascade.org/programs/systems/api-toolkit/introduction/
12. https://github.com/jweisman/Alma-Digital-Uploader
13. https://www.youtube.com/watch?v=IRDYH6rqRlY

14. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/88489/pdf/Adding+Representations.pdf?stylesheet=default
15. https://www.carli.illinois.edu/sites/files/i-share/documentation/CARLI_Alma_Config_form_Guide_Final.pdf
16. https://exlibris.libguides.com/alma/almadigital
17. https://libguides.siue.edu/c.php?g=1040253&p=7640960
18. https://www.youtube.com/watch?v=b0FvX6fr5II
19. https://sunyolis.libanswers.com/faq/331265
20. https://igelu.org/wp-content/uploads/2020/10/Day-2---Alma-Digital---Product-update-and-spotlight-on-full-migration-to-Alma-D.pdf
21. https://www.youtube.com/watch?v=eD8QWoL4Ps8
22. https://www.carli.illinois.edu/products-services/i-share/external-system/dev_network
23. https://www.carli.illinois.edu/products-services/i-share/physical-res-man/import-workflows
24. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/Editing_Representation_Metadata_and_Content
25. https://gist.github.com/jweisman/7baf40cdfdeb02b11abfac28243929f0
26. https://jweisman.github.io/Alma-Digital-Uploader/help.html
27. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/010_Working_with_Digital_Resources/010_Working_with_Digital_Resources_-_Overview
28. https://journal.code4lib.org/articles/16597
29. https://journal.code4lib.org/articles/16597
30. https://github.com/scriptotek/php-alma-client
31. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
32. https://www.youtube.com/watch?v=gljWt9tDKOY
33. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/020Adding_Representations
34. https://github.com/scriptotek/php-alma-client/blob/master/README.md
35. https://admhelp.microfocus.com/alm/api_refs/REST_core/Content/REST_API_Core/REST/attachments_collection.html
36. https://ultra.guide/bin/view/Automation/RestAPITestingWithPostman
37. https://learning.postman.com/docs/sending-requests/create-requests/parameters
38. https://learning.postman.com/v11/docs/design-apis/api-builder/develop-apis/defining-an-api
39. https://www.youtube.com/watch?v=mUXQfIz1oA8
40. https://documents.el-una.org/2038/
41. https://www.taniarascia.com/making-api-requests-postman-curl/
42. https://jazz.net/forum/questions/282795/how-to-access-rest-api-of-alm-to-upload-documents-in-attachments-field

43. https://stackoverflow.com/questions/40386955/how-do-i-send-file-in-a-put-resquest-using-postman
44. https://www.perplexity.ai/search/238becb6-5f0b-413a-bfcd-a61133195a32
45. https://journal.code4lib.org/articles/16597
46. https://github.com/scriptotek/php-alma-client
47. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
48. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
49. https://www.perplexity.ai/search/dfde3e6b-751f-47c4-90c0-e47c99d45a19
50. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
51. https://harvardwiki.atlassian.net/wiki/spaces/LibraryStaffDoc/pages/43394499/Alma+Digital+Uploader+XML+spec+and+manual+process+via+Alma+UI
52. https://jweisman.github.io/Alma-Digital-Uploader/help.html
53. https://www.perplexity.ai/search/087890b9-19fa-4892-9c3b-c5fd94b7a805
54. https://exl-edu.com/01_Alma/Alma_Digital_New_UI/Bulk_Workflow_Using_the_Digital_Uploader/
55. https://libis.helpdocsite.com/workflows/nieuwe-representation-aanmaken-in-alma-d
56. https://alma.wrlc.org/books/resources-electronic/page/how-to-create-an-alma-import-profile
57. https://nclibraries.niagaracollege.ca/alma-procedures/alma-representations
58. https://answers.library.losrios.edu/lrcq/faq/341064
59. https://jweisman.github.io/Alma-Digital-Uploader/
60. https://palssupport.zohodesk.com/portal/en/kb/articles/import-profile-considerations
61. https://exlibris.libguides.com/alma/almadigital
62. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/020Adding_Representations
63. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/88489/pdf/Adding+Representations.pdf?stylesheet=default
64. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
65. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
66. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
67. https://www.perplexity.ai/search/dfde3e6b-751f-47c4-90c0-e47c99d45a19
68. https://palssupport.zohodesk.com/portal/en/kb/articles/import-profile-considerations
69. https://knowledge.exlibrisgroup.com/Alma/Training/Alma_Digital/09_Alma_Digital:*Bulk_Workflow-*_Creating_Import_Profiles_for_Dublin_Core
70. https://alma.wrlc.org/books/resources-metadata/page/match-profile-in-the-metadata-editor

71. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/88489/pdf/Adding+Representations.pdf?stylesheet=default
72. https://alma.wrlc.org/books/resources-electronic/page/how-to-create-an-alma-import-profile/revisions/448/changes
73. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/64907/pdf/Alma+Digital+%3A+import+errors+and+how+to+find+them.pdf?stylesheet=default
74. https://knowledge.exlibrisgroup.com/Alma/Product_Materials/050Alma_FAQs/Metadata_Management/Import,_Export,_Publishing
75. https://sunyolis.libguides.com/c.php?g=986218&p=7692866
76. https://www.orbiscascade.org/programs/scts/technical-services/documentation/import-profiles-in-alma/
77. https://knowledge.exlibrisgroup.com/Alma/Best_Practices_and_How-Tos/Miscellaneous/Best_Practice_Toolkit:_Setting_Up_Import_Profiles
78. https://alma.wrlc.org/books/resources-electronic/page/how-to-create-an-alma-import-profile
79. https://sunyolis.libanswers.com/faq/331265
80. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/050Importing_Records_Using_an_Import_Profile
81. image-3.jpg
82. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
83. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
84. https://www.perplexity.ai/search/dfde3e6b-751f-47c4-90c0-e47c99d45a19
85. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
86. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
87. https://www.orbiscascade.org/programs/scts/technical-services/documentation/import-profiles-in-alma/
88. https://knowledge.exlibrisgroup.com/Alma/Training/Alma_Digital/09_Alma_Digital:*Bulk_Workflow-*_Creating_Import_Profiles_for_Dublin_Core
89. https://sunyolis.libguides.com/c.php?g=986218&p=7132449
90. https://alma.wrlc.org/books/resources-electronic/page/how-to-create-an-alma-import-profile/revisions/448/changes
91. https://sunyolis.libanswers.com/faq/331265
92. https://knowledge.exlibrisgroup.com/Alma/Release_Notes/030_2016/04September_2016/Alma_September_2016_Release_Notes
93. https://exlibris.libguides.com/alma/almadigital
94. https://alma.wrlc.org/books/resources-metadata/page/match-profile-in-the-metadata-editor
95. https://exl-edu.com/01_Alma/Alma_Digital_New_UI/Bulk_Workflow_Creating_Import_Profiles_for_Dublin_Core/

96. https://sunyolis.libguides.com/c.php?g=986218&p=7692866
97. https://alma.wrlc.org/books/resources-electronic/page/how-to-create-an-alma-import-profile
98. https://pul-confluence.atlassian.net/wiki/spaces/ALMA/pages/1770185/Alma+System+Numbers
99. https://pul-confluence.atlassian.net/wiki/spaces/ALMA/pages/1770440/Bulk+Searching+Alma+s+Holdings+for+Matches+via+Excel+and+Import+Profile
100. https://knowledge.exlibrisgroup.com/Alma/Training/Alma_Digital/09_Alma_Digital:*Bulk_Workflow-*_Creating_Import_Profiles_for_Dublin_Core
101. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
102. https://www.orbiscascade.org/programs/scts/technical-services/documentation/import-profiles-in-alma/
103. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
104. https://knowledge.exlibrisgroup.com/Alma/Training/Alma_Digital/09_Alma_Digital:*Bulk_Workflow-*_Creating_Import_Profiles_for_Dublin_Core
105. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
106. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
107. https://knowledge.exlibrisgroup.com/Alma/Knowledge_Articles/How_to_Load_Representations_to_an_existing_Alma_Digital_record
108. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/040Creating_Digital_Content_in_Bulk
109. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/040Resource_Management/060Record_Import/020Managing_Import_Profiles
110. https://knowledge.exlibrisgroup.com/Alma/Product_Documentation/010Alma_Online_Help_(English)/Digital_Resource_Management/040Creating_Digital_Inventory/020Adding_Representations
111. https://knowledge.exlibrisgroup.com/Alma/Training/Alma_Digital/09_Alma_Digital:*Bulk_Workflow-*_Creating_Import_Profiles_for_Dublin_Core
112. https://flvc.libguides.com/AlmaResourceManagementGuide/importingbibs
113. https://capture-knowledge-exlibrisgroup-com-90611502d.getsmartling.com/@api/deki/pages/88489/pdf/Adding+Representations.pdf?stylesheet=default
114. https://www.dublincore.org/specifications/dublin-core/usageguide/elements/
115. https://palssupport.zohodesk.com/portal/en/kb/articles/creating-an-import-profile-matching-on-pol
116. https://sunyolis.libguides.com/c.php?g=986218&p=7692866
117. https://ideas.exlibrisgroup.com/forums/966189-alma-digital/suggestions/48447020-digital-import-profile-it-does-not-manage-the-ex
118. https://www.carli.illinois.edu/products-services/i-share/physical-res-man/import-workflows
119. https://www.orbiscascade.org/programs/scts/technical-services/documentation/import-profiles-in-alma/

120. https://knowledge.exlibrisgroup.com/Rialto/Product_Documentation/040Rialto_Administrator_Guide/070Rialto_Default_Configurations

121. https://palssupport.zohodesk.com/portal/en/kb/articles/import-profile-considerations